VII / Lincs/5 (2578/5)

Sectio

R T

Fo

2578/5

SCUNTHORPE, NORMANBY

1934 — 40

7/0410

Scientific
Instrument M
Established

lborn Viaduct:
egent Street:
: Barnsbury, N.

Kept by D. Stanw rmanby Nr Scunthorpe

Time of Observation 9 Lincolnshire.

Rules for of this Chart.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	·04	–	–	–	–	–	–	·19	–	·11	–	·25
2	·01	·02	·03	–	–	–	–	·19	·22	–	·08	·27
3	·2	·05	–	·01	–	–	–	–	–	·05	·04	–
4	·03	–	·04	·16	–	–	–	–	·01	·03	–	·5
5	–	–	·05	–	·09	–	–	·04	–	–	·13	–
6	–	–	–	·04	·24	·08	–	·24	·01	·08	–	·59
7	·08	·01	–	–	–	·16	–	–	–	·14	·1	·29
8	–	–	–	–	·08	·11	–	·04	–	·01	·63	–
9	–	–	·08	·07	–	–	–	·02	–	–	·79	·07
10	–	–	·4	·08	–	–	–	·01	–	·01	·05	–
11	·46	–	·21	·15	–	–	–	·02	–	–	·06	·26
12	–	·01	·33	·03	–	–	·14	·2	–	–	–	·07
13	·3	–	·01	·03	–	·04	·33	·1	–	·02	–	·07
14	·02	–	·17	–	·03	·32	–	–	–	·08	·06	·16
15	·07	–	·06	–	·09	–	–	–	·01	·03	·13	–
16	·13	–	·07	–	·3	–	–	–	–	·04	·06	–
17	·05	–	·06	–	–	–	·07	–	·25	·04	·05	·07
18	·1	–	·005	·26	·04	–	·19	·01	·11	–	–	·01
19	–	–	·1	·25	·02	·02	–	–	·14	·12	–	–
20	–	–	·02	·04	·02	·13	–	–	·04	–	–	–
21	–	–	–	–	–	·27	–	–	·04	·04	–	·005
22	–	–	–	–	–	–	–	·14	·29	–	–	·01
23	–	–	–	·17	–	–	·15	–	–	·07	·03	·01
24	–	·04	·09	·06	–	–	·19	–	·11	·03	–	·02
25	·04	–	–	·1	–		·01		·05	·05	–	·34
26	·04	·5	·005	·08	–	–	–	–	·04	–	–	·01
27	–	·25	–	·44	–	·01	·05	–	·02	·03	·01	·09
28	–	–	–	·01	–	–	·02	·56	–	–	–	·3
29	–		·03	–	–	–	·02	·04	·15	–	–	·08
30	·04		–	–	–	–	·09	–	·02	·11	–	·02
31	·06		–		–		·19	·1		–		·03
Totals	1·67	·88	1·76	1·98	·91	1·14	1·45	1·9	1·51	1·09	2·22	3·525
	16 13	7 4	17 12	17 13	9 6	9 7	12 9	15 11	16 11	18 15	14 12	23 15

Total for Year. 20·035 inches.



Total - 20·04
Raindays. 174
Wet days. 125

MONTHLY TOTALS

Authority
R. S. LONG, ESQ.

VII / Linds / 5 (25/8)

Sectio

Fo

RAINFALL CHART

Scientific
Instrument Makers.
Established 1850.

NEGRETTI
& ZAMBRA
LONDON

38 Holborn Viaduct:
122 Regent Street:
Works: Barnsbury, N.

Kept by D. Stanworth HEAD FORESTER **YEAR** 1934. *At* Normanby Nr SCUNTHORPE

Time of Observation 9 A.M. *County* Lincolnshire.

Rules for observing Rainfall will be found on the back of this Chart.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	·04	–	–	–	–	–	–	·19	–	·11	–	·25
2	·01	·02	·03	–	–	–	–	·19	·22	–	·08	·27
3	·2	·05	–	·01	–	–	–	–	–	·05	·04	–
4	·03	–	·04	·16	–	–	–	–	·01	·03	–	·5
5	–	–	·05	–	·09	–	–	·04	–	–	·13	–
6	–	–	–	·04	·24	·08	–	·24	·01	·08	–	·59
7	·08	·01	–	–	–	·16	–	–	–	·14	·1	·29
8	–	–	–	–	·08	·11	–	·04	–	·01	·63	–
9	–	–	·08	·07	–	–	–	·02	–	–	·79	·07
10	–	–	·4	·08	–	–	–	·01	–	·01	·05	–
11	·46	–	·21	·15	–	–	–	·02	–	–	·06	·26
12	–	·01	·33	·03	–	–	·14	·2	–	–	–	·07
13	·3	–	·01	·03	–	·04	·33	·1	–	·02	–	·07
14	·02	–	·17	–	·03	·32	–	–	–	·08	·06	·16
15	·07	–	·06	–	·09	–	–	–	·01	·03	·13	–
16	·13	–	·07	–	·3	–	–	–	–	·04	·06	–
17	·05	–	·06	–	–	–	·07	–	·25	·04	·05	·07
18	·1	–	·005	·26	·04	–	·19	·01	·11	–	–	·01
19	–	–	·1	·25	·02	·02	–	–	·14	·12	–	–
20	–	–	·02	·04	·02	·13	–	–	·04	–	–	–
21	–	–	–	–	–	·27	–	–	·04	·04	–	·005
22	–	–	–	–	–	–	–	·14	·29	–	–	·01
23	–	–	–	·17	–	–	·15	–	–	·07	·03	·01
24	–	·04	·09	·06	–	–	·19	–	·11	·03	–	·02
25	·04	–	–	·1	–	–	·01	–	·05	·05	–	·34
26	·04	·5	·005	·08	–	–	–	–	·04	–	–	·01
27	–	·25	–	·44	–	·01	·05	–	·02	·03	·01	·09
28	–	–	–	·01	–	–	·02	·56	–	–	–	·3
29	–		·03	–	–	–	·02	·04	·15	–	–	·08
30	·04		–	–	–	–	·09	–	·02	·11	–	·02
31	·06		–		–		·19	·1		–		·03
Totals	1·67	·88	1·76	1·98	·91	1·14	1·45	1·9	1·51	1·09	2·22	3·535
	16 13	7 4	17 12	17 13	9 6	9 7	12 9	15 11	16 11	18 14	15 12	23 18

N Total for Year. 20·035. inches. X



Total – 20·04
Raindays. 174
Wet days. 125

MONTHLY TOTALS

Authority
R. S. LONG, ESQ. X

f 3? 3159/35

VII/ – /6

c10,34

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Normanby Nr Scunthorpe

In the County of Lincoln

Rain Gauge
- Diameter of Funnel FIVE in.
- *Height of Top above Ground* ONE *ft.* —— *in.*
- *Height of Ground above Sea Level* 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total					

Signature Richard S. Long

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
R. S. LONG – ESTATE OFFICE, NORMANBY
SCUNTHORPE – LINCOLNSHIRE.

Hour of observation by the clock—in Winter 9.00 AM. in Summer 9.00 AM.

Nearest Railway Station WINTERTON & THEALBY LNER Distance 3450 yds Direction from gauge N.E.

Nearest Parish Church at BURTON-ON-STATHER Distance 1690 yds Direction from gauge N.W.

Nature of objects nearest to gauge	BED OF YOUNG POPLARS	WILLOW HEDGE		
Heights of objects	5-6 FEET.	10 Feet.		
Distances ..	12 FT TO NEAREST CORNER	40 Feet		
Directions from gauge ..	S.E.	N.		

If gauge has been moved during the year state—

Date of move ——— Distance ——— Direction ———

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

SECTION C only

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st, it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

N

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2578/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Normanby nr Scunthorpe

in the County of Lincoln

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 170 — 200 ft.

Total [illegible] days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·46	—	·2	·06	—	—	—	—	·41	·13	·12	·03		1
2	·03	—	—	·11	—	·17	—	—	—	·32	—	—		2
3	—	·04	·19	·28	—	·01	—	—	—	·5	·1	—		3
4	—	—	—	—	—	·04	—	—	·04	·16	·03	—		4
5	·05	·21	—	—	—	1·23	—	—	·02	·02	·06	—		5
6	·1	—	—	—	—	·14	—	—	—	—	—	—		6
7	·08	—	—	·2	—	·19	—	—	—	·17	·48	·12		7
8	·06	—	—	·1	—	·01	—	·24	—	·02	tr	·04		8
9	·02	—	·01	·04	—	·06	—	—	—	·64	·18	·01		9
10	—	·04	—	·02	—	·01	—	—	—	·02	—	—		10
11	·09	—	—	—	—	—	—	—	—	—	·09	·03		11
12	—	·02	—	—	—	·1	—	—	·02	—	—	—		12
13	·05	—	—	·07	·17	·01	—	—	—	—	tr	—		13
14	—	—	—	·01	·15	·02	—	—	·25	—	·59	·05		14
15	—	·04	—	·38	·05	·11	—	—	·13	—	·15	·18		15
16	—	·28	·05	·01	·01	·3	·02	—	·41	·01	·44	—		16
17	·02	—	—	·11	—	·27	—	·06	·07	·04	·83	—		17
18	·04	—	—	·16	·05	·15	·25	—	·18	·07	·16	—		18
19	·04	—	—	·02	—	·19	·04	—	—	—	·08	—		19
20	·02	·02	—	·18	—	·12	—	—	—	—	·05	—		20
21	—	·66	—	—	—	—	—	—	·31	·05	·05	—		21
22	—	·22	·02	—	—	—	—	—	·01	—	·03	—		22
23	·01	—	·15	—	—	—	—	·31	·02	—	tr	—		23
24	·11	·45	·07	—	—	—	—	—	1·15	—	—	·31		24
25	·19	·08	—	—	—	·1	—	—	—	—	—	·02		25
26	·45	—	—	—	—	—	tr	·88	·32	·06	·01	·33		26
27	·06	·26	—	—	·04	—	—	—	·16	·09	·15	·72		27
28	—	·01	—	—	—	—	—	·11	·03	·27	—	·08		28
29	·03	—	·04	—	—	—	—	·06	·1	·02	—	·06		29
30	—	✕	—	—	—	—	—	·06	·02	·12	·15	·02		30
31	—	✕	—	✕	—	✕	—	tr	✕	·37	✕	·27		31
TOTAL	1·91	2·33	·73	1·75	·47	3·23	·31	1·72	3·65	3·08	3·75	2·27	Year's Total. 25·20 ✓	
* Days with .01 in. or more.	19 ~~8~~	13 ~~8~~	8 ~~2~~	15 ~~4~~	6 x	19 ~~5~~	3 x	7 –	18 ~~6~~	19 ~~5~~	19 ~~3~~	15 ~~5~~	161 ✓	
* Days with .04 in. or more.	13 ✓	10 ✓	6 ✓	11 ✓	5 ✓	14 ✓	2 ✓	7 ✓	12 ✓	14 ✓	16 ✓	10 ✓	120 ✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Richard S. Long

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2578/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Normanby nr Scunthorpe

in the County of Lincoln

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·04	·19	·35	—	·02	·09	·11	·02	—	·04	·09		1
2	·02	Tr	·02	—	—	·88	·82	·18	—	—	·21	·07		2
3	—	·06	—	—	—	·45	—	—	·31	—	—	Tr'		3
4	·04	—	·12	·01	—	·01	—	—	·03	·01	·12	·01		4
5	·05	·01	·01	—	—	—	—	·07	·05	—	—	·05		5
6	·02	—	—	—	·06	—	·14	·3	·52	·03	·07	—		6
7	·26	—	·03	—	—	—	1·1	—	·02	·07	Tr	·08		7
8	·12	—	·01	—	·01	—	—	—	—	·02	·17	·12		8
9	·34	—	·11	—	—	·01	·14	—	—	·04	·09	—		9
10	·01	—	—	·01	·01	—	·19	·08	—	Tr	·11	Tr		10
11	—	—	—	·07	—	·01	—	—	·01	—	·42	—		11
12	—	—	Tr	·33	·07	·35	—	—	·5	—	·16	·08		12
13	—	—	—	·04	·09	·19	·37	—	·02	·09	·02	·15		13
14	—	—	—	·29	—	·16	·02	—	1·4	Tr	·05	·11		14
15	·23	·02	—	·2	—	·03	—	·03	—	—	·16	·02		15
16	·21	·02	Tr	·03	·01	—	·01	—	—	—	·32	—		16
17	—	·57	—	—	·01	—	·01	—	—	·01	·05	·03		17
18	—	Tr	—	—	—	·03	·16	·04	—	·1	·05	·01		18
19	·38	·03	—	·01	—	Tr	·07	·53	—	·02	—	—		19
20	Tr	·04	·02	—	·01	—	·01	—	—	—	—	—		20
21	·03	—	—	·09	·04	·26	·07	—	—	·01	—	Tr		21
22	·03	·32	·05	—	·09	·33	Tr	—	—	—	·01	·02		22
23	—	·01	Tr	·1	·1	—	·47	—	—	—	Tr	—		23
24	·08	·06	—	—	·39	—	·01	—	·22	·18	—	—		24
25	·13	Tr	·01	·08	—	—	·15	—	·02	·07	Tr	·01		25
26	—	·04	·2	—	—	—	·03	—	·11	·16	—	—		26
27	·08	·02	Tr	—	—	—	—	—	·14	·13	—	—		27
28	·12	·52	·03	—	—	·01	·02	—	·01	—	·01	·06		28
29	·88	·3	·1	—	·12	·36	·03	—	—	·04	·21	·06		29
30	·04	✕	Tr	—	·56	·06	·39	—	—	·92	·01	·04		30
31	Tr	✕	—	✕	—	✕	—	—	✕	·04	✕	·08		31
TOTAL	3·11	2·06	·9	1·61	1·57	3·16	4·3	1·34	3·38	1·94	2·28	1·09	Year's Total 26·74	✓
* Days with .01 in. or more.	20 ~~5~~	15 ~~6~~	13 ~~7~~	13 ~~4~~	14 ~~5~~	16 ~~7~~	21 ~~8~~	8 ~~[illegible]~~	15 ~~[illegible]~~	17 ~~6~~	19 ~~4~~	18 ~~6~~	189 ~~66~~	✓
* Days with .04 in. or more.	15	9	6	9	9	9	13	7	8	11	15	12	123	✓

† Spare column, no entries required.

(*Signed*) Richard S. Long [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2578/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Normanby, Scunthorpe

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 185 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	✓
1	·01	·06	·06	—	—	—	—	—	·03	—	·06	·23		1
2	·01	·07	·16	·33	—	—	—	—	—	—	·01	2·55		2
3	—	·01	Tr	·2	·01	·04	—	—	—	—	—	·14		3
4	·07	·05	·06	·27	Tr	—	—	·15	—	—	—	·15		4
5	·09	—	·09	Tr	—	—	—	Tr	—	—	Tr	·16		5
6	—	—	·03	·05	·2	—	—	—	—	Tr	·01	·12		6
7	—	·26	Tr	·14	·14	—	—	—	—	Tr	—	·04		7
8	—	·21	—	·04	—	—	—	—	·01	—	·06	·09		8
9	—	·02	·01	·08	·15	—	·55	·04	·02	—	·05	·22		9
10	Tr	·01	—	·32	Tr	·22	·01	—	—	·01	·12	·23		10
11	—	—	·53	·11	·56	—	—	—	·01	·03	Tr	·18		11
12	·07	·25	·03	Tr	·38	·03	—	—	·07	—	—	·15		12
13	—	·03	·01	—	·06	1·28	—	—	—	—	—	·08		13
14	—	·01	·22	—	—	·02	—	·33	·01	—	—	·02		14
15	·1	·32	·04	·24	—	·02	1·6	Tr	·01	—	—	·2		15
16	·08	·04	·18	·73	—	·05	—	·02	·08	—	—	·21		16
17	·18	·01	·14	·4	—	·05	—	—	·32	—	—	·01		17
18	1·03	·05	·06	Tr	—	·02	—	·02	·02	—	·37	—		18
19	Tr	·01	·05	·26	—	·04	·26	—	—	·01	·4	—		19
20	·22	—	—	·15	·8	·02	—	—	·07	—	—	—		20
21	·01	—	·01	·05	Tr	—	·3	·04	—	·02	—	·03		21
22	·01	—	·05	·02	Tr	—	—	—	—	·31	·05	·01		22
23	·35	—	·01	—	·21	—	·21	—	—	·47	·32	—		23
24	·26	·05	·01	—	—	·01	·15	—	·04	·16	—	—		24
25	·12	·28	·06	—	—	—	Tr	—	—	·3	—	·01		25
26	—	·22	·02	—	·25	—	—	—	—	—	·01	—		26
27	—	·05	—	·12	—	—	·06	—	—	·49	—	·02		27
28	—	·25	·02	Tr	—	—	—	—	—	·01	—	·03		28
29	·05	—	—	—	—	—	—	—	—	·01	·05	·04		29
30	·35	✕	—	—	—	·02	—	—	—	—	·15	·04		30
31	·3	✕	—	✕	—	✕	—	—	✕	·15	✕	·09		31
TOTAL	3·31	2·26	1·85	3·51	2·76	1·82	3·14	·6	·69	1·97	1·66	5·08	Year's Total 28·65	✓ ✓
* Days with .01 in. or more.	~~4~~ 18	~~7~~ 21	~~9~~ 22	~~7~~ 17	~~7~~ 10	~~7~~ 13	~~7~~ 8	~~2~~ 6	~~7~~ 12	~~6~~ 12	~~3~~ 13	~~7~~ 25	~~55~~	177 ✓
* Days with .04 in. or more.	14	14	13	16	9	6	7	4	5	6	10	18	122	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2578/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Normanby nr. Scunthorpe

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 185 ft.

Days
w.f.T.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	—	·04	—	·03	—	·01	—	—	·07		1
2	·08	—	—	—	—	·69	—	—	—	·10	·09	·19		2
3	·07	—	—	—	—	·01	·05	—	·23	·76	·15	—		3
4	·06	—	—	·02	—	·02	·01	—	—	·05	·05	·27		4
5	—	—	—	—	—	·02	·24	·31	·01	·19	Tr	—		5
6	·04	Tr	—	—	—	—	·35	Tr	·18	·04	—	Tr		6
7	·09	—	—	—	—	—	·23	1·02	·11	·17	—	·01		7
8	·20	—	—	—	—	—	·12	Tr	—	·21	—	·07		8
9	·01	·06	—	—	—	·03	·02	—	·07	—	—	·22		9
10	·08	·02	—	—	—	·25	·27	—	·01	—	·01	·02		10
11	·18	—	—	—	—	·04	·07	—	—	·03	·03	·01		11
12	·10	·03	—	—	·06	—	—	·02	—	·50	·04	Tr		12
13	—	·11	—	—	—	—	—	—	·03	·02	·04	·32		13
14	·06	—	—	—	·04	—	·33	—	·17	—	—	—		14
15	·14	—	—	—	—	—	·44	·01	—	—	·01	·15		15
16	·09	—	—	—	—	—	1·00	·03	—	—	·03	·37		16
17	—	—	—	—	·60	—	·07	·08	·01	·05	·01	—		17
18	·10	·01	—	—	·17	·15	—	Tr	·01	·18	·25	—		18
19	—	—	—	—	·02	Tr	—	·09	·63	—	—	·16		19
20	·01	—	—	—	·04	—	—	—	·01	—	·39	·24		20
21	—	—	—	·04	—	—	—	·05	—	—	—	·38		21
22	—	·01	—	·01	—	·34	—	—	—	—	·23	·20		22
23	—	—	—	·01	·01	·05	—	—	·08	—	·03	·03		23
24	—	—	·12	·01	·21	·01	—	·03	·29	—	·04	·04		24
25	·03	·15	·01	—	—	—	—	—	—	·22	·55	·03		25
26	—	·62	·08	—	—	—	—	·01	·04	·19	·01	·20		26
27	·17	·08	—	—	·19	·32	·10	·12	·18	·11	·18	—		27
28	·09	—	—	·01	·72	·17	·05	1·04	·16	—	·01	·03		28
29	·02	—	—	·07	·45	—	·07	—	·02	·05	·09	—		29
30	·06	✕	—	—	·06	·09	—	—	·04	·01	·05	—		30
31	·12	✕	—	✕	·16	✕	—	·09	✕	·22	✕	·65		31
TOTAL	1·82	1·09	·21	·17	2·77	2·19	3·45	2·90	2·29	3·10	2·29	3·66	Year's Total 25·94	
* Days with .01 in. or more.	22	9	3	7	14	14	17	13	20	18	21	21		179
* Days with .04 in. or more.	14	5	2	2	12	9	14	8	12	15	13	15	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. C. Atkinson – Clark

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2548/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Normanby W. Scunthorpe

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 185 ft.

D/75

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·01	–	·04	·02	–	–	·03	·41	·10	·01	–	·01		1	
2	·12	–	Tr	·26	–	–	·06	·23	·25	·01	·08	–		2	
3	–	–	–	·06	–	–	–	·19	–	·02	·34	·12		3	
4	·20	–	·22	·28	–	–	Tr	·49	–	–	·01	·44		4	
5	–	·01	–	–	·15	–	·02	·51	–	·14	·26	·28		5	
6	·03	–	–	–	·01	–	·23	–	–	Tr	Tr	–		6	
7	·14	·21	–	–	–	–	·05	–	–	·02	·10	·09		7	
8	·04	Tr	·05	–	·01	–	·15	·04	–	–	·04	·34		8	
9	·01	·02	–	–	–	–	·04	·08	–	·86	–	·34		9	
10	·32	–	–	–	–	·03	–	·06	·04	·01	Tr	Tr		10	
11	·11	–	·31	–	·03	·31	–	·05	·01	·03	–	·01		11	
12	·01	·01	·08	–	–	·01	–	–	–	·01	–	·01		12	
13	–	–	·01	·08	·01	·01	–	–	·17	·05	–	·01		13	
14	·49	–	–	·08	·22	·14	·09	–	·07	·60	·01	·02		14	
15	·19	–	·02	·04	·20	·34	·24	–	·05	·05	–	·03		15	
16	–	–	·21	–	·43	·15	·23	–	–	–	·10	–		16	
17	·78	–	·01	·10	·03	–	·53	–	–	·12	·01	–		17	
18	·16	·04	·05	–	–	·19	·19	–	·04	·06	1·22	–		18	
19	·20	–	Tr	–	–	·61	·41	–	Tr	–	–	·04		19	
20	·01	–	–	–	–	·05	·01	–	·01	–	–	–		20	
21	·12	·10	·20	·01	·12	Tr	·02	–	·06	Tr	–	–		21	
22	·07	·29	·04	·15	–	–	·03	–	·02	–	·70	–		22	
23	·01	–	·03	·06	–	·03	·05	–	Tr	·11	·28	–		23	
24	–	–	·02	·14	·10	Tr	–	·06	–	–	–	–		24	
25	·39	–	·05	–	–	–	–	·99	–	–	·13	·07		25	
26	·01	Tr	–	–	–	–	–	–	–	·16	·07	–		26	
27	·05	·04	·44	·05	–	·03	–	·04	·01	·19	·09	–		27	
28	·01	·20	·11	·05	–	·06	·15	–	–	·03	·22	–		28	
29	–	–	–	–	–	–	·31	·28	–	·19	·01	–		29	
30	–	✕	–	·01	–	·01	–	–	–	–	·11	–		30	
31	–	✕	–	✕	–	✕	·05	–	✕	–	✕	–		31	
TOTAL	3·51	·92	1·92	1·39	1·31	2·00	2·92	3·43	·86	2·67	3·81	1·81	Year's Total 26·55		✓
* Days with .01 in. or more.	23 ~~8~~	9 ~~8~~	17 ~~5~~	15 ~~3~~	11 ~~5~~	14 ~~8~~	20 ~~5~~	13 ~~4~~	12 ~~4~~	19 ~~8~~	18 ~~4~~	14 ~~8~~	185 ~~54~~		✓
* Days with .04 in. or more.	15	6	12	12	6	8	15	13	8	11	14	8	128 ✓		✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. G. Atkinson: Clark

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2548/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Normanby Nr. Scunthorpe
in the County of Lincoln
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 185 ft.

Sup. Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·06	—	—	—	—	—	—	·15	—		1
2	·02	—	—	·17	—	—	—	—	—	—	·05	·05		2
3	—	·14	—	·04	—	—	—	—	—	·13	·01	·12		3
4	·02	·19	—	·12	—	—	—	—	—	·26	·28	·01		4
5	—	·06	—	—	·09	—	·42	—	—	·06	·09	·12		5
6	—	·10	—	—	—	—	—	—	—	·72	·02	·01		6
7	·07	·29	—	·06	·02	—	·04	·02	·01	—	·01	·01		7
8	·08	—	·01	—	—	—	·05	·01	—	·14	—	·24		8
9	·01	—	·25	—	—	—	·04	—	·08	·01	·66	·09		9
10	—	—	·02	—	—	—	1·71	·01	—	—	·10	·03		10
11	—	·04	·01	—	—	·07	·32	—	—	—	·58	—		11
12	—	·03	·14	—	—	—	·01	—	·24	—	·01	—		12
13	—	·04	·15	—	—	—	·32	—	·15	—	—	—		13
14	—	—	·03	·04	·16	—	·35	—	·01	—	—	·39		14
15	—	—	—	—	·01	—	·01	—	—	·01	·08	·01		15
16	·09	—	·11	—	—	·01	·15	—	·14	·68	·40	—		16
17	—	—	·53	·04	—	—	1·37	—	—	·01	·42	—		17
18	·11	·16	·12	·61	—	—	·10	·49	·10	—	·01	·10		18
19	—	·10	—	·08	—	·02	·27	—	·18	·05	·18	·01		19
20	—	·03	—	·22	—	—	·02	·36	·02	·02	·07	—		20
21	·25	—	·07	—	—	·15	·10	·07	—	·07	1·04	—		21
22	—	·01	·01	·02	·03	·28	—	—	—	·03	—	·01		22
23	—	·07	·03	—	·03	·11	—	—	·04	·06	·06	—		23
24	·10	—	—	·02	—	—	·02	—	·01	·14	—	·01		24
25	·02	—	—	—	—	—	—	—	—	·03	—	·01		25
26	·27	·04	—	—	·12	·04	·02	·02	—	—	·01	—		26
27	·51	·24	—	1·02	—	—	·29	·02	—	—	—	—		27
28	·03	·23	—	·01	·39	—	—	—	·01	·01	—	·01		28
29	—	—	·14	—	—	·04	·01	—	—	—	—	·36		29
30	·07	✕	—	·02	—	—	—	—	—	—	—	·48		30
31	—	✕	·04	✕	—	✕	—	—	✕	1·28	✕	·18		31
TOTAL	1·65	1·77	1·66	2·53	·85	·72	5·62	1·00	·99	3·71	4·23	2·25	Year's Total 26·98	
* Days with .01 in. or more.	~~5~~ 14	~~8~~ 16	~~6~~ 15	~~4~~ 15	~~4~~ 8	~~2~~ 8	~~6~~ 20	~~5~~ 8	~~5~~ 12	~~7~~ 18	~~6~~ 20	~~10~~ 20	174	
* Days with .04 in. or more.	9	13	9	11	4	6	14	3	7	11	14	10	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. C. Atkinson-Clark

E.W.

P.T.O.

2579

Section **A** for the entry of
AIR MINISTRY

...PY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGIST

Kept at Horkstow
in the County of Lin
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

lowing

Jan. 1, following

2579
HORSTON
1931 —32

7 P04 10

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.09	-	-	.03	-	-	.12	-	-	-	1
2	-	.14	-	.33	-	.61	-	-	.41	.08	-	.05	2
3	-	.03	-	.07	.05	-	.06	-	.53	-	.08	.20	3
4	-	-	-	.11	-	-	-	.82	1.66	-	.09	.21	4
5	-	-	-	-	.10	.62	.04	.31	.31	-	-	-	5
6	-	.11	-	-	-	.35	.03	-	.02	.20	-	-	6
7	-	-	-	-	-	.30	-	.13	-	.03	.37	-	7
8	-	.25	.12	-	.04	.05	.21	1.00	-	-	.02	-	8
9	-	.27	.10	.27	-	.33	.04	.10	-	.02	.38	.03	9
10	.17	-	.09	.02	-	.06	-	.29	-	-	.06	-	10
11	.12	.20	.02	-	-	.03	-	-	.06	-	.06	-	11
12	.11	-	-	-	-	-	.80	.04	-	.08	.05	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	.04	.10	-	-	-	.03	.71	.66	-	-	.10	-	14
15	-	.20	-	.15	.06	-	-	.04	-	-	-	-	15
16	-	.15	-	.23	.21	.77	.03	.04	.25	-	-	-	16
17	-	.38	-	.35	-	.02	.04	.28	-	.03	-	-	17
18	.07	.02	.03	.45	-	.09	.51	.06	-	-	.72	-	18
19	.04	.17	-	.20	-	.10	.15	.07	-	.03	-	-	19
20	-	.12	-	.05	-	-	-	.58	.02	-	.02	.05	20
21	.20	-	-	.04	.10	-	-	.08	-	-	.32	-	21
22	.05	-	-	-	.17	-	-	-	.07	-	-	-	22
23	.17	-	-	-	.35	.29	-	-	.12	-	.30	.16	23
24	-	.03	-	.06	.49	-	.11	.03	.03	.04	-	-	24
25	-	-	-	.11	.02	-	.55	-	.02	-	.02	-	25
26	-	-	-	.13	.04	-	.03	-	-	-	.27	.02	26
27	.26	.22	-	.29	-	-	.10	-	-	.26	.28	-	27
28	.22	-	-	.15	.22	-	.03	-	-	-	-	-	28
29	.31	-	-	.30	-	-	.07	-	-	.51	.04	-	29
30	-	×	-	.16	.03	-	-	-	-	.05	-	-	30
31	.48	×	-	×	.63	×	-	-	×	-	×	.17	31
TOTAL	2.24	2.39	.45	3.47	2.51	3.68	3.51	4.53	3.62	1.33	3.18	.89	YEAR'S TOTAL 31.80
*Days with ·01 in. or more.	13 -	15 ~~3~~	6 ~~2~~	19 ~~1~~	14 ~~2~~	15 ~~4~~	17 ~~4~~	16 ~~1~~	13 ~~4~~	11 ~~4~~	17 ~~3~~	8 ~~2~~	164
*Days with ·04 in. or more.	13	12	4	18	12	11	13	15	9	7	14	6	134

40-9999

(Signed) E J Turton

P.T.O.

*See Instruction 2 (*f*) on other side.

2579

Section **A** for the entry of PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Horkstow

in the County of Lincoln

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 74.6 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.09	-	-	.03	-	-	.12	-	-	-	1
2	-	.14	-	.33	-	.61	-	-	.41	.08	-	.05	2
3	-	.03	-	.07	.05	-	.06	-	.53	-	.08	.20	3
4	-	-	-	.11	-	-	-	.82	1.66	-	.09	.21	4
5	-	-	-	-	.10	.62	.04	.31	.31	-	-	-	5
6	-	.11	-	-	-	.35	.03	-	.02	.20	-	-	6
7	-	-	-	-	-	.30	-	.13	-	.03	.37	-	7
8	-	.25	.12	-	.04	.05	.21	1.00	-	-	.02	-	8
9	-	.27	.10	.27	-	.33	.04	.10	-	.02	.38	.03	9
10	.17	-	.09	.02	-	.06	-	.29	-	-	.06	-	10
11	.12	.20	.02	-	-	.03	-	-	.06	-	.06	-	11
12	.11	-	-	-	-	-	.80	.04	-	.08	.05	-	12
13	-	-	-	-	-	-	-	-	-	-	-	-	13
14	.04	.10	-	-	-	.03	.71	.66	-	-	.10	-	14
15	-	.20	-	.15	.06	-	-	.04	-	-	-	-	15
16	-	.15	-	.23	.21	.77	.03	.04	.25	-	-	-	16
17	-	.38	-	.35	-	.02	.04	.28	-	.03	-	-	17
18	.07	.02	.03	.45	-	.09	.51	.06	-	-	.72	-	18
19	.04	.17	-	.20	-	.10	.15	.07	-	.03	-	-	19
20	-	.12	-	.05	-	-	-	.58	.02	-	.02	.05	20
21	.20	-	-	.04	.10	-	-	.08	-	-	.32	-	21
22	.05	-	-	-	.17	-	-	-	.07	-	-	-	22
23	.17	-	-	-	.35	.29	-	-	.12	-	.30	.16	23
24	-	.03	-	.06	.49	-	.11	.03	.03	.04	-	-	24
25	-	-	-	.11	.02	-	.55	-	.02	-	.02	-	25
26	-	-	-	.13	.04	-	.03	-	-	-	.27	.02	26
27	.26	.22	-	.29	-	-	.10	-	-	.26	.28	-	27
28	.22	-	-	.15	.22	-	.03	-	-	-	-	-	28
29	.31	-	-	.30	-	-	.07	-	-	.51	.04	-	29
30	-	×	-	.16	.03	-	-	-	-	.05	-	-	30
31	.48	×	-	×	.63	×	-	-	×	-	×	.17	31
TOTAL	2.24	2.39	.45	3.47	2.51	3.68	3.51	4.53	3.62	1.33	3.18	.89	YEAR'S TOTAL 31.80
*Days with ·01 in. or more.	13 -	15 ~~3~~	6 ~~2~~	19 ~~1~~	14 ~~2~~	15 ~~4~~	17 ~~4~~	16 ~~1~~	13 ~~4~~	11 ~~4~~	17 ~~3~~	8 ~~2~~	164
*Days with ·04 in. or more.	13	12	4	18	12	11	13	15	9	7	14	6	134

40-9999

(Signed) E J Turton

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 2579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Horkstow.
in the County of Lincoln.
Diameter of Funnel of Gauge 5½ in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 74.6. ft.

Rain days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	-	.13	.45	-	-	-	.16	.13	.05	.05	1
2	.10	-	-	-	.25	-	-	-	.28	.16	-	-	2
3	-	-	-	.28	-	-	-	-	-	-	-	-	3
4	-	-	.05	.20	.04	-	-	-	-	-	.10	.10	4
5	-	.05	.08	.05	.05	-	.09	-	.05	-	-	.03	5
6	.60	-	.02	.04	.04	-	.03	-	.05	-	-	-	6
7	-	-	.23	.11	-	-	-	-	.02	.14	.05	-	7
8	-	.04	-	.13	-	-	-	-	.15	.05	.06	-	8
9	-	-	-	.23	-	-	-	-	-	-	-	.05	9
10	-	.10	-	-	-	-	-	-	.28	.32	-	.18	10
11	-	.12	-	.10	.44	.06	-	-	.05	-	.05	-	11
12	-	.05	-	.04	.10	-	-	.03	-	.20	.04	-	12
13	-	.18	.02	.10	.05	-	.10	-	.05	.05	-	-	13
14	-	.03	-	.04	-	-	-	-	-	-	.02	-	14
15	-	-	-	-	.04	-	-	-	-	.03	.10	.13	15
16	.17	-	-	.15	.14	-	-	-	-	.05	-	.02	16
17	-	-	.02	-	.02	-	-	-	.05	-	-	-	17
18	-	-	-	-	.04	-	-	-	-	-	-	-	18
19	-	.04	-	.07	-	-	-	.29	-	.25	-	-	19
20	-	.02	.02	-	.10	-	-	-	-	.13	.09	-	20
21	-	-	.31	.47	1.37	-	.07	.10	-	.34	-	.21	21
22	-	-	.46	.02	.11	-	.46	-	.31	.05	.36	.94	22
23	.02	-	-	.09	-	-	.06	-	-	.08	.04	-	23
24	-	-	-	-	.03	-	.07	-	.03	-	-	-	24
25	-	.08	-	.15	.04	-	.10	-	.02	.30	.04	-	25
26	-	-	-	.06	.38	-	.18	-	-	.11	.05	-	26
27	-	-	.29	.10	.50	.04	-	-	.03	.15	-	.03	27
28	-	-	.03	-	.25	.04	.32	.68	-	-	.07	.02	28
29	-	-	.05	.10	.30	.03	.16	.20	.09	.40	.25	.05	29
30	-	×	.20	.15	-	.32	.04	.08	.25	.10	.10	.11	30
31	-	×	.05	×	.02	×	.44	-	×	-	×	.39	31
TOTAL	.89	74	1.83	2.81	4.76	49	2,12	138	1.87	3.04	1.47	1.34	YEAR'S TOTAL 2274
*Days with ·01 in. or more.	4 +	11 3	14 5	22 +	22 3	5 +	13 +	6 +	16 4	19 +	16 +	14	162
*Days with .04 in. or more.	3	8	9	21	19	4	12	5	12	18	15	10	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. J. Turton.

[P.T.O.

2580

Section **A** for the entry … R OFFICIAL USE.
AIR MINIS… GANIZATION.

FORM 1090. **REG… E**

BATCHSLIP 1-32

STD JOB:
MET-ARCH
BATCH :
METZ 032
ENTRY N8 - - -
VERIFY - - -

da/ro

Kept at Ferriby …
in the County of Li…

Diameter of Funnel of Gauge …
Height of top of Gauge above … 28
,, Ground ,, …

THE MORNING M…

An observer who does not conform … ng year in the space on the right of this paragraph.

0410

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05			·02			·15			·01	1
2		·14		·36		·45			·46	·12		·04	2
3		·01		·06	·04	·02	·05		·61	·01	·15	·29	3
4				·10			·15	·45	1·19		·02		4
5		·07			·09	·79	·03	·31	·12			·21	5
6		·25	·03			·11		·01	·02	·18		·01	6
7		·07	·04			·51		·10		·03	·39	·01	7
8	·13	·05	·06		·03	·02	·24	·80			·01		8
9		·19	·08	·22		·18	·03	·11		·01	·39	·02	9
10	·01		·15		·03	·06		·27			·04		10
11	·11	·13	·01			·02	·01		·05		·07		11
12	·09						·55	·03		·07	·02		12
13	·05	·02											13
14	·03	·13		·11		·01	·45	·63			·08		14
15					·02								15
16	·03	·19		·18	·18	·70	·03	·31	·21				16
17		·20		·40	·04		·02	·04	·01	·01	·71		17
18	·04	·01	·02	·37	·01	·07	·41	·05					18
19	·04	·09		·16		·19	·30	·08	·07	·03	·01		19
20		·07		·06				·48	·01		·01	·03	20
21	·15			·02	·10			·11			·34		21
22	·03				·15				·04				22
23	·16			·06	·33	·30	·01		·04		·26	·13	23
24		·01		·11	·49		·18	·02	·01	·04			24
25	·09			·10	·01		·43		·01				25
26		·12		·28	·07		·01				·23		26
27	·15	·16		·17			·10			·19	·32		27
28	·21			·24	·22		·02					·03	28
29	·45			·01	·03		·10			·51	·02	·13	29
30	·01	×		·15	·61								30
31	·30	×		×	·01	×			×	·04	×	·16	31
TOTAL	2·08	1·91	·44	3·16	2·46	3·45	3·12	3·80	3·00	1·24	3·07	1·07	YEAR'S TOTAL 28·80
*Days with ·01 in. or more.	18 ~~5~~	18 ~~4~~	8 ~~3~~	19 ~~2~~	18 ~~4~~	15	19 ~~8~~	16 ~~3~~	15 ~~5~~	12 ~~5~~	17 ~~6~~	12 ~~6~~	~~59~~ 187
*Days with ·04 in. or more.	13	14	5	17	11	10	11	13	10	7	11	6	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Shaw [P.T.O.

2580

25~~80~~

FERRIBY SLUICE

1931 - 1940

780410

Section A **for the entry o** … **R OFFICIAL USE.**

AIR MINISTR … GANIZATION.

FORM 1090. **REGIS**

Kept at Ferriby Sl

in the County of Linc

Diameter of Funnel of Gauge.......

Height of top of Gauge above Grou

,, Ground ,, Sea

28.

THE MORNING MEAS

An observer who does not conform t … *ng*

year in the space on the right of ~~this paragraph~~.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05			·02			·15			·01	1
2		·14		·36		·45			·46	·12		·04	2
3		·01		·06	·04	·02	·05		·61	·01	·15	·29	3
4				·10			·15	·45	1·19		·02		4
5		·07			·09	·79	·03	·31	·12			·21	5
6		·25	·03			·11		·01	·02	·18		·01	6
7		·07	·04			·51		·10		·03	·39	·01	7
8	·13	·05	·06		·03	·02	·24	80			·01		8
9		·19	·08	·22		·18	·03	11		·01	·39	·02	9
10	·01		·15		·03	·06		·27			·04		10
11	·11	·13	·01			·02	·01		·05		·07		11
12	·09						·55	·03		·07	·02		12
13	·05	·02											13
14	·03	·13		·11		·01	·45	·63			·08		14
15					·02								15
16	·03	·19		·18	·18	·70	·03	·31	·21				16
17		·20		·40	·04		·02	·04	·01	·01	·71		17
18	·04	·01	·02	·37	·01	·07	·41	·05					18
19	·04	·09		·16		·19	·30	·08	·07	·03	·01		19
20		·07		·06				·48	·01		·01	·03	20
21	·15			·02	·10			·11			·34		21
22	·03				·15				·04				22
23	·16			·06	·33	·30	·01		·04		·26	·13	23
24		·01		·11	·49		·18	·02	·01	·04			24
25	·09			·10	·01		·43		·01				25
26		·12		·28	·07		·01				·23		26
27	·15	·16		·17			·10			·19	·32		27
28	·21			·24	·22		·02					·03	28
29	·45			·01	·03		·10			·51	·02	·13	29
30	·01	×		·15	·61								30
31	·30	×		×	·01	×			×	·04	×	·16	31
TOTAL	2·08	1·91	·44	3·16	2·46	3·45	3·12	3·80	3·00	1·24	3·07	1·07	YEAR'S TOTAL 28·80
*Days with ·01 in. or more.	18 ~~5~~	18 ~~4~~	8 ~~3~~	19 ~~2~~	18 ~~4~~	15	19 ~~8~~	16 ~~3~~	15 ~~5~~	12 ~~5~~	17 ~~5~~	12 ~~5~~	~~59~~ 187
*Days with ·04 in. or more.	13	14	5	17	11	10	11	13	10	7	11	6	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Shaw

[P.T.O.

2580

Section **A** for the entry o R OFFICIAL USE.

AIR MINISTR OROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ferriby Sluice

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 16 ft.

Station No 2580

File Ref. 814359/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05			·02			·15			·01	1
2		·14		·36		·45			·46	·12		·04	2
3		·01		·06	·04	·02	·05		·61	·01	·15	·29	3
4				·10			·15	·45	1·19		·02		4
5		·07			·09	·79	·03	·31	·12			·21	5
6		·25	·03			·11		·01	·02	·18		·01	6
7		·07	·04			·51		·10		·03	·39	·01	7
8	·13	·05	·06		·03	·02	·24	80			·01		8
9		·19	·08	·22		·18	·03	11		·01	·39	·02	9
10	·01		·15		·03	·06		·27			·04		10
11	·11	·13	·01			·02	·01		·05		·07		11
12	·09						·55	·03		·07	·02		12
13	·05	·02											13
14	·03	·13		·11		·01	·45	·63			·08		14
15					·02								15
16	·03	·19		·18	·18	·70	·03	·31	·21				16
17		·20		·40	·04		·02	·04	·01	·01	·71		17
18	·04	·01	·02	·37	·01	·07	·41	·05					18
19	·04	·09		·16		·19	·30	·08	·07	·03	·01		19
20		·07		·06				·48	·01		·01	·03	20
21	·15			·02	·10			·11			·34		21
22	·03				·15				·04				22
23	·16			·06	·33	·30	·01		·04		·26	·13	23
24		·01		·11	·49		·18	·02	·01	·04			24
25	·09			·10	·01		·43		·01				25
26		·12		·28	·07		·01				·23		26
27	·15	·16		·17			·10			19	32		27
28	·21			·24	·22		·02					·03	28
29	·45			·01	03		·10			·51	·02	·13	29
30	·01	×		·15	·61								30
31	·30	×		×	·01	×			×	·04	×	·16	31
TOTAL	2·08	1·91	·44	3·16	2·46	3·45	3·12	3·80	3·00	1·24	3·07	1·07	YEAR'S TOTAL 28·80
*Days with ·01 in. or more.	18 ~~5~~	18 ~~4~~	8 ~~3~~	19 ~~2~~	18 ~~4~~	15	19 ~~8~~	16 ~~3~~	15 ~~5~~	12 ~~5~~	17 ~~6~~	12 ~~6~~	~~59~~ 187
*Days with ·04 in. or more.	13	14	5	17	11	10	11	13	10	7	11	6	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Shaw [P.T.O.

File Ref. 814359/28

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 25810

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ferriby Sluice

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 16 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·11	·41	—	·07	·01	·15	·10	·05	·03	1
2	·09	—	—	—	·23	—	—	·11	·19	·14	—	—	2
3	—	—	—	·17	·01	—	—	·01	—	·01	—	·06	3
4	—	—	·03	·16	·02	·01	—	·01	—	—	·08	·01	4
5	·20	·02	·04	·04	·03	·01	·04	—	—	—	—	—	5
6	·77	—	—	·03	—	—	—	—	·05	—	—	—	6
7	·02	—	·21	·09	·02	·02	—	—	·06	·10	·04	—	7
8	—	·03	—	·14	—	—	—	—	·15	·04	·04	—	8
9	·02	·18	·01	·21	—	—	—	—	—	—	—	·03	9
10	·04	·05	—	·01	—	—	—	—	·27	·36	·01	·11	10
11	—	·03	—	·09	·45	·03	·01	·02	·02	·01	·03	—	11
12	·10	·02	—	·03	·09	—	—	—	—	·19	·02	—	12
13	·02	·17	—	·09	·01	—	·08	—	·05	·03	—	—	13
14	—	·01	—	—	·04	—	·02	—	—	—	·01	—	14
15	—	—	—	—	·03	—	—	—	—	·04	·11	·11	15
16	·18	—	—	·08	·12	—	—	—	—	·04	·02	—	16
17	—	—	—	—	—	—	·01	·01	·05	·05	—	—	17
18	—	—	—	·01	·03	·01	—	—	—	—	—	—	18
19	—	·02	—	·03	—	—	—	—	—	·15	—	—	19
20	—	—	·02	·01	·08	—	—	·19	—	·09	·05	—	20
21	·01	·01	·30	·59	1·44	—	·02	·04	—	·35	·01	·20	21
22	—	—	·53	·04	·04	—	·38	—	·30	·05	·31	·03	22
23	—	·01	—	·06	·01	—	·09	—	—	·06	·03	—	23
24	·02	—	—	·01	—	—	·05	—	·03	—	·09	—	24
25	—	·05	—	·13	·03	—	·21	—	—	·30	·05	—	25
26	·01	—	—	·05	·38	—	·21	—	—	·08	·03	—	26
27	—	·04	·20	·11	·35	·03	·10	—	·02	·10	·07	·01	27
28	—	—	·02	—	·26	·02	·36	·68	—	·11	—	·05	28
29	—	—	·05	·11	·29	·06	·11	·22	·08	·39	·24	·11	29
30	—	×	·12	·18	—	·29	·05	·04	·21	·09	·08	·39	30
31	·01	×	·03	×	·01	×	·36	—	×	—	×	·08	31
TOTAL	1·55	·64	1·56	2·58	4·38	·48	2·17	1·34	1·63	2·88	1·37	1·22	YEAR'S TOTAL 21·80
*Days with ·01 in. or more.	~~7~~ 14	~~8~~ 13	~~5~~ 12	~~7~~ 25	~~10~~ 23	~~7~~ 9	~~4~~ 17	~~5~~ 11	~~8~~ 14	~~3~~ 23	~~8~~ 20	~~5~~ 13	~~72~~ 194
*Days with ·04 in. or more.	7 ✓	5 ✓	7 ✓	18 ✓	13 ✓	2 ✓	13 ✓	6 ✓	11 ✓	20 ✓	12 ✓	8 ✓	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Straw

P.T.O.

2580

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193[illegible].

Kept at Ferriby Sluice

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 16 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'14	'03	'10		M					'01	'20			1
2	'16		'23						'02		'12			2
3	'01	'09	'09	M	'14		M				'38			3
4	'09	'01	'05								'01			4
5	'08		'14		'21	M	'01							5
6		'08	'13		'11						'01		'06	6
7	'01	'05			'20					'38			'16	7
8	'01		'16	'03	M '06		'13						'07	8
9		'24	'01		'02		'46			'23	'05		'01	9
10	'04	'06		M		'10	M '06			2'68	'01			10
11					'06	'03	'24	'01		'06				11
12						M '15	'07						'09	12
13					'21	'01	'04		'02		'03			13
14					'01					'09	'13		'05	14
15	'46		'02		M	'25	'01	'08		'01	'24		'03	15
16	'26		'35	'02		'18	'37			'06	'25		'01	16
17	'06		'44	M	'15	'16	M '01		'04		'10			17
18		'38	'16	'03		'28		'02	'04		'08			18
19		'02	'10	'02	'04	M '01			'01		'02		'01	19
20		'17		'02		'02		'03	'15		'02			20
21		'03							'03					21
22		'09			M			'14		'81				22
23				'08	'06			'04	1'01	'01	'01			23
24		'40		M '08	'03	'29	M		'57	'06	'05		'01	24
25		'58		'33	'03				'02	'14	'09		'05	25
26		'78		'09	'03	M			'07	'28	'06		'01	26
27		'02			'03	'02			'01	'17	'01			27
28				'03	'03		'02			'38	'01			28
29		×		'06	M '15		'07			'14				29
30	'11	×		'01			'04			'04				30
31		×	'04	×		×	M	'08	×		×		'01	31
TOTAL	1'43	3'03	2'08	'80	1'63	1'50	1'53	'40	1'99	5'55	1'88		Year's Total '57	22'39
*Days with ·01 in. or more.	~~8~~ 12	~~9~~ 16	~~8~~ 14	~~7~~ 12	~~7~~ 18	~~9~~ 12	~~4~~ 13	~~3~~ 7	~~6~~ 12	~~8~~ 17	~~9~~ 21		~~X~~ 13	~~64~~ 167
*Days with .04 in. or more.	9	11	12	5	11	7	9	4	6	14	12		6	106

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Frank Shaw

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2580.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ferriby Sluice

in the County of Lincs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 16 ft.

Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'03							'25	'01	'11		'19		1
2	'01	'04						'15	'28		'09	'24		2
3	'13	'04		'01						'04	'03	'01		3
4	'02		'03	'04					'01	'02		'55		4
5			'04		'07			'05			'08	'01		5
6		'01			'23	'13		'49		'09		'55		6
7	'08					'09				'24	'09	'30		7
8					'07	'04		'04		'02	'61	'01		8
9			'08	'09				'02			'73	'10		9
10			'37	'09				'01		'02	'03	'01		10
11	'42		'09	'04				'02				'18		11
12			'29	'01			'04					'08		12
13	'35		'02	'03	'03	'01	'49	'06		'04		'14		13
14	'10		'21		'08	'09	'01			'09	'11	'17		14
15	'07		'06		'15			'01	'01	'07	'25			15
16	'18		'08		'25					'03	'05			16
17	0.3		'06	'02	'01	'06	'23		'10	'03	'04	'09		17
18	'06		'01	'23	'02	'04	'05	'01	'01			'01		18
19			'12	'24	'02	'10			'14	'11				19
20			'01	'02	'03	'16			'04					20
21			'01			'20			'10	'04				21
22								'13	'26			'01		22
23			'04	'19			'10			'09		'01		23
24		'03	'09	'12		'02	'19		'08	'04				24
25	'05			'07			'01		'05	'10		'43		25
26	'04	'83		'09					'07			'02		26
27		'39		'31			'08		'03	'07		'12		27
28		'04	'02	'05			'02	'65				'30		28
29		×	'03					'01	'34			'05		29
30	'03	×	'01				'18		'03	'08		'02		30
31	'09	×		×		×	'11	'13	×	'04	×			31
TOTAL	1'69	1'38	1'67	1'70	'96	'94	1'51	2'03	1'55	1'37	2'11	3'60	Year's Total. 20'51	
* Days with .01 in. or more.	16~~5~~	7~~2~~	20~~8~~	17~~5~~	11~~5~~	11~~2~~	12~~3~~	15~~6~~	16~~6~~	20~~5~~	11~~2~~	24~~9~~	5~~6~~	180
* Days with .04 in. or more.	11	5	12	12	6	9	9	9	10	~~15~~	9	15	122	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) Frank Straw

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ferriby Sluice
in the County of Lincs
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 16 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42		·12	·26			·03		·44	·10	·14	·04		1
2	·04		·01	·26		·13				·47	·01			2
3		·07	·24	·26						·30	·07			3
4				·01		·16			·04	·35	·04			4
5	·11	·23				·53				·39	·01			5
6	·11					·15				·01				6
7	·04			·20		·09		·22		·22	·65	·09		7
8				·14		·01				·03	·01	·03		8
9	·06		·01	·04		·09				·53	·15	·05		9
10		·05	·01			·01								10
11	·13					·02					·10	·02		11
12		·02				·07			·02		·01			12
13	·06			·08	·17	·01			·02					13
14				·03	·08	·02			·20		·44	·06		14
15		·04		·39	·02	·08			·18		·10	·16		15
16	·01	·31	·02	·04		·11			·58	·02	·40			16
17				·12		·30			·06	·03	·63			17
18	·05			·17	·09	·05	·17		·19	·08	·10			18
19	·05	·01		·01		·21	·03				·10			19
20	·02	·02		·13		·12	·01				·20			20
21		·65		·01					·29	·13	·08			21
22		·20	·06	·06				·05	·01		·11			22
23	·01		·17					·24	·01		·02			23
24	·10	·50	·04					·01	1·10			·27		24
25	·26	·17				·02						·01		25
26	·39							·95	·36	·06	·02	·34		26
27	·13	·33							·17	·04	·14	·68		27
28		·14						·19	·02	·19		·09		28
29			·07					·09	·09	·05		·05		29
30	·03	×						·07	·01	·13	·21	·03		30
31		×		×		×			×	·34	×	·24		31
TOTAL	2·02	2·74	·75	2·21	·36	2·18	·24	1·82	3·79	3·47	3·74	2·16	Year's Total. 25·48	
* Days with .01 in. or more.	~~4~~ 18	~~3~~ 14	~~4~~ 10	~~4~~ 17	~~1~~ 4	~~0~~ 19	~~3~~ 4	~~1~~ 8	~~6~~ 18	~~3~~ 19	~~0~~ 23	~~4~~ 15	~~45~~	169 ✓
* Days with .04 in. or more.	14 ✓	11 ✓	6 ✓	13 ✓	3 ✓	13 ✓	1 ✓	7 ✓	12 ✓	~~10~~ 15 ✓	17 ✓	11 ✓	124	3 ✓

40-9999

† Spare column, no entries required.

M

* See Instruction 2 (f) on other side.

(*Signed*) Frank Straw

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2580.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ferriby Sluice

in the County of Lincoln

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·01	·15	·41	–	·09	·11	·09	·03	–	·05	·04		1
2	·02	–	·01	–	–	·61	·22	·01	–	–	·20	·05		2
3	–	–	–	·01	–	·02	·01	–	·33	–	–	·02		3
4	·04	·10	·07	·02	–	–	–	–	·06	–	·12	·01		4
5	·04	–	·01	–	–	–	–	·10	·06	–	–	·08		5
6	·02	–	–	–	·04	–	·13	·17	·64	·06	·05	–		6
7	·28	–	·01	–	–	–	·53	–	·01	·08	–	·08		7
8	·09	–	·02	–	–	–	–	–	–	·05	·15	·10		8
9	·16	·04	·05	–	–	–	·02	–	–	·01	·07	–		9
10	·02	–	–	·03	·01	–	·28	·06	–	·03	·06	·02		10
11	–	–		·11	–	–	–	·01	·01	–	·36	–		11
12	–	–		·42	·05	·29	·28	–	·26	–	·13	·05		12
13	–	–		·03	–	·19	·02	–	·02	·09	·01	·17		13
14	–	–		·28	–	·15	–	–	·02	·01	·06	·07		14
15	·16	–		·23	–	·02	·03	·01	–	–	·21	·03		15
16	–	·03		·02	–	–	·01	–	–	–	·36	–		16
17	–	·58		–	–	–	·06	–	–	·02	·21	·06		17
18	–	·01		–	–	·03	·04	·03	–	·12	·11	·02		18
19	·53	·04	·02	·02	–	–	·02	·42	–	·05	·01	–		19
20	·01	·10	·03	–	·03	–	·08	·01	–	–	–	–		20
21	–	–	–	·13	–	·45	–	–	–	·01	–	–		21
22	·02	·47	·04	–	·10	·16	·13	–	–	–	–	–		22
23	·03	–	–	·12	·09	–	·27	–	–	·01	·01	·01		23
24	·06	·06	–	–	·31	–	–	–	·15	·16	–	–		24
25	·16	–	·01	·04	–	–	·01	–	·01	·06	·01	–		25
26	–	·02	·04	–	–	–	·01	–	·13	·14	–	–		26
27	·07	·01	–	–	–	–	–	–	·10	·14	–	–		27
28	·14	·62	·04	–	–	·02	·03	–	·02	–	–	·06		28
29	·66	·44	·16	–	·50	·38	–	–		·01	·15	·03		29
30	·07	✕	–	–	·52	·08	·20	–		·73	–	·09		30
31	–	✕	–	✕	·02	✕	–	–	✕	·08	✕	·06		31
TOTAL	2·65	2·53	·66	1·87	1·67	2·49	2·49	·91	1·85	1·86	2·33	1·05	Year Total 22·~~06~~36	22·36 ✓
* Days with .01 in. or more.	20	~~5~~ 14	14 ~~7~~	14	10	13	21	~~8~~ 10	15	19	19	19	188	✓
* Days with .04 in. or more.	14	9	7	8	7	9	12	5	8	12	15	12	118	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....✓......✓............................ [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Ferriby Sluice

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·06	·11	–	–	–	–	–	·10	–	·05	·10		1
2	–	·08	·15	·26	–	–	–	–	–	–	·02	2·11		2
3	–	·02	–	·21	·02	·02	·02	–	–	–	–	·13		3
4	·05	·04	·12	·29	·02	–	–	·10	–	–	–	·14		4
5	·06	–	·08	·01	–	–	–	–	–	–	–	·19		5
6	–	–	·02	·05	·22	–	–	–	–	–	·07	·31		6
7	–	·07	·01	·13	·09	·06	–	–	–	–	·04	·05		7
8	–	·21	–	·06	–	–	–	–	·02	–	·03	·39		8
9	–	·01	–	·10	·05	–	·46	·03	–	–	·05	·08		9
10	·01	·08	–	·25	·02	·23	·01	–	–		·14	·30		10
11	–	–	·77	·24	·79	–	–	·01	–	–	·01	·26		11
12	·09	·25	·06	·01	·38	·01	–	–	·01	–	–	·15		12
13	–	·02	·03	–	·02	·88	–	–	·01	–	–	·07		13
14	–	·01	·21	–	–	·02	–	·43	·02	–	–	·04		14
15	·12	·35	·03	·20	–	–	·71	–	·02	–	–	·10		15
16	·09	·09	·32	·79	–	·08	–	·02	·10	–	–	·16		16
17	·19	–	·17	·50	–	·02	–	–	·40	–	–	·03		17
18	·85	·05	·05	·01	–	·02	·01	·02	·01	–	·37	–		18
19	·01	·01	·01	·14	–	·11	·25	·11	–	·01	·60	–		19
20	·25	–	–	·09	·82	·13	–	·01	–	–	·01	–		20
21	·01	–	–	·04	·01	–	·22	–	–	·01	–	·03		21
22	–	–	·03	·04	–	–	·01	·01	–	·32	·04	–		22
23	·43	–	·01	–	·17	·01	·21	–	–	·59	·81	–		23
24	·25	·04	·03	–	·01	·01	·21	–	·05	·16	–	–		24
25	·02	·29	·13	–	–	–	·01	–	–	·56	–	·01		25
26	·01	·20	·04	–	·35	–	–	–	·01	–	·02	–		26
27	–	·05	–	·09	–	–	·06	·01	–	·59	–	·03		27
28	·03	·15	·04	·01	–	–	–	–	–	·03	–	·04		28
29	·15	–	–	–	–	–	–	–	–	·01	·04	·05		29
30	·35	✕	–	–	–	·02	–	–	–	·01	·10	·02		30
31	·39	✕	–	✕	–	✕	–	–	✕	·16	✕	·03		31
TOTAL	3·37	2·08	2·42	3·52	2·97	1·62	2·18	·75	·75	2·45	1·90	4·82	Year's Total 28·83	✓
* Days with .01 in. or more.	20	20	21	21	14	14 ~~8~~	12	~~8~~ 10	X 11	11	16	24	194	✓
* Days with .04 in. or more.	13	15	13	17	8	6	7	3	4	6	11	18	121	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ferriby Sluice

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 18 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·01	·06		04	·60	·25	—	·02	—	·08	·03		1
2	·05					·01	·02	—	—	·08	·04	·14		2
3	·05					·02	·08	—	13	·38	·03	—		3
4	·04			·01		·06	·02	—	—	·04	—	·11		4
5	·01						·10	·09	02	·06	—	—		5
6	·03						·81	—	·23	·03	—	—		6
7	·05						·14	·72	·01	·10	—	·01		7
8	·18						·25	—	—	·11	—	·03		8
9	·04	·08				·01	·02	—	·02	·01	—	·14		9
10	·07	·02				·04	·16	—	·01	—	—	—		10
11	·12					·03	·04	—	—	—	·01	·02		11
12	·06	·05			09		—	—	—	·21	·02	—		12
13		·18					—	—	03	·01	04	·15		13
14	·05	·01			05		·45	—	·07	—	—	·01		14
15	·15						·70	·02	—	—	—	·19		15
16	·12						·55	·06	—	—	·02	·29		16
17					22		·05	·09	—	·02	—	—		17
18	·06				05	·19	—	—	·10	·14	·19	—		18
19					02		—	·11	28	—	—	·24		19
20					07		—	—	·01	—	·52	·23		20
21							—	·04	—	—	·01	·38		21
22				·02		·31	—	—	—	—	·19	·24		22
23					·01	·08	—	—	·11	—	·01	·02		23
24			·12		·11	·02	—	·02	30	—	·02	·06		24
25	·04	·15	·03				—	—	—	·18	·39	·09		25
26	·01	·38	·05			·08	—	—	·02	·14	·01	·08		26
27	·16	·06			34	·15	·12	·10	·12	·15	·06	—		27
28	·11			·01	1·05	·17	·05	·83	·10	—	·01	·01		28
29	·01			·09	·57	·01	·09	·01	—	·05	·04	·07		29
30	·09	✕			·09	·10	—	—	·02	·01	·03	·01		30
31	·15	✕		✕	·18	✕	—	·10	✕	·10	✕	·66		31
TOTAL	1·71	·94	·26	·13	2·89	1·88	3·90	2·19	1·60	1·82	1·72	3·21	Year's Total 22·25	
* Days with .01 in. or more.	23	9	4	4	14	16	18✓	12	9	18	10 9	23	169	
* Days with .04 in. or more.	19	6	3	1	12	10	15✓	9	9	13	9	15	121	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank Straw [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Ferriby Sluice

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 18 ft.

Copy by B.R.O.

December values ~~altered~~ corrected through query
See anc. 17A f. 817359/25. 15.2.40. M.S.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·11	–	–	–	·02	·18	·18	–		–		1
2	·13	–	·01	·15	–	–	·05	·19	·17	–	·06	–		2
3	·01	–	–	·07	–	–	–	·05	–	·08	·38	·14 ~~·04~~		3
4	·15	–	·22	·27	–	–	·01	·42	–	·01	·01	·50 ~~·25~~		4
5	–	–	–	–	·08	–	·02	·74	–	·13	·16	·28 ~~·18~~		5
6	·25	–	–	–	·44	–	·24	·02	–	·03		–		6
7	·07	·18	–	–	–	–	·05	–	–	·03	·12	·03		7
8	·04	·01	·10	–	–	–	·12	·01	–	–	·01	·32 ~~·22~~		8
9	·01	·01	–	–	–	–	·02	·13	–	1·04	·01	·34 ~~·44~~		9
10	·48	–	–	–	–	·04	–	·05	·09	·01		–		10
11	·06	–	·23	–	·02	·33	–	·03	·04	–		·02		11
12	–	·01	·01	–	–	·05	–	–	–	–		·01		12
13	–	–	·01	·08	·02	–	–	–	·10	·13		·01		13
14	·36	–	–	·12	·26	·13	·08	–	·02	·42	·01	·01		14
15	·06	–	·01	·08	·10	·32	·89	–	·04	·04		·03		15
16	–	–	·22	–	·54	·26	·27	–	–	–	·06	–		16
17	·71	–	–	·29	·04	·01	·14	–	–	·06		–		17
18	·12	·03	·08	–	–	·32	·18	–	·03	·05	·81	–		18
19	·15	–	·03	–	–	·81	·07	–	–	–		·01		19
20	–	–	–	–	–	·01	·02	–	·03	–		–		20
21	·11	·12	·17	–	·12	·01	·03	–	·02	–		–		21
22	·05	·29	·04	·04	–	–	·04	–	·03	–	·41	–		22
23	·01	·01	·02	·07	–	·02	–	–	–	·09	·22	–		23
24	–	·01	·05	·11	·06	–	–	·09	–	–		–		24
25	·37	–	·06	·04	–	–	–	·02	–	·01	·13	·01		25
26	·02	–	·01	·03	–	–	–	–	·04	·10	·03	–		26
27	·05	·03	·47	·02	–	·02	–	·01	–	·15	·09	–		27
28	·01	·23	·11	·02	–	·05	·07	·01	–	·03	·15	·03		28
29	–		·01	·01	–	–	·33	–	–	·24	·01	–		29
30	–	✕	–	–	–	–	–	–	–	–	·08	–		30
31	–	✕	–	✕	–	✕	·03	–	✕	·01	✕	–		31
TOTAL	3·23	·93	1·97	1·40	1·68	2·38	2·68	1·95	·79	2·66	2·75	1·74 ~~·99~~	Year's Total ~~23·41~~	24·16 ✓
* Days with .01 in. or more.	22	7	20	15	10	14	20	14	12	19	18	~~9~~ 14	185	✓
* Days with .04 in. or more.	16	4	12	11	8	9	13	8	7	12	12	5	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2580 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Fearby Sluice

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 18 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.06	-	.08	-	-	-	-	.01	-	.15	-		1
2	-	-	-	.10	-	-	-	-	-	-	.06	.06		2
3	.03	.17	-	.03	-	-	-	-	-	.04	.01	.07		3
4	-	.24	-	.04	-	-	.04	-	-	.25	.28	.01		4
5	-	-	-	-	.07	-	.33	-	-	.04	.04	.11		5
6	.06	.05	-	-	-	-	-	-	-	.70	.04	.01		6
7	.09	.17	-	.02	-	-	.05	-	.01	.01	-	-		7
8	-	-	-	-	-	-	-	.03	-	.15	-	.21		8
9	-	-	.14	-	-	-	.05	-	.05	-	.73	.13		9
10	-	-	.01	-	-	-	2.41	.02	-	-	.15	.01		10
11	-	.08	-	-	-	.02	.61	-	-	-	.72	-		11
12	-	.03	.11	-	-	-	.01	-	.13	-	.01	-		12
13	-	.01	.09	-	-	-	.35	-	.08	-	.01	-		13
14	-	-	.14	.05	.18	-	.08	-	.01	-	-	.37		14
15	-	-	.04	-	-	-	.04	-	-	-	.09	.01		15
16	.20	-	.07	.02	-	.02	.15	-	.09	.50	.60	-		16
17	-	-	.38	.01	-	-	1.18	-	-	.01	.20	-		17
18	.05	.14	.06	.34	-	-	.22	.31	.14	-	.07	.08		18
19	-	.10	.04	.06	-	.01	.33	-	.11	.02	.20	.01		19
20	-	.02	-	.18	-	-	.05	.28	-	.01	.06	-		20
21	.32	-	.03	-	-	.19	.04	.07	-	.10	.95	-		21
22	.11	-	.01	-	.05	.17	-	.01	.01	.04	-	-		22
23	-	.05	.02	.02	.02	.08	-	-	.02	.08	.04	.03		23
24	.02	.01	-	.03	-	-	.01	-	-	.13	-	-		24
25	.03	-	-	-	.01	-	-	-	-	.06	-	-		25
1·03 26	.66	.02	-	-	.13	.05	.09	-	-	.01	-	-		26
27	.10	.20	-	-	.01	-	.16	.02	-	.03	-	-		27
28	.04	.17	-	.01	1.16	-	-	.01	.04	-	-	.01		28
29	-	-	.10	-	-	.03	.01	-	-	-	-	.30		29
30	.11	✕	-	-	-	-	-	-	-	.21	-	.32		30
31	.09	✕	.02	✕	-	✕	-	.01	✕	1.34	✕	.25		31
TOTAL	1.91	1.52	1.26	.99	1.63	.57	6.21	.76	.70	3.73	4.41	1.99	Year's Total 25.68	✓
* Days with .01 in. or more.	14	16	15	14	8	8	20	9	12	19	19	17	171	✓
* Days with .04 in. or more.	11	11	10	7	5	4	14	3	7	13	16	10	114	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank Straw [P.T.O.

Section **A** for the entr
AIR MINIS

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

2581

FORM 1090.

REG

3

Letter sent re gauge total 11/5/32

Kept at Swindert
in the County of Lin
Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, Se

2581

Lincs. SWINDERBY

1931—32

780410

Dr Gleasfo

but only Ju

	Annual	June 19
Swallowbeck	28.68	·42
Swinderby	36.10	1·71
Skellingthorpe	29.20	·12

According to 10 year book this record has always been a little on the high side but this year it is much more than usual

Suggest we write asking Obs to inspect his gauge.

6/5/32.

ing

Jan. 1, following

ov.	Dec.	Date
in.	in.	
0	0	1
0	·11	2
12	·18	3
10	0	4
0	·46	5
08	0	6
21	0	7
11	0	8
44	04	9
05	0	10
0	0	11
0	0	12
0	0	13
05	0	14
0	0	15
0	·08	16
0	0	17
56	6	18
0	0	19
0	04	20
22	0	21
0	0	22
35	·21	23
0	0	24
02	0	25
18	0	26
21	·15	27
0	0	28
04	·11	29
0	0	30
×	·17	31

30	·30	×	0										
31	·59	×	0	×									
													YEAR'S TOTAL
TOTAL	3·10	3·25	·39	3·33	2·79	5·05	4·12	4·80	4·14	·85	2·73	1·55	36·10
*Days with ·01 in. or more.	20	21	4	17	14	11	15	14	15	9	15	10	165
*Days with ·04 in. or more.	17	18	4	17	13	11	15	13	12	8	14	10	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Cecil H. Gray

[P.T.O.

2551

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

Letter sent re gauge [illegible] 11/5/32

Kept at Swinderby
in the County of Lincoln
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level ft.

Dr Glasspoole

This record is generally high but only June 19th is outstanding.

	Annual	June 19
Swallowbeck	28.68	·42
Swinderby	36.10	1·71
Skellingthorpe	29.20	·12

According to 10 year book this record has always been a little on the high side but this year it is much more than usual.

Suggest we write asking ~~Obs~~ to inspect his gauge.

6/5/32

Jan. 1, following

ing

D											ov.	Dec.	Date
											in.	in.	
											0	0	1
											0	·11	2
											12	·18	3
											10	0	4
											0	·46	5
											08	0	6
											21	0	7
											11	0	8
											44	04	9
											05	0	10
											0	0	11
											0	0	12
											0	0	13
											05	0	14
											0	0	15
											0	·08	16
											0	0	17
											56	6	18
											0	0	19
											0	04	20
											22	0	21
											0	0	22
											35	·21	23
											0	0	24
											02	0	25
											18	0	26
											21	·15	27
											0	0	28
	[illegible]										04	·11	29
30	·30	×	0								0	0	30
31	·59	×	0	×							×	·17	31
													YEAR'S TOTAL
TOTAL	3·10	3·25	·39	3·33	2·79	5·05	4·12	4·80	4·14	·85	2·73	1·55	36·10
*Days with ·01 in. or more.	20	21	4	17	14	11	15	14	15	9	15	10	165
*Days with ·04 in. or more.	17	18	4	7	13	11	15	13	12	8	14	10	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Cecil [illegible] Gray [P.T.O.

2551

Section **A** for the entr

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

Letter sent re gauge [illegible]

Kept at Swanderby
in the County of Lincoln
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level ft.

O/S/10

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	·07	0	·06	0	0	0	0	·13	0	0	0	1
2	0	·12	0	·63	0	·40	0	·05	·46	0	0	·11	2
3	·10	0	0	·15	05	0	·05	0	1·72	·07	·12	·18	3
4	0	·05	0	09	0	0	·48	1·10	·29	0	·10	0	4
5	0	·04	0	0	04	1·56	·05	·04	·54	0	0	·46	5
6	0	·09	0	0	0	·15	·06	0	03	·11	·08	0	6
7	·04	·20	·12	0	0	·25	0	·16	0	0	·21	0	7
8	·07	·12	0	0	0	·09	·06	1·42	0	0	·11	0	8
9	·04	·13	0	·20	0	0	0	·23	·04	·03	·44	04	9
10	·03	0	·07	0	0	0	0	·07	0	0	·05	0	10
11	·12	·32	0	0	·03	0	0	0	·16	0	0	0	11
12	·06	·03	0	0	0	0	1·41	0	·09	·04	0	0	12
13	·05	0	0	0	0	·04	0	0	0	0	0	0	13
14	·03	·09	0	0	0	·07	·30	·72	0	0	·05	0	14
15	0	·11	0	·18	07	0	·39	·23	0	0	0	0	15
16	0	·17	0	·12	·18	·53	·05	·16	·21	0	0	·08	16
17	0	·35	0	·21	·74	0	0	0	·03	0	0	0	17
18	·03	·03	0	·32	0	·16	·07	·05	0	0	·58	0	18
19	·06	·07	0	·32	0	1·71	·22	·08	·17	·09	0	0	19
20	0	·09	0	·06	0	0	0	·46	·03	0	0	04	20
21	·10	0	0	0	·21	0	0	·03	0	0	·22	0	21
22	07	0	·16	0	·09	0	0	0	·07	0	0	0	22
23	·18	0	·04	04	·29	09	0	0	·17	·04	·35	·21	23
24	0	·03	0	·11	·53	0	·10	0	0	0	0	0	24
25	0	0	0	·34	0	0	·55	0	0	0	·02	0	25
26	·13	0	0	·24	·10	0	·06	0	0	0	18	0	26
27	·15	·33	0	0	0	0	0	0	0	·11	·21	·15	27
28	·37	·32	0	·17	·10	0	0	0	0	0	0	0	28
29	·58	·39	0	0	·06	0	·27	0	0	·21	·04	·11	29
30	·30	×	0	·09	·30	0	0	0	0	0	0	0	30
31	·59	×	0	×	0	×	0	0	×	·15	×	·17	31
TOTAL	3·10	3·25	·39	3·33	2·79	5·05	4·12	4·80	4·14	·85	2·73	1·55	YEAR'S TOTAL 36·10
*Days with ·01 in. or more.	20	21	4	17	14	11	15	14	15	9	15	10	165
*Days with ·04 in. or more.	17	18	4	17	13	11	15	13	12	8	14	10	152

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Swinderby

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 1 in.

„ Ground „ Sea Level ft.

dafp ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·06	0	·19	·46	0	·08	·08	·18	·27	·03	03	1
2	·04	0	0	0	·30	0	0	·10	·06	·07	0	·11	2
3	0	0	0	·19	·04	0	0	0	0	0	0	·04	3
4	0	0	0	·25	0	0	0	0	0	·03	·20	·02	4
5	·20	0	0	0	·05	0	·09	·03	·08	0	0	0	5
6	·42	0	·04	·11	0	0	0	0	·07	0	0	0	6
7	0	0	·11	·11	0	·03	0	0	·10	·08	·4	0	7
8	0	·05	0	·09	0	0	0	0	·12	0	·7	05	8
9	0	·09	0	·08	0	0	0	0	0	0	0	03	9
10	·06	0	0	0	0	0	0	0	·14	·36	0	0	10
11	0	·21	0	·12	·32	0	·97	0	·06	0	·05	0	11
12	·10	·14	0	·04	·04	·17	·11	0	0	·49	·03	0	12
13	0	·08	0	·11	0	0	1·10	0	0	·10	·04	0	13
14	0	·03	0	·05	0	0	·34	0	0	0	·14	0	14
15	·10	0	0	0	0	0	0	0	0	·09	0	·05	15
16	0	0	02	·29	·20	0	0	0	0	0	0	0	16
17	0	0	0	0	0	0	·12	0	0	0	0	0	17
18	0	0	0	0	·04	0	0	0	·06	·17	·03	0	18
19	0	·03	0	·03	0	0	0	0	0	17	0	0	19
20	0	0	0	·06	·14	0	0	·28	0	·31	·20	0	20
21	0	0	·20	·08	1·43	0	0	·13	0	·25	0	·29	21
22	0	0	·57	0	·57	0	·72	0	·48	·09	·22	0	22
23	0	·09	0	·04	·30	0	0	0	·08	·08	·21	·05	23
24	0	0	0	0	0	0	·40	0	·04	·03	·17	0	24
25	0	·10	0	0	0	·07	·05	0	04	·39	0	0	25
26	·03	·03	·04	·27	·44	·05	·10	0	·07	·03	03	0	26
27	0	0	·22	·23	·48	0	·17	0	0	·06	·16	0	27
28	0	0	·07	·04	·13	0	·33	·58	0	·13	0	·05	28
29	0	0	·10	·05	·17	·11	·05	·51	·08	·25	·10	·12	29
30	0	×	·05	·09	0	·30	·06	·25	·09	08	·20	·18	30
31	0	×	·05	×	·05	×	·95	·03	×	0	×	·06	31
TOTAL	~~1·01~~ 1·01	·91	~~·91~~ 1·47	~~1·47~~ 2·52	~~2·52~~ 5·16	~~5·16~~ ·73	~~·73~~ 5·67	1·99	1·75	3·53	1·92	1·08	YEAR'S TOTAL 27·71
*Days with ·01 in. or more.	8	11	11	21	17	6	16	9	16	21	17	13	166
*Days with .04 in. or more.	7	8	10	20	17	5	16	7	16	18	13	11	148

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Cecil H Wray

P.T.O.

2582

2582 —

WOOLSTHORPE

1931 – 40

780410

Section **A** for the e

AIR MI

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 10

REC 31.

Kept at Wool

in the County of

Diameter of Funnel of Gau

Height of top of Gauge abov

,, Ground ,,

THE MORNING M AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·05	·06	·02	-	-	-	·16	-	-	-	1
2	-	·10	-	·50	-	-	-	-	·30	·08	-	-	2
3	·04	-	-	·13	·02	·04	-	-	·80	-	·08	·04	3
4	-	·05	-	·07	-	-	·51	·15	·08	-	·05	-	4
5	-	-	-	-	·01	·86	-	·02	·30	-	-	·37	5
6	-	·23	·08	-	·	·10	·12	·	·	·11	·02	·	6
7	-	·	·03	-	-	·15	·68	·16	·	·	·18	·	7
8	·06	·05	·05	-	·	·04	·03	1·47	·	-	·07	·	8
9	·	·08	·	·12	-	·07	·	·05	·	·	·36	-	9
10	·	·06	·06	·	-	·	·	·19	-	-	-	-	10
11	·09	·30	-	·	-	·02	·	-	·08	·	·03	·	11
12	-	·15	-	·	·	-	1·42	-	·13	-	·03	·	12
13	·03	·	-	·	-	-	-	·03	·	-	-	-	13
14	-	·10	·09	·	-	·16	·49	·57	·	·	·03	-	14
15	-	·16	-	·10	·12	·	·42	·03	·	-	·02	·04	15
16	·06	·11	-	·04	·26	·76	·02	·08	·10	-	-	-	16
17	·	·29	-	·20	·71	·16	·03	-	-	-	-	-	17
18	-	·03	-	·29	-	·03	·	-	-	-	·38	·	18
19	-	·	-	·23	-	·10	·25	·05	·25	·	-	-	19
20	-	·02	-	·	·	-	·25	·33	·	·03	·	·01	20
21	·	·	·	·	·59	-	·	·05	·	-	·09	·	21
22	·11	-	·	·02	·12	-	-	-	·02	-	-	-	22
23	·15	-	·02	-	·30	·06	·	·	·30	-	·22	·03	23
24	·	·	·	·16	·39	-	-	·	·	·	-	-	24
25	·	·	·	·43	·	·	·41	·	·	·	·	-	25
26	-	-	-	·40	·08	-	-	-	·	-	·10	-	26
27	·19	·43	·	-	-	·	-	-	-	-	·20	·19	27
28	·23	·31	·	·10	-	-	-	·	·	·06	-	-	28
29	·28	·	-	·10	·03	-	·08	-	·	·16	·02	·05	29
30	·42	×	-	-	-	-	·02	-	-	-	-	-	30
31	·26	×	-	×	-	×	-	-	×	·07	×	-	31
TOTAL	1·92	2·47	·38	2·95	2·65	1·99	4·73	3·18	2·52	·45	1·88	·73	YEAR'S TOTAL 25·85
*Days with ·01 in. or more.	12	16	7	16	17	13	14	13	11	6	16	7	143
*Days with ·04 in. or more.	11	14	5	15	8	10	10	10	10	4	5	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. E. J. Swindell

[P.T.O.

2582

Section **A** for the e[redacted]

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1010.

REGISTER OF RAINFALL IN 1931.

Kept at Woolsthorpe

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 182' 3" ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·05	·06	·02	-	-	-	·16	-	-	-	1
2	-	·10	-	·50	-	-	-	-	·30	·08	-	-	2
3	·04	-	-	·13	·02	·04	-	-	·80	-	·08	·04	3
4	-	·05	-	·07	-	-	·51	·15	·08	-	·05	-	4
5	-	-	-	-	·01	·86	-	·02	·30	-	-	·37	5
6	-	·23	·08	-	·	·10	·12	·	·	·11	·02	·	6
7	-	·	·03	-	-	·15	·68	·16	·	·	·18	·	7
8	·06	·05	·05	-	·	·04	·03	1·47	·	-	·07	·	8
9	·	·08	·	·12	-	·01	-	·05	·	·	·36	-	9
10	·	·06	·06	·	·	·	·	·19	-	-	-	-	10
11	·09	·30	-	·	-	·02	·	-	·08	·	·03	·	11
12	-	·15	-	·	·	-	1·42	-	·13	-	·03	·	12
13	·03	·	-	·	-	-	-	·03	·	-	-	-	13
14	-	·10	·09	·	-	·16	·49	·57	·	·	·03	-	14
15	-	·16	-	·10	·12	·	·42	·03	·	-	·02	·04	15
16	·06	·11	-	·04	·26	·76	·02	·08	·10	-	-	-	16
17	·	·29	-	·20	·71	·16	·03	-	·	-	-	-	17
18	-	·03	-	·29	-	·03	·	-	-	-	·38	-	18
19	-	·	-	·23	-	·10	·25	·05	·25	·	-	-	19
20	-	·02	-	·	-	-	·25	·33	·	·03	·	·01	20
21	·	·	·	·	·59	-	·	·05	·	-	·09	-	21
22	·11	-	·	·02	·12	-	-	-	·02	-	-	-	22
23	·15	-	·02	-	·30	·06	·	·	·30	-	·22	·03	23
24	·	·	·	·16	·39	-	-	·	·	·	-	-	24
25	·	·	-	·43	·	·	·41	·	·	·	-	·	25
26	-	-	-	·40	·08	-	-	-	·	-	·10	-	26
27	·19	·43	-	-	-	-	-	-	-	-	·20	·19	27
28	·23	·31	·	·10	-	-	-	·	·	·06	-	-	28
29	·28	·	-	·10	·03	-	·08	-	·	·16	·02	·05	29
30	·42	×	-	-	-	-	·02	-	-	-	-	-	30
31	·26	×	-	×	-	×	-	-	×	·07	×	-	31
TOTAL	1·92	2·47	·38	2·95	2·65	1·99	4·73	3·18	2·52	·45	1·88	·73	YEAR'S TOTAL 25·85
*Days with ·01 in. or more.	12	16	7	16	17	13	14	13	11	6	16	7	143
*Days with ·04 in. or more.	11	14	5	15	8	10	10	10	10	4	5	5	107

40-9999

(Signed) E J J Swindell

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Woolsthorpe

in the County of Lincs

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 182' 3" ~~ft.~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·05	-	·13	·53	·03	-		·16	·29	-	-	1
2	-	-	-	-	·17	-	-	·02	·02	·06	-	·12	2
3	-	-	-	·10	·09	-	-	·02	-	-	-	-	3
4	-	-	-	·11	-	-	·03	-	-	-	·20	-	4
5	·20	-	·02	-	·08	-	-	-	·04	-	-	-	5
6	·26	-	·07	·07	·02	-	-	-	·28	-	-	-	6
7	-	-	·10	·10	-	-	-	-	·01	-	-	-	7
8	-	·04	-	-	-	-	-	-	·14	·06	-	·03	8
9	-	·14	·04	·09	-	-	-	-	-	-	-	-	9
10	·04	·06	-	·05	-	·70		-	·27	·14	-	-	10
11	-	·05	-	·11	·11	·28	1·26	-	·05	·01	-	-	11
12	·08	-	-	·08	·16	-	-	-	-	34	·06	-	12
13	-	·05	-	·06	·03	-	2·22	-	-	-	·02	-	13
14	-	-	-	·05	-	-	·18	·35	-	-	·17	-	14
15	·13	-	-	·05	·04	-	-	-	-	·07	-	·05	15
16	·09	-	-	·40	·28	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	·09	-	-	-	-	-	17
18	-	-	-	-	-	-		-	·01	-	-	-	18
19	-	-	-	-	-	-	-	-	-	·18	-	-	19
20	-	-	-	·02	·14	-	-	·30	-	·50	·14	-	20
21	-	-	·09	·08	1·50	-	-	·24	-	·35	-	·14	21
22	-	·02	·42	-	·44	-	·34	-	·50	·07	·30	-	22
23	-	·02	-	-	·12	-	·01	-	·06	·04	·15	·03	23
24	-	-	-	-	-	-	·30	-	·05	-	·19	-	24
25	-	·05	-	-	-	-	·77	-	-	·15	-	-	25
26	-	-	·01	·29	·29	-	·05	-	·07	·04	-	-	26
27	-	-	·30	·13	·57	-	·06	-	-	-	·09	-	27
28	-	-	·28	·08	·32	-	·13	58	-	·07	-	-	28
29	-	-	19	·09	·14	-	·02	·33	·02	34	·06	·07	29
30	-	×	·04	-	-	·31	-	-	·30	·20	·16	·13	30
31	-	×	07	×	·02	×	·85	·13	×	-	×	·05	31
TOTAL	·87	·48	1·63	2·09	5·05	1·32	6·31	1·97	1·98	2·91	1·54	·62	YEAR'S TOTAL 26·77
*Days with ·01 in. or more.	~~7~~	~~9~~	~~12~~	~~19~~	~~19~~	~~4~~	~~14~~	~~8~~	~~15~~	~~17~~	~~11~~	~~8~~	~~143~~
*Days with .04 in. or more.	7	7	10	18	16	3	11	6	11	16	10	6	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Woolsthorpe

in the County of Lincs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 182' 3" ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·14	·16	-	-	-	-	-	-	-	·26	-		1
2	·24	-	·22	-	-	-	-	-	-	-	-	-		2
3	-	·07	·10	-	·12	-	-	-	-	-	·13	-		3
4	·16	-	·02	-	-	-	-	-	-	-	·02	-		4
5	·05	-	·03	-	·29	-	-	-	-	-	-	-		5
6	-	·08	·08	-	·45	-	-	-	-	-	-	-		6
7	-	·15	-	-	·21	-	-	-	-	·18	-	·07		7
8	-	-	·10	-	·06	-	·07	-	-	-	-	-		8
9	-	-	-	-	-	-	·21	-	-	·15	·12	-		9
10	-	-	-	-	-	·10	-	-	-	·93	·02	-		10
11	·07	·01	-	-	-	·10	·03	-	-	-	-	-		11
12	-	-	-	-	-	·11	-	-	-	-	-	·08		12
13	-	-	-	-	·08	·07	·14	-	·06	-	·15	-		13
14	·06	-	-	-	·12	-	·25	-	-	·07	·29	-		14
15	·74	-	-	-	-	-	·60	-	-	·05	·50	-		15
16	·25	-	·44	-	·03	·10	·03	-	-	-	·13	-		16
17	-	-	1·00	-	-	·11	-	-	·04	-	·07	-		17
18	-	·05	·05	-	-	·22	·01	-	-	-	-	-		18
19	-	-	·25	-	-	·16	·19	-	-	-	-	-		19
20	-	-	-	-	-	-	-	·27	·07	·02	·05	-		20
21	-	-	-	-	-	·26	-	-	·04	-	-	-		21
22	-	-	-	-	-	·08	-	·32	-	·37	-	-		22
23	-	-	-	·18	-	-	-	-	·62	-	-	-		23
24	-	·42	-	·05	·09	·29	-	-	·22	·06	-	-		24
25	-	·97	-	·25	-	-	-	-	-	-	·05	-		25
26	-	·52	-	·10	-	-	-	-	·10	·04	·03	·03		26
27	-	-	-	·02	-	-	-	-	·84	·10	-	-		27
28	-	-	-	·01	-	-	-	-	-	·40	-	·05		28
29	-	-	-	·23	-	-	-	-	-	-	-	-		29
30	·12	×	·08	-	-	-	-	-	·01	-	-	·05		30
31	-	×	·13	×	-	×	·01	·05	×	·07	×	-		31
TOTAL	1·80	2·41	2·66	·84	1.45	1·60	1·54	·64	2·00	2·44	1.82	·28	Year's Total 19·48	
*Days with ·01 in. or more.	9	9	13	7	9	11	10	3	9	12	13	5	110	
*Days with .04 in. or more.	9	8	11	5	8	11	6	3	8	11	10	4	94	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) for G.F.THURSTON,

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woolsthorpe.

in the County of Lincs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2½ in.

„ Ground „ Sea Level 182 ft.

Totals ✓

alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: -

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	·28.	-	-	-	·19.		1
2	-	·10.	·01.	-	-	-	-	·08.	·24.	-	-	·23.		2
3	·10.	-	-	·02.	-	-	-	-	-	·19.	·06.	-		3
4	·02.	·03.	·02.	·18	-	-	-	-	-	-	·18.	·18.		4
5	-	-	·08.	-	·08.	-	-	-	-	-	·11.	·09.		5
6	-	-	-	·10.	·29.	·04.	-	·07	-	·10.	-	·31.		6
7	·02.	-	-	-	-	·03.	-	-	-	·04.	-	·18.		7
8	-	-	·08.	-	·02.	-	-	·03.	-	-	·20.	-		8
9	-	-	·10.	·06.	-	-	-	-	-	-	·45.	·37.		9
10	-	-	·56.	·10.	-	-	-	·05.	-	-	·24.	-		10
11	·44.	-	·10.	·07.	-	-	-	-	-	-	-	·27.		11
12	-	-	·24.	·02.	-	-	·31.	·24.	-	-	-	-		12
13	·48.	-	-	-	-	-	1·04.	·06.	-	-	-	·37.		13
14	-	-	·25.	-	-	·28.	-	-	·03.	·04.	·50.	·21.		14
15	-	-	·06.	-	·04.	-	-	-	-	-	·17.	-		15
16	·18.	-	·10.	-	·18.	-	-	-	-	-	·09.	-		16
17	·12.	-	-	-	·02.	-	-	·04.	·04.	·05.	·07.	·06.		17
18	·22.	-	-	·27	-	-	·69.	-	-	-	-	-		18
19	-	-	·10.	·06.	-	·07.	-	-	-	·06.	-	·19.		19
20	-	-	·02.	·01.	-	-	-	-	-	-	-	·01.		20
21	-	-	-	-	-	·10.	-	·02.	-	-	-	-		21
22	-	-	-	-	-	-	-	·15.	·23.	-	-	-		22
23	-	-	-	·20.	·04.	-	·61.	-	-	-	-	·09.		23
24	-	·17.	·14.	·13.	-	·01.	·12.	-	·28.	-	-	-		24
25	·06.	-	-	·06.	-	·10.	-	-	-	·08.	-	·28.		25
26	·15.	-	·04.	·14.	-	-	-	-	·07.	-	-	·10.		26
27	-	·22.	-	·18.	-	-	-	-	-	·01.	-	-		27
28	-	-	-	·22.	-	·05.	-	·54.	-	-	-	·57.		28
29	-	-	-	-	-	-	·11.	·06.	·17.	-	-	-		29
30	·05.	X	-	-	-	-	·09.	-	·03.	-	-	·40.		30
31	·01.	X	-	X	-	X	-	-	X	·21.	X	·02.		31
TOTAL	1·85.	·52.	1·93.	1·82.	·67.	·68.	2·97.	1·65.	1·09.	·78.	2·07.	4·12.	Year's Total 20·15 ✓	
*Days with ·01 in. or more.	12.	4.	15.	16.	7.	8.	7.	12.	8.	9.	10.	19.	127	
*Days with .04 in. or more.	9.	3.	12.	13.	5.	6.	7.	10.	6.	8.	10.	17.	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) for G.F.THURSTON,

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woolsthorpe

in the County of Lincs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 182 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	–	·20	–	–	–	–	–	·32	·04	·20	·06		1
2	–	–	–	–	–	·09	–	–	·13	·22	–	–		2
3	–	·15	·15	·11	–	–	–	–	·21	–	·22	–		3
4	–	–	–	·02	–	·12	–	–	·08	·23	–	–		4
5	–	·55	·08	–	–	·04	–	–	–	·05	·12	–		5
6	–	–	–	·07	–	·07	–	–	–	–	–	–		6
7	·26	–	–	·47	–	·09	–	–	–	–	·52	·11		7
8	–	–	–	·09	–	–	–	·20	–	·29	–	·15		8
9	–	–	·03	·10	–	·06	–	–	–	·52	·31	–		9
10	–	·05	–	–	–	·07	–	–	–	–	–	–		10
11	·18	–	–	·01	–	·02	–	·01	–	·02	·17	·09		11
12	–	·01	–	–	–	·16	–	·05	–	–	–	–		12
13	·09	–	–	·05	·15	–	–	–	–	–	·02	–		13
14	–	–	–	–	·21	–	·04	–	·08	–	·37	–		14
15	–	–	–	·65	·08	·20	–	–	·52	–	·11	·35		15
16	–	–	·05	·15	–	·54	–	–	·20	·27	·57	–		16
17	–	–	–	·13	–	·16	–	–	–	–	·56	–		17
18	–	–	–	·09	·10	·05	·06	–	·27	–	·03	–		18
19	–	–	–	·01	–	·23	–	–	–	·03	·23	–		19
20	·09	·05	–	·16	–	·13	–	–	–	–	·08	–		20
21	–	·30	·02	·01	–	–	–	–	1·00	–	·15	–		21
22	–	·41	–	·01	–	–	–	–	·03	–	–	–		22
23	–	–	·08	–	–	–	–	·70	–	–	·02	–		23
24	·04	·28	·04	–	–	–	–	–	·66	–	–	·20		24
25	·20	·02	–	·08	–	·25	–	–	–	–	–	–		25
26	–	–	–	–	–	–	–	·22	·35	–	–	·23		26
27	·22	·40	–	–	–	–	–	–	·02	·04	·16	1·03		27
28	–	–	–	–	·08	–	–	–	–	·09	–	·04		28
29	·01	×	·07	–	–	–	–	–	·15	–	–	·06		29
30	·10	×	–	·07	–	–	–	–	·09	·35	·27	–		30
31	–	×	–	×	–	×	–	·09	×	·48	×	·13		31
TOTAL	1·55	2·22	·72	2·28	·62	2·28	·09	1·27	4·11	2·63	4·11	2·45	Year's Total. 24·33	
* Days with .01 in. or more.	10	10	9	18	5	16	2	6	15	13	18	11	133	
* Days with .04 in. or more.	9	8	9	14	5	16	2	5	13	11	15	11	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Woolsthorpe

in the County of Lincs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 182' 3" ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·13	·19	·35	-	-	·06	·05	-	-	·03	-		1
2	·16	-	·18	·04	-	·40	1·04	·19	-	-	·26	·22		2
3	-	·06	-	-	-	·45	·01	-	·25	-	-	-		3
4	·01	-	·10	-	-	·06	-	-	·29	-	·04	·05		4
5	-	·02	·04	-	-	-	-	-	·06	·02	-	·12		5
6	·06	-	·03	-	-	·04	·13	·22	·19	-	-	-		6
7	·38	-	-	-	-	-	1·30	-	-	-	·02	-		7
8	·14	-	·07	-	·01	-	-	-	-	·02	·17	-		8
9	·21	-	·08	-	-	·04	·13	-	-	·29	·10	-		9
10	-	-	-	-	-	-	·80	·02	-	-	-	-		10
11	-	-	-	·17	-	-	·06	-	-	-	·28	-		11
12	-	-	-	·18	·04	·16	·45	-	·42	-	·56	·26		12
13	-	-	-	·17	·06	·33	-	-	-	·05	-	·15		13
14	-	-	-	·06	-	·06	·25	-	·39	·07	·02	·27		14
15	·06	-	-	-	-	·16	·21	-	-	-	·35	-		15
16	·20	-	-	-	-	-	-	-	-	-	·32	·09		16
17	-	·56	-	-	·01	-	·07	-	-	·02	·06	-		17
18	-	-	-	-	-	·05	·10	-	-	-	·11	·06		18
19	·30	·06	·03	·20	-	·47	·03	·08	-	·10	-	-		19
20	-	·08	-	·08	-	·10	-	-	-	-	-	-		20
21	-	-	-	·04	-	·30	-	-	-	-	-	-		21
22	-	·51	·04	-	·15	·10	·06	-	-	-	-	-		22
23	-	-	·02	·08	·14	-	·27	-	-	-	-	-		23
24	·19	·15	-	-	-	-	-	-	·13	·48	-	-		24
25	·08	-	-	·20	-	-	·02	-	·32	-	-	-		25
26	-	·02	·22	-	-	-	-	-	·13	·02	-	-		26
27	·05	-	-	·06	-	-	-	-	·22	·08	-	-		27
28	·23	·19	-	-	-	·10	-	-	·04	-	-	·12		28
29	·70	·20	·17	-	-	·44	·02	-	-	-	·36	-		29
30	·14	×	-	-	·17	·35	·15	-	-	·35	-	·08		30
31	·10	×	·01	×	-	×	·03	-	×	·08	×	-		31 d
TOTAL	3·04	1·98	1·18	1·63	·58	3·61	5·19	·56	2·44	1·58	2·68	1·39	Year's Total 25·86	✓
* Days with .01 in. or more.	16	11	13	12	7	17	20	5	11	12	14	10	148	✓
* Days with .04 in. or more.	15	9	9	12	5	17	15	4	9	8	11	10	124	✓

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Woolsthorpe

in the County of Lincs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 182'3" ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	-	-	-	-	-	.	-	·07	-	·10	-		1
2	-	·06	·06	·21	-	-	-	-	.	-	-	·39		2
3	-	-	-	-	·02	-	-	-	-	-	-	·13		3
4	-	·04	-	-	-	-	-	·36	-	-	-	·35		4
5	·14	-	·11	-	-	-	-	-	-	-	-	·08		5
6	-	-	·18	·02	-	-	-	-	-	-	-	-		6
7	-	·36	·02	·18	·09	-	-	-	-	·02	-	-		7
8	-	·31	-	·02	-	-	-	-	-	-	·17	-		8
9	-	·02	-	·05	·06	-	·30	-	·03	-	-	·17		9
10	.	-	·12	·21	-	·29	·12	-	-	-	-	·11		10
11	-	-	·52	-	·90	-	-	-	-	-	-	·84		11
12	·04	·33	·08	-	·44	·04	-	-	·20	-	-	·10		12
13	-	-	-	-	-	·04	-	-	·04	-	-	·14		13
14	-	-	·37	-	·01	-	-	·26	·04	-	-	·03		14
15	·07	·13	-	·18	-	-	✓✓ 4·35	-	·08	-	-	·05		15
16	·06	·13	·47	·35	-	-	-	·07	·04	-	-	-		16
17	·13	-	·07	·62	-	-	-	-	·18	-	-	-		17
18	·58	·02	·25	·10	-	-	-	-	·08	-	·30	-		18
19	·03	·02	·04	·03	-	·13	·16	-	-	-	·13	-		19
20	·20	-	-	·28	·71	-	-	-	·02	-	-	-		20
21	·10	·08	·08	-	-	-	·29	-	-	·01	-	-		21
22	-	-	·05	-	·12	-	·17	-	-	·30	·13	·11		22
23	·31	-	·05	-	-	-	·11	-	-	·57	·21	-		23
24	·20	·22	-	-	-	-	·08	-	-	·17	-	-		24
25	-	·30	-	-	·10	-	-	-	-	·21	-	-		25
26	-	·24	·02	-	1·03	-	-	-	-	-	-	-		26
27	-	·20	·07	·13	-	-	-	-	-	·70	-	-		27
28	-	·04	-	-	-	-	-	-	-	·03	-	-		28
29	·13	✕	-	-	-	-	-	-	-	-	-	·07		29
30	·30	✕	-	-	-	-	-	-	-	·05	·07	-		30
31	·39	✕	-	✕	-	✕	-	-	✕	·21	✕	·05		31 d
													Year's Total	
TOTAL	2·86	2·50	2·56	2·38	3·48	·50	5·58	·69	·78	2·27	1·11	2·62	27·33	✓
* Days with .01 in. or more.	~~15~~	~~16~~	~~17~~	~~13~~	~~10~~	4	8	3	10	10	7	14	127	✓
* Days with .04 in. or more.	14	13	15	10	8	4	8	3	8	7	7	13	110	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Woolsthorpe Reservoir

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 182 ft. 3"

~~snow~~ w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	0·30	0·55	-	-	-	-	0·13		1
2	0·04	0·02	-	0·01	-	0·05	0·16	-	-	0·21	-	0·03		2
3	0·04	-	-	-	-	0·05	-	-	0·26	0·73	-	-		3
4	0·04	-	-	-	-	0·07	0·04	0·05	-	-	0·03	0·23		4
5	-	-	-	-	-	-	0·09	0·05	0·01	-	-	-		5
6	0·05	0·03	-	-	-	-	0·03	0·10	0·14	0·07	-	-		6
7	0·10	-	-	-	-	-	0·22	0·03	0·12	-	-	0·03		7
8	0·16	-	-	-	-	-	0·30	-	-	0·18	-	-		8
9	0·02	0·20	-	-	-	-	-	0·74	-	-	-	0·34		9
10	-	0·01	-	-	-	0·11	0·27	-	-	-	-	0·03		10
11	0·32	-	-	-	-	-	-	0·01	-	-	0·03	-		11
12	0·22	-	-	-	0·06	-	0·03	0·45	-	0·35	-	-		12
13	-	0·01	-	-	-	-	-	-	-	-	0·15	0·18		13
14	0·24	-	-	-	0·04	-	0·28	-	0·23	-	-	-		14
15	0·10	-	-	-	-	-	0·41	-	-	-	-	0·35		15
16	0·14	-	-	-	-	-	0·37	-	-	-	-	0·28		16
17	-	0·03	-	-	0·96	-	0·02	0·02	-	0·10	-	-		17
18	-	-	-	-	0·46	-	-	0·02	0·05	-	0·31	-		18
19	-	-	-	-	0·01	-	-	0·06	0·30	-	-	0·21		19
20	-	-	-	-	-	-	-	-	-	-	0·58	0·29		20
21	-	-	-	-	-	-	-	-	-	-	-	0·43		21
22	-	-	-	-	-	0·19	-	-	-	-	0·27	0·38		22
23	-	-	-	-	-	-	-	-	0·17	-	-	0·10		23
24	-	-	-	-	-	-	-	-	0·24	-	-	0·04	✓	24
25	0·03	0·23	0·08	-	-	-	-	0·05	-	0·11	0·21	-		25
26	-	0·20	0·12	-	-	-	-	-	0·13	0·08	0·01	-		26
27	-	0·04	-	-	0·33	0·09	0·17	-	0·56	-	-	-		27
28	0·17	0·01	-	-	0·39	0·05	-	1·14	0·02	-	0·20	-		28
29	0·31	×	-	-	0·42	-	0·10	-	-	0·04	0·21	0·38		29
30	0·02	×	-	-	0·05	0·04	+	-	0·07	-	0·15	-		30
31	0·08	×	-	×	0·18	×	-	-	×	0·12	×	0·53		31 "d"
TOTAL	2·08	0·78	0·20	0·01	2·90	0·95	3·04	2·72	2·30	1·99	2·15	3·96	Year's Total 23·08	✓
* Days with .01 in. or more.	17	10	2	1	10	9	15	12	13	10	11	17	~~127~~	✓
* Days with .04 in. or more.	14	4	2	-	9	9	12	8	11	10	8	14	101	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ………………………………………… [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Woolsthorpe

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 182·3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·02	·02	-	-	·18	-	-	-	-	-		1
2	·08	-	-	·10	-	-	-	·43	·28	·05	-	-		2
3	·24	-	-	-	-	-	-	·38	-	-	·20	·26		3
4	·19	-	·20	·27	-	-	-	·87	-	-	·02	·16		4
5	-	-	-	·09	·06	-	·05	·57	-	·11	·22	·16		5
6	·42	-	-	-	-	-	·21	·13	-	-	·12	-		6
7	·07	·02	-	-	·08	-	-	-	-	-	·15	·03		7
8	-	-	·12	-	-	-	·70	-	-	·05	-	·37		8
9	-	·03	-	-	-	-	-	·14	-	·42	·03	·19		9
10	·33	-	-	-	-	-	-	·13	-	-	-	-		10
11	-	-	·30	-	-	·22	-	·17	·03	-	-	-		11
12	-	·03	·13	-	·02	·16	-	-	-	-	-	-		12
13	-	-	-	-	-	-	-	-	-	-	-	-		13
14	·38	-	-	-	·31	·10	·14	-	-	·62	·02	-		14
15	·31	-	-	-	·24	·19	·21	-	·10	·41	-	-		15
16	-	-	·25	-	·43	·52	·02	-	-	-	·16	-		16
17	·29	-	-	·34	·11	-	·44	-	-	·63	-	-		17
18	·03	-	·09	-	-	·46	·11	-	-	·05	·88	-		18
19	·21	-	-	-	-	·49	·26	-	·08	-	-	-		19
20	-	-	-	-	-	-	·02	·11	-	-	-	-		20
21	·12	·07	·08	-	-	·12	-	-	·16	-	-	-		21
22	·18	·31	·06	-	-	-	·15	-	-	-	·24	-		22
23	-	-	-	·15	-	-	-	-	·02	·08	·72	-		23
24	-	-	·05	-	-	-	·50	-	-	-	-	-		24
25	1·28	-	·05	·04	-	-	·42	·76	-	-	·16	-		25
26	·12	-	-	·25	-	-	-	·06	-	·10	·09	·09		26
27	-	·07	·27	-	-	-	·03	-	-	·09	·07	-		27
28	·02	·18	·24	·15	-	·08	-	·05	-	-	·10	-		28
29	-	-	-	·40	-	-	·11	·02	-	·40	-	-		29
30	-	✕	-	·10	-	·03	-	-	-	-	·01	-		30
31	-	✕	-	✕		✕	·04	·03	✕	-	✕	-		31
TOTAL	4·27	·71	1·86	1·91	1·25	2·37	3·59	3·85	0·67	3·01	3·19	1·26	Year's Total 24·94	
* Days with .01 in. or more.	~~16~~	~~7~~	~~13~~	~~11~~	~~7~~	~~10~~	~~17~~	~~14~~	~~6~~	~~12~~	~~16~~	~~9~~	~~126~~	
* Days with .04 in. or more.	14	4	12	10	6	9	14	12	4	12	12	6	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) EJ Swindells

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** ~~2599~~ 2571

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Woolsthorpe
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
,, Ground ,, Sea Level 182·3 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0·13	-	0·04	-	-	-	-	-	-	0·20	-		1
2	-	0·02	-	0·12	-	-	-	-	-	-	0·37	-		2
3	-	-	-	0·11	-	-	-	-	-	0·12	0·23	0·06		3
4	-	0·30	-	0·04	-	-	-	-	-	0·08	0·68	0·03		4
5	-	-	-	-	-	-	0·09	-	-	0·04	0·22	0·08		5
6	0·10	0·17	-	-	0·11	-	-	-	-	0·45	0·07	-		6
7	0·05	0·32	-	0·07	0·05	-	-	-	0·05	-	-	-		7
8	-	-	-	-	-	-	0·05	-	-	0·17	-	0·18		8
9	-	-	0·13	-	-	-	-	-	-	-	0·30	-		9
10	-	-	0·05	-	-	-	0·69	-	-	-	0·03	0·22		10
11	-	-	0·09	0·02	-	-	0·47	-	-	-	0·43	-		11
12	-	-	0·03	-	-	-	0·13	-	0·05	-	0·09	-		12
13	-	0·04	0·28	-	-	-	0·03	-	0·05	-	-	-		13
14	-	-	0·18	-	0·11	-	-	-	0·03	-	-	0·40		14
15	-	-	-	-	-	0·31	0·02	-	-	0·05	0·07	-		15
16	0·10	0·12	0·29	0·07	-	-	0·45	-	-	1·02	0·50	-		16
17	0·01	0·10	0·66	-	-	-	0·05	-	-	-	0·37	-		17
18	-	0·35	0·12	0·38	-	-	-	0·07	-	0·02	-	-		18
19	-	0·13	0·12	0·19	-	0·02	0·48	0·01	0·11	-	0·12	0·08		19
20	-	-	-	0·08	-	-	0·16	-	-	-	0·12	-		20
21	0·18	-	-	-	-	-	0·13	-	-	0·11	1·34	-		21
22	0·05	-	-	-	0·14	0·42	-	-	0·01	-	-	-		22
23	-	0·02	0·02	0·03	0·22	0·33	-	-	-	0·05	-	-		23
24	-	-	-	0·03	-	-	-	-	-	-	-	-		24
25	-	-	-	-	-	-	-	-	-	0·11	-	-		25
26	0·63	0·08	-	-	0·03	0·02	0·12	-	-	0·02	-	-		26
27	0·32	0·08	-	0·01	0·04	-	-	0·02	-	-	-	-		27
28	0·02	0·74	-	-	-	-	-	-	-	-	-	-		28
29	-	-	0·11	-	-	-	-	-	-	-	-	0·24		29
30	0·05	✗	-	-	-	-	-	-	-	0·46	-	0·04		30
31	-	✗	0·02	✗	-	✗	-	-	✗	0·80	✗	-		31
TOTAL	1·51	2·60	2·10	1·19	0·70	1·10	2·87	0·10	0·30	3·50	5·14	1·33	Year's Total 22·44	-
* Days with .01 in. or more.	~~10~~	~~14~~	~~13~~	~~13~~	~~7~~	~~5~~	~~13~~	~~3~~	~~6~~	~~14~~	~~16~~	~~9~~	~~123~~	- "d"
* Days with .04 in. or more.	8	12	10	9	6	3	11	1	4	12	15	8	99	-

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

FORM 1090. **B** of Station.

2583

TORKSEY

1931-40

780410

2583.

780410

*** The following register &c., is NOT required values are given on th in this section and also the space for y relating to this register should be sent:—

RAINFALL IN

At Torksey

In the County of L

Diameter of Funnel

Winter.......in Summer.......

Distance....... Direction from gauge

Distance....... Direction from gauge

Rain Gauge

Height of Top above Ground 3 *ft.* 0 *in.*

Height of Ground above Sea Level 18. *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.16				
FEB.	2.00				
MAR.	·30				
APRIL	2.69				
MAY	2.18				
JUNE	3.81				
JULY	3.78				
AUG.	4.33				
SEPT.	3.41				
OCT.	·65				
NOV.	2.63				
DEC.	1.20				
Total	29.14				

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move....... Distance....... Direction.......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from original in file

Signature.......

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Torksey

In the County of Lincoln

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 3 *ft* 0 *in.*
Height of Ground above Sea Level 18. *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.16				
FEB.	2.00				
MAR.	·30				
APRIL	2.69				
MAY	2.18				
JUNE	3.81				
JULY	3.78				
AUG.	4.33				
SEPT.	3.41				
OCT.	·65				
NOV.	2.63				
DEC.	1.20				
Total	29.14				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from original in file

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r|}17\\18\end{array}\right\}\cdot14\,\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Torksey

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·04		·14	·67		·01	·06	·24	·20	·01	·06	1
2	·06				·25			·08	·18	·02		·01	2
3				·15	·03					·02		·02	3
4			·01	·16	·03			·04			·14		4
5	·09		·03		·02	·03	·03		·05				5
6	·32			·07					·02	·16		·02	6
7			·07	·09	·14								7
8		·05		·04					·18		·05		8
9					·05					·43		·03	9
10	·10								·08			·05	10
11		·40		·13	·20	·06	·48				·03		11
12	·12	·04					·05			·41	·04		12
13		·09		·07	·04		·50						13
14		·01		·06			·36	·01		·10	·09		14
15				·02								·04	15
16				·09	·19		·04			·12			16
17	·08				·01				·03	·18			17
18													18
19		·02		·05	·25	·03							19
20			·06	·05	1·56			·27		·23	·14	·01	20
21		·03	·24		·03			·04		·31		·15	21
22			·46	·10	·33		·11		·38		·15	·04	22
23		·08			·21		·03			·09	·03		23
24		·10			·03		·20		·02		·16		24
25	·01				·39	·09	·02		·02	·43	·01		25
26			·02	·29		·03	·04		·05	·05	·02	·02	26
27			·31	·16	·50		·03			·04	·11		27
28			·03	·02	·14		·33	·72	·01	·12			28
29			·08	·04	·08	·13	·03	·80	·06	·26	·10	·09	29
30		×		·04		·36	·23	·05	·12	·05	·09	·13	30
31		×		×	·01	×			×		×	·06	31
TOTAL	·86	·86	1·31	1·72	5·16	·73	2·59	2·07	1·44	3·22	1·17	·73	YEAR'S TOTAL 8 21·46
*Days with ·01 in. or more.	8	10	10	18	22	7	16	9	14	18	15	14	171
*Days with ·04 in. or more.	6	7	6	16	15	4	10	8	9	16	11	8	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M Burtt.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Torksey

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft .... in.

,, Ground ,, Sea Level .... ft.

Nov. misplotted as 8 instead of 18

Value 18 O.K

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·02	·13								·27		1
2	·10		·24		·01				·01		·10		2
3		·06	·11		·15						·11		3
4	·04	·01	·03		·11								4
5	·06		·07		·20								5
6		·09	·06		·53							·05	6
7	·06	·08			·20					·21		·01	7
8	·02		·19				·16						8
9		·03		·06	·03		·34			·39	·02		9
10	·07	·02				·29	·02			1·71	·01		10
11	·02				·03	·14	·16	·03		·06			11
12	·03					·06	·08					·15	12
13					·14	·01	·32		·04	·03	·05		13
14							·02			·04	·44		14
15	·70			·02			·07	·05		·02	·34	·02	15
16	·20	·01	·36			·18	·51	·01		·05	·18	·02	16
17	·11		1·09			·08			·12		·07		17
18		·11	·03			·12					·04	·01	18
19		·02	·24			·01			·13				19
20		·03				·22				·01	·03		20
21				·03				·02	·20	·02	·02		21
22								·03		·80		·04	22
23		·07		·03			·11	·16	·91	·01			23
24		·26		·15	·08	·19					·05		24
25		·71		·30	·03				·29		·08	·03	25
26		·26		·05					·08	·26		·01	26
27		·01			·10				·06	·10			27
28	·03			·09						·30			28
29	·05		·21	·06					·01	·07			29
30	·01	×	·07	·16						·02		·06	30
31		×	·01	×		×		·05	×		×		31
TOTAL	1·70	1·79	2·84	·95	1·71	1·30	1·79	·35	1·85	4·10	1·81	·40	YEAR'S TOTAL 20·59
*Days with ·01 in. or more.	15	16	14	10	12	10	10	7	10	17	15	10	146.
*Days with .04 in. or more.	10	8	11	7	8	8	8	3	8	11	11	4	97

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Marg^t Burtt

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Torksey

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04							·19	·13	·17		·32		1
2	·03	·04	·02					·09	·31	·02	·06	·22		2
3	·15	·02								·02	·04			3
4	·04		·04	·30	·01					·06		·35		4
5			·05		·08			·13			·11	·07		5
6					·27	·09		·08		·14		·44		6
7	·05					·15						·30		7
8			·02		·05	·07		·06			·48	·01		8
9			·31	·04				·08			·63	·17		9
10			·14	·09				·08			·03			10
11	·38		·28	·14				·11				·31		11
12	·01		·27	·02			·06	·04				·05		12
13	·34		·02	·05	·03		·34	·10				·13		13
14			·19							·05	·38	·31		14
15	·08				·06	·25				·01	·04	·01		15
16			·19		·33									16
17	·15				·01		·05	·02	·10	·13	·06	·04		17
18	·03		·06	·34			·04							18
19			·14	·02	·01	·04			·07	·04				19
20			·01		·04	·09			·01			·02		20
21						·26			·06	·03				21
22								·15	·15					22
23			·09	·13			·58				·05	·09		23
24			·06	·15		·02								24
25	·09	·16		·12		·02				·10		·40		25
26	·04	·13		·36			·01				·01	·07		26
27		·16		·29		·02	·06		·02	·06		·14		27
28				·05		·02	·01	·55		·04		·31		28
29			·02						·16					29
30	·05	×					·09		·02			·23		30
31	·04	×		×		×			×	·11	×	·06		31
TOTAL	1·52	·51	1·91	2·10	·89	1·23	1·24	1·68	1·03	·98	1·89	4·05	Year's Total 19·03	
*Days with ·01 in. or more.	15	5	17	14	10	11	9	13	10	14	11	22	151	
*Days with ·04 in. or more.	12	4	12	12	6	7	7	12	7	10	9	19	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935

Kept at Torksey

in the County of Lincoln

Diameter of Funnel of Gauge..................in. 5

Height of top of Gauge above Ground.....3 ft.........in.

,, Ground ,, Sea Level ....ft.

dafp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46		·04	·07		·04			·34	·05	·18	·17		1
2				·07		·58		·03		·20	·02			2
3		·11		·16		·19			·12		·27			3
4			·18	·05		·21				·30	·03			4
5	·02	·22		·05		·54				·33	·10			5
6	·08			·02		·14					·10			6
7	·06	·13		·31		·03				·18	·46	·18		7
8	·03			·11						·04	·01	·03		8
9				·09		·08				·59	·45	·04		9
10		·07	·02	·12										10
11	·20			·02		·07				·01	·11	·07		11
12		·01							·01					12
13	·13			·24	·14				·23		·01			13
14				·14	·06		·41				1·04	·13		14
15				·58	·07	·19			·26		·12	·08		15
16	·02	·18	·06	·02		·06			·18	·04	·52			16
17				·08	·07	·29	·13	·03	·02	·05	1·07			17
18	·02			·46	·02	·18	·14		·12	·05	·12			18
19				·03		·31	·19				·27			19
20	·04	·05		·35		·23	·04				·16			20
21		·67		·03					·36	·04	·07			21
22		·19	·04	·02				·06		·01	·07			22
23			·05					·30	·04		·02			23
24	·03	·29	·05					·01	1·14			·20		24
25	·14	·03				·04								25
26	·17							·45		·05		·36		26
27	·08	·37							·50	·01	·14	·99		27
28				~~·02~~	·02				·26	·19		·12		28
29			·02					·10	·02	·05		·10		29
30	·04	✕						·09	·06	·42	·40	·04		30
31		✕		✕		✕			✕	·61	✕	·31		31
TOTAL	1·52	2·32	·46	3·02	·38	3·18	·91	1·07	4·16	3·22	5·74	2·82	Year's Total 28·80	
* Days with .01 in. or more.	15	12	8	21	6	16	5	8	15	19	23	14	162	✓
* Days with .04 in. or more.	10	9	6	15	4	15	5	5	12	16	18	13	128	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Copy. B.A. Annual Total

Copy

Kept at TORKSEY
in the County of LINCOLN
Diameter of Funnel of Gauge 5 ins.
Height of top of Gauge above Ground 1 ft 3 in
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·09	·07	·25		·15	·23	·28			·01	·20		1
2	·24	·02	·03			·73	·22	·07			·45	·10		2
3		·01				·76			·17		·01	·03		3
4	·02	·03	·21	·03		·02			·10		·06	·07		4
5	·05	·03	·22					·12			·01	·25		5
6	·06		·01			·04	·30	·21	·25		·10			6
7	·33	·01	·02				1·33		·06	·03	·01	·05		7
8	·22		·05							·10	·20	·07		8
9	·37				·02	·04	·33			·10	·09			9
10	·02						·77	·57		·01	·01			10
11				·07			·06				·30			11
12				·32	·04	·25	·39		·58		·05	·15		12
13						·23	·07			·26	·04	·30		13
14				·22		·09	·07		·15	·02	·08	·17		14
15	·34 (s)			·09		·08	·14				·16	·07		15
16	·24	·14			·02						·46	·01		16
17	·03	·76			·05		·13			·01	·04	·01		17
18		·02					·06	·02		·39	·05			18
19	·42		·07	·15		·64		·68		·15				19
20		·10	·03	·07			·06	·02						20
21	·04					·14								21
22		·61	·04			·37	·14							22
23		·03	·03	·09	·02		·44			·03				23
24	·27	·06			·05				·08	·30	·04			24
25	·23			·31	·26				·23	·02				25
26		·15	·13				·05			·20	·01			26
27	·19			·02					·07	·34				27
28	·16	·54	·04			·13	·13				·04			28
29	·72	·49	·08			·23	·30			·04	·29	·05		29
30	·08	✕			·47	·11	·24			·41	·03	·01		30
31	·05	✕	·03	✕		✕	·01		✕	·05	✕	·06	~~[illegible]~~	31
TOTAL	4·08	3·09	1·06	1·62	·93	4·01	~~6·04~~ 5·47	1·97	1·75	2·46	2·54	1·60	Year's Total ~~31·06~~	30·58
* Days with .01 in. or more.	20	16	15	11	8	16	21	8	9	17	23	16	180	✓
* Days with .04 in. or more.	17	9	9	9	5	15	20	6	9	11	16	12	138	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Torksey

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·02	12	–	·01	–	–	–	–	–	·09	·09		1
2	–	·05	01	·21	–	–	–	–	·02	–	–	·93		2
3	–	·01	–	·11	·01	·07	·01	–	–	–	–	·13		3
4	·07	·06	·03	07	–	–	–	·12	–	–	–	·11		4
5	·06	·01	·23	–	–	–	–	·01	–	–	–	19		5
6	–	–	·01	–	·13	–	–	–	–	–	·05	·04		6
7	–	·21	·06	·18	·09	–	–	–	–	–	–	–		7
8	–	·29	–	·02	·05	–	–	–	–	–	·15	·02		8
9	–	·07	–	·09	·20	–	·47	·05	–	–	·01	·11		9
10	·04	·02	·04	·17	·02	14	·02	–	–	–	·05	·17		10
11	–	–	66	–	·91	–	–	·15	–	–	–	·08		11
12	14	32	·03	·02	·31	·94	–	–	·17	–	–	·14		12
13	–	·06	·01	–	·07	61	–	–	·05	–	–	·03		13
14	–	·03	18	–	·01	03	–	·06	–	–	–	·08		14
15	·11	·13	–	15	–	–	1·50	–	·13	–	–	·10		15
16	·04	·04	·31	·43	–	(	·46	·04	·22	–	–	·11		16
17	·13	·01	15	·50	–	·10)	–	–	·21	–	–	–		17
18	·80	·05	·02	·02	–	·01	–	–	·05	·02	·45	–		18
19	·06	–	·07	·13	–	28	·37	–	–	·02	·23	–		19
20	·28	–	–	·18	·76	·03	–	·01	·11	–	·02	–		20
21	–	–	·03	–	–	–	·24	·03	–	·02	–	·03		21
22	·02	–	–	·01	·03	–	·01	–	–	·25	·03	·03		22
23	·36	–	·03	–	·02	–	·08	–	–	·38	·20	·01		23
24	·33	·12	·03	–	·01	–	–	–	·02	·13	–	–		24
25	·05	·26	·02	–	·05	–	·04	–	·02	–	–	·02		25
26	·02	·17	–	–	·23	–	–	–	–	·01	–	–		26
27	–	·05	·02	·07	–	–	–	–	–	·56	–	·02		27
28	–	·07	–	–	–	–	–	–	–	·02	–	·04		28
29	·09	–	–	·02	–	–	–	–	–	–	–	·04		29
30	·44	×	–	–	–	·05	–	–	–	·07	·10	·06		30
31	·27	×	–	×	–	×	–	–	×	·19	×	·06		31
TOTAL	3·42	2·05	2·06	2·38	2·91	2·26	3·20	·47	1·00	1·67	1·38	2·64	Year's Total 25·44 ✓	
* Days with .01 in. or more.	19	21	20	17	17	10	10	8	10	11	11	24	178 ✓	
* Days with .04 in. or more.	17	1~~4~~5	19	12	10	7	7	5	7	6	8	14	117 ✓	

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Torksey

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

,, Ground ,, Sea Level 18 ft.

Query sent observer re entry on 26th Feb observer agrees.

Copy by B.R.O.

Entry on Oct 12th est'd from nearby stns. Part. W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01				·06	·64	—	—	·25	—	—	·03		1
2	·10				·03	·04	—	—	—	·07	·10	·05		2
3	·05					·04	·05	—	·32	·18	·01	—		3
4	·04			·03		·04	·12	·03	—	·66	—	·21		4
5	·01						·09	—	—	·04	-	·02		5
6	·02	·02					·33	·03	·15	·03	—	—		6
7	·01						·37	·07	·36	·05	—	·02		7
8	·19						·22	—	·01	—	-	·06		8
9	·02	·03				·04	·02	·03	—	·24	-	·32		9
10	·01						·32	·01	—	—	-	·03		10
11	·31						·02	—	·04	-	·02	·02		11
12	·11	·01			·06	·01	·02	—	—	(·10)	·02	·01		12
13	·01	·07					—	·01	—	·03	·12	·28		13
14	·14	·09			·07		·53	—	·17	-	·03	—		14
15	·06	·01			·04		·37	—	—	-	·02	·34		15
16	·09						·21	—	—	·05	-	·29		16
17					·56		·12	·02	·04	·06	·02	—		17
18	·03	·02			·21	·04	—	—	—	·02	·26	—		18
19					·02		—	·06	·10	-	·01	·11		19
20					·02		—	—	·02	-	·40	·26		20
21				·01				·03	—	-	·01	·22		21
22					·04	·27		—	—	-	·13	·35		22
23						·06		—	—	·01	·12	·03		23
24			·08					—	·26	-	·02	-		24
25	·03	·15	·03		·11			·04	—	·15	·33	·09		25
26		·68	·13		)			—	·31	·10	·03	·18		26
27	·10	·08			·23	·14	·21	·20	·29	·04	·17	-		27
28	·19			·03	·40	·07	·11	1·10	·13	—	·02	·04		28
29	·03			·	·68		·03	·01	·12	·05	·17	·12		29
30	·02	✗			·17	·08	—	—	·23	·01	·07	·02		30
31	·02	✗		✗	·10	✗	—	—	✗	·17	✗	·54		31
TOTAL	1·60	~~·48~~ 1·16	·24	·07	2·80	1·47	3·14	1·64	2·80	2·06	2·08	3·64	Year's Total 22·70	
* Days with .01 in. or more.	23	~~9~~ 10	3	3	16	12	17	13	16	19	21	24	177	
* Days with .04 in. or more.	11	~~4~~ 5	~~3~~ 2	0	13	11	13	5	14	14	10	16	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Burtt

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Feb. corrected for a/c

Copy by B.R.O.

Kept at Torksey

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	·02	·04	–	–	·88	–	·11	·07	·01	–		1
2	·11	–	–	·08	–	–	·08	·17	·26	–	·05	–		2
3	·09	–	–	·21	–	–	–	·10	–	·06	·27	·26		3
4	·24	–	·25	·24	–	–	–	·39✓	–	·04	·02	·48		4
5	–	–	–	–	·12	–	·05	·73	–	·44	·24	·22		5
6	·38	–	–	–	–	–	·23	–	–	·01	·03	–		6
7	·21	·03	–	–	–	–	·17	–	–	·02	·17	·20		7
8	·08	·04	·02	–	–	–	·13	·10	–	·04	–	·23		8
9	·03	·02	–	–	–	–	–	·09	–	·90	·02	·23		9
10	·44	–	–	–	–	·09	–	·19	·04	–	·01	–		10
11	·08	–	·27	–	·03	·48	–	·17	·05	·18	–	–		11
12	·01	·02	·02	–	–	·03	–	–	–	·02	–	·02		12
13	–	–	–	–	–	·05	·03	–	–	·49	–	–		13
14	·39	·01	–	·01	–	·21	·27	–	·02	–	·10	·02		14
15	·18	–	·03	·02	·23	·30	·41	–	·02	·04	·03	·02		15
16	·01	–	·18	–	·42	·27	1·14	–	–	·01	·15	·01		16
17	·37	–	–	·15	·02	·01	·08	–	–	·52	·02	–		17
18	·01	·02	·09	–	–	} ·22 16	·12	–	·03	·03	1·25	–		18
19	·24	–	–	–	–	~~·68~~	·12	–	–	–	–	–		19
20	–	–	·01	–	–	·02	·02	·16	·02	–	–	–		20
21	·12	·20	·15	–	·08	·28	·04	–	·09	–	–	–		21
22	·18	·25	·08	·01	–	–	·05	–	·04	–	·32	–		22
23	·03	–	–	·12	–	·02	·01	–	–	·03	·42	–		23
24	·03	·01	·01	·04	·01	·01	–	·01	–	–	–	–		24
25	·74	–	·02	–	–	–	·01	·45	–	–	·04	·06		25
26	·03	–	·02	·23	–	–	–	–	–	·08	·07	–		26
27	·02	·03	·11	–	–	–	·02	–	–	·28	–	–		27
28	–	·15	·09	·12	–	·11	·16	–	·01	·08	·25	–		28
29	·04		·04	·23	–	–	·39	–	–	·25	–	–		29
30	·01	✕	–	–	–	–	–	–	–	·01	·16	–		30
31	–	✕	–	✕	–	✕	·02	·01	✕	–	✕	–		31
TOTAL	4·09	·7~~5~~ 8	1·41	1·50	·91	2·56	4·43	2·57	·69	3·60	3·63	1·75	Year's Total 27·92 ✓	
* Days with .01 in. or more.	26	11	17	13	7	15	22	12	11	21	20	11	186 ✓	
* Days with .04 in. or more.	16	4	9	10	4	10	16	10	6	14	13	7	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Entry on April 18th adj. to agree with monthly total.

BRITISH RAINFALL ORGANIZATION.

Kept at Torksey

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·10	·01	·02	-	-	-	-	-	-	·19	-		1
2	-	·02	-	·28	-	-	-	-	-	-	·12	·07		2
3	·03	·13	-	·03	-	-	-	-	-	·07	·18	·08		3
4	-	·23	·01	·09	-	-	-	-	-	·13	·45	·08		4
5	-	·02	-	-	·06	-	·03	-	-	·08	·19	·12		5
6	·10	·18	-	-	-	-	-	-	-	·88	·01	-		6
7	·06	·28	-	·03	·03	-	-	-	-	-	-	-		7
8	·01	-	-	-	-	·06	·01	-	-	·13	·03	·23		8
9	-	·01	·24	·01	-	-	·09	-	·05	-	·50	·06		9
10	-	-	·03	-	-	-	1·30	·02	-	-	·05	·06		10
11	-	·02	·01	-	-	-	·30	-	-	-	·38	-		11
12	-	·01	·07	-	-	-	-	-	·17	-	·02	-		12
13	-	·03	·18	-	-	-	-	-	·07	-	-	-		13
14	-	-	-	·04	·14	-	·03	-	-	-	-	·45		14
15	-	-	·06	-	·01	-	-	-	-	·01	·08	-		15
16	·15	·12	·23	·02	-	·02	·26	-	·03	-	·23	-		16
17	-	-	·48	-	-	-	·85	-	-	·74	·24	-		17
18	-	·20	·13	(·50) ·05	-	-	·09	·36	·44	·05	·15	-		18
19	·011	·16	·12	·20	-	·03	·47	-	·11	·01	-	·07		19
20	-	·02	-	·13	-	·02	·06	·12	-	-	·05	-		20
21	-	·01	-	-	-	·41	·05	-	-	·10	·97	-		21
22	·19	-	-	-	·07	·14	-	·01	·02	·01	-	·02		22
23	-	-	·02	-	·11	·16	-	-	-	·02	-	·06		23
24	·15	·01	-	·02	-	-	·07	-	-	·04	-	·01		24
25	·03	-	-	-	-	-	·07	-	-	·09	-	-		25
1·13 26	-	-	-	-	·04	·14	·19	·05	-	·02	-	-		26
27	·88	·15	-	-	-	-	·27	·02	-	·01	-	-		27
28	-	·21	-	-	-	-	-	-	·01	-	-	-		28
29	·03	-	·08	-	·03	·01	-	-	-	-	-	·31		29
30	·12	×	·01	·06	-	-	-	-	-	·21	-	·18		30
31	·07	×	·07	×	-	×	-	-	×	1·23	×	·10		31
TOTAL	1·86	1·91	1·75	1·43	·49	·99	4·14	·58	·90	3·83	3·84	1·90	Year's Total 23·62	✓
* Days with .01 in. or more.	13	19	16	13	8	9	16	6	8	18	17	15	158	✓
* Days with .04 in. or more.	9	10	10	7	5	5	13	3	5	12	14	13	106	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Burtt

[P.T.O.

2584

GATE BURTON HALL

1931— 40

780410

2584

Section **A** for the ent

AIR MIN

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090. **REC**

1.

Kept at Gate Burt

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above (

,, Ground ,, S

THE MORNING ME **Y.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.07			0.10			0.08				1
2		0.12		0.48		0.38		0.14	0.39			0.02	2
3				0.10					1.29				3
4		0.06^{S}		0.10			0.29	0.61	0.30		0.27		4
5						1.25	0.03	0.35	0.50			0.43	5
6		0.25^{S}				0.12				0.15			6
7						0.20	0.09	0.17		0.02	0.30		7
8	0.14^{S}	0.07					0.08	1.20			0.05		8
9		0.03	0.26^{S}	0.21				0.15			0.34		9
10	0.02	0.08			0.11			0.08			0.03		10
11	0.20	0.15							0.14				11
12	0.05						0.88	0.03		0.08	0.06		12
13						0.10							13
14		0.13^{S}				0.05	0.45	0.58			0.10		14
15				0.15	0.08		0.14	0.75					15
16		0.08		0.16	0.90	0.50	0.05	0.46	0.25				16
17		0.47		0.38	0.28	0.08			0.03				17
18	0.08			0.35		0.17	0.35				0.52		18
19	0.06	0.05		0.28		0.60	0.15	0.08	0.12				19
20		0.17		0.02				0.59					20
21	0.08										0.30		21
22					0.16								22
23	0.25				0.24	0.19			0.21		0.23	0.38	23
24				0.12	0.40								24
25	0.08			0.19			0.50						25
26		0.12		0.20			0.14				0.15		26
27	0.20	0.22^{S}		0.07							0.19	0.10	27
28	0.31	0.20^{S}		0.08	0.20								28
29	0.80^{S}						0.17			0.43			29
30		×		0.07	0.39								30 'd'
31	0.39	×		×		×			×	0.03	×	0.15	31
TOTAL	2.66	2.20	0.33	2.96	2.86	3.73	3.41	5.19	3.30	0.71	2.54	1.08	YEAR'S TOTAL 30.97
*Days with ·01 in. or more.	~~13~~	~~15~~	~~2~~	~~16~~	~~9~~	~~12~~	~~13~~	~~13~~	~~10~~	~~5~~	~~12~~	~~5~~	~~125~~
*Days with ·04 in. or more.	12	14	2	15	9	12	12	12	9	3	11	4	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Creed

[P.T.O.

2584

Section **A** for the ent

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gate Burton Hall
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.07			0.10			0.08				1
2		0.12		0.48		0.38		0.14	0.39			0.02	2
3				0.10					1.29				3
4		0.06^{S}		0.10			0.29	0.61	0.30		0.27		4
5						1.25	0.03	0.35	0.50			0.43	5
6		0.25^{S}				0.12				0.15			6
7						0.20	0.09	0.17		0.02	0.30		7
8	0.14^{S}	0.07					0.08	1.20			0.05		8
9		0.03	0.26^{S}	0.21				0.15			0.34		9
10	0.02	0.08			0.11			0.08			0.03		10
11	0.20	0.15							0.14				11
12	0.05						0.88	0.03		0.08	0.06		12
13						0.10							13
14		0.13^{S}				0.05	0.45	0.58			0.10		14
15				0.15	0.08		0.14	0.75					15
16		0.08		0.16	0.90	0.50	0.05	0.46	0.25				16
17		0.47		0.38	0.38	0.08			0.03				17
18	0.08			0.35		0.17	0.35				0.52		18
19	0.06	0.05		0.28		0.60	0.15	0.08	0.12				19
20		0.17		0.02				0.59					20
21	0.08										0.30		21
22					0.16								22
23	0.25				0.24	0.18			0.21		0.23	0.38	23
24				0.12	0.40								24
25	0.08			0.19			0.59						25
26		0.12		0.20			0.14				0.15		26
27	0.20	0.22^{S}		0.07							0.19	0.10	27
28	0.31	0.20^{S}		0.08	0.20								28
29	0.80^{S}						0.17			0.43			29
30		×		0.07	0.39								30
31	0.39	×		×		×			×	0.03	×	0.15	31
TOTAL	2.66	2.20	0.33	2.96	2.86	3.73	3.41	5.19	3.30	0.71	2.54	1.08	YEAR'S TOTAL 30.97
*Days with ·01 in. or more.	~~13~~	~~15~~	~~2~~	~~16~~	~~9~~	~~12~~	~~13~~	~~13~~	~~10~~	~~5~~	~~12~~	~~5~~	~~125~~
*Days with ·04 in. or more.	12	14	2	15	9	12	12	12	9	3	11	4	115

d'

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Creed

P.T.O.

[illegible] 814574/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Gate Burton Hall

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following . . .

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13			0.13	0.70			0.07	0.13	0.20			1
2	0.06				0.20			0.06	0.13				2
3				0.11									3
4				0.18	0.04						0.10		4
5	0.15		0.08						0.04				5
6	0.34			0.03									6
7	0.02		0.10	0.11	0.23				0.11	0.16			7
8		0.11		0.03					0.10	0.03			8
9	0.08	0.10 s											9
10	0.03	0.11 s								0.42		0.25	10
11		0.08		0.15	0.27	0.08	0.64						11
12	0.09				0.10		0.10			0.31	0.13		12
13		0.12		0.07			0.28		0.07	0.12			13
14							0.17				0.08		14
15				0.02						0.05			15
16	0.16			0.11	0.20								16
17									0.03	0.08			17
18													18
19										0.18			19
20			0.08	0.15	0.15			0.31		0.21	0.15		20
21				0.07	1.88			0.02		0.31		0.23	21
22			0.60		0.40		0.23		0.35		0.20		22
23		0.07			0.29		0.02			0.09			23
24							0.12		0.05		0.20		24
25		0.08		0.07						0.40			25
26				0.20	0.38	0.09	0.25		0.09				26
27			0.28		0.61					0.10			27
28			0.02	0.15	0.15		0.35	0.28		0.15	0.20		28
29			0.05		0.08	0.09	0.03	0.85	0.08	0.25	0.12	0.11	29
30		×				0.37			0.04	0.07	0.07		30
31		×		×		×	0.60		×		×	0.18	31
TOTAL	1.06	0.67	1.21	1.58	5.67	0.63	2.79	1.59	1.22	3.13	1.25	0.77	YEAR'S TOTAL 21.57
*Days with ·01 in. or more.	~~9~~	~~7~~	~~7~~	~~15~~	~~15~~	~~4~~	~~11~~	~~6~~	~~12~~	~~17~~	~~9~~	~~4~~	
*Days with .04 in. or more.	7	7	6	12	15	4	9	5	11	16	9	4	105

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) J. H. Creed

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gate Burton Hall
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft - in.
,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0.16								0.24			1
2	0.25		0.20								0.11			2
3		0.16	0.11		0.18						0.11			3
4	0.08													4
5	0.06				0.25									5
6			0.18		0.41							0.14		6
7	0.02	0.14			0.37					0.25	0.04			7
8			0.17				0.16							8
9				0.07	0.02		0.27			0.52				9
10						0.28				1.67				10
11						0.25	0.15	0.04		0.18				11
12	0.21					0.07	0.05					0.06		12
13					0.18		0.37		0.06					13
14					0.08						0.41			14
15	0.38						0.80				0.28			15
16	0.16		0.32			0.15	0.19				0.10			16
17	0.52					0.22			0.06		0.09			17
18		0.22	1.01			0.17					0.03			18
19									0.05					19
20			0.31			0.09			0.12	0.27				20
21									0.14					21
22		0.08						0.19		0.91				22
23		0.04		0.06		0.17			0.42					23
24		0.13		0.12	0.09	0.10			0.56	0.07				24
25		0.42		0.34							0.15			25
26		0.77		0.05	0.05					0.16				26
27					0.06				0.07	0.14				27
28										0.32				28
29				0.12			0.14			0.07				29
30	0.11	×	0.08	0.02			0.05					0.23		30
31		×		×		×		0.05	×		×			31
TOTAL	1.80	1.96	2.52	0.78	1.69	151	2.18	0.28	1.48	4.56	1.56	0.43	Year's Total 20.75	
*Days with ·01 in. or more.	9	8	9	7	10	9	9	3	8	11	10	3	~~102~~	
*Days with ·04 in. or more.	8	8	9	6	9	9	9	3	8	11	9	3	92	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) J. H. Creed

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Gate Burton Hall

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 78 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0.13	0.06	0.20		0.30		1
2	0.05	0.02						0.06	0.23	0.08	0.08	0.27		2
3	0.13													3
4			0.09	0.35								0.35		4
5			0.07			0.05					0.13			5
6					0.35	0.07		0.20		0.18		0.47		6
7	0.10					0.17				0.02		0.25		7
8						0.10		0.05			0.45			8
9				0.07							0.69	0.18		9
10			0.40					0.16			0.03			10
11	0.36		0.20	0.19				0.05				0.38		11
12			0.24				0.04					0.06		12
13	0.32			0.07			0.44	0.15				0.10		13
14	0.07		0.28			0.35					0.20	0.28		14
15	0.06				0.12					0.06				15
16	0.07		0.14		0.39						0.16			16
17	0.10						0.04		0.15	0.05		0.05		17
18				0.33										18
19			0.16						0.07	0.03				19
20						0.09								20
21						0.27				0.03				21
22								0.15	0.22					22
23				0.20			0.32				0.06			23
24		0.25	0.18	0.13			0.48		0.17			0.08		24
25	0.08			0.10						0.07		0.31		25
26		s 0.26		0.35								0.04		26
27		s 0.15		0.31		0.02	0.05					0.13		27
28				0.06		0.05		0,50		0.02		0.25		28
29									0.18			0.10		29
30	0.06	×					0.11			0.11		0.12		30
31	0.04	×		×		×			×		×			31
TOTAL	1.44	0.68	1.76	2.16	0.86	1.17	1.48	1.45	1.08	0.85	1.80	3.72	Year's Total 18.45	"d"
*Days with ·01 in. or more.	~~12~~	~~4~~	~~9~~	~~11~~	~~3~~	~~9~~	~~7~~	~~9~~	~~7~~	~~11~~	~~8~~	~~18~~	~~108~~	
*Days with .04 in. or more.	12	3	9	11	3	8	7	9	7	7	7	18	101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gate Burton Hall
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
,, Ground ,, Sea Level 78 ft.

4·0 ?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.49					0.04			0.28	0.10	0.21	0.10		1
2				0.08		0.40		0.01		0.25				2
3		0.18	0.17			0.03			0.15	0.08	0.18			3
4				0.29^{s}		0.07				0.32				4
5		0.20				0.50					0.11			5
6	0.10			0.05		0.15								6
7				0.26		0.05				0.05	0.45	0.17		7
8				0.05		0.05						0.05		8
9	0.0			0.02		0.05				0.63	0.28			9
10	0.09	0.10		0.07		0.02								10
11	0.12										0.11	0.11		11
12						0.06								12
13	0.07			0.08	0.15									13
14				0.03	0.09		0.17		0.20		0.70	0.10		14
15				0.40	0.07				0.19		0.12	0.06		15
16		0.16				0.35	0.08		0.19		0.38			16
17				0.15		0.21		0.02		0.09	0.83			17
18	0.05			0.25		0.12	0.28		0.10	0.11	0.16			18
19				0.02		0.21					0.18			19
20				0.34		0.11					0.09			20
21		0.59							0.15		0.07			21
22		0.13^{s}	0.15								0.05			22
23			0.06					0.40						23
24	0.09	0.42	0.05			0.06			1.35			0.20		24
25	0.18													25
26	0.15^{s}							0.48	0.54			0.32		26
27	0.36^{s}								0.20	0.08	0.13	0.74		27
28										0.20		0.08		28
29	0.07								0.02					29
30		✕						0.12		0.30	0.30			30
31		✕		✕		✕			✕	0.48	✕	0.35		31
TOTAL	1.77	1.78	0.43	2.09	0.31	2.48	0.53	1.03	3.37	2.69	4.34	2.28	Year's Total 23.10	
* Days with .01 in. or more.	11	7	4	14	3	17	3	5	11	12	17	11	115	
* Days with .04 in. or more.	11	7	4	11	3	15	3	3	10	11	17	11	106	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Gate Burton Hall

in the County of Lincoln

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·07	·15	·33	—	·19	·14	·07	—	—	+ —	—		1
2	·25	—	·22	—	—	·84	·15	·22	—	—	+ ·39	·10		2
3	—	·02	—	—	—	·48	·05	—	·19	—	—	—		3
4	—	—	·15	—	—	—	—	·02	·20	—	·06	.03		4
5	·07	·05	·09	—	—	—	—	·10	—	—	~~·06~~ —	·09		5
6	—	—	—	—	—	·03	·28	·22	·30	—	·06	—		6
7	·26	—	~~0~~	—	—	—	1·40	—	·08	.05	~~·16~~ —	—		7
8	·10	—	.04	—	—	—	—	—	—	.02	·16	—		8
9	·29	—	—	—	—	·02	·11	—	—	.06	·20	—		9
10	—	—	—	—	—	—	·95	1·36	—	—	—	—		10
11	—	—	—	·08	·02	—	—	—	—	—	·25	—		11
12	—	—	—	·22	·04	·16	·42	—	·56	—	·10	·19		12
13	—	—	—	—	—	·23	—	—	—	·78	—	·24		13
14	—	—	—	·15	—	·13	·05	—	·18	—	—	·08		14
15	·15	·03	—	·07	—	—	·27	—	—	—	·38	·07		15
16	·25	·05	—	—	—	—	—	—	—	—	·33	—		16
17	—	·55	—	—	—	—	·15	—	—	—	·03	—		17
18	—	—	—	—	—	—	·02	—	—	·32	·03	—		18
19	·52	—	·04	·08	—	·69	—	·66	—	·07	—	—		19
20	—	·07	—	—	—	—	·99	—	—	—	—	—		20
21	—	—	—	—	—	·06	·07	—	—	—	—	—		21
22	—	·45	—	—	·12	·58	·60	—	—	—	—	—		22
23	—	—	—	·11	—	—	—	—	—	—	—	—		23
24	·18	—	—	—	·32	—	—	—	·45	·43	—	—		24
25	·15	—	—	·15	—	—	·05	—	·15	·01	—	—		25
26	—	·08	·14	—	—	—	—	—	·10	·12	—	—		26
27	·13	—	—	—	—	—	—	—	·18	·44	—	—		27
28	·20	·59	—	—	—	·11	·07	—	—	—	—	·08		28
29	·70	·30	·10	—	—	·25	·06	—	—	·03	·32	—		29
30	·07	✕	—	—	·58	·12	·22	—	—	·38	—	—		30
31	—	✕	—	✕	—	✕	·02	—	✕	—	✕	·08	'd'	31
TOTAL	3·32	2·26	·93	1·19	1·08	3·89	6·07	2·65	2·39	2·11	2·31	·96	Year's Total 29.16	✓
* Days with .01 in. or more.	~~14~~	~~7 11~~	~~8~~	~~8~~	~~5~~	~~14~~	~~20~~	~~7~~	~~10~~	~~11~~	~~12~~	~~9~~	129	✓
* Days with .04 in. or more.	14	9	8	8	4	12	18	6	10	9	11 ~~10~~	8	117	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......✓....✓......................✓.... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Gate Burton Hall

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	·07	–	–	–	–	–	·04	–	·09	·12		1
2	–	·06	–	·24	–	–	–	–	–	–	–	1·20		2
3	–	–	–	·09	–	·07	–	–	–	–	–	·20		3
4	–	·07	·05	·10	–	–	–	·07	–	–	–	·29		4
5	·12	–	·16	–	–	–	–	–	–	–	–	·07		5
6	–	–	·05	–	·14	–	–	–	–	–	–	–		6
7	–	·16	–	·18	·09	–	–	–	–	–	–	–		7
8	–	·20	–	–	–	–	–	–	–	–	·19	·10		8
9	–	·07	–	·08	·18	–	·45	–	–	–	–	–		9
10	–	–	–	·24	–	·15	–	–	–	–	·07	·29		10
11	–	–	·75	–	1·08	–	–	·15	–	–	–	–		11
12	·16	·35	–	–	·28	1·11	–	–	·15	–	–	·23		12
13	–	·02	–	–	·09	·67	–	–	–	–	–	–		13
14	–	–	·20	–	–	–	–	·05	–	–	–	·33		14
15	·10	·18	–	·18	–	–	1·88	–	·14	–	–	–		15
16	·03	–	·30	·60	–	·08	–	·03	·09	–	–	·15		16
17	·16	–	·13	·64	–	–	–	–	·45	–	–	–		17
18	·85	·08	·02	–	–	(·01)	–	–	·12	–	·40	–		18
19	·07	–	·07	·15	–	(·28) ~~·32~~	·15	–	–	–	·30	–		19
20	·29	–	–	·13	·75	(·03) –	–	–	–	–	–	–		20
21	–	–	–	·02	–	–	·28	–	–	–	–	–		21
22	–	–	–	–	·03	–	–	–	–	·42	–	–		22
23	·37	–	·05	–	–	–	·07	–	–	·37	·20	–		23
24	·30	·08	–	–	–	–	–	–	·11	·12	–	–		24
25	·15	·24	–	–	–	–	–	–	–	·12	–	–		25
26	–	·14	·07	–	·23	–	–	–	–	–	–	–		26
27	–	·05	–	·10	–	–	–	–	–	·60	–	·14		27
28	–	·16	–	–	–	–	–	–	–	–	–	·05		28
29	·09	–	–	–	–	–	–	–	–	–	·08	·03		29
30	·34	✕	–	–	–	·06	–	–	–	·05	·03	·04		30
31	·25	✕	–	✕	–	✕	–	–	✕	·18	✕	·04		31
TOTAL	3·34	1·96	1·92	2·75	2·87	2·46	2·83	·30	1·10	1·86	1·36	2·28	Year's Total 26·03	✓
* Days with .01 in. or more.	~~15~~	~~14~~	~~112~~	~~13~~	~~9~~	~~9~~	~~5~~	~~4~~	~~7~~	~~7~~	~~7~~ 8	15		
* Days with .04 in. or more.	~~15~~ 14	13	101	12	8	7	5	3	7	7	67	14	108	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

2584

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Gate Burton Hall

In the County of Lincolnshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 4 *ft.* – *in.*
- *Height of Ground above Sea Level* 97 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.34	0.85	18	14	13
FEB.	1.96	0.35 S	12	14	13
MAR.	1.92	S 0.75	11	12	11
APRIL	2.75	0.64	17	12	12
MAY	2.87	1.08	11	9	8
JUNE	2.46	1.11	12	7	7
JULY	2.83	1.88	15	5	5
AUG.	0.30	0.15	11	4	3
SEPT.	1.10	0.45	17	7	6
OCT.	1.86	0.42	22	7	7
NOV.	1.36	0.40	18	8	7
DEC.	3.28	1.20	2	15	14
TOTAL	26.03			115	105

Signature J H Creed

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

J. H. Creed, The Gardens

Gate Burton Hall Gainsborough Lincs

Hour of observation by the clock—in Winter 8 a.m. in Summer 8 a.m.

Nearest Railway Station Stow Park Distance 1½ miles Direction from gauge S.E.

Nearest Parish Church at Gate Burton Distance 200 yds Direction from gauge S.

Nature of objects nearest to gauge	–			
Height of objects				
Distances ...	–			
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

observer considers record correct.

Kept at Gate Burton Hall

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

,, Ground ,, Sea Level 97 ft.

needs adj. — see c[illegible] file.

Rain day [illegible] old

Copy by B.R.O.

wrote re. ht of g. – 3/4/39

Height?

snow w.g.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						70	·04	—	·18	—	—	—		1
2	·09					·04	—	—	—	·11	·06	·09		2
3	·05					·02	·14	—	·32	·63	—	—		3
4	·05					·02	·12	·04	—	·02	—	·21		4
5							·02	—	—	—	—	—		5
6	✓						·20	—	·09	·02	—	—		6
7	25						·40	·21	·54	—	—	—		7
8							·20	—	—	·29	—	—		8
9		·16					·05	—	—	—	—	·45		9
10						·02	59	·02	—	—	—	—		10
11	·30						—	—	·03	·02	·05	—		11
12	·09				·06		—	—	—	·27	·04	—		12
13		·17					—	—	—	—	·09	·29		13
14	·12				·06		·30	—	·23	—	—	—		14
15							·65	—	—	—	—	·33		15
16	·15						·29	—	—	·11	—	·31		16
17					·53		·15	—	·02	·07	—	—		17
18					25	·10	—	—	·63	—	35	—		18
19		·02			03		—	·08	—	—	—	·10		19
20							—	—	·02	—	·35	·20		20
21							—	—	—	—	—	·30		21
22						·21	—	—	—	—	·28	·35		22
23					·03	·02	—	—	29	—	·04	—		23
24					12		—	—	·35	—	·02	·02		24
25	✓	·16	·13				—	—	—	·19	·42	·10		25
26		·65	·13				—	—	14	·11	—	·13		26
27	·15	·08			16	·16	·21	·21	·16	·06	20	—		27
28	·15				46	·04	·09	1·15	·20	—	—	—		28
29	·02			·05	42		·03	—	—	·05	·14	·16		29
30	✓	✕			39	·14	—	—	·06	—	·07	—		30
31	✓	✕		✕	10	✕	—	—	✕	·20	✕	·58	"d"	31
TOTAL	1·42	1·24	·26	·05	2·61	1·47	3·58	1·71	3·26	2·15	2·11	3·62	Year's Total 23·48 ✓	
* Days with .01 in. or more.	11	6	3	1	12	11	16	6	15	14	13	15	123	low usb
* Days with .04 in. or more.	10	5	3	1	9 10	7	14	5	13	11	12	14	105	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) John H. Creed

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Gate Burton Hall

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 97 ft.

2/40 Letter re height of gauge.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·03	–	–	·58	–	·12	·06	–	–		1
2	–	–	–	·07	–	–	·17	·16	·25	–	·03	–		2
3	·07	–	–	·15	–	–	–	·25	–	–	·27	·29		3
4	·43	–	·29	·27	–	–	–	·29	–	–	–	·53		4
5	–	–	–	–	·10	–	–	·87	–	·55	24	·31		5
6	·27	–	–	–	–	–	·25	–	–	–	–	–		6
7	·39	·02	–	–	–	–	·11	–	–	·03	·16	·09		7
8	–	·04	–	–	–	–	·17	·04	–	–	–	·33		8
9	– x	–	–	–	–	–	–	·08	–	·88	–	·25		9
10	·48	–	–	–	–	–	–	·09	·07	–	–	–		10
11	x	–	·30	–	·02	·40	–	·09	–	·14	–	–		11
12	–	–	–	–	–	–	–	–	–	–	–	–		12
13	–	–	–	–	–	·03	·02	–	–	·34	–	–		13
14	·50	–	–	–	·21	·14	·55	–	–	·44	–	–		14
15	·14	–	·05	–	·29	·27	·28	–	·10	·05	–	–		15
16	–	–	·21	–	·53	·31	·61	–	–	–	·29	–		16
17	·48	–	–	·12	·02	–	·38	–	–	·64	–	–		17
18	–	·05	·10	–	–	·15	·11	–	·02	·03	1·32	–		18
19	·27	–	–	–	–	·36	·17	–	–	–	–	·03		19
20	–	–	–	–	–	·05	–	·05	–	–	–	–		20
21	·11	·13	·14	–	·09	·44	–	–	·13	–	–	–		21
22	·18	·30	·07	–	–	–	·14	–	·05	–	·29	–		22
23	–	–	–	·14	–	–	–	–	–	·03	·40	–		23
24	–	–	–	·06	–	–	–	·05	–	–	–	–		24
25	·94	–	–	–	–	–	–	·43	–	–	·06	–		25
26	·03	–	–	·25	–	–	–	–	–	·11	·08	–		26
27	–	·05	·27	–	–	–	–	–	–	·18	·07	–		27
28	·04	·21	·10	·13	–	·20	·14	–	–	·05	·28	–		28
29	–		–	·20	–	–	·59	–	–	·27	–	–		29
30	–	✕	–	–	–	–	–	–	–	–	·16	–		30
31	–	✕	–	✕	–	✕	–	–	✕	·02	✕	–		31
TOTAL	4·33	·80	1·53	1·42	1·26	2·35	4·27	2·40	·74	3·82	3·65	1·83	Year's Total 28.40	Prnt
* Days with .01 in. or more.	~~1~~~~4~~ 18	~~7~~	~~9~~	~~10~~	~~7~~	~~10~~	~~15~~	11	7	~~16~~	13	7	~~130~~	
* Days with .04 in. or more.	1~~3~~5	6	9	8	5	9	14	11	6	12	12	6	113	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Gate Burton Hall

in the County of Lincolnshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level .... ft.

Reminder sent for February values today. 11/7/40

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	.22	-		1
2	-	-	-	.22	-	-	-	-	-	-	.13	.05		2
3	-	.12	-	.06	-	-	-	-	-	.08	.15	.11		3
4	-	.20	-	.04	-	-	.03	-	-	.11	.50	.05		4
5	-	-	-	-	.08	-	.08	-	-	.10	.15	.13		5
6	.13	.10	-	-	-	-	-	-	-	1.00	-	-		6
7	.15	.33	-	.04	-	-	-	-	-	-	-	-		7
8	-	-	-	-	-	.06	-	-	-	.17	-	.22		8
9	-	-	.26	-	-	-	.07	-	.04	.04	.55	.08		9
10	-	-	-	-	-	-	1.38	-	-	-	.05	-		10
11	-	-	-	-	-	-	.50	-	-	-	.38	-		11
12	-	.02	.12	-	-	-	.07	-	.17	-	.03	-		12
13	-	.03	.21	-	-	-	-	-	.02	-	-	-		13
14	-	-	.04	.02	.09	-	-	-	-	.56	-	.49		14
15	-	-	-	-	.04	-	-	-	-	-	.09	-		15
16	.15	.06	.21	-	-	.04	.26	-	.04	-	.83	-		16
17	-	-	.57	-	-	-	.91	-	-	-	.44	-		17
18	.07	.19	.10	.57	-	-	.25	-	-	-	-	-		18
19	-	.12	.10	.20	-	-	.43	.30	.42	-	.14	-		19
20	-	.05	-	.11	-	.07	.12	.14	-	-	.05	-		20
21	.19	-	-	-	-	.20	-	-	-	.19	.90	-		21
22	-	-	-	-	-	.26	-	-	-	-	-	-		22
23	-	.11	.05	-	.08	.12	-	-	-	-	-	.02		23
24	.16	-	-	-	-	-	.20	-	-	-	-	-		24
25	-	-	-	-	-	-	.25	-	-	-	-	-		25
26	.34	-	-	-	.04	-	-	.03	-	.07	-	-		26
.95 27	.23	.16	-	.08	-	-	.35	-	-	.05	-	-		27
28	-	.30	-	-	-	-	-	-	-	-	-	-		28
29	-	-	.14	-	-	.02	-	-	-	-	-	.36		29
30	.10	×	-	-	-	-	-	-	-	.25	-	.31		30
31	.08	×	.08	×	-	×	-	-	×	1.11	×	.04		31
TOTAL	1.60	1.79	1.88	1.34	.33	.77	4.90	.47	.69	3.73	4.61	1.96	Year's Total 24.07	Put
* Days with .01 in. or more.	~~10~~	~~13~~	~~11~~	~~9~~	~~5~~	~~7~~	~~14~~	~~3~~	~~5~~	~~12~~	~~15~~	~~10~~ 11	~~115~~	"d"
* Days with .04 in. or more.	10	11	11	8	5	6	14	2	4	12	14 ~~15~~	11	108	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) The Hon. Mrs Sandars

[P.T.O.

2585

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at MESSINGHAM

in the County of LINCO

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of thi

2585

MESSINGHAM SCHOOL

1931

780410

PY FOR OFFICIAL USE.

ORGANIZATION.

ndment f 905508/29.

lowing

Jan. 1, following

Date	Jan.	Feb.	March					August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·10	·01	–	·44	–	–	09	·05	·09	·02	1
2	–	·16	Trace.	–		·56	–	–	·48	–	–	·02	2
3	–	·01	–	·37	·02	·01	–	·01	1·14	–	·04	·08	3
4	·04	Trace	–	–	–	–	·21	–	·74	–	·06	–	4
5	–	Trace	–	–	·09	·14	·06	·72	·15	–	–	·24	5
6	–	·01	·01	–	–	·62	·03	–	·01	–	·21	–	6
7	·05	·11	·01	–	·02	·40	·02	·01	·01	–	·14	·01	7
8	–	·26	·01	·02	·04	·05	·13	1·23	–	–	–	–	8
9	–	·19	Trace	·39	–	·09	·03	1·03	·02	–	·48	·02	9
10	·17	·01	·01	–	·03	·05	–	·81	·07	–	·03	–	10
11	·10	·19	·01	–	–	·03	–	–	–	–	·02	–	11
12	·01	·01	–	–	–	–	·51	·02	·04	–	–	–	12
13	·02	–	–	–	·01	–	·06	·01	–	·23	–	–	13
14	–	·06	–	–	·05	·01	·42	·63	–	–	·13	–	14
15	–	·10	–	·07	·31	·01	·05	Trace	–	–	–	·01	15
16	–	·15	–	–	·25	·65	·02	·30	·25	–	–	–	16
17	–	·25	–	·32	·03	·03	–	·01	–	–	Trace	–	17
18	·06	·01	·02	·27	·01	·15	–	–	–	·02	·57	–	18
19	·03	·11	–	·36	–	·57	·55	·02	·08	·03	·02	–	19
20	–	·10	–	·02	·07	–	·01	·07	Trace.	–	–	–	20
21	·14	–	–	·01	·04	–	–	·01	·02	–	·22	–	21
22	·02	–	–	·03	·12	–	–	–	·03	–	·03	–	22
23	·14	·04	–	·10	·52	–	–	–	·02	–	·24	–	23
24	–	·01	–	·07	–	–	·13	·02	–	·01	–	–	24
25	–	·01	–	·32	·03	–	·67	–	–	–	–	–	25
26	·02	·10	–	·34	–	–	–	–	·02	–	·18	–	26
27	·18	·08	–	·07	–	–	–	–	–	·12	·25	–	27
28	·28	·07	–	·20	–	–	·03	–	–	Trace	–	·04	28
29	·20	✗	–	·02	·15	–	·06	–	–	·34	–	·03	29
30	–	✗	–	·15	5 ~~02~~	–	–	–	–	–	·01	·21	30
31	·28	✗	–	✗	–	✗	–	–	✗	–	✗	·04	31
TOTAL	1·74	2·05	·17	3·14	2.31 ~~1·81~~	3·81	2·99	3·90	3·17	·80	2·72	·72	YEAR'S TOTAL 5 27·~~0~~2
*Days with ·01 in. or more.	16	23	7	19	18	16	17	15	16	7	17	11	3 18~~2~~.
*Days with ·04 in. or more.	11	15	1	13	~~10~~ 11	11	11	6	8	4	12	5	10~~8~~9

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2585

Section **A** for the entry of COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at MESSINGHAM SCHOOL
in the County of LINCOLNSHIRE.
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 6 ft - in.
,, Ground ,, Sea Level 115 ft.

May [illegible]

May referred to Obsr.
Obsr agrees to amendment f 905508/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	·10	·01	-	·44	-	-	·09	·05	·09	·02	1
2	-	·16	Trace.	-		·56	-	-	·48	-	-	·02	2
3	-	·01	-	·37	·02	·01	-	·01	1·14	-	·04	·08	3
4	·04	Trace	-	-	-	-	·21	-	·74	-	·06	-	4
5	-	Trace	-	-	·09	·14	·06	·72	·15	-	-	·24	5
6	-	·01	·01	-	-	·62	·03	-	·01	-	·21	-	6
7	·05	·11	·01	-	·02	·40	·02	·01	·01	-	·14	·01	7
8	-	·26	·01	·02	·04	·05	·13	1·23	-	-	-	-	8
9	-	·19	Trace	·39	-	·09	·03	1·03	·02	-	·48	·02	9
10	·17	·01	·01	-	·03	·05	-	·81	·07	-	·03	-	10
11	·10	·19	·01	-	-	·03	-	-	-	-	·02	-	11
12	·01	·01	-	-	-	-	·51	·02	·04	-	-	-	12
13	·02	-	-	-	·01	-	·06	·01	-	·23	-	-	13
14	-	·06	-	-	·05	·01	·42	·63	-	-	·13	-	14
15	-	·10	-	·07	·31	·01	·05	Trace	-	-	-	·01	15
16	-	·15	-	-	·25	·65	·02	·30	·25	-	-	-	16
17	-	·25	-	·32	·03	·03	-	·01	-	-	Trace	-	17
18	·06	·01	·02	·27	·01	·15	-	-	-	·02	·57	-	18
19	·03	·11	-	·36	-	·57	·55	·02	·08	·03	·02	-	19
20	-	·10	-	·02	·07	-	·01	·07	Trace.	-	-	-	20
21	·14	-	-	·01	·04	-	-	·01	·02	-	·22	-	21
22	·02	-	-	·03	·12	-	-	-	·03	-	·03	-	22
23	·14	·04	-	·10	·52	-	-	-	·02	-	·24	-	23
24	-	·01	-	·07	-	-	·13	·02	-	·01	-	-	24
25	-	·01	-	·32	·03	-	·67	-	-	-	-	-	25
26	·02	·10	-	·34	-	-	-	-	·02	-	·18	-	26
27	·18	·08	-	·07	-	-	-	-	-	·12	·25	-	27
28	·28	·07	-	·20	-	-	·03	-	-	Trace	-	·04	28
29	·20	×	-	·02	·15	-	·06	-	-	·34	-	·03	29
30	-	×	-	·15	~~·82~~ 5	-	-	-	-	-	·01	·21	30
31	·28	×	-	×	-	×	-	-	×	-	×	·04	31
TOTAL	1·74	2·05	·17	3·14	~~1·81~~ 2.31	3·81	2·99	3·90	3·17	·80	2·72	·72	YEAR'S TOTAL 27·~~0~~52
*Days with ·01 in. or more.	16	23	7	19	18	16	17	15	16	7	17	11	182.
*Days with ·04 in. or more.	11	15	1	13	~~10~~ 11	11	11	6	8	4	12	5	108

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W E Ramsden

[P.T.O.

SCUNTHORPE (BR

2585/3

Section **A** for the entry of D

AIR MINISTRY

ORGANIZATION.

FOR ~~OFFICIAL USE~~.

FORM 1090.

REGIS

5.

Lincoln/6

Kept at BRUMBY SE

in the County of LINCO

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

„ Ground „ Sea L

THE MORNING MEAS

DAY.

An observer who does not conform

1st of the following year in the space on the

Jan. 1, following.

2585/3

SCUNTHORPE
BRUMBY SENIOR SCHOOL
1935 — 40

780410

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	·01	-	·19				-	-			-	·1	1
2	·61	-	·01	·11	-	·21	-	-	-	·3	-	·01	2
3	·03	·05	·18	·23	-	Tr	-	-	Tr	·34	·15	Tr	3
4	-	Tr	Tr	-	-	·1	-	-	Tr	·16	·03	Tr	4
5	-	·2	·02	·02	-	·15	-	-	-	-	·07	-	5
6	·03	·01	-	-	-	·14	-	-	-	Tr	Tr	-	6
7	·13	Tr	-	·19	-	·08	-	-	·01	·12	·53	·2	7
8	·06	-	-	·07	-	·09	-	·3	Tr	·02	Tr	·01	8
9	-	-	-	·04	Tr	·04	-	-	Tr	·5	·21	·13	9
10	·01	·06	·01	·01	-	·02	-	-	-	·02	·02	-	10
11	-	Tr	Tr	-	-	·08	-	-	-	-	·1	·04	11
12	·1	·04	Tr	-	Tr	·03	-	-	Tr	-	·01	Tr	12
13	-	-	Tr	·09	·17	·05	-	-	-	-	·01	Tr	13
14	·07	-	Tr	·12	·15	·18	-	-	·34	-	·56	·05	14
15	-	-	-	·35	·07	·15	-	-	·02	-	·09	·07	15
16	·01	·3	·07	·02	Tr	·19	·05	-	·21	·03	·58	-	16
17	-	Tr	Tr	·17	Tr	·35	-	-	·03	·08	·68	-	17
18	·01	Tr	-	·24	Tr	·13	·21	-	·1	·11	·1	-	18
19	·05	·01	-	-	Tr	·18	·02	-	-	-	·11	-	19
20	·03	·06	Tr	·16	-	·15	-	-	·05	-	·12	-	20
21	·01	·67	-	-	-	-	-	-	-	·06	·05	-	21
22	-	·22	·01	-	-	-	·01	-	·29	Tr	·02	-	22
23	-	-	·12	·1	-	Tr	-	·38	·02	-	-	-	23
24	-	·55	·08	-	-	-	-	·01	1·3	Tr	Tr	-	24
25	·14	·09	Tr	-	Tr	·29	-	-	-	-	·01	·3	25
26	·2	Tr	-	-	-	-	-	·8	·34	-	·01	·37	26
27	·1	·26	Tr	-	Tr	-	-	-	-	·11	·16	·7	27
28	·3	·19	-	-	-	-	Tr	·02	·19	·32	-	·1	28
29	-	✕	·06	-	-	-	-	-	·11	·02	·02	·08	29
30	-	✕	-	-	-	-	-	·1	Tr	·19	·1	·02	30
31	·05	✕	-	✕	-	✕	-	-	✕	·42	✕	·25	31 Print
													YEAR'S TOTAL
TOTAL	1·95	2·71	·75	2·04	·39	2·61	·29	1·61	3·51	3·10	3·74	2·43	25·13
Days with ·01 in. or more.	19	14	10	16	3	19	4	6	14	17	23	15	160
Days with ·04 in. or more.	11	12	6	13	3	17	2	4	10	13	15	12	118

40-9999

N

(Signed) J. C. Clapp [P.T.O.

THE HEADMASTER

SCUNTHORPE (BR

2585/3

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

Lincoln/6

REGISTER OF RAINFALL IN 19~~2~~35.

Kept at BRUMBY SENIOR SCHOOL, SCUNTHORPE.

in the County of LINCOLN

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 100 ft. approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	·19	·12	-	Tr	-	-	·5	·3	-	·1	1
2	·61	-	·01	·11	-	·21	-	-	-	·3	-	·01	2
3	·03	·05	·18	·23	-	Tr	-	-	Tr	·34	·15	Tr	3
4	-	Tr	Tr	-	-	·1	-	-	Tr	·16	·03	Tr	4
5	-	·2	·02	·02	-	·15	-	-	-	-	·07	-	5
6	·03	·01	-	-	-	·14	-	-	-	Tr	Tr	-	6
7	·13	Tr	-	·19	-	·08	-	-	·01	·12	·53	·2	7
8	·06	-	-	·07	-	·09	-	·3	Tr	·02	Tr	·01	8
9	-	-	-	·04	Tr	·04	-	-	Tr	·5	·21	·13	9
10	·01	·06	·01	·01	-	·02	-	-	-	·02	·02	-	10
11	-	Tr	Tr	-	-	·08	-	-	-	-	·1	·04	11
12	·1	·04	Tr	-	Tr	·03	-	-	Tr	-	·01	Tr	12
13	-	-	Tr	·09	·17	·05	-	-	-	-	·01	Tr	13
14	·07	-	Tr	·12	·15	·18	-	-	·34	-	·56	·05	14
15	-	-	-	·35	·07	·15	-	-	·02	-	·09	·07	15
16	·01	·3	·07	·02	Tr	·19	·05	-	·21	·03	·58	-	16
17	-	Tr	Tr	·17	Tr	·35	-	-	·03	·08	·68	-	17
18	·01	Tr	-	·24	Tr	·13	·21	-	·1	·11	·1	-	18
19	·05	·01	-	-	Tr	·18	·02	-	-	-	·11	-	19
20	·03	·06	Tr	·16	-	·15	-	-	·05	-	·12	-	20
21	·01	·67	-	-	-	-	-	-	-	·06	·05	-	21
22	-	·22	·01	-	-	-	·01	-	·29	Tr	·02	-	22
23	-	-	·12	·1	-	Tr	-	·38	·02	-	-	-	23
24	-	·55	·08	-	-	-	-	·01	1·3	Tr	Tr	-	24
25	·14	·09	Tr	-	Tr	·29	-	-	-	-	·01	·3	25
26	·2	Tr	-	-	-	-	-	·8	·34	-	·01	·37	26
27	·1	·26	Tr	-	Tr	-	-	-	-	·11	·16	·7	27
28	·3	·19	-	-	-	-	Tr	·02	·19	·32	-	·1	28
29	-	X	·06	-	-	-	-	-	·11	·02	·02	·08	29
30	-	X	-	-	-	-	-	·1	Tr	·19	·1	·02	30
31	·05	X	-	X	-	X	-	-	X	·42	X	·25	31
TOTAL	1·95	2·71	·75	2·04	·39	2·61	·29	1·61	3·51	3·10	3·74	2·43	YEAR'S TOTAL 25·13
Days with ·01 in. or more.	19	14	10	16	3	19	4	6	14	17	23	15	160
Days with ·04 in. or more.	11	12	6	13	3	17	2	4	10	13	15	12	118

Print

40-9999

N

(Signed) J C Clapp

THE HEADMASTER

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2585/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BRUMBY SENIOR SCHOOL

in the County of LINCOLN

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·3	·2	·42	–	·02	·14	·25	·02	·01	·05	·1		1
2	·07	–	·02	–	–	1·04	·18	·08	Tr	–	·26	·08		2
3	–	·06	Tr	–	–	·52	–	–	·29	–	·01	·01		3
4	·05	–	·12	–	–	Tr	–	–	·12	Tr	·1	·03		4
5	·06	·06	·08	·01	·01	–	–	·23	·05	–	Tr	·05		5
6	·02	–	–	–	Tr	·03	·2	·3	·5	·01	·08	–		6
7	·28	–	·05	–	Tr	Tr	·7	–	·04	·05	·14	·1		7
8	·13	–	·03	–	–	–	–	–	Tr	·11	·02	·12		8
9	·19	–	·05	–	Tr	·02	–	–	Tr	–	·12	·01		9
10	Tr	–	–	–	·02	Tr	·3	·24	–	·04	·07	·01		10
11	–	–	–	·1	Tr	Tr	Tr	–	–	–	·4	–		11
12	–	–	Tr	·35	·06	·36	·47	·01	·45	–	·18	·04		12
13	–	–	–	·04	·02	·24	Tr	–	·01	·12	·04	·25		13
14	–	–	–	·3	–	·18	–	–	·54	–	·05	·06		14
15	·32	–	Tr	·25	–	·01	·03	–	Tr	–	·15	·04		15
16	·25	·07	·01	–	–	–	·01	–	–	–	·3	–		16
17	–	·59	–	–	·02	–	·15	·06	–	–	·06	·04		17
18	–	Tr	–	–	–	·05	·18	–	–	·15	·08	–		18
19	·44	·04	·01	·01	–	–	Tr	·65	–	·05	·01	–		19
20	·01	·06	–	Tr	·02	–	·15	–	–	Tr	~~·0~~---	·06		20
21	·02	–	·04	·07	·04	·25	–	–	–	–	–	Tr		21
22	·05	·37	·04	–	·12	·5	·1	–	–	–	·02	·03		22
23	Tr	–	–	·11	·1	Tr	·45	–	Tr	Tr	Tr	–		23
24	·08	·07	–	–	·38	Tr	–	–	·24	·25	–	–		24
25	·15	Tr	·01	·12	·01	–	·05	–	·05	·04	·01	–		25
26	·01	·06	·22	·01	Tr	–	·02	–	·15	·13	·03	–		26
27	·09	·04	–	–	–	–	·02	–	·11	·15	–	–		27
28	·16	·7	·04	TR	·01	·03	·03	–	·05	Tr	·03	·08		28
29	1·05	·45	·14	–	·25	·39	·15	–	Tr	·02	·2	·05		29
30	·06	✕	–	Tr	·55	·08	·32	–	–	·8	·01	·05		30
31	·01	✕	Tr	✕	Tr	✕	–	–	✕	–	✕	·06		31
													Year's Total	
TOTAL	3·53	2·87	1·06	1·79	1·61	3·72	3·65	1·82	2·62	1·93	2·42	1·27	28·29	✓ ✓
* Days with .01 in. or more.	22	13	15	12	14	15	19	8	14	14	24	20	~~100~~	✓ 190
* Days with .04 in. or more.	16	13	10	9	7	10	14	7	12	11	16	15	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. C. Capp

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2585/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at BRUMBY SENIOR SCHOOL

in the County of LINDSEY (LINCS)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	·03	·06	·	·	·	·	·	·07	Tr	·09	·22		1
2	·	·08	·15	·33	·	·	·	·	·	Tr	·01	2·45		2
3	Tr	·01	Tr	·24	·02	·03	·	·	·	·	Tr	·		3
4	·05	·1	·09	·29	·	·	·	·16	·	·	Tr	·16		4
5	·1	·	·	Tr	·	·	·	·	·	·	·	·29		5
6	Tr	·	·16	·04	·22	·	·	·	·	Tr	·02	·11		6
7	·	·27	Tr	·5	·23	·	·	·	Tr	Tr	Tr	·06		7
8	·	·25	·	·1	·	·	·	·	Tr	·	·07	·08		8
9	Tr	·04	·02	·11	·2	·	·53	·	·	·	·03	·18		9
10	Tr	·02	Tr	·2	Tr	·21	·03	·05	·	Tr	·12	·25		10
11	Tr	Tr	·5	·19	·78	·	Tr	·	Tr	Tr	Tr	·16		11
12	·09	·24	·	Tr	·45	·1	·	Tr	·08	Tr	·	·14		12
13	Tr	·1	·	·	·08	1·46	·	·	·	·	·	·09		13
14	·	·02	26	·	·	·04	·	·25	Tr	·	Tr	·02		14
15	·	·31	·05	·2	·	·02	2·05	·03	·07	·	·	·13		15
16	·18	·06	·26	·54	·	·08	·	·	·07	·	Tr	·16		16
17	·27	·03	·19	·41	·	·06	·	·	·24	·	·	·		17
18	1·09	·06	·06	·02	·	·	Tr	·	·03	Tr	·37	·		18
19	·	·	·03	·37	·	·04	·24	·	Tr	Tr	·39	·03		19
20	·25	·	·	·16	·75	·02	·	·	·12	·	·	·		20
21	Tr	Tr	Tr	·08	·	·	·34	·05	Tr	·06	Tr	Tr		21
22	·	Tr	·17	·02	·	·	·	·	·	·54	·06	Tr		22
23	·4	·	Tr	·	·17	·	·	·	·	·35	·25	·		23
24	·3	·08	·03	·	·	Tr	·25	·	·05	·15	·	·03		24
25	·1	·31	·07	·	·	·	Tr	·	·	·39	Tr	·		25
26	Tr	·	Tr	·	·33	·	·	·	Tr	Tr	·02	·		26
27	·	·25	·03	·13	·	·	·07	·02	·	·5	Tr	·04		27
28	·03	·3	Tr	·02	·	·	·	·	·	·02	·	·02		28
29	·09		·	·	·	·03	·	·	·	Tr	·08	·05		29
30	·4	✕	·	·	·	·03	·	·	·	Tr	·15	·03		30
31	·34	✕	·	✕	·	✕	·	·	✕	·17	✕	·06		31
TOTAL	3·69	2·56	2·13	3·95	3·23	2·12	3·51	·56	·73	2·18	1·66	4·76	Year's Total 31·08	✓ ✓
* Days with .01 in. or more.	14	19	16	19	10	12	7	6	8	8	13	22	154	✓ ✓
* Days with .04 in. or more.	13	14	12	16	9	7	6	4	7	7	9	17	121	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J C Clapp [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2585/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at BRUMBY SENIOR SCHOOL

in the County of LINDSEY, LINCS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. G.M.T.	in.	in.	†	
1	·	Tr	Tr	·	·04	·67	·	Tr	·03	·	·03	06		1
2	·15	·	·	·	Tr	·	·	·	·	·12	·04	·		2
3	·06	·	·	Tr	·	·08	·05	·	·27	·78	·07	·		3
4	·05	·	·	·02	·	·03	·03	·	Tr	·03	Tr	·27		4
5	Tr	·	·	·	·	·	·24	·68	Tr	·19	·	Tr		5
6	·01	Tr	Tr	·	·	·	·42	Tr	·16	·03	·	Tr		6
7	·	·	·01	·	·	·	·44	·97	·31	Tr	·	·02		7
8	·25	Tr	Tr	·	·	·	·24	·92	·	·23	Tr	·08		8
9	·02	·02	·	B.S.T. ·	·	·04	Tr	·	·06	·13	Tr	·25		9
10	·1	·04	·	·	·	·12	·4	·	·02	·	·	·03		10
11	·2	·	·	Tr	·	·	·04	·	·	·09	·05	·03		11
12	·09	·06	·	·	·07	Tr	·	·05	·	·42	·03	·01		12
13	·	·09	·	·	·	·	·	·	·04	·02	·09	·35		13
14	·1	·06	·	·	·05	·	·44	·	·14	·	Tr	Tr		14
15	·09	Tr	·	·	Tr	·	·5	Tr	·	·	·02	·2		15
16	·1	·	·	Tr	·	·	·91	Tr	·	·	·06	·4		16
17	Tr	Tr	·	·	·32	·	·12	·07	·	05	·02	·		17
18	·03	·	·	·	·22	·15	Tr	·1	·05	·18	·23	Tr		18
19	Tr	Tr	·	·	·04	·	·	·	·08	·	Tr	·23		19
20	Tr	·	·	·	·	·	·	Tr	Tr	·	·45	·29		20
21	·	·	Tr	·03	·	·	·	·	Tr	·	·01	·28		21
22	·	Tr	Tr	·	·03	·27	·	·	Tr	·	·24	·25		22
23	·	·	·	Tr	·03	·04	·	·	·17	Tr	·02	·03		23
24	·	Tr	·14	·02	·44	Tr	Tr	·06	·36	Tr	·03	·		24
25	·03	·18	·1	·	Tr	·	·	·04	Tr	·18	·53	08		25
26	·	·59	Tr	·	·	Tr	·	·	·05	·19	·	·25		26
27	·21	·11	Tr	·	·4	·23	·12	·12	·36	16	·23	Tr		27
28	·11	·	·	Tr	·84	·1	·08	·94	·15	·	·01	·03		28
29	Tr		·	·14	·42	·01	·05	Tr	·02	·05	·12	·14		29
30	·07	✕	·	·	·1	·08	·	·	·05	Tr	·03	Tr		30
31	·06	✕	·	✕	·16	✕	·	·03	✕	·2	✕	·61		31
TOTAL	1·73	1·15	·25	·21	3·16	1·82	4·08	3·98	2·31	3·05	2·3	3·89	Year's Total 27·93	✓
* Days with .01 in. or more.	18	8	3	4	14	12	15	11	17	17	20	21	160	✓
* Days with .04 in. or more.	14	7	2	1	12	10	14	10	14	14	11	15	124	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. C. Capp

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2585/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BRUMBY SENIOR SCHOOL SCUNTHORPE

in the County of LINDSEY, LINCS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	.	09	04	Tr	.	·11	·3	·2	.	.	.		1
2	·15	.	.	·3	Tr	.	·09	·29	·23	.	·08	.		2
3	.	.	.	·08	.	.	Tr	·65	.	.	·45	·14		3
4	·24	.	·23	·37	.	.	·01	1·9	.	.	·05	·68		4
5	.	Tr	Tr	Tr	·16	.	·02	Tr	.	·17	·22	·34		5
6	·18	Tr	.	.	.	.	·02	·02	.	Tr	·01	.		6
7	·19	·18	Tr	.	·01	.	·24	.	.	·05	·25	·12		7
8	·11	·01	·04	.	07	.	·12	·04	.	Tr	·01	·35		8
9	Tr	·02	Tr	.	Tr	.	·18	·13	.	·9	Tr	·3		9
10	·32	.	.	.	.	·04	·01	·1	·08	·02	.	·01		10
11	·26	Tr	·41	.	·03	·24	.	.	Tr	·03	.	01		11
12	Tr	·02	·02	.	.	·03	.	.	·11	.	Tr	Tr		12
13	.	Tr	Tr	·12	Tr	·03	.	.	·05	·15	·01	.		13
14	·46	Tr	Tr	·06	·32	·12	.	.	·06	·55	·03	·02		14
15	·25	.	Tr	·09	·19	·33	·35	.	.	·03	Tr	.		15
16	Tr	Tr	·28	.	·45	2	·27	.	.	.	·14	.		16
17	·88	.	02	·15	·03	.	·1	.	.	·16	.	·02		17
18	·05	·08	·06	.	Tr	·2	·36	.	.	·05	1·5	.		18
19	·23	Tr	Tr	.	.	·64	·75	.	05	Tr	Tr	·01		19
20	Tr	Tr	Tr	.	.	·12	·38	.	.	Tr	.	.		20
21	·14	·11	·16	·02	·02	.	·15	.	·13	.	·01	.		21
22	·13	·4	·03	·36	.	·02	·05	.	·08	Tr	·82	.		22
23	Tr	·02	·12	·12	.	·1	·02	.	.	·09	·31	.		23
24	.	·02	·12	·15	.	.	·05	·06	.	Tr	.	·03		24
25	·56	.	.	Tr	.	Tr	.	·68	.	.	·12	·05		25
26	Tr	Tr	Tr	Tr	.	.	.	.	.	·27	·02	.		26
27	·05	·04	·47	·03	.	·03	.	.	.	·26	·09	.		27
28	.	·35	·14	·21	.	07	·09	.	.	·04	·31	.		28
29	.	—	Tr	·09	.	Tr	·46	·23	.	·3	·02	.		29
30	.	✕	Tr	Tr	.	·02	·06	.	.	.	·16	.		30
31	.	✕	Tr	✕	.	✕	·23	.	✕	Tr	✕	.		31
TOTAL	4·22	1·25	2·19	2·19	1·28	2·19	4·12	4·40	·99	3·07	4·51	2·08	Year's Total 32·49	✓
* Days with .01 in. or more.	17	11	14	15	9	15	23	11	9	15	20	13	172	✓
* Days with .04 in. or more.	16	6	11	13	5	10	18	10	9	12	13	7	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Clapp

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2585 1/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Brumby Senior School

in the County of Lindsey (Lincs)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		–	Tr	·11	–	·	·	·	·	·	·25	Tr		1
2	·	·	·	·26	·	·	·	·	Tr	·07	·06	·06		2
3	·09	·21	·	·06	·	·	·	·	·	·13	·02	·1		3
4	·	·22	·02	·3	·	·	·06	·	·	·06	·35	·04		4
5	·	Tr	·	·	·08	·	·63	·	·	·64	·18	·09		5
6	·1	·08	·	·	·	·	Tr	·	·	·	·04	·		6
7	·08	·3	·	·05	·01	·	·08	·02	·02	·15	·	·		7
8	·	Tr	·	·	Tr	·	·	·	·02	·	·	·27		8
9	·	·	·25	·	·	·	·06	·	·15	·	·65	·08		9
10	·	·	·02	Tr	·	Tr	2·26	·	Tr	·	·2	·07		10
11	·	·18	·02	·	·	·39	·3	·	·	·	·61	·01		11
12	·	·02	·11	·	·	Tr	·04	·	·26	Tr	·02	·		12
13	·	·02	·11	·	·	·	·03	Tr	·18	·	·01	·42		13
14	·	·	·	·04	·21	·	·32	·	·	Tr	Tr	·		14
15	·04	·2	·01	·	Tr	·	·01	·	·02	·7	·1	Tr		15
16	·15	·12	·12	·	·	·	·13	·	·11	·	·33	Tr		16
17	·	·01	·56	·03	·	·	1·23	·	·	Tr	·8	Tr		17
18	·13	·01	·07	·5	Tr	·	·8	·52	·11	·	·05	·08		18
19	·	Tr	·03	·1	·	·03	·02	·01	·18	·05	·19	·		19
20	·	·	·	·19	·	·01	·	·32	·	·02	·08	·		20
21	·45	·1	·04	Tr	·	·	·09	·03	·	·07	1·03	·03		21
22	·05	·	·	Tr	·01	·43	·	·	·	·02	Tr	·		22
23	·	·1	·03	·02	·05	·12	·	·	·	·12	·08	·07		23
24	·17	·	·12	·03	·	·	·02	·	·	·12	Tr	·		24
25	·02	·	·	·	·	·	·	·	·	·11	Tr	Tr		25
26	·58	·04	·	·	·12	·	·45	·	·	·03	·	·		26
27	·42	·21	·	·82	·05	·	·27	·02	·	·02	·	·		27
28	·25	·28	·	·01	·45	·	Tr	Tr	·05	·01	·	·		28
29	·	Tr	·	Tr	Tr	·07	·	·	·03	·	·	·33		29
30	·12	✕	·18	·01	·	·	·	·	·	·22	·	·48		30
31	·17	✕	·04	✕	·	✕	·	·	✕	1·25	✕	·1		31
TOTAL	2·82	2·10	1·73	2·53	·98	1·05	6·8	·92	1·13	3·79	5·05	2·23	Year's Total 31·13	
* Days with .01 in. or more.	15	16	16	15	8	6	18	6	11	18	19	15	163	
* Days with .04 in. or more.	14	12	10	10	6.	4	14	2	7	13	16	13	121	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Clapp

P.T.O.

2585/5

SCUNTHORPE, HENDERSON AVE

1933-37, 1939-40

780410

2585/5

Section A **for the entry of I**

AIR MINISTRY.

ation No. ~~F 905508~~/29

ORGANIZATION.

FORM 1090.

REGIST

1928-31. T

SCUNTHORPE

Kept at HENDERSON AVE.

in the County of LINCOLN

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

P

wing

Jan. 1, following

Date	Jan.	Feb.	March	A							Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1										–	·28	–	1
2										Trace	·18	–	2
3										–	·04	–	3
4										–	–	–	4
5										–	–	–	5
6										–	–	·05	6
7										·41	–	·03	7
8										–	–	·04	8
9										·24	–	Trace	9
10										3·07	–	–	10
11										·03	·05	–	11
12										–	–	·04	12
13										·01	·05	–	13
14										·08	·17	·05	14
15										·03	·21	·02	15
16										–	·11	·02	16
17										–	·04	–	17
18										–	–	–	18
19										–	–	–	19
20										–	·03	–	20
21										–	–	–	21
22										·91	–	–	22
23										–	·06	–	23
24										·03	·08	–	24
25										·09	–	–	25
26										·08	–	·02	26
27										·09	–	–	27
28										·86	–	–	28
29										·29	–	–	29
30		×								·19	–	–	30
31		×		×		×			×	~~4~~	×	–	31
TOTAL										6·41	1·3	·27	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.										15	12	8	– –
*Days with ·04 in. or more.										11	11	4	– –

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) W. E. Ramsden.

X W. E. RAMSDEN ESQ X

P.T.O.

int

2585/5

Section **A** **for the entry of Daily Observations.** **Station No.** ~~F905508~~/29

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

SCUNTHORPE

Kept at (HENDERSON AVENUE) ~~JUNIOR SCHOOL~~ ~~SCUNTHORPE.~~

in the County of LINCOLNSHIRE.

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 3 ft 6 in.

,, Ground ,, Sea Level 140. ft.

F905608/29

Obs at Messingham school. 1928-31. T

N.O 1932

C 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										–	·28	–	1
2										Trace	·18	–	2
3										–	·04	–	3
4										–	–	–	4
5										–	–	–	5
6										–	–	·05	6
7										·41	–	·03	7
8										–	–	·04	8
9										·24	–	Trace	9
10										3·07	–	–	10
11										·03	·05	–	11
12										–	–	·04	12
13										·01	·05	–	13
14										·08	·17	·05	14
15										·03	·21	·02	15
16										–	·11	·02	16
17										–	·04	–	17
18										–	–	–	18
19										–	–	–	19
20										–	·03	–	20
21										–	–	–	21
22										·91	–	–	22
23										–	·06	–	23
24										·03	·08	–	24
25										·09	–	–	25
26										·08	–	·02	26
27										·09	–	–	27
28										·86	–	–	28
29										·29	–	–	29
30		X								·19	–	–	30
31		X		X		X			X	~~4~~	X	–	31
TOTAL										6·41	1·3	·27	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.										15	12	8	–
*Days with ·04 in. or more.										11	11	4	–

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) W. E. Ramsden. [P.T.O.

X W. E RAMSDEN ESQ X

File No. 905508/29

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2585/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

XII/Linco/6

Kept at HENDERSON AVENUE ~~JUNIOR~~ SCHOOL. SCUNTHORPE

in the County of LINCOLNSHIRE

Comp 1933.

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 3 ft 6 ins

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·02	–	–	–	–	·16	–	·12	–	·29		1
2	·02	·03	·03	–	–	–	–	·23	·19	–	·07	·23		2
3	–	·09	–	·01	–	–	–	–	·02	·08	·04	–		3
4	–	–	·06	·18	–	–	–	–	·01	·01	–	·40		4
5	–	–	·03	–	·07	–	–	·04	Trace	–	·14	–		5
6	–	–	–	·01	·23	·09	–	·23	·01	·11	·01	·55		6
7	·42	–	–	–	·08	·15	–	–	–	·20	·05	·30		7
8	–	–	–	–	–	·12	–	–	–	·01	·64	·01		8
9	–	–	·06	·08	–	–	–	·06	–	–	·76	·10		9
10	–	–	·42	·08	–	–	–	·03	–	·01	·02	·01		10
11	·40	–	·18	·15	–	–	– ~~·14~~	·02	–	–	·03	·21		11
12	–	–	·35	·02	–	–	·14 ~~·37~~	·01	–	–	·01	·09		12
13	·31	–	–	·04	–	·02	·37	·12	–	·03	·01	·10		13
14	·02	–	·16	–	·04	·27	–	–	–	·05	·06	·16		14
15	·07	–	·07	–	·05	–	–	–	·01	·02	·14	–		15
16	·12	–	·08	–	·20	–	– ~~·07~~	·01	–	·04	·05	·01		16
17	·08	–	·06	–	–	·02	·07 ~~·12~~	–	·18	·08	·04	·08		17
18	·09	–	–	·27	·03	·02	·12	–	·03	·04	·01	·01		18
19	–	–	·06	·14	–	·09	–	–	·20	·02	–	–		19
20	–	–	·02	·04	·04	·21	–	·01	·02	–	–	–		20
21	–	–	–	–	–	·19	–	·04	·02	·03	–	–		21
22	–	–	–	–	–	–	–	·12	·27	·05	–	–		22
23	–	–	·01	·17	–	–	·11	–	–	·01	·02	–		23
24	–	·05	·08	·07	–	–	–	–	·10	·07	–	·14		24
25	·04	–	–	·10	–	–	·03	–	·03	–	–	·22		25
26	·07	(Snow) ·42	–	·23	–	–	–	–	·07	·03	–	·04		26
27	–	(Snow) ·05	–	·59	–	·02	·05	–	·01	Trace	–	·10		27
28	–	–	–	·01	–	–	·01	·48	·01	–	–	·27		28
29	–	×	·03	–	–	–	·04	·09	·15	·13	–	·06		29
30	·04	×	–	–	–	–	·05	–	·02	–	–	·02		30
31	·05	×	–	×	–	×	·06	·06	×	–	×	·03		31
TOTAL	1·73	·64	1·72	2·19	·54	1·20	1·05	1·71	1·35	1·14	2·10	3·43	Year's Total 18·80	OK
* Days with .01 in. or more.	13	5	17	17	8	11	11	16	18	20	17	23	176	
* Days with .04 in. or more.	11	4	11	13	7	7	9	11	6	11	10	17	117	

40-9999

† Spare column, no entries required.

(*Signed*) W. E. RAMSDEN ESQ

P.T.O.

* See Instruction 2 (f) on other side.

File No ·905508/29

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.** **Station No.** 2585 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HENDERSON AVENUE SCHOOL, SCUNTHORPE.

in the County of LINCOLNSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 6 ins

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·47	–	·04	·08	–	–	–	–	·46	·20	·06	·05		1
2	·04	–	·02	·08	–	·16	–	–	–	·30	·02	–		2
3	–	·04	·14	·25	–	–	–	–	–	·32	·12	–		3
4	–	–	–	·03	–	·05	–	–	–	·16	–	–		4
5	–	·17	·01	·20	–	·65	–	–	–	–	·09	–		5
6	·14	·01	–	·08	–	·14	–	–	–	–	[illegible]	–		6
7	·06	·01	–	·03	–	·11	–	–	–	·15	·54	·14		7
8	–	–	–	–	–	·04	–	·19	–	–	[illegible]	·02		8
9	–	–	·02	–	–	·07	–	–	–	·67	·17	·04		9
10	·05	·04	–	–	–	·08	–	–	–	·06	–	–		10
11	·11	·02	–	–	–	·05	–	–	–	–	·07	·03		11
12	·03 (Snow)	·02	–	–	–	·06	–	–	–	–	–	–		12
13	·05	–	–	·06	·39	–	–	–	·03	–	–	–		13
14	–	–	–	·08	·09	·04	–	–	·29	–	·53	(Snow) ·08		14
15	·01	·02	–	·35	·05	·17	·02	–	·11	–	·14	·13		15
16	–	·22	·05	·01	–	·14	·01	–	·22	·05	·54	–		16
17	–	–	–	·16	·03	·39	·05	–	·02	·04	·85	–		17
18	·04	–	–	·21	·04	·11	·25	–	·12	·06	·10	–		18
19	·03	–	–	·01	–	·15	·03	–	–	–	·08	–		19
20	·02	·03	–	·15	–	·15	·01	–	–	–	·08	–		20
21	–	·69	–	–	–	–	–	–	·22	·07	·06	–		21
22	–	·27	·06	–	–	–	–	·04	–	–	·04	–		22
23	–	–	·12	·08	–	–	–	·33	·02	–	·02	–		23
24	·13	·48	·06	–	–	–	–	·06	1·20	–	–	·25		24
25	·15	·04	–	·01	–	·25	–	·09	–	–	–	·03		25
26	(Snow) ·43	–	–	–	–	–	–	·86	·38	·05	–	·32		26
27	(Snow) ·02	·24	–	–	–	–	–	–	·19	·07	·15	·67		27
28	–	·01	–	–	–	–	–	·01	·04	·30	–	·06		28
29	–	×	·05	–	–	–	–	·03	·09	·03	·02	·09		29
30	·04	×	·02	–	–	–	–	·08		·16	·16	·02		30
31	–	×	–	×	–	×	–	–	×	·41	×	·23		31
TOTAL	1·82	2·31	·59	1·81	·60	2·81	·37	1·69	3·36	3·10	3·84	2·16	Year's Total. 24·46	
* Days with .01 in. or more.	17	16	11	17	5	18	6	9	14	17	20	15	165	
* Days with .04 in. or more.	12	9	7	12	4	18	2	7	11	16	17	11	126	

40-9999

† Spare column, no entries required.

(*Signed*) W. E. Ramsden

[P.T.O.

* See Instruction 2 (f) on other side.

File No. 905508/29

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2585·5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at HENDERSON AVENUE SCHOOL, SCUNTHORPE

in the County of LINCOLNSHIRE

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 3 ft. 6 in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	·22	·26	·43	–	·01	·14	·26	–	–	·03	·11		1
2	·04	–	·12	–	–	·86	·23	·08	–	–	·21	·07		2
3	·02	·06	–	–	–	·53	–	–	·30	–	·01	–		3
4	·05	–	·10	–	–	–	–	–	·09	–	·07	·03		4
5	·04	·06	·06	–	–	–	–	·19	·06	–	–	–		5
6	·01	–	–	–	–	·02	·12	·40	·52	·02	·05	·07		6
7	·25	–	·01	–	–	–	·64	–	·04	·06	–	·09		7
8	·10	–	·04	–	–	–	–	–	–	·11	·14	·08		8
9	·16	·04	·06	–	–	·02	–	–	–	–	·09	·01		9
10	·03	–	–	–	–	–	·28	·18	–	–	·14	–		10
11	·01	–	–	·09	–	–	–	–	–	–	·32	·04		11
12	–	–	–	·33	·07	·36	·41	·01	·44	–	–	·04		12
13	–	–	–	·02	–	·27	–	–	·20	·10	·03	·24		13
14	–	–	–	·19	–	·16	–	–	·81	–	·04	·05		14
15	(Snow) ·30	·01	–	·21	–	·01	·03	–	–	–	·25	–		15
16	·27 (Snow)	·05	–	·03	·01	–	·03	–	–	–	·27	–		16
17	–	·50	–	–	–	–	·19	·05	–	–	·04	·03		17
18	–	–	–	–	–	·03	·17	–	–	·13	·06	–		18
19	·57	·03	–	–	–	–	–	·55	–	·05	·05	–		19
20	·02	·05	·02	–	·01	–	·08	–	–	–	–	·06		20
21	–	–	–	·06	–	·27	–	–	–	–	·05	–		21
22	·02	·34	·03	–	·16	·49	·14	–	–	–	·02	–		22
23	·03	–	–	·10	·07	–	·42	–	–	–	–	·01		23
24	·06	·05	–	–	·35	–	–	–	·21	·16	–	–		24
25	·15	–	–	·09	–	–	·09	–	·04	·05	·02	–		25
26	–	·03	·24	–	–	–	·01	–	·13	·12	·01	–		26
27	·09	–	–	–	–	–	–	–	·08	·18	–	–		27
28	·15	·55	·02	–	–	·03	·02	–	·08	–	·01	·06		28
29	·96	·35	·11	–	·37	·39	·15	–	–	–	·17	·08		29
30	·05	✕	–	–	·49	·06	·31	–	–	·75	–	·04		30
31	·02	✕	–	✕	–	✕	–	–	✕	·05	✕	·06		31
													Year's Total	
TOTAL	3·45	2·34	1·07	1·55	1·53	3·51	3·46	1·72	3·00	1·78	2·08	1·13	26·62	✓
* Days with .01 in. or more.	24	14	12	10	8	15	18	8	13	12	22	17	173	✓
* Days with .04 in. or more.	16	11	8	8	6	9	14	7	13	11	15	13	131	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) W. E.

[P.T.O.

File No. 905508/29

Section A for the entry of Daily Observations Station No. 2585·5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HENDERSON AVENUE SCHOOL SCUNTHORPE
in the County of LINCOLNSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·04	·13	–	–	–	–	–	·05	–	·09	·19		1
2	–	·06	·12	·31	–	–	–	–	–	–	–	2·41		2
3	–	·02	–	·26	–	·02	–	–	–	–	–	–		3
4	·09	·09	·08	·27	·01	–	–	·16	–	–	–	(Snow) ·15		4
5	·09	–	·09	–	–	–	–	–	–	–	–	·18		5
6	–	–	·04	·04	·21	–	–	–	–	·01	·02	(Snow) ·12		6
7	–	·23	–	·50	·14	–	–	–	–	–	–	·05		7
8	–	·24	–	·09	–	–	–	–	·02	–	·06	·08		8
9	–	·03	–	·09	–	–	·47	·04	–	–	·03	·13		9
10	–	·02	–	·27	–	·19	·03	–	–	–	·11	·22		10
11	–	–	·50	·17	·82	–	–	–	–	·02	–	·16		11
12	·07	·24	–	–	·41	·09	–	–	·09	·01	–	·14		12
13	–	·09	·01	–	·08	1·32	–	–	–	–	–	·07		13
14	–	·02	·23	·21	–	·04	–	·25	·01	–	–	·02		14
15	~~·44~~	·30	·06	–	–	–	1·58	·01	·06	–	–	·16		15
16	·14	·06	·25	·59	–	·08	–	–	·11	–	–	·16		16
17	·21	·03	·19	·40	–	·06	–	–	·19	–	–	–		17
18	·99	·05	·06	·02	–	–	–	–	·03	–	·36	–		18
19	·02	–	·02	·37	–	·04	·22	–	–	–	·39	·02		19
20	·22	–	–	·15	·76	·02	–	·01	·11	–	–	–		20
21	·01	–	–	·07	–	–	·31	·05	–	·09	–	·02		21
22	·01	–	·09	·02	–	–	–	–	–	·48	·05	–		22
23	·33	–	–	–	·34	–	·38	–	–	·35	·25	–		23
24	·28	·08	·02	–	·01	·01	·13	–	·04	·14	–	–		24
25	·09	·30	·07	–	–	–	–	–	–	·37	–	–		25
26	·01	–	–	–	·25	–		–	–	–	–	–		26
27	–	·24	·04	·10	–	–	·06	–	–	·48	–	·04		27
28	~~(Snow)~~ ~~·02~~	(Snow) ·21	–	·02	–	–	–	–	–	·02	–	·01		28
29	·02 ~~(Snow) ·28~~	×	–	–	–	·05	–	·01	–	–	·06	·05		29
30	·38	✕	–	–	–	–	–	–	–	–	·12	·03		30
31	·29	✕	–	✕	–	✕	–	–	✕	·15	✕	·07		31
TOTAL	3·25	2·35	2·00	3·95	3·03	1·92	3·18	·53	·71	2·12	1·54	4·48	Year's Total 29·06	✓
* Days with .01 in. or more.	17	19	17	19	10	11	8	7	10	11	11	22	162	✓
* Days with .04 in. or more.	12	14	14	16	8	8	7	4	7	7	9	17	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

SCUNTHORPE (HENDERSON AVENUE SCHOOL)

File No. 905508/29
Station No. 2585/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Henderson Avenue Junior School, Scunthorpe.
in the County of Lincolnshire

N.R. 1938

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft 6 in.
" Ground " Sea Level 140 ft.

905508/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·09	·02	—	—	·13	·28	·21	—	—	—	1
2	·12	—	·01	·27	—	—	·12	·27	·23	—	·08	—	2
3	—	—	—	·07	—	—	—	·61	—	—	·45	·14	3
4	snow ·20	—	·17	·37	—	—	—	1·80	—	—	·04	·59	4
5	—	—	·01	—	·14	—	·02	—	—	·14	·20	·32	5
6	·42	—	—	—	—	—	·21	·02	—	—	—	—	6
7	·27	·15	·01	—	—	—	·09	—	—	·04	·25	·19	7
8	·09	—	·03	—	·11	—	·15	·06	—	—	—	·28	8
9	—	·02	—	—	—	—	·18	·09	—	·90	—	·30	9
10	·43	—	—	—	—	·03	—	·11	·05	·02	—	·01	10
11	11	—	·35	—	·02	·26	—	·05	—	·03	—	·02	11
12	—	·02	·03	—	—	·03	—	—	·10	—	Tr.	·01	12
13	—	—	·02	·08	—	·03	—	—	·05	·14	·01	—	13
14	·42	—	·01	·309	~~·09~~30	·16	—	—	·04	·55	·02	·02	14
15	·19	—	·02	·06	·16	·33	·34	—	—	·02	—	—	15
16	—	—	·25	—	·52	·19	·27	—	—	—	·14	—	16
17	·72	—	·02	·14	·03	—	·10	—	·04	·16	—	·03	17
18	·07	·07	·04	·01	—	·19	·28	—	—	·04	1·38	—	18
19	·20	—	—	—	—	·73	·81	—	·05	—	—	·02	19
20	—	—	—	—	—	·11	·36	—	—	Tr.	—	—	20
21	·12	·09	·16	·02	·05	—	·03	—	·12	—	·01	—	21
22	·09	·38	·03	·37	—	—	·04	—	·10	—	·82	—	22
23	—	·01	·07	·12	—	·04	·03	—	—	·08	·32		23
24	—	·01	·11	·13	—	·08	·04	·03	—	—	—	·03	24
25	·48	—	—	·01	—	·01	—	·59	—	—	·11	·04	25
26	—	·03	—	—	—	—	—	—	—	·26	·01	—	26
27	·04	·02	·46	·02	—	·03	—	—	—	·26	·09	—	27
28	—	·34	·14	·20	—	·06	·08	—	—	·04	·20	—	28
29	—	×	—	·08	—	—	·46	·29	—	·31	·02	—	29
30	—	×	—	—	—	·02	—	—	—	—	·15	—	30
31	—	×	—	×	—	×	·24	—	×	—	×	—	31
TOTAL	3·97	1·14	2·03	1·86	1·33	2·05	3·98	4·20	·99	2·99	4·30	2·00	YEAR'S TOTAL 30·84
*Days with ·01 in. or more.	16	11	20	17	8	16	20	12	10	15	18	14	177
*Days with ·04 in. or more.	16	5	10	12	6	10	16	10	10	12	13	7	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. E. Ramsden

W. E. RAMSDEN Esq

P.T.O.

File 905508/29

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2585/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Henderson Avenue Junior School, Scunthorpe,
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 140 ft.

Nf 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·05	·02	—	—	—	—	—	·25	·01		1
2	—	—	—	·24	—	—	—	—	—	·07	·05	·05		2
3	·08	·21	—	·05	—	—	—	—	—	·13	·02	—		3
4	—	·21	·02	·25	—	—	·04	—	—	·04	·31	·04		4
5	—	—	—	—	·10	—	·60	—	—	·62	·18	·08		5
6	·10	·06	—	—	—	—	—	—	—	—	·05	—		6
7	·08	·29	—	·05	—	—	·07	·01	·02	·09	—	—		7
8	·01	—	—	—	·01	—	—	—	—	—	—	·25		8
9	—	—	·24	—	—	—	·05	—	·14	—	·53	·08		9
10	—	—	·01	—	—	—	2·17	—	—	—	·21	·06		10
11	—	·18 S	·04	—	—	·28	·32	—	—	—	·58	—		11
12	—	·01 S	·11	—	—	—	·04	—	·25	—	—	—		12
13	—	·02 S	·11	—	—	—	·02	—	·18	—	·01	·41		13
14	—	—	—	·04	·19	—	·30	—	—	—	—	—		14
15	·04	·21	—	—	—	—	·01	—	·02	·68	·09	—		15
16	·15 S	·11	·12	—	—	—	·14	—	·09	—	·36	—		16
17	—	·01	·54	·02	—	—	1·30	—	—	—	·74	—		17
18	·14 S	—	·07	·47	—	—	·43	·50	·12	—	·04	·06		18
19	—	—	·02	·09	—	·03	·02	·01	·16	·05	·19	—		19
20	—	—	—	·19	—	·02	—	·41	—	·01	·08	—		20
21	·45 S	·10	·04	—	—	—	·08	·02	—	·06	1·01	·03		21
22	·04 S	—	—	—	·01	·50	—	—	—	·02	·01	—		22
23	—	·09	·03	—	·03	·08	—	—	—	·11	·07	·07		23
24	·17	—	·11	·02	—	—	·01	—	—	·12	—	—		24
25	·01	—	—	—	—	—	—	—	—	·11	—	—		25
26	·55 S	·04	—	—	·10	—	·44	—	—	·03	—	—		26
27	·42 S	·21	—	·75	·04	—	·21	·01	~~·04~~	·02	—	—		27
28	·24 S	·26	—	—	·43	—	—	—	·04	—	—	—		28
29	—	—	—	—	·01	·06	—	—	·03	—	—	·34		29
30	·12 S	✕	·18	·02	—	—	—	—	—	·24	—	·46		30
31	·17 S	✕	·04	✕	—	✕	—	—	✕	1·20	✕	·09		31
TOTAL	2·77	2·01	1·68	2·24	·94	·97	6·55	·96	1·05	3·60	4·48	2·03	Year's Total 29·58	
* Days with .01 in. or more.	16	15	15	13	10	6	18	6	10	17	19	14	159	
* Days with .04 in. or more.	14	12	10	10	5	4	14	2	7	13	16	12	119	

* See Instruction 3 (f) on other side. S = snow

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of

AIR MINISTR

FORM 1090. **REGIS**

Kept at South Level P

in the County of Lincol

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

2586

OPY FOR OFFICIAL USE.

L ORGANIZATION.

º 2586)

llowing

Jan., following

2586

WROOT, SOUTH LEVEL P.S.

1931—40

780410

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	—	·03			[illegible]			[illegible]	[illegible]	—	—	1
2	—	·15	—	—	·01	·42	—	—	·38	·04	—	·03	2
3	—	—	—	·55	·01	·01	·04	—	·83	—	·03	·03	3
4	·06	·03	·01	·15	—	—	·25	·11	·31	—	·05	—	4
5	—	—	—	·10	·10	1·08	·03	·85	·09	—	—	—	5
6	—	·18	·01	—	—	·10	·15	—	—	·10	—	·20	6
7	—	—	·01	—	·02	·68	—	·30	—	—	·24	—	7
8	·07	·05	·01	·02	·04	—	·13	·07	—	—	·04	—	8
9	—	·18	·05	·19	—	·34	·02	·15	·03	—	·35	·02	9
10	—	·03	·03	—	·06	·03	—	·10	—	—	·03	—	10
11	·09	·19	—	—	—	·02	·02	·02	·15	—	—	—	11
12	·09	·02	—	—	—	—	·62	·01	·02	·05	·06	—	12
13	·02	—	—	—	—	—	—	—	—	—	—	—	13
14	·01	·10	—	—	·01	·09	·38	·75	—	—	·42	—	14
15	·01	·01	—	·06	·12	—	·23	·02	—	—	·05	—	15
16	—	·25	—	·12	·22	·75	·02	·12	·26	—	—	·03	16
17	—	·18	—	·26	·21	—	·02	·14	—	—	—	—	17
18	·04	·02	—	·37	·01	·12	·52	·07	—	·03	·52	—	18
19	·02	·20	—	·11	—	·08	·08	·04	·15	—	—	—	19
20	—	·05	—	·03	—	—	—	·45	—	·03	·02	—	20
21	·08	·01	—	·01	—	—	—	—	—	—	—	·04	21
22	—	—	—	—	·16	—	—	—	—	—	·20	—	22
23	·12	·04	—	·04	·26	·21	·01	—	·04	—	·22	·20	23
24	·02	—	—	·12	·40	—	·03	—	—	—	—	·03	24
25	—	—	—	·17	—	—	·86	—	—	·02	—	—	25
26	·01	·10	—	·21	—	—	·02	—	—	—	·16	—	26
27	·13	·19	—	·04	·02	—	—	—	—	·08	·10	·02	27
28	·32	·10	—	·15	·20	—	—	—	—	—	—	·10	28
29	·44	—	—	—	·02	—	·09	—	—	·20	—	·06	29
30	·01	×	—	·10	·42	—	—	—	—	—	·03	—	30
31	·15	×	—	×	—	×	·02	—	×	·03	×	·07	31
TOTAL	1·69	2·08	·15	2·80	2·29	4·55	3·54	4·20	2·36	·57	2·52	·83	YEAR'S TOTAL 27·58
*Days with ·01 in. or more.	18	20	7	19	18	14	20	15	11	10	16	12	180
*Days with ·04 in. or more.	11	14	1	16	11	11	11	12	9	5	12	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Albert James Trafford.
(Engineer)

[P.T.O.

2586

Section **A** for the entry of … OPY FOR OFFICIAL USE.

AIR MINISTR… METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at South Level Pumping Station Wroot. Doncaster

in the County of Lincolnshire

(Station No 2586)

Diameter of Funnel of Gauge 10" in. square

Height of top of Gauge above Ground 1' ft. 6" in.

,, Ground ,, Sea Level 8' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	—	—	·62	—	—	·12	·01	—	—	1
2	—	·15	—	—	·01	·42	—	—	·38	·04	—	·03	2
3	—	—	—	·55	·01	·01	·04	—	·83	—	·03	·03	3
4	·06	·03	·01	·15	—	—	·25	·11	·31	—	·05	—	4
5	—	—	—	·10	·10	1·08	·03	·85	·09	—	—	—	5
6	—	·18	·01	—	—	·10	·15	—	—	·10	—	·20	6
7	—	—	·01	—	·02	·68	—	·30	—	—	·24	—	7
8	·07	·05	·01	·02	·04	—	·13	1·07	—	—	·04	—	8
9	—	·18	·05	·19	—	·34	·02	·15	·03	—	·35	·02	9
10	—	·03	·03	—	·06	·03	—	·10	—	—	·03	—	10
11	·09	·19	—	—	—	·02	·02	·02	·15	—	—	—	11
12	·09	·02	—	—	—	—	·62	·01	·02	·05	·06	—	12
13	·02	—	—	—	—	—	—	—	—	—	—	—	13
14	·01	·10	—	—	·01	·09	·38	·75	—	—	·42	—	14
15	·01	·01	—	·06	·12	—	·23	·02	—	—	·05	—	15
16	—	·25	—	·12	·22	·75	·02	·12	·26	—	—	·03	16
17	—	·18	—	·26	·21	—	·02	·14	—	—	—	—	17
18	·04	·02	—	·37	·01	·12	·52	·07	—	·03	·52	—	18
19	·02	·20	—	·11	—	·08	·08	·04	·15	—	—	—	19
20	—	·05	—	·03	—	—	—	·45	—	·03	·02	—	20
21	·08	·01	—	·01	—	—	—	—	—	—	—	·04	21
22	—	—	—	—	·16	—	—	—	—	—	·20	—	22
23	·12	·04	—	·04	·26	·21	·01	—	·04	—	·22	·20	23
24	·02	—	—	·12	·40	—	·03	—	—	—	—	·03	24
25	—	—	—	·17	—	—	·86	—	—	·02	—	—	25
26	·01	·10	—	·21	—	—	·02	—	—	—	·16	—	26
27	·13	·19	—	·04	·02	—	—	—	—	·08	·10	·02	27
28	·32	·10	—	·15	·20	—	—	—	—	—	—	·10	28
29	·44	—	—	—	·02	—	·09	—	—	·20	—	·06	29
30	·01	×	—	·10	·42	—	—	—	—	—	·03	—	30
31	·15	×	—	×	—	×	·02	—	×	·03	×	·07	31
TOTAL	1·68	2·08	·15	2·80	2·29	4·55	3·54	4·20	2·36	·57	2·52	·83	YEAR'S TOTAL 27·58
*Days with ·01 in. or more.	18	20	7	19	18	14	20	15	11	10	16	12	180
*Days with ·04 in. or more.	11	14	1	16	11	11	11	12	9	5	12	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Albert James Trafford
(Engineer)

[P.T.O.

2586

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at South Level Pumping Station

in the County of Lincolnshire

Diameter of Funnel of Gauge 10 in. square

Height of top of Gauge above Ground 1 ft 6" in.

,, Ground ,, Sea Level 8 ft.

West Doncaster

Days spilled instead of annual. Values o.k.

? May 21st

Obs? g. overflowing & suggests about 1" lost

above

·5" added after comparison. Observer informed 9/3/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·07	—	—	·53	·02	·08	·01	·13	·11	·01	·08	1
2	·05	—	—	·05	·36	—	—	—	·13	·04	—	·04	2
3	—	—	—	·09	—	—	·02	·01	—	·04	—	·09	3
4	—	—	—	·24	·03	·01	—	—	—	—	·10	—	4
5	—	·02	·04	—	·01	·01	—	—	·04	—	—	·02	5
6	·32	—	·02	·02	—	—	·03	—	·02	—	·01	—	6
7	—	—	—	·13	·01	—	·02	—	·07	·15	·03	—	7
8	·08	—	·14	·02	—	—	—	—	·07	·04	·01	—	8
9	—	·02	—	·05	—	—	—	—	—	—	—	·02	9
10	·02	·07	—	—	—	—	—	—	·07	·25	—	·10	10
11	·01	—	·02	·09	·40	·12	·49	—	·03	·01	—	·01	11
12	·05	—	—	—	·05	—	·38	—	—	·15	·14	—	12
13	·02	·17	—	·03	·01	—	·05	—	·01	·10	·02	—	13
14	—	·02	—	·17	—	—	·18	—	—	·01	·06	·01	14
15	—	—	—	—	·02	—	—	—	—	·05	—	·05	15
16	·10	—	—	·11	·18	—	—	—	—	·01	·02	—	16
17	—	—	—	—	—	—	·04	—	·05	·11	—	—	17
18	—	—	—	—	·02	—	—	—	—	—	—	—	18
19	—	—	—	·07	—	·02	—	—	—	·16	—	—	19
20	—	—	—	·12	·36		·02	·17	—	·25	·08	—	20
21	—	·02	·20	·12	(2.90) ~~2·40~~	—	—	·46	—	·42	·02	·10	21
22	·01	·02	·43	—	·20	—	·21	—	—	·02	·22	—	22
23	—	—	—	·02	·36	—	·05	—	·24	·08	·09	·02	23
24	·01	—	—	—	·03	—	·17	—	·02	—	·09	—	24
25	—	·09	—	·06	—	—	·01	—	·02	·40	·01	—	25
26	—	—	—	—	·36	—	·12	—	·02	·15	·05	—	26
27	—	—	·17	·21	·39	—	·01	—	—	·03	·14	·02	27
28	—	—	·03	·01	·18	—	·30	·24	—	·20	—	·05	28
29	·01	—	·03	·02	·04	·02	·14	·53	·06	·23	·09	·10	29
30	—	×	·05	·03	—	·28	·05	·02	·22	·05	·05	·11	30
31	—	×	·02	×	—	×	·33	—	×	·03	×	·06	31
TOTAL	·72	·50	1·15	1·66	(6.44) ~~5·94~~	·48	2·40	1·47	1·20	3·09	1·14	·88	21.43 YEAR'S TOTAL ~~20·73~~
*Days with ·01 in. or more.	12	9	11	20	20	7	20	7	16	25	19	16	182
*Days with ·04 in. or more.	6	4	6	13	13	2	15	4	10	19	10	9	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. J. Trafford.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2586 ~~2586~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at South Level Pumping Station
in the County of Lincolnshire
Diameter of Funnel of Gauge 10" in.
Height of top of Gauge above Ground 1 ft 6" in.
,, Ground ,, Sea Level 18 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	—	·13	—	—	—	—	—	—	—	·33	—		1
2	·09	—	·24	—	—	—	—	—	—	—	·19	—		2
3	·01	·13	·04	~~·30~~	·30	—	—	—	—	—	·07	—		3
4	·03	—	·05	~~·22~~	·22	—	—	—	—	—	·03	—		4
5	·05	—	·11	~~·24~~	·24	—	—	—	—	—	—	—		5
6	·01	·09	·06	~~·30~~	·30	—	—	—	—	—	—	·03		6
7	—	·09	·01	—	·40	—	—	—	—	·50	—	·02		7
8	·01	—	·25	—	·02	—	·20	—	—	—	—	·02		8
9	·02	·04	—	·02	·01	—	·10	—	—	·25	·02	—		9
10	·03	—	—	—	—	·19	·52	—	—	2·46	·02	—		10
11	·01	—	—	—	·04	·11	·25	—	—	·10	·01	—		11
12	·07	—	—	—	—	·06	·11	—	—	—	—	—		12
13	·01	—	·02	—	·24	—	·12	·04	·05	·02	·04	—		13
14	—	—	—	—	·01	—	·02	—	—	·10	·15	·01		14
15	·70	—	—	—	—	·02	—	·03	—	·02	·42	·04		15
16	·25	—	·40	·01	·06	·11	—	·03	—	—	·22	·02		16
17	·18	·04	·98		·01	·77	—	·01	·02	—	·12	—		17
18	—	·02	·10	·01	—	·10	—	—	—	—	·05	—		18
19	—	·02	·15	·01	—	·33	—	—	·05	—	·01	—		19
20	—	·04	—	—	—	·01	—	·02	·10	—	·02	—		20
21	—	—	—	—	·06	·61	—	—	·05	·01	—	—		21
22	—	·01	—	—	—	·01	—	·18	[illegible]	·70	—	—		22
23	—	·02	—	·05	—	·86	—	—	·41	—	—	—		23
24	—	·09	—	·10	—	·17	—	—	1·10	·01	·04	—		24
25	—	·45	—	·24	·09	—	—	—	·01	—	·04	—		25
26	—	·80	—	·04	—	—	—	—	·02	·11		·05		26
27	—	·02	—	—	—	—	—	—	·03	·14		—		27
28	—	·02	—	·02	·03	—	·05	—	·03	·27		—		28
29	—	—	—	·12	—	—	·01	—	—	·01	·02	—		29
30	·14	×	—	·02	—	—	—	—	—	·02	—	·08		30
31	—	×	·02	×	—	×	—	·05	×	—	×	—		31
TOTAL	1·74	1·88	2·56	·64	2·03	2·75	1·38	·36	1·87	4·72	1·80	·27	Year's Total 22·00	
*Days with ·01 in. or more.	16	15	14	11	15	13	9	7	11	15	18	8	152	
*Days with .04 in. or more.	8	9	11	4	10	10	7	3	6	9	11	3	91	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Grafford

P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Wrool Pumping Station

in the County of Lincolnshire

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft 6" in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·07		·15		·29		1
2		·02						·13			·07	·32		2
3	·11	·02	·02						·19	·05	·03			3
4	·05		·04	·25								·45		4
5			·11		·07			·06		·10	·08			5
6		·01		·02	·20	·04		·12		·10		·73		6
7	·09					·10				·12	·04	·27		7
8					·03	·20		·03		·05	·80			8
9			·13	·05						·04	·91	·12		9
10			·36	·10				·03						10
11	·40		·05	·15								·15		11
12			·46	·02			·15	·01				·05		12
13	·28		·02				·80	·02				·10		13
14	·03		·26	·02	·01	·19					·15	·23		14
15	·05		·09		·02				·04	·14	·15			15
16	·05		·05		·42						·03			16
17	·04		·05		·01		·06		·20		·06	·07		17
18	·03		·03	·20	·02		·09					·01		18
19			·09	·02	·05	·06			·22					19
20			·03	·03	·02	·12				·10				20
21						·26			·06					21
22								·15	·14	·04		·01		22
23			·04	·10			·23				·03			23
24		·06	·11	·24		·02	·11		·25					24
25	·02		·01	·15		·01			·03	·07				25
26	·06	·10	·01	·63					·05			·02		26
27		·18		·51		·02	·02			·07		·14		27
28			·01	·01		·12		·45		·02		·28		28
29			·01				·02	·02	·25			·05		29
30	·06	×	·02				·18			·20				30
31		×		×		×	·02	·03	×		×	·07		31
TOTAL	1·27	·39	1·90	2·50	·85	1·14	1·68	1·12	1·43	1·25	2·35	3·36	Year's Total. 19·24	
* Days with .01 in. or more.	13	6	22	16	10	11	10	12	10	14	11	18	153	
* Days with .04 in. or more.	10	3	12	10	4	8	7	6	9	13	8	15	105	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Trafford.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at S.Level Pumping St. Wroot.

in the County of Lincolnshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·58	-	·01	·02	-	·01	-	-	·47	·02	·13	·11		1
2	-	·02	·02	·02	-	·31	-	-	-	·37	-	-		2
3	-	·05	·15	·15	-	·12	-	-	-	·37	·15	-		3
4	-	·02	-	-	-	·24	-	-	-	·42	-	-		4
5	-	·22	·03	·02	-	·75	-	-	-	·02	·15	-		5
6	·07	-	-	·04	-	·11	-	-	-	·02	·02	-		6
7	·03	-	-	·24	-	·30	-	-	-	·11	·42	·27		7
8	-	-	-	·05	-	·07	-	·55	-	·03	-	·17		8
9	-	-	-	·03	-	·11	-	-	-	·63	·25	-		9
10	-	·05	-	·02	-	·01	-	-	-	·09	-	-		10
11	·15	-	-	-	-	-	-	-	-	-	·12	·02		11
12	-	·02	-	-	-	·19	-	-	-	-	-	-		12
13	·07	·02	-	·12	·21	·07	-	-	-	-	·03	-		13
14	-	-	-	·06	·09	-	-	-	·21	-	·52	·08		14
15	-	·01	-	·43	·03	·32	·11	-	·09	-	·18	·08		15
16	-	·31	·06	-	·02	·17	·01	-	·20	·05	·68	-		16
17	·02	-	-	·15	-	·43	·02	-	·04	·05	·87	-		17
18	·02	-	-	·32	·04	·09	·36	-	·03	·09	·08	-		18
19	·01	-	-	·05	-	·25	·02	-	-	·02	·11	-		19
20	-	·02	-	·20	-	·15	-	-	-	·04	·17	-		20
21	-	·65	-	·02	-	-	-	-	·42	·02	·03	-		21
22	-	·22	·03	-	-	-	-	·04	-	-	·05	-		22
23	-	-	·18	·02	-	-	-	·46	·03	·01	-	-		23
24	·06	·65	·09	-	-	·19	-	-	1·25	-	-	·02		24
25	·06	·08	-	-	-	-	-	-	-	-	·02	·31		25
26	·11	-	-	-	-	-	-	·60	·46	·01	-	·32		26
27	·01	·22	-	-	-	-	·03	-	·16	-	·15	·83		27
28	-	·02	-	-	-	-	-	-	·03	·16	-	·11		28
29	-	-	-	-	-	-	-	·03	·06	-	-	·08		29
30	·06	X	-	-	-	-	-	·10	·02	·23	·18	-		30
31	-	X	-	X	·01	X	-	-	X	·41	X	-		31
TOTAL	1·25	2·58	·57	1·96	·40	3·89	·55	1·78	3·47	3·17	4·31	2·40	Year's Total. 26·33	
* Days with .01 in. or more.	13	16	8	18	6	19	6	6	14	21	20	12	159	
* Days with .04 in. or more.	8	9	4	11	3	17	2	5	10	13	16	10	108	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(*Signed*) Geo. H. Simmons

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at South Level Pumping Station Wroot.

in the County of LINCOLNSHIRE

Diameter of Funnel of Gauge 10" sq. ~~in.~~

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·12	·10	·54	–	·10	·06	·15	–	–	·02	·21		1
2	·11	·02	·18	–	–	·76	·10	·14	–	–	·35	·10		2
3	–	·02	–	–	–	·08	–	–	·22	–	·01	·03		3
4	·04	–	·12	–	–	–	–	–	·06	–	·14	·03		4
5	–	·03	·17	–	–	–	–	·11	–	–	·08	·06		5
6	·05	–	–	–	–	·02	·20	·30	·45	–	–	–		6
7	·31	–	–	–	–	–	2·34 ✓	–	·05	·05	–	·03		7
8	·08	–	·04	–	–	–	–	–	–	·02	·07	·02		8
9	·08	–	·12	–	–	–	·30	–	–	–	·20	–		9
10	·35	–	–	–	–	·01	1·04	·65	–	–	–	–		10
11	–	–	–	·05	–	–	·02	–	–	–	·47	–		11
12	–	–	–	·15	·04	·26	·40	–	·15	–	·09	·04		12
13	–	–	–	·02	–	·36	–	–	·28	·12	·02	·30		13
14	–	–	–	·12	–	·12	–	–	·22	–	·05	·05		14
15	·34	·02	–	·17	–	·02	·08	·04	–	–	·15	·02		15
16	·08	·03	–	–	·02	–	·02	–	–	–	·33	–		16
17	–	·53	–	–	–	–	·12	–	–	–	·04	·02		17
18	–	·09	–	–	–	–	·10	·04	–	·32	·05	·05		18
19	·38	–	–	–	–	·60	–	·65	–	·02	–	–		19
20	–	·07	–	–	–	–	·56	–	–	–	–	–		20
21	·03	–	–	·04	·03	·30	–	–	–	–	–	·05		21
22	·05	·55	·02	·04	·07	·82	·13	–	–	–	–	–		22
23	·05	·02	–	·02	·03	–	·37	–	–	–	–	–		23
24	·11	·03	–	–	·42	–	–	–	·22	·19	–	–		24
25	·14	–	–	·09	–	–	·09	–	·04	·02	–	–		25
26	–	·03	·19	–	–	–	·03	–	·11	·06	–	–		26
27	·15	–	·01	–	·02	–	–	–	·20	·08	–	–		27
28	·16	·55	·02	·02	–	·05	·20	–	–	·19	·10	·05		28
29	·84	·26	·08	–	–	·25	·05	–	–	·03	·48	·10		29
30	·02	✕	–	–	·06	·06	·28	–	–	·83	–	–		30
31	–	✕	·03	✕	·30	✕	·01	–	✕	·02	✕	·01	Year's Total	31
Total	3·40	2·37	1·08	1·26	·99	3·81	6·48	2·08	2·00	1·95	2·65	1·17	29·24	✓ ✓
* Days with .01 in. or more.	20	15	12	11	9	15	21	8	11	13	17	17	169	✓
* Days with .04 in. or more.	17	7	8	8	5	12	17	8	11	8	16	10	125	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. H. Simmons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at South Level Pumping Station W.root
in the County of Lincolnshire
Diameter of Funnel of Gauge 10" sq. ~~in.~~
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02	·15	-	-	-	-	-	·02	-	·06	·19		**1**
2	-	·05	·05	·30	-	-	-	-	-	-	-	2·83		**2**
3	-	·02	-	·29	-	·03	·02	-	-	-	-	·25		**3**
4	·12	·05	·04	·20	-	·01	-	-	-	-	-	·20		**4**
5	-	-	·08	-	-	-	-	-	-	-	-	·12		**5**
6	-	·02	·07	·05	·18	-	-	-	-	-	-	·20		**6**
7	·15	·25	-	·14	·16	-	-	-	-	-	-	·02		**7**
8	-	·31	-	·03	-	-	-	-	-	-	·12	·04		**8**
9	-	·02	-	·03	·23	-	·58	·03	-	-	-	-		**9**
10	-	-	-	·43	-	·09	-	-	-	-	·02	·26		**10**
11	-	-	·60	·05	1·29	-	-	·12	-	-	-	·10		**11**
12	·06	·25	·15	-	·46	1·40	-	-	·06	-	-	·15		**12**
13	-	·05	·14	-	·07	1·20	-	-	-	-	-	·10		**13**
14	-	·05	·29	-	-	-	-	·03	-	-	-	·08		**14**
15	·10	·25	·03	·30	-	-	1·65	-	-	-	-	·09		**15**
16	·10	·03	·22	·75	-	·14	-	-	·25	-	-	·03		**16**
17	·12	-	·11	·42	-	-	-	-	·34	-	-	-		**17**
18	1·20	·03	·09	-	-	·04	-	·01	·02	-	·45	-		**18**
19	·02	·02	·02	·14	-	·15	·15	-	-	-	·36	-		**19**
20	·20	-	-	·18	·92	-	-	-	-	-	-	-		**20**
21	-	-	·16	·03	-	-	·31	-	·02	·04	-	·03		**21**
22	-	-	·03	-	-	-	-	-	-	·21	·06	-		**22**
23	·36	-	-	-	·10	-	-	-	-	·78	·32	·01		**23**
24	·24	·06	·01	-	·01	-	·10	-	-	·19	-	-		**24**
25	·16	·35	·05	-	-	-	-	-	-	·70	-	-		**25**
26	-	·16	·02	-	·38	-	-	-	-	-	-	-		**26**
27	-	·02	·10	·10	-	-	-	-	-	·77	-	·06		**27**
28	·05	·08	·05	-	-	-	-	-	-	-	-	·02		**28**
29	-		-	-	-	-	-	-	-	·02	·04	·01		**29**
30	·42	✕	-	-	-	-	-	-	-	-	·10	·05		**30**
31	·26	✕	-	✕	-	✕	-	-	✕	·21	✕	·04		**31**
TOTAL	3·56	2·09	2·46	3·44	3·80	3·06	2·81	·19	·71	2·92	1·53	4·88	Year's Total 31·45	✓ ✓
* Days with .01 in. or more.	15	20	21	16	10	8	6	3	6	8	9	22	144	✓ ✓
* Days with .04 in. or more.	14	12	16	13	9	6	5	1	3	7	8	16	110	✓ ✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Geo. H. Emmons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Acp. W.S.R.

Kept at South Level Pumping Station, Woot
in the County of Lincolnshire
Diameter of Funnel of Gauge 10·5·9 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-	-	-	·02	·82	·34	-	-	-	·05	·03		1
2	·02	-	-	-	-	·26	·15	-	-	·09	·03	·16		2
3	·03	-	-	-	-	·02	·05	-	·47	·85	-	-		3
4	·07	-	-	·04	-	·05	·03	-	-	·10	·13	·16		4
5	-	-	-	-	-	-	·13	·10	-	-	-	-		5
6	-	-	-	-	-	-	·47	-	-	·03	-	·01		6
7	-	-	-	-	-	-	·16	·48	-	-	-	·01		7
8	·23	-	-	-	-	-	·10	-	-	·18	-	·12		8
9	-	·06	-	-	-	·09	·04	-	·05	-	-	·22		9
10	·02	-	-	-	-	·02	·28	-	-	-	-	·02		10
11	·28	-	-	-	-	-	·02	-	·02	-	·01	·02		11
12	·10	·04	-	-	·02	-	-	-	-	·34	-	·02		12
13	·03	·06	-	-	-	-	-	-	-	·02	·01	·36		13
14	·04	·06	-	-	·04	-	·36	-	·20	-	-	-		14
15	·11	-	-	-	·02	-	·40	·03	-	-	-	·26		15
16	·05	-	-	-	-	-	·70	·02	-	-	-	·30		16
17	-	-	-	-	·87	-	·14	·02	-	·07	-	-		17
18	·03	-	-	-	·18	·17	-	-	·02	-	·15	-		18
19	-	-	-	-	-	-	-	·07	·05	·07	-	·10		19
20	-	-	-	-	-	-	-	-	-	-	·41	·15		20
21	-	-	-	-	-	-	-	·13	-	-	-	·26		21
22	-	-	-	-	-	·32	-	-	·05	-	·31	·30		22
23	-	-	-	-	·12	·03	-	·02	-	-	-	-		23
24		-	·12	-	-	-	·03	·02	·41	-	·02	·07		24
25	·02	·15	-	-	·08	-	-	-	-	·25	·75	·02		25
26	-	·77	·15	-	-	-	-	-	·09	·14	-	-		26
27	·09	·06	-	-	·30	·09	·12	·15	·12	·05	·15	·02		27
28	·08	-	-	-	·65	·09	-	1·47	-	-	-	·09		28
29	·02		-	·03	·50	·02	·02	-	-	·04	·10	·07		29
30	·04		-	-	·42	·08	-	-	·16	-	-	-		30
31	·11		-		·12		-	-		·14		·40		31
TOTAL	1·43	1·20	0·27	0·07	3·34	2·06	3·54	2·51	1·64	2·37	2·12	3·17	Year's Total 23·72	
* Days with .01 in. or more.	~~19~~ 21	7	2	2	~~13~~ 15	13	18	11	15 ~~11~~	~~14~~ 19	17 ~~12~~	23	163 ~~145~~	
* Days with .04 in. or more.	~~12~~ 13	7	2	1	10	9	14	6	11 ~~8~~	12	~~8~~ 10	15	110 ~~105~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. H. Simmons

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2586.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SOUTH LEVEL PUMPING ST., WROOT.

in the County of LINCOLNSHIRE.

~~Diameter~~ of Funnel of Gauge 10" sq. ~~in.~~

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·02	-	-	-	·07	·25	·11	-	-	-		1
2	·12	-	-	·12	-	-	·02	·26	·40	-	·04	-		2
3	·08	-	-	·15	-	-	·01	·32	-	-	·28	·25		3
4	·15	-	·20	·40	-	-	·01	·96	-	-	·02	1·21		4
5	-	-	-	-	·07	-	·05	·94	-	·27	·18	·50		5
6	·24	-	-	-	-	-	·20	-	-	-	·02	-		6
7	·11	·07	·02	-	-	-	·07	-	-	-	·07	·14		7
8	·06	·01	-	-	-	-	·18	·01	-	-	·04	·38		8
9	·01	-	-	-	-	-	-	·05	-	·77	-	·22		9
10	·24	-	-	-	-	·02	-	·02	·05	-	·03	-		10
11	·27	-	·36	-	·06	·29	-	-	-	·10	-	-		11
12	-	·05	·03	-	-	·02	-	-	-	-	-	-		12
13	-	-	-	·04	-	·02	-	-	·16	·13	-	-		13
14	·46	-	-	-	·25	·15	·22	-	-	·57	-	·02		14
15	·19	-	-	-	·19	·30	·36	-	·02	-	-	-		15
16	-	-	·17	-	·75	·15	·17	-	-	-	·16	-		16
17	·85	-	-	-	·01	-	·16	-	-	·42	-	-		17
18	·10	·03	·07	-	-	·39	·03	-	-	·02	1·94	-		18
19	·27	-	·03	·09	-	·42	·02	-	-	-	-	·02		19
20	-	-	-	-	-	·06	·02	-	·01	-	-	-		20
21	·15	·17	·16	-	·04	·02	·03	-	·06	-	-	-		21
22	·07	·38	·05	-	-	·09	·02	-	·01	-	·41	-		22
23	-	-	·07	·10	-	·04	·02	-	-	·08	·42	-		23
24	-	-	-	·03	-	·02	-	·02	-	-	-	-		24
25	·60	-	·03	-	-	-	-	·46	-	-	·10	·07		25
26	-	·02	-	·06	-	-	-	·03	-	·13	·01	·02		26
27	·05	·05	·46	-	-	·03	-	-	-	·22	·07	-		27
28	·01	·15	·15	·15	-	·04	·08	·04	-	·02	·22	-		28
29	-	-	·02	·04	-	·01	·30	·02	-	-	·01	-		29
30	-	✕	-	-	-	·03	-	-	-	·30	·15	-		30
31	-	✕	-	✕	-	✕	·07	-	✕	-	✕	-		31
TOTAL	4·03	0·93	1·84	1·18	1·37	2·10	2·11	3·38	0·82	3·03	4·17	2·83	Year's Tota 27·79	✓
* Days with .01 in. or more.	19	9	15	10	7	18	21	13	8	12	18	10	160	✓
* Days with .04 in. or more.	17	6	9	9	6	10	12	8	5	10	13	7	112.	✓

† Spare column, no entries required.

(*Signed*) Geo H Simmons F.S.I.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at South Level Pumping Station: Wroot

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·03										1
2	.	-	.	·31										2
3	-	-	.	·03										3
4	-	·45	.	·14										4
5	-	-	-	-										5
6	·16	·08	-	-										6
7	·04	·39	-	·03										7
8	.	-	.	[illegible]										8
9	.	-	·30	-										9
10	-	-	·03	-										10
11	-	·02	-	-										11
12	-	·23	·14	-										12
13	-	·01	·17	.										13
14	-	-	-	·03										14
15	.	-	·02	-										15
16	.	-	·13	-										16
17	-	.	·58	-										17
18	.	·03	·09	·80										18
19	.	·20	·03	·15										19
20	-	-	-	·18										20
21	-	-	·01	-										21
22	-	-	.	.										22
23	-	·10	·01	·03										23
24	·25	-	-	-										24
25	-	-	-	.										25
26	·35	·02	-	-										26
27	·10	·12	-	.										27
28	-	·45	-	-										28
29	-	-	.	-										29
30	·13	✕	.	·03										30
31	-	✕	.	✕		✕			✕		✕			31
TOTAL	1·03	2·10	1·51	1.76									Year's Total	mp imp.
* Days with .01 in. or more.														
* Days with .04 in. or more.														WH.

Future records kept by River Trent Catchment Board

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Scott Simmons

P.T.O.

Section **A** for the entry of D

AIR MINISTRY

tion No. 2586/5

ORGANIZATION.

Form 1090.

REGIS

Kept at West Butterwick

in the County of Lincoln

Diameter of Funnel of Gauge.........

Height of top of Gauge above Grou

,, Ground ,, Sea l

THE MORNING MEASURE

An observer who does not conform to

year in the space on the right of this

Plea

lowing

Circ H sent 27/7/3 94

Jan. 1, following

2586/5

WEST BUTTERWICK

CROFT HOUSE

1935 — 40

780410

Date	Jan.	Feb.	Mar.	Ap								Dec.		*Date*
	in.	in.	in.	i								in.	†	
1									#	·23	·05	·10		1
2										·26	·01	-		2
3										·18	·13	-		3
4										·03	·01	-		4
5										·01	·12	·03		5
6										-	·01	-		6
7										·13	·35	·18		7
8										·02	·19	·06		8
9										·54	·08	·05		9
10										·02	·02	·03		10
11										-	·09	·02		11
12										-	-	·03		12
13										-	·03	-		13
14										-	·72	·08		14
15										-	·05	·13		15
16										-	1·04	·01		16
17										·08	·60	-		17
18										·06	·05	·02		18
19										-	·13	-		19
20										-	·15	-		20
21										·04	·09	·03		21
22										-	·06	-		22
23										·01	·03	·09		23
24										-	·01	·16		24
25										·01	·01	·22		25
26										·02	·01	·38		26
27										·08	·14	·45		27
28										·23	-	-		28
29										-	·01	·08		29
30		✕								·32	·19	·09		30
31		✕		✕		✕			✕	·35	✕	·23		31
TOTAL										2·63	4·38	2·47	Year's Total imp	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Copied in M.O.2. from monthly cards. [P.T.O.

M

T. OATES ESQ.,

N

Section **A** for the entry of D [redacted] ion No. 2586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Butterwick (Croft House)
in the County of Lincoln
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Oct + Nov.
Corrected for W.D. EHR.

Arc H sent 27/7/36.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									#	·23	·05	·10		1
2										·26	·01	-		2
3										·18	·13	-		3
4										·03	·01	-		4
5										·01	·12	·03		5
6										-	·01	-		6
7										·13	·35	·18		7
8										·02	·19	·06		8
9										·54	·08	·05		9
10										·02	·02	·03		10
11										-	·09	·02		11
12										-	-	·03		12
13										-	·03	-		13
14										-	·72	·08		14
15										-	·05	·13		15
16										-	1·04	·01		16
17										·08	·60	-		17
18										·06	·05	·02		18
19										-	·13	-		19
20										-	·15	-		20
21										·04	·09	·03		21
22										-	·06	-		22
23										·01	·03	·09		23
24										-	·01	·16		24
25										·01	·01	·22		25
26										·02	·01	·38		26
27										·08	·14	·45		27
28										·23	-	-		28
29										-	·01	·08		29
30		✕								·32	·19	·09		30
31		✕		✕		✕			✕	·35	✕	·23		31
													Year's Total	
TOTAL										2·63	4·38	2·47	imp	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Copied in M.R.R. from monthly cards. [P.T.O.

M

T. OATES ESQ.,

N

X WEST BUTTERWICK (CROFT HOUSE) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~West Butterwick~~

in the County of Lincoln

Diameter of Funnel of Gauge ... in.

Height of top of Gauge above Ground ... ft. ... in.

,, Ground ,, Sea Level 20 ft.

Com. insp 1935

Copy by B.R.O

est. from map.

inc. 5/37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

f 460 478/35

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·17	·15	·35	—	—	·13	·27	·01	·02	·02	·17		1
2	·09	—	·04	~~·02~~	—	·68	·21	·08	—	—	·26	—		2
3	·01	·03	—	—	—	·13	·02	—	·25	—	—	·03		3
4	·05	—	·13	—	—	·02	—	—	·11	—	·10	·04		4
5	·08	·07	·10	·02	—	—	—	·18	·05	—	—	—		5
6	·09	—	—	—	—	·04	·18	·19	·51	·03	·06	·05		6
7	·12	—	·04	—	—	—	·24	—	·11	·05	—	·15		7
8	·14	·01	·05	—	·01	—	—	—	·01	·04	·12	·04		8
9	·14	—	·12	·01	—	·02	·60	—	—	·03	·14	—		9
10	·02	—	—	—	·02	—	·25	·29	~~·01~~	·02	·07	—		10
11	—	—	—	·13	—	—	·01	—	·02	—	·40	·01		11
12	—	—	—	·30	·08	·34	·47	—	·56	—	·20	—		12
13	—	—	—	·02	—	·12	—	—	·15	·11	·03	·25		13
14	—	—	—	·16	—	·15	·02	—	·35	—	·06	·08		14
15	·33	·03	·02	·20	—	·02	·19	·02	~~·33~~	—	·19	·04		15
16	·11	·05	—	·04	·05	—	·03	—	~~·11~~	—	·29	·02		16
17	·01	·59	—	—	—	—	·20	—	~~·01~~	—	·07	·07		17
18	—	—	—	—	—	·02	·10	·05	—	·27	·08	—		18
19	·53	·04	—	—	—	·09	—	·60	~~·53~~	·06	·02			19
20	—	·06	·01	—	·03	—	·07	—	—	—	—	—		20
21	·03	·02	—	·01	·03	·45	—	—	~~·03~~	—	·03	·01		21
22	·02	·40	·05	—	·11	·60	·16	—	~~·02~~	—	·02	—		22
23	·01	—	·01	·09	·10	—	·36	—	~~·01~~	·02	—	·03		23
24	·12	·05	—	—	·38	—	—	—	·22	·19	·03	—		24
25	·16	—	—	·12	—	—	·03	—	·05	·04	—	—		25
26	·07	·06	·15	·02	—	—	·04	—	·18	·11	·02	—		26
27	·05	·02	·02	—	—	—	—	—	·09	·21	—	—		27
28	·22	·51	·04	—	—	·03	·04	—	·01	—	·05	·07		28
29	·72	·24	·10	—	·07	·35	·10	—	—	·03	·23	—		29
30	·05	✕	—	—	·27	·08	·29	—	—	·71	—	·05		30
31	—	✕	·04	✕	·03	✕	—	—	✕	·06	✕	·04		31
TOTAL	3·19	2·35	1·07	1·47	1·18	3·14	4·74	1·63	2·48	2·00	2·49	1·15	Year's Total 26·89	
* Days with .01 in. or more.	24	16	16	13	~~5~~12	16	22	8	16	17	22	17	199	
* Days with .04 in. or more.	17	11	12	8	7	11	14	6	12	11	15	12	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X – West Butterwick Drainage Bd X

COPY FOR OFFICIAL USE.

Section | A | for the entry of Daily Observations. Station No. 2586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at West Butterwick

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·03	·11	—	—	—	—	—	·04	—	·07	·24		1
2	·01	·06	·10	·28	—	—	—	—	—	·01	·03	2·18		2
3	—	·02	·02	·25	·02	·03	·01	—	—	—	—	—		3
4	·07	·06	·04	·21	·02	—	—	·05	—	—	—	·19		4
5	·14	—	·13	·01	—	—	—	—	—	—	—	·25		5
6	·01	—	·02	·03	·22	—	—	—	—	—	—	·12		6
7	—	·22	·01	·19	·21	—	—	—	—	·02	—	·03		7
8	—	·27	—	·06	—	—	—	—	·02	—	·08	·06		8
9	—	·01	—	·19	·24	—	·51	·03	—	—	·04	·20		9
10	—	·01	—	·30	·03	·36	·02	—	—	·02	·15	·19		10
11	·03	—	·47	·07	·98	—	—	·01	—	·03	—	·17		11
12	·08	·29	·05	·01	·37	·36	—	—	·07	—	—	·13		12
13	—	·05	—	—	·09	·81	—	—	—	—	·01	·06		13
14	—	—	·28	·01	·01	·03	—	·22	—	—	—	·26		14
15	·13	·25	·07	·31	—	—	1·36	—	·07	—	—	·11		15
16	·07	·05	·23	·75	—	·15	—	·04	·14	—	·02	—		16
17	·15	·03	·18	·29	—	·06	—	—	·47	—	—	·13		17
18	·85	·05	—	·03	—	·03	·01	—	·05	·01	·37	—		18
19	—	—	·15	·30	—	·06	·12	·02	—	·02	·38	—		19
20	·22	—	—	·18	·87	·13	—	—	·05	—	—	·02		20
21	·01	—	·03	·08	—	—	·27	·05	—	·04	—	—		21
22	·04	—	·02	·01	—	—	—	·02	—	·32	—	·02		22
23	·35	—	·01	—	·20	—	·13	—	—	·40	·19	—		23
24	·33	·09	·02	—	·01	·03	·08	—	·06	·18	—	—		24
25	·09	·27	·08	—	·02	—	—	—	—	·15	—	—		25
26	—	·18	·03	—	·22	—	—	—	·02	—	·05	—		26
27	—	·10	·03	·14	—	—	·01	·03	—	·52	—	·05		27
28	·05	·27	·03	·02	—	·03	—	·01	—	·03	—	·05		28
29	·08	—	—	—	—	—	—	—	—	·01	—	·04		29
30	·32	✕	—	—	—	·03	—	—	—	·05	·13	·03		30
31	·24	✕	·01	✕	—	✕	—	—	✕	·15	✕	·09		31
													Year's Total	
TOTAL	3·29	2·31	2·12	3·72	3·51	2·11	2·52	·48	·99	1·96	5 1·~~6~~2	4·62	29·15	
* Days with .01 in. or more.	21	19	23	22	15	13	10	10 ~~6~~	10	~~8~~ 16	12	22	193	
* Days with .04 in. or more.	16	14	12	15	9	7	6	4	8	8	9	18	126	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at West Butterwick

in the County of Lincolnshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level 20 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04		–	–	·05	·65	·01	·01	–	·05	·04	·05		1
2	·05		–	–	·03	·02	·09	–	·04	·08	·06	·20		2
3	·04		–	–	–	·03	·05	–	·29	·80	·05	–		3
4	·09		–	–	–	·03	–	–	·03	·04	·04	·22		4
5			–	·05	–		·17	·02	–	·24	–	·01		5
6			–	–	–		·60	·01	·12	·04	–	–		6
7	·10		–	–	–		·16	·56	·08	·04	–	·02		7
8	·19		–	–	–		·08	–	–	·20	–	·09		8
9	·03	·05	–	–	–	·05	·01	–	·07	·01	–	·23		9
10		·06	–	–	–	·15	·36	·03	·02	–	–	·05		10
11	·27		–	–	–		·03	·01	–	·03	·04	·01		11
12	·08	·08	–	–	·06		–	·12	–	·34	·04	·02		12
13		·14	–	–	–		–	–	·20	·01	·05	·28		13
14	·07		–	–	·10		·43	–	–	–	–	·04		14
15	·14		–	–	–		·41	·03	–	–	·03	·17		15
16	·05		–	–	–		·61	·04	–	·01	·03	·42		16
17			–	–	·61		·13	·05	–	·10	·02	–		17
18	·03		–	–	·13	·15	–	–	·09	·11	·23	–		18
19			–	–	·02		–	·08	·19	–	–	·18		19
20	·03		–	–	–		·01	–	·02	–	·35	·35		20
21			–	·03	–		–	–	–	·02	·02	·27		21
22		·02	–	–	·05	·26	–	·03	·02	–	·03	·20		22
23			·02	–	·13	·05	–	–	·30	·02	·23	·04		23
24			·18	·03	·01	·01	·03	·06	·32	–	·02	·05		24
25	·05		·02	–	–		–	·01	–	·19	·54	·19		25
26	·01	·65	·13	–	–	·04	–	·01	·05	·15	–	– ✓		26
27	·18	·08	–	–	·31	·18	·18	·13	·23	·09	·20	·03		27
28	·10		–	–	·60	·07	·08	·97	·11	·01	–	·03		28
29	·02		–	·10	·46	·02	·04	·02	·03	·05	·12	·10		29
30	·05	✕	–	–	·21	·07	–	–	·07	–	·04	·05		30
31	·08	✕	–	✕	·13	✕	–	–	✕	·16	✕	·52		31
TOTAL	1·70 ✓	1·08 ✓	·35	·21	2·90	1·78	3·48 ✓	2·19	2·28	2·79	2·21	3·82	Year's Total 24·79	✓
* Days with .01 in. or more.	21 ✓	7 ✓	4	4	15	15	19 ✓	18	19	23	20	26	191	✓
* Days with .04 in. or more.	16 ✓	6 ✓	2	2	12	10	14 ✓	8	14	16	14	20	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thos. Oates.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at West Butterwick

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 20 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·05	·04	–	–	·12	·17	·13	·03	–	·01		1
2	·10	–	–	·16	–	–	·02	·26	·43	·01	·07	–		2
3	·13	–	–	·13	–	–	–	·13	–	–	·35	·19		3
4	·15	–	·23	·36	–	–	·03	·64	–	–	·04	1·05		4
5	–	–	–	·01	·15	–	·02	1·15	–	·25	·19	·28		5
6	·39	–	–	–	–	–	·21	–	–	·02	·04	–		6
7	·08	– ✗	·01	–	–	–	·08	–	–	–	·18	·14		7
8	·08	·13	·04	–	–	–	·25	·05	–	–	–	·27		8
9	·01	·02	–	–	–	–	·05	·13	–	·73	·02	·28		9
10	·46	–	–	–	–	·12	–	–	·06	·05	–	·02		10
11	·08	–	·41	–	·06	·19	–	–	–	·21	–	·01		11
12	·02	·06	·08	–	–	·02	–	–	·01	·03	–	·02		12
13	–	–	·01	·08	·04	·03	–	–	·15	·13	·03	–		13
14	·44	·01	·02	·08	·23	·18	·18	–	·04	·51	–	·02		14
15	·18	–	·02	·02	·17	·30	1·03	–	·09	·05	–	·03		15
16	–	–	·23	–	·45	·16	·21	·02	–	·02	·18	–		16
17	·45	·03	·01	·09	–	–	·13	·01	–	·13	–	–		17
18	·16	·04	·10	–	–	·15	·11	–	·05	·05	1·64	–		18
19	·22	–	–	–	–	·59	·20	–	·01	–	–	·02		19
20	·02	·03	–	–	·02	·08	·20	–	·02	–	–	·01		20
21	·12	·13	·17	·03	·03	·02	·13	–	·08	·02	·02	–		21
22	·10	·30	·07	·03	–	–	·05	–	·03	·02	·70	–		22
23	·01	·02	·19	·14	–	·07	–	·02	–	·07	·30	–		23
24	–	–	·09	·06	–	–	·01	·03	–	–	·02	·03		24
25	·52	·03	·05	·02	–	–	–	·14	–	–	·09	·07		25
26	·01	·04	–	–	–	·02	–	–	–	·17	·03	–		26
27	·03	·06	·43	·01	–	·05	–	–	–	·18	·07	–		27
28	·01	·21	·10	·16	–	·05	·09	–	–	·09	·24	–		28
29	–		–	–	–	–	·44	·05	–	·18	·02	–		29
30	–	✕	–	·08	–	03	–	–	–	–	·16	–		30
31	–	✕	–	✕	–	✕	·04	·03	✕	·02	✕	–		31
TOTAL	4·10	1·11	2·31	1·50	1·15	2·06	3·60	2·83	1·10	2·97	4·39	2·45	Year's Total 29·57	
* Days with .01 in. or more.	24	14~~8~~	19	17	8	16	21	14	12	22	20	9	196	
* Days with .04 in. or more.	16	8	14	11	6	11	17	9	8	14	14	7	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2586/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at West Butterwick

in the County of Lincolnshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 20 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.09	.03	.03	-	-	-	-	-	-	.24	-		1
2	-	-	-	.23	-	-	-	-	-	-	.05	.08		2
3	.07	.12	.02	.05	-	-	-	-	-	.07	.03	.11		3
4	-	.21	-	.06	-	-	-	-	-	.11	.37	.04		4
5	-	-	-	-	.10	-	.43	-	-	.05	.14	.12		5
6	.16	.10	-	-	-	-	-	-	-	.51	.04	.01		6
7	.05	.35	-	.05	.04	-	.08	.02	-	-	.01	-		7
8	.01	-	-	-	-	-	-	-	-	.17	.03	.26		8
9	-	-	.26	.02	-	-	.04	-	.09	-	.58	.07		9
10	-	-	-	-	-	-	1.46	-	-	-	.15	.02		10
11	-	.05	.02	-	-	.36	.71	-	-	-	.54	-		11
12	-	.04	.11	-	-	-	.04	-	.18	-	.02	-		12
13	-	.09	.13	-	-	-	.02	-	.08	-	-	.02		13
14	-	-	-	.06	.10	-	.14	.02	.05	-	-	.39		14
15	.05	-	.07	-	-	-	-	-	-	.02	.12	.01		15
16	-	.03	.30	-	-	.02	.13	-	.09	.76	.43	-		16
17	.05	-	.38	.03	-	-	1.28	-	-	-	.92	.03		17
18	-	.21	.11	.53	-	-	.20	.52	.14	.02	.03	.07		18
19	-	.13	-	.10	-	.06	.54	.04	.19	.10	.15	.02		19
20	-	.02	-	.18	-	-	.03	.23	-	.01	.04	-		20
21	.25	-	.03	-	-	.25	.22	.02	-	.08	1.03	-		21
22	-	-	.01	-	.05	.23	-	-	.03	.02	.01	.02		22
23	-	-	.03	.03	.03	.14	-	-	-	.12	.14	.07		23
24	.31	.10	-	.03	-	-	-	-	.01	-	.01	.01		24
25	-	-	-	-	.06	-	-	-	-	-	-	.02		25
26	-	-	-	-	.03	.03	.09	.03	-	.03	-	-		26
1.16 27	.65	.22	-	.34	.03	-	.51	-	-	-	-	.02		27
28	.30	.36	-	.03	-	-	-	-	.04	.02	-	.02		28
29	-	-	.12	-	-	.07	-	-	.01	-	-	.34		29
30	.13	✕	-	-	-	-	-	-	-	.20	-	.54		30
31	.08	✕	.03	✕	-	✕	-	-	✕	1.24	✕	.16		31
TOTAL	2.11	2.12	1.65	1.77	.44	1.16	5.92	.88	.91	3.53	5.08	2.45	Year's Total 28.02	
* Days with .01 in. or more.	12	15	15	15	8	8	16	7	11	17	22	~~10~~ 23	169	
* Days with .04 in. or more.	11	13	8	9	5	6	14	3	8	11	15	12	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thr. Oates

[P.T.O.

2587

Section **A** for the entry

AIR MINIS

OPY FOR OFFICIAL USE.

L ORGANIZATION.

2587.

CROWLE NORTH LEVEL P.S.

1931-40

780410

FORM 1090.

REG

Kept at North Leve

in the County of Cro

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME

An observer who does not conform to this rule should insert the reading made on January 1 of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·34			·09				1
2		·12		·57		·46			·42				2
3				·14			·08		·68			·18	3
4							·29	·09	·69		·07		4
5				·09	·15	1·17	·04	·90	10			·18	5
6		·42				·15	·41			·19			6
7						·59		·33			·27		7
8		·05	·18	·05		·10	·16	·80					8
9		·20		·19		·08		·15	·06		·51		9
10					·09		·07				·04		10
11	·23	·17				·04		·17	·13				11
12	·05						·67				03		12
13							·03						13
14		·14				·26	·15				·47		14
15		·05		·06	·06		·35	·60					15
16		·31		·09	·14	·78		·05					16
17		·11		·33	·05	·14	·03	·23	·29				17
18				·32			·49	·03			·63		18
19	·12	·18		·10		·37	·06			·09			19
20				·06				·15	·10				20
21	·09							·43			·27		21
22					·17								22
23	·19			·06	·30	·28						·13	23
24				·72	·38		·05				·27		24
25				·25			·59						25
26		·18		·18									26
27	·18	·20		·08							·18	·09	27
28	·35	·11		·25	·20		04			·13	·17		28
29	·29	×					06		·06	·27			29
30		×		·11	·65				·06		·04		30
31	·20	×		×		×			×	·03	×	·27	31
TOTAL	1·70	2·24	·18	3·05	2·19	4·76	3·57	3·93	2·68	·71	2·95	·85	YEAR'S TOTAL 28·81
*Days with ·01 in. or more.	9	13	1	18	10	13	17	12	11	5	12	5	126
*Days with ·04 in. or more.	9	13	1	18	10	13	15	11	11	4	11	5	121

40-9999

(Signed) H. G. Trafford. [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entr

AIR MINIS

OPY FOR OFFICIAL USE.

RITISH RAINFALL ORGANIZATION.

2587

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at North Level Pumping Station (Lincoln)

in the County of Crowle. Scunthorpe

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·34			·09				1
2		·12		·57		·46			·42				2
3				·14			·08		·68			·18	3
4							·29	·09	·69		·07		4
5				·09	·15	1·17	·04	·90	10			·18	5
6		·42				·15	·41			·19			6
7						·59		·33			·27		7
8		·05	·18	·05		·10	·16	·80					8
9		·20		·19		·08		·15	·06		·51		9
10					·09		·07				·04		10
11	·23	·17				·04		·17	·13				11
12	·05						·67				03		12
13							·03						13
14		·14				·26	·15				·47		14
15		·05		·06	·06		·35	·60					15
16		·31		·09	·14	·78		·05					16
17		·11		·33	·05	·14	·03	·23	·29				17
18				·32			·49	·03			·63		18
19	·12	·18		·10		·37	·06			·09			19
20				·06				·15	·10				20
21	·09							·43			·27		21
22					·17								22
23	·19			·06	·30	·28						·13	23
24				·12	·38		·05				·27		24
25				·25			·59						25
26		·18		·18									26
27	·18	·20		·08							·18	·09	27
28	·35	·11		·25	·20		04			·13	·17		28
29	·29	×					06		·06	·27			29
30		×		·11	·65				·06		·04		30
31	·20	×		×		×			×	·03	×	·27	31
TOTAL	1·70	2·24	·18	3·05	2·19	4·76	3·57	3·93	2·68	·71	2·95	·85	YEAR'S TOTAL 28·81
*Days with ·01 in. or more.	9	13	1	18	10	13	17	12	11	5	12	5	126
*Days with ·04 in. or more.	9	13	1	18	10	13	15	11	11	4	11	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. G. Trafford.

P.T.O.

2587

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939

Kept at North Level Pumping Station. Crowle: Scunthorpe.
in the County of Lincoln
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·08		·11	·56				·19				1
2					·40			·02	·14				2
3				·12			·06					·10	3
4				·16	·04						·11		4
5	·13		·08										5
6	·53								·08				6
7			·14	·09					·14	·31			7
8		·05		·08					·09	·05			8
9		·19											9
10				·07					·12	·24		·14	10
11				·20	·38	·31	·63				·10		11
12	·08						·05			·16			12
13		·13		·04					·03	·07			13
14							·10						14
15					·10							·04	15
16	14			·10	·11					·08			16
17									·09	·13			17
18													18
19										·14			19
20					·76					·15	·23		20
21			·31	·38	2·62		·04	·72		·36		·11	21
22			·38				·26		·26		·19		22
23							·11			·09	·09		23
24							·15		·03		·13		24
25		·09		·10			·17			·34			25
26				·08	·61		·32			·11			26
27			·20	·10	·36						·16		27
28			·04	·10	·22		·47	·61		·22		·08	28
29			05 [illegible]		·06			·48	·12	·27	·08	·10	29
30		×	·07	·09		·34	·11	·29	20	·06	·07	·13	30
31		×	·04	×		×	·29		×		×	08 [illegible]	31 ~~·08~~
TOTAL	·93	·54	1·31	1·82	6·22	·65	2·76	2·12	1·49	2·78	1·16	·78	YEAR'S TOTAL 22·56
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. G. Trafford.

P.T.O.

2587

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at N.L. Pumping Station.
in the County of Crowle·Scunthorpe Lincs
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
,, Ground ,, Sea Level ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11		·15								·36		1
2	·10		·25								·15		2
3			·07		·25						·05		3
4		·13	·07										4
5	·12		·18		·21								5
6					·36								6
7		·14			·41							·13	7
8			·24				·18			·39			8
9		·13					·31			·46	·06		9
10						·46	·19			2·81			10
11	·09				·08	·07	·14			·09			11
12						·09	·10						12
13					·52		·10	·07	·07				13
14	·77				·13					·13	·33	·07	14
15	·26					·03				·05	·36	·06	15
16	·16		·42		·08	·15					·14		16
17			·70			·33			·05		·08		17
18		·27	·10			·22					·07		18
19			·20						·04				19
20									·17				20
21						1·08			·04				21
22					·05	·06		·27		·80			22
23				·17					1·15				23
24		·46		·11		·25			·54	·03	·11		24
25		·95		·25					·03				25
26		·75		·06					·04	·12		·10	26
27										·14			27
28							·05			·17			28
29				·15									29
30	·16	×		·05			·04		·05	·05			30
31		×	·08	×		×		·09	×		×		31
TOTAL	1·77	2·83	2·46	·79	2·09	2·74	1·11	·43	2·18	5·24	1·71	·36	YEAR'S TOTAL 23·71
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. G. Trafford.

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

2587

Kept at North Level Pumping
in the County of Station Crowle

Scunthorpe Lincolnshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft .... in.
,, Ground ,, Sea Level 10½ ft.

ap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·13		·15		·32	1
2								·18	24		·13	·21	2
3	·22	·05								·10			3
4			·20	·25						·03		·39	4
5			·04		·11						·18		5
6					·19	·07		·23		·12		·56	6
7						·13				·09		·28	7
8					·06	·18		·06		·03	·74		8
9			·20	·08							·79	·13	9
10			·21	·10									10
11	·46		·09	·16				·04				·21	11
12			·40	·02			·25					·07	12
13	·29					·20	·27	·07				·10	13
14			·25		·05	·55				·16	·18	·20	14
15	·06		·07		·06				·06	·08	·18		15
16	·08				·26						·05		16
17	·10		·10				·12		·22			·08	17
18	·07			·28	·04		·85						18
19			·12	·33		·11			·15	·12			19
20			·06	·05		·32							20
21						·33							21
22								·25	·30				22
23				·10			·16				·06		23
24		·07	·18	·15		·02			·07	·08			24
25	·03			·10						·08		·40	25
26		·50		·46		·03			·11				26
27				·29			·09			·08		·12	27
28				·02		·05		·46				·26	28
29	·10	X	·05						·28				29
30	·08	X								·13		·07	30
31		X		X		X			X		X		31
TOTAL	1·49	·62	1·97	2·39	·77	1·99	1·74	1·42	1·43	1·25	2·31	3·40	YEAR'S TOTAL 20·78
*Days with ·01 in. or more.	10	3	13	14	7	11	6	8	8	13	8	15	116
*Days with ·04 in. or more.	7	3	13	12	7	9	6	8	8	11	8	15	104

40-9999

(Signed) H. G. Trafford.

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 2587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at N. Level Pumping St. Crowle.

in the County of Lincolnshire.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·50	-	·12	·09	-	-	-	-	·42	-	·09	·08		1
2	-	-	-	·04	-	·21	-	-	-	·40	-	-		2
3	-	-	·15	·17	-	·07	-	-	-	·09	·16	-		3
4	-	-	-	-	-	·26	-	-	-	·25	-	-		4
5	-	·22	-	·05	-	·17	-	-	-	-	·07	-		5
6	-	-	-	-	-	·11	-	-	-	-	-	-		6
7	·15	-	-	·14	-	·32	-	-	-	·10	·32	·18		7
8	-	-	-	·10	-	-	-	·54	-	-	-	-		8
9	-	-	-	-	-	·12	-	-	-	·50	·23	-		9
10	-	·10	-	·08	-	-	-	-	-	-	-	-		10
11	·15	-	-	-	-	-	-	-	-	-	·13	-		11
12	-	-	-	-	-	·04	-	-	-	-	-	-		12
13	-	-	-	·12	·16	-	-	-	-	-	-	-		13
14	-	-	-	·11	-	-	-	-	·20	-	·44	·25		14
15	-	-	-	·35	·12	·08	-	-	·13	-	·18	·15		15
16	-	·21	·13	-	-	-	-	-	·25	-	·64	-		16
17	-	-	-	·11	-	·36	-	-	·03	·09	·72	-		17
18	·12	-	-	·16	·12	·13	·31	-	·10	·09	-	-		18
19	-	-	-	·09	-	·23	-	-	-	-	·13	-		19
20	-	-	-	·21	-	·11	-	-	-	-	·23	-		20
21	-	·68	-	-	-	-	-	-	·31	-	·05	-		21
22	-	·12	-	-	-	-	-	-	-	-	-	-		22
23	-	-	·25	·15	-	-	-	·51	-	-	-	-		23
24	-	·46	-	-	-	-	-	-	1·43	-	-	·30		24
25	·21	-	-	-	-	·04	-	-	-	-	-	-		25
26	·38	-	-	-	-	-	-	·79	·34	-	-	·30		26
27	-	·30	-	-	-	-	·06	-	·14	-	·13	·68		27
28	-	-	-	-	-	-	-	-	·04	·34	-	·13		28
29	-	X	·03	-	-	-	-	-	·09	·03	-	·07		29
30	·12	X	-	-	-	-	-	·08	-	·09	·08	-		30
31	-	X	-	X	-	X	-	-	X	·39	X	·23		31
TOTAL	1·63	2·09	·68	1·97	·40	2·25	·37	1·92	3·48	2·37	3·60	2·37	Year's Total 23·13	
* Days with .01 in. or more.	~~7~~	~~7~~	~~5~~	~~15~~	~~3~~	~~14~~	~~2~~	~~4~~	~~12~~	~~11~~	~~15~~	~~10~~	~~105~~	
* Days with .04 in. or more.	~~7~~	~~7~~	~~4~~	~~15~~	~~3~~	~~14~~	~~2~~	~~4~~	~~11~~	~~10~~	~~15~~	~~10~~	~~102~~	

"d"

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo H Simmons

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at NORTH LEVEL PUMPING ST. CROWLE

in the County of LINCOLNSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·21	·10	·38	–	–	–	·33	–	–	·03	·16		1
2	–	–	·15	–	–	·90	·15	–	–	–	·24	·08		2
3	–	–	–	–	–	·09	–	–	·27	–	–	–		3
4	·06	–	·09	–	–	–	–	–	·04	–	·15	–		4
5	·07	–	·06	–	–	–	–	·21	–	–	–	–		5
6	–	–	–	–	–	·04	·18	·21	·48	–	·08	–		6
7	·23	–	–	–	–	–	1·69	–	·04	·09	–	·14		7
8	·08	–	–	–	–	–	–	–	–	–	·18	–		8
9	·19	–	·15	–	–	–	·22	–	–	–	·13	–		9
10	–	–	–	–	–	–	·52	·22	–	·10	·07	–		10
11	–	–	–	–	–	–	–	–	–	–	·45	–		11
12	–	–	–	·29	·12	·32	·41	–	·13	–	·08	–		12
13	–	–	–	–	–	·20	–	–	–	·11	–	·24		13
14	–	–	–	·23	–	·11	–	–	·45	–	·07	·11		14
15	·46	–	–	·12	–	–	·17	–	–	–	·12	–		15
16	–	·12	–	–	–	–	–	–	–	–	·26	–		16
17	–	·54	–	·08	·03	–	·17	–	–	–	·04	–		17
18	–	·03	–	–	–	–	·11	·10	–	·18	–	·04		18
19	·44	–	–	–	–	·25	–	·59	–	·07	–	–		19
20	–	–	–	–	–	–	·11	–	–	–	–	–		20
21	–	–	–	–	–	·37	–	–	–	–	–	–		21
22	–	·43	·08	–	·13	·60	·16	–	–	–	–	–		22
23	–	–	–	·08	·09	–	·29	–	–	–	–	–		23
24	·15	–	–	–	·37	–	–	–	·16	–	–	–		24
25	·13	–	–	·08	–	–	·11	–	–	·22	–	–		25
26	–	–	·15	–	–	–	–	–	·18	·11	–	–		26
27	·18	–	·10	–	–	–	–	–	·06	·19	–	–		27
28	·14	·66	·05	–	–	–	–	–	–	–	–	·10		28
29	·63	·28	·06	–	·33	·30	–	–	–	·03	·49	·08		29
30	·04		–	–	·29	·04	·32	–	–	·83	–	–		30
31	–		–		·04		–	–		–		·10		31
TOTAL	2·54	2·27	·99	1·26	1·40	3·22	4·61	1·66	1·81	1·93	2·39	1·05	Year's Total 25·43	
* Days with .01 in. or more.	14	7	10	7	8	11	14	6	9	10	14	9	119	
* Days with .04 in. or more.	14	6	10	7	7	11	14	6	9	9	13	9	115	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo H Simmons [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at North Level Pumping Station, Crowle

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·08	·07	-	-	-	-	-	-	-	·06	·17		1
2	-	·06	·11	·35	-	-	-	-	-	-	-	1·89		2
3	-	·05	-	·30	-	-	-	-	-	-	-	·10		3
4	·07	-	·05	·22	-	-	-	-	-	-	-	·22		4
5	·14	-	·08	-	-	-	-	-	-	-	-	·27		5
6	-	-	·04	·05	-	-	-	-	-	-	-	·11		6
7	-	·21	-	·21	·53	-	-	-	-	-	-	-		7
8	-	·26	-	·07	-	-	-	-	-	-	-	·10		8
9	-	-	-	-	·23	-	·55	-	-	-	-	-		9
10	-	-	-	·27	[illegible]	·12	-	-	-	-	·16	·40		10
11	-	-	·69	·05	·94	-	-	-	-	-	-	·12		11
12	·10	·34	·09	-	·44	1·67	-	-	-	-	-	·15		12
13	-	-	-	-	-	·83	-	-	-	-	-	·11		13
14	-	-	·30	-	-	-	-	·21	-	-	-	·08		14
15	-	·32	-	·31	-	-	1·37	-	-	-	-	·13		15
16	·20	-	·26	·51	-	·23	-	-	·28	-	-	-		16
17	·13	-	·15	·26	-	·10	-	-	·31	-	-	-		17
18	·90	-	-	·03	-	-	-	-	·05	-	·42	-		18
19	-	-	-	·24	-	·10	·21	-	-	-	·32	-		19
20	·23	-	-	·21	·84	-	-	-	-	-	-	-		20
21	·04	-	·22	-	-	-	·26	-	-	·09	-	-		21
22	-	-	-	-	-	-	-	-	-	·21	-	·08		22
23	·30	-	-	·05	·14	-	·17	-	-	·66	·38	-		23
24	·30	-	-	-	-	·03	-	-	·05	·21	-	-		24
25	·09	·51	-	-	-	-	-	-	-	·59	-	-		25
26	-	·17	·10	-	·34	-	-	-	-	-	-	-		26
27	-	-	-	·13	-	-	-	-	-	·50	-	-		27
28	-	·32	·05	-	-	-	-	-	-	-	-	-		28
29	-	X	-	-	-	-	-	-	-	-	·07	·12		29
30	·40	X	-	-	-	-	-	-	-	·09	·15	-		30
31	·23	X	-	X	-	X	-	-	X	·15	X	·08		31
TOTAL	3·13	2·32	2·21	3·26	3·46	3·08	2·56	·21	·69	2·50	1·56	4·13	Year's Total 29·11	✓
* Days with .01 in. or more.	13	10	13	16	7	7	5	1	4	8	7	16	107	low.
* Days with .04 in. or more.	13	10	13	15	7	6	5	1	4	8	7	16	105	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) Geo H Simmons

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at North Level Pumping Station, Crowle.

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 8 ft.

? Days

W.J.K.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·80	·10	–	–	·07	·10	·10		1
2	–	–	–	–	–	–	–	–	–	·06	–	·18		2
3	–	–	–	–	–	·04	–	–	·30	·69	·04	–		3
4	·09	–	–	·05	–	·06	–	–	–	·08	–	·18		4
5	–	–	–	–	–	–	–	·07	–	·30	–	–		5
6	–	–	–	–	–	–	·52	–	–	·03	–	–		6
7	·13	–	–	–	–	–	·12	·62	·22	·09	–	·05		7
8	·21	–	–	–	–	–	·15	–	–	·19	–	·10		8
9	–	·06	–	–	–	·03	–	–	·07	–	–	–		9
10	–	–	–	–	–	·11	·19	–	–	–	–	–		10
11	·24	–	–	–	–	–	·08	–	–	–	–	–		11
12	·09	·11	–	–	·03	–	–	·64	–	·43	·06	–		12
13	–	–	–	–	–	–	–	–	–	–	–	·40		13
14	·08	–	–	–	·05	–	·32	–	·20	–	–	–		14
15	·14	–	–	–	–	–	·36	–	–	–	–	·22		15
16	·10	–	–	–	–	–	·65	–	–	–	–	·33		16
17	–	–	–	–	·70	–	·14	·03	–	·07	–	–		17
18	·05	–	–	–	·13	·26	–	–	·03	–	·17	–		18
19	–	·12	–	–	–	–	–	·13	·04	–	–	·26		19
20	–	–	–	–	–	–	–	–	–	–	·42	–		20
21	–	–	–	–	–	–	–	–	·01	–	–	·52		21
22	–	–	–	–	–	·37	–	–	–	–	·27	·16		22
23	–	–	–	–	·07	·08	–	–	·08	–	·07	–		23
24	–	–	·21	–	–	–	·07	·05	·34	–	–	·08		24
25	–	·19	–	–	–	–	–	–	–	·38	·60	·16		25
26	–	·63	·16	–	·12	–	–	–	·09	·14	–	–		26
27	–	–	–	–	·75	·21	·16	·17	·28	–	·12	–		27
28	·24	–	–	–	·46	·08	·07	·99	·15	–	–	–		28
29	–	×	–	·06	·55	–	·02	–	–	·08	·08	·13		29
30	·05	×	–	·04	·17	·14	–	–	·12	–	·04	–		30
31	·13	×	–	×	·18	×	–	–	×	·08	×	·60		31
TOTAL	1:55	1:11	0:37	0:15	3:21	2:18	2:95	2:70	1:93	2:69	1:97	3:47	Year's Total 24:28	
* Days with .01 in. or more.	12	5	2	3	11	11	14	8	13	14	11	15	119	
* Days with .04 in. or more.	12	5	2	3	10	10	13	9	11	13	11	15	112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo. H. Simmons

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2587.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at NORTH LEVEL PUMPING ST., CROWLE

in the County of LINCOLNSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·05	-	-	-	-	·37	·23	08	-	-		1
2	07	-	-	·16	-	-	·09	·20	·22	13	·06	-		2
3	04	-	-	·09	-	-	-	·24	-	—	·30	·17		3
4	09	-	·25	·31	-	-	-	·54	-	—	-	·64		4
5	-	-	-	-	·08	-	-	·40	-	25	·24	·40		5
6	·79	-	-	-	-	-	·26	-	-	-	-	-		6
7	-	·12	-	-	-	-	-	-	-	-	·12	·09		7
8	·05	-	·04	-	-	-	·16	-	-	·01	-	·33		8
9	-	-	-	-	-	-	-	·08	-	·70	-	·32		9
10	·55	-	-	-	-	-	-	-	-	-	-	-		10
11	·11	-	·31	-	·08	·33	-	·03	-	·06	-	-		11
12	-	·09	-	-	-	-	-	·02	-	-	-	-		12
13	-	-	-	·06	-	-	-	-	·25	·08	-	-		13
14	·43	-	-	·09	·20	·25	·46	-	-	·38	-	-		14
15	·04	-	-	-	·20	-	59	-	-	-	-	-		15
16	-	-	·27	-	·70	·12	·08	-	-	-	·19	-		16
17	·56	·03	-	-	·03	-	·44	-	·04	·18	-	-		17
18	·23	·03	·08	-	-	·34	·10	-	·05	-	1·48	-		18
19	·25	-	-	-	-	·35	·15	-	-	-	-	-		19
20	-	-	-	-	-	·10	·06	-	·06	-	-	·07		20
21	·15	·20	·19	-	-	-	-	·02	-	-	-	-		21
22	·06	33	·06	·15	-	-	-	-	·13	-	·46	-		22
23	-	-	-	·09	-	·07	·07	-	-	·10	·31	-		23
24	-	-	·11	-	-	-	-	-	-	-	-	-		24
25	·45	-	01	-	-	-	-	1·20	-	-	·08	·10		25
26	-	-	—	-	-	-	-	-	-	·11	-	-		26
27	·03	05	41	·11	-	-	-	-	-	·19	·14	-		27
28	-	23	·09	·10	-	·03	·13	-	-	·04	·22	-		28
29	-	X	-	-	-	·04	·26	·09	-	·20	-	-		29
30	-		-	-	-	·01	-	-	-	-	·16	-		30
31	-		-		-		·09	-		-		-		31
TOTAL	3·90	1·08	1·87	1·16	1·29	1·64	2·94	3·19	0·98	2·51	3·76	2·12	Year's Total 26·44	
* Days with .01 in. or more.	14	6	11	9	6	10	14	11	7	11	12	7	118	
* Days with .04 in. or more.	~~14~~ 15	6	~~11~~ 12	9	5	8	14	8	7	~~11~~ 13	12	~~7~~ 8	110	~~109~~ 117

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo H Simmons F.S.I.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19 40.

Totals

Kept at CROWLE.

in the County of LINCOLNSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·05							0·16			1
2	·02			0·19							0·07			2
3		0·16		0·05						0·10				3
4		0·19								0·16	0·36	0·05		4
5					0·14		0·28				0·18	0·09		5
6	12	0·12								0·69				6
7	15	0·32		0·11			0·04							7
8										0·15		0·26		8
9			0·35				0·03				0·65	0·05		9
10							1·21				0·12			10
11						0·05	0·33				0·46			11
12			0·15				0·04		0·21					12
13			0·18		0·13				0·11					13
14							0·35					0·47		14
15											0·15			15
16	07		0·18			0·06	0·21		0·07	0·58	0·33			16
17			0·52	0·05			1·30				0·62			17
18	05	0·37	0·05	0·63			0·19	0·46				0·10		18
19		0·12		0·13			0·60		0·32	0·09	0·10			19
20				0·20		0·09	0·12	0·12						20
21	20						0·12			0·10	1·00			21
22					0·03	0·48			0·09					22
23			0·11	0·04	0·02	0·21					0·08	0·08		23
24	0·13						0·05			0·15				24
25	12				0·03									25
26	0·42	0·13			0·06		0·17	0·08		0·05				26
27	0·21	0·24		0·11			0·35							27
28		0·33												28
29			0·16		0·04	0·19						0·35		29
30	0·40	×								0·19		0·60		30
31	0·14	×	0·05	×		×			×	0·94	×	0·10		31
TOTAL	2·07	1·98	1·75	1·56	0·45	1·08	5·39	0·66	0·80	3·20	4·28	2·15	Year's Total 25·37	
* Days with .01 in. or more.	13	9	9	10	7	6	16	3	5	11	13	10	112	"d"
* Days with .04 in. or more.	11	9	9	10	4	6	15	3	5	11	13	10	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Walter W. Hacle
Engineer to the Board.

[P.T.O.

2587/5

Section **A** for the entry
AIR MINIS

FOR OFFICIAL USE.
ALL ORGANIZATION Lincoln
7

FORM 1090. **REGI** 31.

Kept at Snowdrop V cwih 1920.

in the County of L Crowle.

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

Eastoft and
rainage Commission

THE MORNING MEA AY.

An observer who does not conform *following*
year in the space on the right of

Jan. 1, following

2587/5

CROWLE, SNOWDROP VILLA
1931 — 40

780410

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	—	·03	[illegible]		·49			·07	·02	—	·01	1
2	—	·11	—	·54	·01	·47	—	—	·43	·04	TR	·02	2
3	—	TR	—	·12	·04	·01	·09	—	·64	—	·03	·20	3
4	—	·08	—	·09	—	—	·23	·13	·84	—	·07	·01	4
5	—	·01	—	—	·12	1·03	·04	·72	·11	—	TR	·16	5
6	—	·08	—	—	—	·12	·17	—	·01	·13	TR	—	6
7	—	·10	·03	—	—	·52	·04	·20	—	·01	·27	—	7
8	·11	·04	·08	·03	—	·02	·17	·86	—	—	·02	—	8
9	—	·22	·03	·23	TR	·07	·04	·14	TR	·02	·44	TR	9
10	·01	—	·04	—	·09	·03	—	·25	TR	—	·05	TR	10
11	·07	·17	—	—	—	·02	·02	TR	·10	—	·03	TR	11
12	·05	·07	—	—	—	—	·63	·03	·03	·02	·06	—	12
13	·02	—	—	—	—	·01	·02	TR	—	·01	TR	—	13
14	·04	·12	—	—	TR	·29	·30	·58	—	TR	·46	TR	14
15	—	·05	—	·05	·07	TR	·28	·02	—	—	·03	·01	15
16	—	·14	—	·08	·16	·80	·03	·20	·28	wet fog T.R.	—	—	16
17	·01	·22	—	·39	·04	·01	·03	—	—	—	—	—	17
18	·04	·02	—	·37	—	·12	·54	·08	—	wet fog T.R.	·52	—	18
19	·02	·19	—	·09	T.R.	·04	·03	·06	·08	·05	—	—	19
20	—	·06	—	·05	—	TR	—	·41	—	TR	TR	TR	20
21	·09	—	—	·01	·08	—	—	·05	·01	—	·24	—	21
22	·01	—	—	—	·14	—	—	—	TR	—	TR	—	22
23	·20	TR	·02	·05	·24	·29	·02	—	·06	TR	·22	·08	23
24	—	—	—	·13	·38	—	·04	TR	·02	·01	TR	—	24
25	·02	TR	—	·34	—	—	·23	TR	TR	—	·01	—	25
26	—	·10	—	·20	·03	—	·01	—	·02	—	·16	—	26
27	·12	·15	—	·05	—	—	·01	—	—	·13	·16	·08	27
28	·31	·10	—	·26	·17	—	—	—	—	·01	·01	·02	28
29	·25	×	—	—	·02	—	·08	—	·01	·28	·02	·07	29
30	—	×	—	·13	·56	—	—	—	·01	TR	TR	—	30
31	·15	×	—	×	—	×	TR	TR	×	·02	×	·09	31
TOTAL	1·52	2·03	·23	3·22	2·15	4·34	3·05	3·73	2·72	·75	2·80	·75	YEAR'S TOTAL 27·29
*Days with ·01 in. or more.	17	19	6	20	15	17	22	14	16	13	18	11	188
*Days with ·04 in. or more.	11	17	2	17	12	11	14	12	9	5	11	6	127

40-9999

0

(Signed) A L Chapman [P.T.O.

CROWLE DRAINAG COMMISSION

*See Instruction 2 (*f*) on other side.

2587/5

Section **A** for the entry

FOR OFFICIAL USE.

Lincoln

7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Snowdrop Villa, Crowle
in the County of Lincoln

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level approx 15 ft.

A L Chapman on behalf of the Crowle. Ealand Belton Eastoft and Luddington Drainage Commission

cuih 1930.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	·01	–	·49	–	–	·07	·02	–	·01	1
2	–	·11	–	·54	·01	·47	–	–	·43	·04	TR	·02	2
3	–	TR	–	·12	·04	·01	·09	–	·64	–	·03	·20	3
4	–	·08	–	·09	–	–	·23	·13	·84	–	·07	·01	4
5	–	·01	–	–	·12	1·03	·04	·72	·11	–	TR	·16	5
6	–	·08	–	–	–	·12	·17	–	·01	·13	TR	–	6
7	–	·10	·03	–	–	·52	·04	·20	–	·01	·27	–	7
8	·11	·04	·08	·03	–	·02	·17	·86	–	–	·02	–	8
9	–	·22	·03	·23	TR	·07	·04	·14	TR	·02	·44	TR	9
10	·01	–	·04	–	·09	·03	–	·25	TR	–	·05	TR	10
11	·07	·17	–	–	–	·02	·02	T·R	·10	–	·03	TR	11
12	·05	·07	–	–	–	–	·63	·03	·03	·02	·06	–	12
13	·02	–	–	–	–	·01	·02	TR	–	·01	TR	–	13
14	·04	·12	–	–	TR	·29	·30	·58	–	TR	·46	TR	14
15	–	·05	–	·05	·07	TR	·28	·02	–	–	·03	·01	15
16	–	·14	–	·08	·16	·80	·03	·20	·28	wet fog T·R	–	–	16
17	·01	·22	–	·39	·04	·01	·03	–	–	–	–	–	17
18	·04	·02	–	·34	–	·12	·54	·08	–	wet fog T·R.	·52	–	18
19	·02	·19	–	·09	T·R·	·04	·03	·06	·08	·05	–	–	19
20	–	·06	–	·05	–	TR	–	·41	–	TR	TR	TR.	20
21	·09	–	–	·01	·08	–	–	·05	·01	–	·24	–	21
22	·01	–	–	–	·14	–	–	–	TR	–	TR	–	22
23	·20	TR	·02	·05	·24	·29	·02	–	·06	TR	·22	·08	23
24	–	–	–	·13	·38	–	·04	TR	·02	·01	TR	–	24
25	·02	TR	–	·34	–	–	·23	TR	TR	–	·01	–	25
26	–	·10	–	·20	·03	–	·01	–	·02	–	·16	–	26
27	·12	·15	–	·05	–	–	·01	–	–	·13	·16	·08	27
28	·31	·10	–	·26	·17	–	–	–	–	·01	·01	·02	28
29	·25	✕	–	–	·02	–	·08	–	·01	·28	·02	·07	29
30	–	✕	–	·13	·56	–	–	–	·01	TR	TR	–	30
31	·15	✕	–	✕	–	✕	TR	TR	✕	·02	✕	·09	31
TOTAL	1·52	2·03	·23	3·22	2·15	4·34	3·05	3·73	2·72	·75	2·80	·75	YEAR'S TOTAL 27·29
*Days with ·01 in. or more.	17	19	6	20	15	17	22	14	16	13	18	11	188
*Days with ·04 in. or more.	11	17	2	17	12	11	14	12	9	5	11	6	127

40-9999

(Signed) A L Chapman [P.T.O.

CROWLE DRAINAG COMMISSION

*See Instruction 2 (*f*) on other side

Station No ~~258~~ 258/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

258/5

Kept at Snowdrop Villa, Crowle

in the County of Lincoln.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level approx 15 ft.

A L Chapman.
on behalf of the Crowle, Ealand
Belton, Eastoft & Luddington
Drainage Commission.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·05	—	·11	·54	—	—	—	·21	·06	·02	·05	1
2	·02	—	—	·01	·42	—	—	·05	·14	·03	TR	·02	2
3	—	TR	—	·12	TR	TR	·06	TR	—	·01	·01	·04	3
4	—	—	TR	·19	TR	·01	TR	—	—	TR	·09	TR	4
5	·11	·02	·04	·01	·01	·01	·06	TR.	·02	TR	·01	—	5
6	·57	—	·04	·01	TR	—	·01	—	·06	—	TR	·01	6
7	·01	—	·14	·09	—	—	·01	—	·14	·14	·02	·01	7
8	—	·03	TR	·08	·01	TR	—	—	·09	·05	·01	·01	8
9	—	·16	—	·20	TR	—	—	—	TR	TR	TR	TR	9
10	·01	·04	·02	·03	TR	—	—	—	·13	·29	—	·08	10
11	—	·02	·01	·06	·34	·33	·35	TR	·01	TR	·02	·01	11
12	·05	TR	—	TR.	·07	—	·12	·01	TR	·28	·06	TR	12
13	·03	·15	TR	·04	·02	—	·08	—	·03	—	TR	—	13
14	—	·01	—	·03	TR	—	·02	—	—	·05	·06	TR.	14
15	—	TR	·01	TR	·04	—	TR	—	TR	·06	·06	·06	15
16	·10	—	·01	·19	·11	—	—	—	TR	·28	—	TR	16
17	·01	TR	TR	TR	TR	—	·01	—	·06	·10	TR	—	17
18	—	—	—	TR	·03	TR	—	—	—	·01	—	—	18
19	—	·01	—	TR	TR	TR	—	TR	·04	·15	TR	—	19
20	—	—	TR	·03	·30	—	·04	·23	—	·13	·04	TR	20
21	—	TR	·22	·45	2·88	—	TR	·38	—	·35	·02	·10	21
22	TR	—	·42	TR	·04	—	·36	TR	·32	·01	·25	·02	22
23	—	·01	—	·03	·03	—	·10	—	—	·08	·07	TR	23
24	·02	TR	—	—	·04	—	·14	—	·04	·05	·12	TR	24
25	—	·02	—	·10	·02	—	·04	—	TR	·39	TR	TR	25
26	TR	·02	—	·06	·47	—	·20	—	·02	·10	·04	TR	26
27	—	·01	·18	·10	·34	TR	·01	—	TR	·04	·10	·03	27
28	—	·01	·04	·02	·24	·01	·45	·51	·02	·20	·01	·03	28
29	—	—	·04	·02	·04	·03	·15	·24	·07	·26	·14	·03	29
30	—	×	·07	·06	TR	·24	·04	·28	·09	·08	·10	·15	30
31	TR	×	·04	×	TR	×	·28	—	×	TR	×	·09	31
TOTAL	·98	·56	1·28	1·97	5·99	·63	2·53	1·70	1·49	3·20	1·25	·77	YEAR'S TOTAL 22·35
*Days with ·01 in. or more.	11	14	14	23	20	6	20	7	17	24	20	16	192
*Days with ·04 in. or more.	5	4	10	14	14	2	15	6	12	20	12	7	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A L Chapman

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. ~~2587/15~~ 2587/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933..

Kept at Snowdrop Villa, Crowle
in the County of Lincoln
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level approx 15 ft.

A.L. Chapman
on behalf of the
Crowle District Drainage Board
Crowle

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·02	·15	—	TR	—	—	—	—	TR	·36	·01	1
2	·11	TR	·28	—	·03	—	—	—	—	TR	·11	—	2
3	·03	·08	·08	TR	·29	—	—	—	TR	TR	·09	—	3
4	·05	·01	·07	—	·01	—	—	—	—	TR	·02	—	4
5	·08	TR	·12	TR	·21	—	TR	TR	—	TR	—	—	5
6	TR	·08	·09	—	} ·88	—	—	—	—	TR	—	·05	6
7	TR	TR	·01	—		—	—	—	—	·39	·02	·03	7
8	—	TR	·12	·02	·02	—	·21	—	—	TR	·01	·06	8
9	—	·18	·02	TR	·04	—	·35	—	—	·49	·03	·01	9
10	·03	·02	—	—	·01	·35	·21	·01	—	3·11	·02	—	10
11	·02	—	—	·01	·05	·03	·35	—	—	·10	TR	—	11
12	·02	·01	·01	—	TR	·03	·12	·09	—	TR	TR	·01	12
13	·01	—	TR	—	·36	TR	·10	TR	·04	·06	·05	—	13
14	·01	—	—	—	·03	—	—	TR	—	·05	·20	·01	14
15	·49	—	·01	—	·01	·03	—	·08	—	·06	·31	·05	15
16	·39	—	·45	TR	·10	·20	—	TR	—	—	·12	·01	16
17	·06	·07	·57	—	TR	·29	—	·01	·05	·01	·10	TR	17
18	·01	·13	·12	·02	TR	·36	—	·01	—	TR	·04	TR	18
19	TR	·04	·16	·05	—	·03	—	—	·06	TR	·01	·01	19
20	—	·05	·01	·01	—	·03	—	·02	·18	TR	·02	TR	20
21	—	·03	—	TR	—	·59	—	—	·05	TR	·01	TR	21
22	—	·02	—	—	·03	·10	—	·18	TR	·85	·01	TR	22
23	—	·01	—	·10	—	TR	—	—	1·05	TR	TR	—	23
24	—	·36	—	·08	·03	·29	—	TR	·65	·02	·03	TR	24
25	—	·67	—	·28	—	TR	—	—	TR	·02	·07	·04	25
26	—	·73	—	·10	·03	—	—	—	·06	·12	·01	·01	26
27	TR	·03	—	TR	·04	—	—	—	·01	·12	TR	TR	27
28	—	·01	—	·01	·01	—	·05	—	TR	·20	·01	—	28
29	TR	×	—	·14	TR	—	·10	—	TR	·02	TR	TR	29
30	·11	×	—	·05	—	—	·08	—	—	·02	—	·05	30
31	TR	×	·05	×	—	×	TR	·10	×	TR	×	TR	31
TOTAL	1·48	2·55	2·32	·87	2·18	2·33	1·57	·50	2·15	5·64	1·65	·35	YEAR'S TOTAL 23·59
*Days with ·01 in. or more.	15	19	17	12	18	12	9	8	9	16	22	13	170
*Days with .04 in. or more.	8	10	12	7	8	7	9	4	8	11	10	5	99

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) A L Chapman

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2587/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Snowdrop Villa, Crowle

in the County of Lincoln

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level approx 15 ft.

R L Chapman
for on behalf of the
Crowle District Drainage Board
Crowle

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·02	—	—	—	—	·10	—	·15	TR	·21		1
2	TR.	·03	·03	TR	—	—	—	·18	·18	TR	·10	·26		2
3	·20	·02	—	TR	—	—	—	·02	TR	·15	·05	·01		3
4	·02	—	·07	·29	TR	TR	—	—	·02	·02	TR	·41		4
5	TR	—	·04	·01	·06	—	—	·06	TR	—	·15	—		5
6	TR	TR	TR	TR	·16	·06	—	·32	TR	·14	·01	·59		6
7	·09	—	—	—	·01	·10	—	TR	—	·10	·11	·28		7
8	—	—	TR	TR	·06	·20	—	·06	—	TR	·63	TR		8
9	TR	—	·15	·05	TR	·01	—	·02	—	·05	·77	·10		9
10	·01	—	·27	·09	—	—	—	·01	—	TR	·05	·01		10
11	·44	—	·11	·18	—	—	—	·01	—	TR	TR	·21		11
12	TR	TR	·39	·02	TR	—	·22	·02	—	—	TR	·08		12
13	·27	—	·05	·02	TR	·11	·39	·08	—	·01	·01	·09		13
14	·01	—	·23	—	·09	·30	TR	TR	—	·10	·09	·18		14
15	·05	—	·05	TR	·06	TR	—	TR	—	·06	·19	TR		15
16	·11	—	·06	—	·30	—	—	—	·02	TR	·05	TR		16
17	·10	—	·03	—	·01	—	·16	—	·25	·03	TR	·01		17
18	·12	—	TR	·23	·03	·01	·61	TR	·01	TR	—	—		18
19	·01	—	·10	·32	·03	·12	·01	—	·20	·11	—	—		19
20	—	—	·03	·08	·02	·12	—	—	·02	TR	—	—		20
21	—	TR	TR	—	—	·30	—	—	·03	TR	—	TR		21
22	—	—	—	—	—	TR	—	·24	·31	TR	—	·01		22
23	—	—	·04	·11	—	TR	·16	TR	—	·05	·05	TR		23
24	—	·03	·08	·31	—	·05	·18	—	·08	·02	—	·02		24
25	·03	TR	—	·12	—	—	·01	—	·06	·05	—	·30		25
26	·12	·22	—	·40	—	TR	·02	—	·05	TR	TR	·01		26
27	—	·18	—	·37	—	·05	·03	—	TR	·03	—	·10		27
28	—	—	·01	TR	—	·23	TR	·54	—	—	—	·26		28
29	TR	×	·01	—	—	TR	·02	·02	·22	—	—	·06		29
30	TR	×	—	—	—	—	·42	TR	TR	·10	—	TR		30
31	·05	×	—	×	TR	×	·02	·20	×	TR	×	·05		31
TOTAL	1·65	·48	1·77	2·60	·83	1·66	2·25	1·88	1·45	1·17	2·26	3·25	Year's Total 21·25 ✓	
*Days with ·01 in. or more.	16	5	19	15	11	13	13	15	13	16	13	21	170 ✓	
*Days with .04 in. or more.	10	2	13	12	6	11	7	9	8	11	11	15	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R L Chapman

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2584/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Snowdrop Villa Crowle

in the County of Lincoln

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level approx 15 ft.

A. S. Chapman
for & on behalf of the
Crowle District Drainage Board
Crowle.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.44	TR	.15	.09	—	—	.02	—	.41	.02	.09	.06		1
2	.02	.01	TR	—	—	.22	—	TR	—	.34		TR		2
3	.02	.08	.12	—	TR	.05	—	—	TR	.14	x	TR		3
4	—	TR	TR	.05	—	.12	—	—	.01	.32		TR		4
5	.01	.18	.01	.06	—	.22	—	—	TR	.01	x	TR		5
6	.07	.01	—	—	—	.11	—	—	—	—	.48	TR		6
7	.05	—	—	.15	—	.43	—	—	—	.13	x	.13		7
8	TR	—	TR	.09	—	.01	—	.28	—	.01		.03		8
9	TR	.01	TR	.04	TR	.09	—	—	—	.58	x	.01		9
10	—	.10	—	.02	—	.01	—	—	—	.08	—	TR		10
11	.15	.01	—	—	.01	TR	—	TR	—	TR	.10 x	.03		11
12	TR	.01	—	.04	—	.09	—	—	—	—	TR	TR		12
13	.06	.01	—	.10	.14	TR	—	—	TR	TR	TR	TR		13
14	.01	.01	—	.11	.05	.02	TR	TR	.24	TR	.44	.06		14
15	TR	.05	—	.35	.04	.04	.01	—	.14	—	.17	.15 x		15
16	—	.20	.01	.06	.02	.11	.02	TR	.29	TR	.66	—		16
17	TR	.01	TR	.04	TR		TR	TR	.12	.13	.80	—		17
18	.04	TR	—	.15	.02	54	x	12	.15	TR	.04	—		18
19	.01	TR	—	.09	TR	.21	.30	—	TR	.10	.09	—		19
20	.04	.01	—	.30	—	.14	—	—	TR	—	.12	—		20
21	—	.65	—	—	TR	—	—	—	.36	.02	.04	—		21
22	—	.17	.10	.02	—	—	—	TR	—	TR	.03	—		22
23	TR	TR	.15	TR	TR	—	—	.46	.01	.01	TR	—		23
24	.08	.49	.09	.09	—	—	—	TR	1.41	TR	—	.23		24
25	.11	.05	TR	TR	—	.09	—	—	TR	—	TR	.01		25
26	.08	TR	—	—	—	—	.01	.48	.31	TR	.02	.26		26
27	.23	.22	—	TR	—	—	TR	TR	.14	.03	.14	.64		27
28	.08	.05	—	TR	—	—	—	—	.04	.24	TR	.10		28
29	TR	X	.02	—	—	—	—	TR	.08	.05	TR	.05		29
30	.06	X	—	—	—	TR	—	.16	.02	.10	.15	.01		30
31	.04	X	—	X	—	X	—	.01	X	.37	X	.23		31
TOTAL	1.60	2.33	.65	1.85	.31	2.50	.36	1.81	3.43	2.68	3.67	2.00	Year's Total 23.19	
* Days with .01 in. or more.	~~5~~ 19	~~9~~ 20	~~3~~ 8	~~2~~ 18	~~8~~ 6	~~8~~ 17	~~4~~ 5	~~X~~ 6	~~8~~ 15	~~6~~ 18	~~2~~ 18	~~5~~ 15	~~46~~	165
* Days with .04 in. or more.	14 ✓	11	5	16	3	14	1 ✓	5	12	12	~~13~~ 16	10 ✓	~~116~~	119.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A S Chapman

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3587/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

afc

Kept at Galloworthy Wharf Road Crowle
in the County of Lincoln (Lindsey)

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 16'-6" ft.

A. S. Chapman
for & on behalf of the
Crowle District Drainage Board
Crowle Nr Scunthorpe

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·15	·08	·32	—	—	·05	—	·01	T.R	—	·17		1
2	·01	·04	·13	T.R.	—	·81	·16	·19	—	—	·21	·08		2
3	T.R	—	T.R	—	—	·14	·01 ~~·007~~	-	·41	—	·01 ~~·005~~	·01 ~~·005~~		3
4	·04	—	·11	—	—	—	—	·01	—	—	·16	TR		4
5	·05	—	·06	—	TR	—	—	·10	·07	—	T.R.	·04		5
6	T.R	—	TR	—	—	—	·18	·28	·46	·01 ~~·006~~	·07			6
7	·22	—	·01	—	—	—	2·10	T.R	·03	·04	–	·09		7
8	·08	—	·02	—	—	—	—	—	T.R	·02	5/72	·07		8
9	·18	—	·14	—	T.R.	·05	·30	—	—	·06	·11	·01 ~~·005~~		9
10	·01	—	T.R.		T.R	—	·48	·24	—	·04	·09	·01 ~~·005~~		10
11	—	—	—	·32	·09	·01	·01	T.R	·01 ~~·005~~		·45	T.R		11
12	—	—	—		—	·29	·39	—	·12	T.R	·08	·24		12
13	—	—	—		—	·20	T.R.	—	·34	·11	·03			13
14	—	—	—	·22	—	·14	—		·89	T.R	·19	·08		14
15	·30	T.R.	—	·14	—	·01	·06	·07	TR	—		·02		15
16	·18	·11	—	·03	·01	—	·02		—	—	·25	T.R.		16
17		·47	—	·01	—	·02	·11	T.R	—	·14	·02	·02		17
18		·06	—	—	—	—	·04	·05 ~~·005~~	—		·05	TR		18
19		·01	-	—	—	·11	—	·53 ~~·535~~	—	·06	TR			19
20	·50	—	-	—	—	—	·11	T.R	—	T.R.	TR	T.R		20
21		—	-	·01	·02	·22	—	—	—	—	·01	T.R		21
22		·54	-	—	·14	·72	·10	—	—	—	–	·01		22
23		TR	·03	·07	·09	—	·32	—	—	—	·01	·01 ~~·005~~		23
24		·04	—	TR	·40	—	TR	—	·15	·24	·01 ~~·005~~			24
25	·11	T.R	—	·08	TR	—	·05	—	·05		·02	T.R.		25
26		·05	·15	—	—	—	·01	—	·14	·13	T.R			26
27	·22	—		·05	—	—	—	—	·06	·19	TR			27
28		·48	·02	T.R.	—	—	·07	—	·02	TR	·32	·06		28
29	·67	·22	·08	—	·17	·33		—	T.R.	·01		·08		29
30	·02	×	—	—	·46	·04	·27	—	—	·85	TR	·01		30
31	T.R.	×	T.R	×	T.R	×	T.R.	—	×	·11	×	·09		31
TOTAL	2·62	2·14	·83	1·25	1·38	3·09	4·84 ~~4·824~~	1·47 ~~1·47~~	2·76 ~~2·755~~	2·01 ~~2·005~~	2·26 ~~2·255~~	1·10 ~~1·08~~	Year's Total. ~~25·442~~	25·48.
* Days with .01 in. or more.	21 ~~15~~	11	12 ~~11~~	12 ~~10~~	8	14	21 20 ~~17~~	9 ~~8~~	14 ~~13~~	16 ~~14~~	21 19 ~~16~~	20 ~~18~~	~~162~~ ~~152~~	(179)
* Days with .04 in. or more.	13 ~~11~~	10	7	8 ~~7~~	6	11	16	8 ~~7~~	10	11	14 ~~12~~	10	~~118~~	(124)

40-9999

† Spare column, no entries required.

(*Signed*) A S Chapman

P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2587/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Gallsworthy Wharf Rd, Crowle

in the County of Lincoln (Lindsey)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 16' 6" ft.

A. J. C. Chapman
for & on behalf of the
Crowle District Drainage
Board.

ACE

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·07	·15	—	—	—	—	—	·03	—	·06	·21		1
2	·02	·06	·10	·29	—	—	—	TR	—	—	·19	2·13		2
3		·01	TR	·22	·01	·03	·02	TR	—	—	—	·15		3
4	·09	·04	·04	·29	TR	—		·14	—	—	—	·20		4
5	·12	TR	·10	TR	—	—	TR	—	—	—	—	·13		5
6	TR	—	·02	·05	·17	—		—	—	—	·02	·10		6
7	TR	·20		·17	·20	—	—	—	—	—		·03		7
8	TR	·26	—	·02	·20	TR	—	—	—	—	·08	·10		8
9		·04	TR	·05		TR	·46	·03	—	—	·02	·21		9
10		TR	—	·27	·02	·15	·02	—	—	—	·04	·20		10
11	—	—	·55	·06	·70	TR		TR	—	—	—	·27		11
12	·06	·27	·05	TR	·42	·35	TR	—	·07	—	—			12
13	TR	·05	·02	TR	·07	1·07	TR	—	·02	—	—	·11		13
14	·09		·30	—	TR	·02		·16	—	—	—	·22		14
15	TR	·28	·06	·26	TR	TR	1·00		—	—	—	·08		15
16	·16	·04	·16	·48	TR	·13	—	·03	·11	—	—	·07		16
17		TR	·15	·21	TR	·03	—	TR	·24	—	—	·01		17
18	·82	·05	·09	·02	—	·05	—	—	—	—	·44	—		18
19	·02	TR	·04	·33	—	·05	·24	·04	—	—	·36	—		19
20	·17	—	·18	·22	·81	TR	TR		—	—	·40	·01		20
21	·03	·07		·06	TR	TR	·24	—	—	·10		TR		21
22	TR	·30	·02	TR	TR	·01	TR	—	—	·25		·01		22
23	·26	·18	TR	TR	·09		·15	TR	—	·49		·04		23
24	·23	TR	·01	—	·01	·02	·04	—	·08	·18	—			24
25	·10	·32	·06	—	TR	—	—	—	—	·47	—			25
26	·02	·10		—	·27	—	TR	—	—	TR	—			26
27	TR	·02	·05	·11	TR	—	—	—	—	·43	—			27
28	TR	·15		·01	—	·01	—	—	—	·01	—	·03		28
29	·01	—		—	—	TR	—	—	—	TR	·06	·03		29
30	·29	✕	—	—	—	·02	—	—	—	·03	·14	·01		30
31	·23	✕	TR	✕	—	✕	—	—	✕	·19	✕	·06		31
TOTAL	2·73	2·51	2·15	3·12	2·97	1·94	2·17	·40	·55	2·15	1·81	4·41	Year's Total 26·91	✓
* Days with .01 in. or more.	1~~8~~9	~~19~~ 20	~~19~~ 21	18	12	13	8	~~5~~6	6	9	1~~1~~3	2~~3~~4	16~~8~~9	✓
* Days with .04 in. or more.	1~~2~~3	1~~7~~6	15	15	~~10~~ 9	6	6	~~3~~2	4	7	~~9~~ 10	1~~6~~7	120	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A.J.C.Chapman [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2587/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Entry on Oct. 4th amended by comp. with Surr. Stns. W.R.

Kept at Marsh Road Crowle

in the County of Lincoln (Lindsey)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 16' 6" ft.

A. S. E. Rapimens.
on behalf of
Crowle District Drainage Board,
Crowle
7, Fenthorpe, Lincs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	T.R	–	–	·06	·68	·06	–	–	·13	·07	·09		1
2	·01	T.R	–	–	–	·03		–	–		·04	·20		2
3	·04	–	–	–	–	·02		–	·30	·67	·05	·22		3
4	·05	–	–	·04	–	·04	·12	–	–	~~·98~~ ·08	T.R			4
5	T.R.	·01	–	–	–	T.R		·10	·08	·25		TR		5
6	·04		–	–	–		·37	·87		·04		·02		6
7	·13	–	TR	–	–	–	·15		·18	·11	T.R.			7
8	·19	–	–	–	–	·04	·18	·01	·02	·20	T.R	·12		8
9	T.R.	·04	–	–	–		·01	T.R.		TR		·15		9
10	·02	·01	–	–	–	·16	·19			·02		·02		10
11	·20	TR	–	–	–	T.R.	·08	·68			·03	·01		11
12	·09	·14	–	–	–	T.R.	TR		–	·39	·07	TR		12
13	TR		–	–	·04		·30	–	–	·02		·32		13
14	·19	·02	–	–	·05			–	·14	–	·01	T.R		14
15		–	–	–	TR	–	·46	–	T.R	–		·17		15
16	·07	–	–	–	·61	–	·75	–	–	·01	·01	·36		16
17	T.R.	–	–	–	·75	–	·13	·09	T.R.	·04		·23		17
18	·10	·01	–	–	·11	·26	–	–	·08	·13	·17			18
19	TR	TR	–	–	·01	–	–	–		–				19
20	·01		–	–	–	–	–	·14	T.R.	–	·41	·27		20
21	TR	–	–	TR	–	·36	–		·14	–	T.R	·26		21
22	–	–	–	·05	·08		–			–	·24	·12		22
23	–	TR	–	–		·07	–	·03		TR	·01	·03		23
24	–	–	·12	–	·09	·01	TR		·37		·02	·27		24
25	·01	·18	–	–		–	–		T.R	·22	·65			25
26	TR	·78	·14	–	·02	–	TR	~~·18~~	·08	·18	·01			26
27	·16	·11	TR	–	·37	·29	·17	·18	·23	·08	·16			27
28	·17	T.R.	–	–	·53	·10	·09	·95	·15	T.R	TR	·01		28
29	·04	–	–	–	·47	·11		TR	·11	·03	·07	·09		29
30		✕	–	T.R	·13			–		TR	·03	·02		30
31	·13	✕	–	✕	·17	✕	–	–	✕	·14	✕	·46	25·13	31
TOTAL	1·66	1·30	·26	·09	3·49	2·17	2·00	3·05	1·88	~~3·64~~ (2·74)	2·05	3·44	Year's Total ~~26·03~~	
* Days with .01 in. or more.	~~19~~ 21	~~9~~ 10	2	2	~~12~~ 17	~~12~~ 14	~~14~~ 17	~~9~~ 11	~~12~~ 17	~~18~~ 20	~~17~~ 19	~~21~~ 23	(173) ~~154~~	
* Days with .04 in. or more.	14	6	2	2	~~12~~ 13	10	~~12~~ 14	~~7~~ 8	~~11~~ 12	14	10	~~15~~ 16	(121) ~~118~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 587/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

a/c

Kept at Wharf Road, Crowle.
in the County of Lincoln (Lindsey)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 16·16 ft.

A. S. Chapman,
On behalf of Crowle District Drainage Board,
Crowle,
Nr. Scunthorpe.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	T	·04	·02	-	-	·12	·41	·39	·04	·05	TR		1
2	·09	-	-	·21	-	-	·08	·19	·31	-	-	TR		2
3	·13	-	TR	·09	-	-	-	·24	TR	-	·28	·16		3
4	·14	T.R.	·27	·35	·10	-	T.R.	·50	-	·34	·22	·52		4
5	-	-	-	TR		-	-	·40	-			·33		5
6	·25	TR	TR	-	TR	-	·31	TR	-	·18	·01	-		6
7	·12	·13	·01	-		-		-	-		·10	·12		7
8	·05	TR	·04	-	-	-	·16	·02	-	1·02	·04	·29		8
9	·01	·02	TR.	-	-	-	·04	·07	-	·50	TR	·30		9
10	·32	-	-	-	-	·40	-	·04	·06	·02	TR	TR.		10
11	·09	·06	·29	-	·05		-	-	-	·19	-	TR.		11
12	·02		·03	·08	-	·02	-	-	·21	·10	-	TR.		12
13	T.R.	TR	·01		-	·02	TR.	-			·01	TR.		13
14	·40	T.R.	T.R.	·14	·21	·20	·54	-	·03	·40	·01	·02		14
15	·07	T.R.	·01	·03	·22	·31		-	·02	-	-	·01		15
16	TR	-	·25		·70	·10	·51	-	-	·14	·14	TR		16
17	·73	·01	TR	-	·02	·44	·81	-	·05		·01			17
18	·10	·04	·05	-	T.R.		·13	-		·03	1·45	TR.		18
19	·24	-	T.R.	-		·45	·09	TR	·09	TR	-	·01		19
20	·01	-		-	·02	·10	-	-		-	-	TR		20
21	·14	·13	·19	-		T.R	·04	-	·11	TR	-	TR.		21
22	·06	·28	·06	·15	-	·07	·03	-	-		·63	-		22
23	·01	T.R.	·13		-		TR	-	-	·08	·29	-		23
24	-	T.R.	·04	·02	-	-	TR	-	-	TR	TR	-		24
25	·35	T.R.	·04	TR	-	-	-	·36	•	-	·08	·06		25
26	·01	·01		·09	-	-	-	TR	-	·17	·03			26
27	·02	·07	·38		-	-	-	·03	-	·21	·09	TR		27
28	T.R.	·20	·09	·10	-	·06	·15	TR	-	·23	·22	TR		28
29		-	T.R.	·02	-	-	·28	·22	-		TR	-		29
30	-	✕	-		-	-	·01	-	-	TR	·13	T.R.		30
31	-	✕	-	✕	-	✕	TR.	-	✕	-	✕			31
TOTAL	3·48	·95	1·93	1·30	1·32	1·84	3·30	2·48	1·24	3·65	3·49	1·82	Year's Total 24·86	✓
* Days with .01 in. or more.	23	10 ✓	17 ✓	12 ✓	17 ✓	11 ✓	~~15~~ 16	11	10 ~~9~~	16 ~~15~~	18 ✓	10 ✓	~~158~~ 161	✓
* Days with .04 in. or more.	16	7 ✓	13 ✓	8 ✓	5 ✓	9 ✓	~~13~~ 14	9	6 ~~7~~	13 ✓	13 ✓	7 ✓	~~120~~ 120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. S. Chapman [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2587/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Wharf Road, Crowle.
in the County of Lincoln (Lindsey)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 16' 6" ft.

A. S. Chapman,
on behalf of Crowle District Drainage Board,
Crowle,
Nr. Scunthorpe.

Jan 27th. 30th. Feb 3rd ests from nearest stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·05	—	—	—	—	T.R.	—	·16.	—		1
2	—	—	—	·18.	—	—	—	T.R.	—	—	·06	·07.		2
3	—	(·21) ~~·51.~~	TR.	·03.	—	—	—	—	—	·09.	·01.	·11.		3
4	—	·16.	—	·06.	—	—	—	—	—	·20	·22.	·06.		4
5	—		—	—	·12.	—	·44.	—	—	·05	·17.	·09.		5
6	·23	·10		—	—	—	—	—	—	·65.	·01.	T.R.		6
7		·34		·05.	·02	—	·02.	·015.		TR	T.R.	—		7
8	TR.	TR.		—	—	—	—	—	—	·12	—.	·25.		8
9	—	—	·35	—	—	—	·03.	—	·06	·01.	·67	·06		9
10	—	—	·02.	—	—	—	1·41.	—	T.R.	T.R.	·16.	·02		10
11	—	·04.	T.R.	—	—	·02.	·63.	—	—	—	·47	T.R.		11
12	—	—	·13.	—	—	—	·03	TR	·15.	—	·03.	—		12
13	—	·08	·18.	—	—	—	✓	—	—	—	T.R.	—.		13
14	—	—	·08	·03.	·01	—	·40	TR	·05.	T.R.	—.			14
15	—	—	T.R.	—	—	—	—	—	—	T.R.	·12.	·40		15
16	·21.		·06	—	—	·07		—	·10.	·63	·31	·01.		16
17	—	·22.	·50.	—	T.R.	—	1·31.	—	T.R.	·01.	·51.	T.R.		17
18	·03		·06	·62.	—	—	·20.	·45.	·09	TR.	·02	·08.		18
19	—	·14	·05.	·13.	—	·02.	·55.	—	·29.	·06.	·13.	·01		19
20	—	TR	TR.		—	TR.	·17	·18.	T.R.	·02.	·04.	·02.		20
21	·16	—	·03	·18	—	·20.	·09.	·03	—	·10	·98.	—		21
22	—	—	·01.	—	·01.		T.R	T.R.	·08	·03.	TR.	·10		22
23	—	·08	—	·06.	·02.	·50.	T.R.	—.	·05.	·03.	·08.	·06		23
24	·12.	·01	—	·03.	—	—	·04	—	TR.	·09	TR.	—		24
25	·03		—	—	·03	—	TR.	—	—.	·05.	T.R.	—		25
26	·5	·02.	—	—	·04	·05	·13.	·04	TR.	T.R	T.R.	·04		26
27	(·27) ~~·17~~	·20	—	·20	—	—	·46	TR	—	·01.	—	·01.		27
28	—	·37.	—	TR	·02.	—	T.R	T.R.	—	T.R.	—	✓		28
29	—	T.R	·16	T.R.	·01.	·11	—	—	T.R.	—	—	·31.		29
30	(·34)	X	—	—	T.R.	—	—	—	—.	·16.	—	·57.		30
31	—	X	·04.	X	X	X	—	—	X	1·03.	X	T.R.		31
TOTAL	(2·16) ~~1·06~~	(1·97) ~~3·87~~	1·67	1·62	·28	·98	5·91	·71	·87	3·34	4·25	2·27	Year's Total ~~29·23~~	26·03
* Days with .01 in. or more.	9	13	13	12	9	8 ~~7~~	17 ~~15~~	5	8	18	18	20 ~~18~~	~~148~~	150
* Days with .04 in. or more.	7	11	10	9	2	6 ~~5~~	13 ~~12~~	3	8	12	14	13	~~10~~	108

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. S. Chapman

P.T.O.

2577

Section **A** for the entry of Daily O

PY FOR OFFICIAL USE.

AIR MINISTRY.—MET

ORGANIZATION.

FORM 1090.

REGISTER

132917

BATCHSLIP

STD JOB: MET-ARCH

BATCH : METZ031

ENTRY -129 VERIFY ---

1931 - 1940

780410

Kept at Brocklesby Par

in the County of Lincoln

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level 9

THE MORNING MEASUREMENT

An observer who does not conform to this rule sh *he following year in the space on the right of this paragraph*

Jan. 1, following

Please read

Date	Jan.	Feb.	March	April	Ma		July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.50	1		.14	2					5		1
2	1	3	1	.10		8			38	5			2
3	2	.22		.39		.59		5	13		1	11	3
4	4	2		4	.10		.18		1.01		8		4
5		3		.15	1		8	1.81	42				5
6		4				.85			1			24	6
7	2	.25				3		1	1	15	.20		7
8			.10			.22		.63			3		8
9	8	5	.22	.22	5		.21	.63			.15		9
10		21	.35	5		.23		.18			.13	6	10
11	3	9	.10				.85				9		11
12	.21	.15				4	.33		.5		.14	1	12
13	.13	1					1.0.0	1		5			13
14	6												14
15	2	.14			5		.36	.29			6	1	15
16		.14		.21	3			.15					16
17		.30		.45	.23	.60	2	.15	23				17
18		.12		.28	.28		2			2	.15		18
19	6	2		.30		.81	1.0.0	4	3		.31		19
20	3	.14		.14		2	.26	.60	5	3	1	1	20
21		4		2				.14	3				21
22	.15			4	.20				6		.31		22
23	9	3			2				12		3		23
24	.11		1	3	.64	.28			14	8	.18	.18	24
25				.21			.40	1	5	1		3	25
26	4	.20		.16	3		.63		3		1		26
27				.14	4		.14				18		27
28	.20	.25		.20	.23		10			.20	18	3	28
29	.18	X		.10			1			2		.13	29
30	.61	X			5		2			.50		4	30
31		X		X	.46	X			X		X		31
TOTAL	2.13	3.01	.80	3.26	2.92	3.49	5.31	4.43	3.05	1.11	2.30	.93	YEAR'S TOTAL 33.34
*Days with ·01 in. or more.	20	22	7	19	16	12	17	14	16	10	19	11	183
*Days with ·04 in. or more.	13	16	4	17	12	9	13	11	11	6	14	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) James Chisholm

P.T.O.

2577

132917

Section **A** for the entry of Daily

AIR MINISTRY.—METE

ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER

3/.

Kept at Brocklesby Park

in the County of Lincolns

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level 9

2577 – 132917

BROCKLESBY PARK GARDENS

1931 – 1940

78 0410

THE MORNING MEASUREMENT DAY.

An observer who does not conform to this rule s *the following year in the space on the right of this paragrap*

Jan. 1, following

Please r

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.50	1		.14	2					5		1
2	1	3	1	.10		8			38	5			2
3	2	.22		.39		.59		5	13		1	11	3
4	4	2		4	.10		.18		1.01		8		4
5		3		.15	1		8	1.81	42				5
6		4				.85			1			24	6
7	2	.25				3		1	1	15	.20		7
8			.10			.22		.63			3		8
9	8	5	.22	.22	5		.21	.63			.15		9
10		21	.35	5		.25		.18			.13	6	10
11	3	9	.10				.35				9		11
12	.21	.15				4	.33		5		.14	1	12
13	.13	1					1.0.0	1		5			13
14	6												14
15	2	.14			5		.36	.29			6	1	15
16		.14		.21	3			.15					16
17		.30		.45	.23	.60	2	.15	23				17
18		.12		.28	.28		2			2	.15		18
19	6	2		.30		.81	1.0.0	4	3		.31		19
20	3	.14		.14		2	.22	.60	5	3	1	1	20
21		4		2				.14	3				21
22	.15			4	.20				6		.31		22
23	9	3			2				12		3		23
24	.11		1	3	.64	.28			14	8	.18	.18	24
25				.21			.40	1	5	1		3	25
26	4	.20		.16	3		.63		3		1		26
27				.14	4		.14				18		27
28	.20	.25		.20	.23		10			.20	18	5	28
29	.18	×		.10			1			2		.13	29
30	.61	×			5		2			.50		4	30
31		×		×	.46	×			×		×		31
TOTAL	2.13	3.01	.80	3.26	2.92	3.49	5.31	4.43	3.05	1.11	2.30	.93	YEAR'S TOTAL 33.34
*Days with ·01 in. or more.	20	22	7	19	16	12	17	14	16	10	19	11	183
*Days with ·04 in. or more.	13	16	4	17	12	9	13	11	11	6	14	7	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) James Chisholm

P.T.O.

Section **A** for the entry of Daily

2577

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

132917

Kept at Brocklesby Park Gardens
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.50	1		.14	2					8		1
2	1	3	1	.10		8			38	5			2
3	2	.22		.39		.59		5	13		1	11	3
4	4	2		4	.10		.18		1.01		8		4
5		3		.15	1		8	1.81	42				5
6		4				.85			1			24	6
7	2	.25				3		1	1	15	.20		7
8			.10			.22		.63			3		8
9	8	5	.22	.22	5		.21	.63			.15		9
10		21	.35	5		.25		.18			.13	6	10
11	3	9	.10				.35				9		11
12	.21	.15				4	.33		.5		.14	1	12
13	.13	1					1.0.0	1		5			13
14	6												14
15	2	.14			5		.36	.29			6	1	15
16		.14		.21	3			.15					16
17		.30		.45	.23	.60	2	.15	23				17
18		.12		.28	.28		2			2	.15		18
19	6	2		.30		.81	1.0.0	4	3		.31		19
20	3	.14		.14		2	.26	.60	5	3	1	1	20
21		4		2				.14	3				21
22	.15			4	.20				6		.31		22
23	9	3			2				12		3		23
24	.11		1	3	.64	.28			14	8	.18	.18	24
25				.21			.40	1	5	1		3	25
26	4	.20		.16	3		.63		3		1		26
27				.14	4		.14				18		27
28	.20	.25		.20	.23		10			.20	18	5	28
29	.18	×		.10			1			2		.13	29
30	.61	×			5		2			.50		4	30
31		×		×	.46	×			×		×		31
TOTAL	2.13	3.01	.80	3.26	2.92	3.49	5.31	4.43	3.05	1.11	2.30	.93	YEAR'S TOTAL 33.34
*Days with ·01 in. or more.	20	22	7	19	16	12	17	14	16	10	19	11	183
*Days with ·04 in. or more.	13	16	4	17	12	9	13	11	11	6	14	7	133

40-9999

(Signed) James Chisholm

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2577

132917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brocklesby Park Gardens

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 13 in.

,, Ground ,, Sea Level 90 ft.

da fo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	2		1	23	2	27	1	4	30		5	1
2	8	4		9	35			1	11	9	5	4	2
3				9	36				14	8		3	3
4				20						2	4	5	4
5		3		18	14	3	15	2	2		4		5
6	45	2	2	10	9				4			4	6
7	9		20	4			33		3			3	7
8			14	3		2	3		8	8	6	3	8
9		8		10					21		6	4	9
10	4	9	1	9					4	14		8	10
11	1	2	8	8					15	9		5	11
12		5	1	5	45	5	2	5		2	3		12
13	4	4			5					30			13
14		10		23			5		2	2			14
15					2		3			7	3	10	15
16				15						~~7~~	5		16
17	25		2	13	22		1			1	3	4	17
18				5			22		5	8			18
19					2						1		19
20		2	1	17	2	2	2			18	1		20
21			3	4	6			30		24	10		21
22			63	25	1.55		29	14		36	40	21	22
23			9	4	2		2		40	10	1	2	23
24		5		10			3			8	10	1	24
25	2			2	4		8	1	1	[illegible]	9		25
26		14		24			4			28			26
27		2	1		82		9		5	4	15	1	27
28			13	10	23					30			28
29		1	2		35	2	44	50		11			29
30		×	12	10	6	2	1	12	10	23	32	13	30
31	1.21	×	3	×		×	48	11	×	11	×	10	31
TOTAL	1.21	.46	1.55	2.41	5.31	.18	2.61	1.24	1.55	3.33	1.61	1.09	YEAR'S TOTAL 23.18
*Days with ·01 in. or more.	10	15	16	25	19	7	19	10	16	24	18	18	197
*Days with .04 in. or more.	8	8	7	22	15	1	11	6	12	20	12	13	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

1H

132917
2577

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Brocklesby Park Gardens

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 100 ft.

February 8" H

906 sent re heavy fall on 27/29 but observer confirms original entry 21/6/34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	.01			.05				.65		.04			1
2	.10	.04								.03	.15			2
3	.20		.28		.01						.31			3
4		.21	.16		.05						.15			4
5	.13	.01			.16									5
6	.11		.08				.03				.02			6
7		.04			.45					.01		.08		7
8	.03	.03			.08					.36	.02	.03		8
9			.08	.04	.18		.11					.03		9
10		.33			.64		.34			.98	.04			10
11	.09	.06			.02	.38	.03			1.43	.02			11
12					.10		.21				.03			12
13	.02					.33	.10					.63		13
14	.15		.01		.26		.63		.05	.10	.02			14
15	.30	.04					.63	.02			.12	.14		15
16	.12		.04		.12	.13	.44	.11		.05	.38	.01		16
17			.53		.04	.22	.10				.21			17
18	.20	.08	.60			.12		.05	.62		.22			18
19	.02	.24	.15	.03		.10					.05			19
20		.04	.24	.02			.28	.02	.04		.02			20
21		.06		.05					.30		.02			21
22		.13				.03				.04				22
23		.16		.01	.09			.20		.65				23
24		.26		.01					1.60		.05	.01		24
25		.43		.15	.20	.04			.80	.14	.04			25
26		.20		.12						.15	.25	.05		26
27		.55		.08					.08	.13	.02			27
28						.05	.03		.04	.41	.03			28
29		X		.35	.03		.02			.08	.01			29
30	.15	X	.04	.10			.01			.16	.01			30
31	.02	X		X		X	.03		X	.04	X	.08		31
TOTAL	1.44	2.94	2.25	.96	1.85	1.40	1.85	.42	2.98	5.15	2.29	.46	Year's Total 24.32	
*Days with ·01 in. or more.	15	19	11	11	16	9	15	5	9	16	24	9	169	
*Days with .04 in. or more.	11	16	10	7	13	8	7	3	8	14	[illegible]	4	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

132917

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Brocklesby Park Gardens

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 90 ft.

Dup

Val

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06							·16	·03				1
2	·03		·01					·61		·14		·28		2
3	·02	·08	·01					·03	·30		·08	·07		3
4	·13	·04								·07		·12		4
5	·02	·04	·01		·09	·02				·01	·07	·17		5
6		·01	·19	·06		·02		·15		·01	·21	·13		6
7				·03	·34	·44		·29		·06		·27		7
8	·10				·06					·15	·23	·21		8
9				·14	·02	·10		·10			·53	·15		9
10			·16	·07				·08			·58	·03		10
11	·02		·22	·15				·02			·01			11
12	·42		·16	·10				·01			·03	·13		12
13			·48				·07	·06				·09		13
14	·36		·01	·02	·05	·22	·12	·15		·03	·01	·38		14
15	·05		·22		·06	·02				·08	·42	·17		15
16	·05				·21				·04	·07	·09	·01		16
17	·21		·10		·13				·04	·05	·03			17
18	·02			·17	·01		·23			·03	·01	·05		18
19	·02		·06	·28	·04	·07		·05						19
20			·02		·05	·15			·33	·06				20
21			·02	·02	·02	·16			·01					21
22						·19			·24	·05				22
23								·18			·03	·01		23
24			·09	·27			·12		·18	·03	·01	·04		24
25		·11		·01	·01	·07			·03					25
26	·08	·02		·06					·01	·08		·46		26
27	·05	·57		·20		·03			·05	·10		·14		27
28		·94		·24			·06		·01			·07		28
29		X	·02					·80	·27			·27		29
30	·01	X	·01				·01	·02	·27			·09		30
31	·06	X		X		X	·06		X	·10	X	·05		31
													Year's Total	
TOTAL	1·65	1·87	1·79	1·82	1·09	1·49	·67	2·55	1·94	1·15	2·34	3·38	21·74	✓
*Days with ·01 in. or more.	17	9	17	15	13	12	7	14	14	18	15	23	174	
*Days with .04 in. or more.	10	7	9	11	9	8	6	10	10	12	8	20	120	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) James Chisholm

P.T.O.

132917

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Brocklesby Park.

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 100 ft.

days

23/3/37

Rep 27/3/

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·22.

Please read the Notes and Instructions Overleaf.

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	·18	·02	·13							·03	·32	·21		1
1	2	·19		·02	·11					·33	·26	·05	·03		2
2	3	·01	·08	·06	·24		·14				·42				3
3	4		·06	·21	·24		·20			·02	·69	·10			4
4	5				·01		·36				·02				5
5	6	·11	·12				·18								6
6	7	·17	·02	·01			·13					·13			7
7	8	·05	·03		·31		·04				·22	·68	·10		8
8	9			·01	·08						·11	·11	·03		9
9	10		·03		·05		·15				·66	·03	·08		10
10	11	·02	·04										·03		11
11	12	·08	·05				·06		·01			·15	·01		12
12	13		·09				·16					·01			13
13	14	·05			·08	·19				·22		·15	·01		14
14	15		·03			·02	·02			·48		·85	·10		15
15	16		·08		·33	·03	·09	·04			·02	·01	·05		16
16	17		·20	·01			·27	·02		·25	·03	·78			17
17	18				·19	·13	·33	·25				·77	·05		18
18	19	·05			·20	·03	·01		·05	·21	·11	·04			19
19	20	·12	·01		·01		·30	·20			·02	·12			20
20	21	·03	·09		·12	·04					·01	·07			21
21	22		·81	·04						1·02	·21	·15			22
22	23		·04	·07	·17				·23			·06			23
23	24	·02	·01	·05					·28	·60		·01	·09		24
24	25	·07	·41	·01						·64		·01	·18		25
25	26	·43					·09						·29		26
26	27	·17	·20						·78	·22	·16		·65		27
27	28	·04	·04			·03				·25	·07	·09	·54		28
28	29		×							·04	·16				29
29	30	·01	×	·06					·04	·15		·03	·08		30
30	31	·06	×	·02	×		×		·04	×	·52	×	·12		31
31		·02	·13							·03	·32	·21	·22	Year's Total.	
	TOTAL	~~1·86~~ 1·70	~~2·46~~ 2·57	~~·70~~ ·57	2·14	·47	2·53	·51	1·43	~~4·43~~ 4·46	~~3·71~~ 4·00	~~4·72~~ 4·61	~~2·65~~ 2·66	~~27·61~~	27·65
	* Days with .01 in. or more.	19	21	12	14	7	16	4	7	14	18	23	18	173	
	* Days with .04 in. or more.	13	15	6	12	3	14	3	6	12	13	17	13	127	4

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O

132917

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Gardens, Brocklesby Park
in the County of Lincolnshire
Diameter of Funnel of Gauge 5 inches
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 105 ft.

Circ C sent 21/1/37
G.H.R.

Corrected for W.D. 27/1/37
GHR.

Days
WD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·07

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
	1	~~·22~~	·1	·26	·22		·8	·47							1
1	2	·9	·3	·7	·32		·5	·38	·20		·3	·3	·3		2
2	3	·8	·12				·85			·1		·30	·6		3
3	4						·2	·7	·1	·17		-			4
4	5	·3		·10	·2				·1	·13	·2	·8	·2		5
5	6	·10		·1	·1	·9		·7	·35	·8	·5	-	·9		6
6	7	·24						·12	·10	·58		·3			7
7	8	·17		·3				1·97		·7	·4		·17		8
8	9	·10		·10		·2		·3			·14	·16			9
9	10	·13		·1			·5	·39			·12	·17			10
10	11	·1			·3			·18			·8	·2			11
11	12			·2	·26	·2	·1			·33	·1	·26	·3		12
12	13				·28	·4	·68	·41		·7		·9	·5		13
13	14				·13	·7					·9	·9	·45		14
14	15				·22		·12	·40		·5		·1	·2		15
15	16	·31						·5		·1		·30	·9		16
16	17	·25	·6					·3				·37	·4		17
17	18	·3	·66				·1	·1				·31	·12		18
18	19		·8				·2	·8	·16		·25	·1			19
19	20	·46			·3			·1	·31		·3				20
20	21	·2	·8			·3		·2							21
21	22	·3			·12		·52								22
22	23	·4	·53					·50							23
23	24		·2	·3	·11	·34					·5				24
24	25	·5	·6			·11		·1		·28	·19				25
25	26	·20	·1	·2	·18					·1	·9	·3	·3		26
26	27	·3	·9	·5						·15	·8	·4			27
27	28	·4	·26					·3		·27	·6				28
28	29	·67	·67	·3			·50	·2			·2	·4	7		29
29	30	·12	✕	·16		·95	·4			·3	·1	·3	·8		30
30	31	·4	✕ ·26	·22	✕ –	·17 ·08	✕ ·47	·30	–	✕ –	·77	✕ –	·15 ·07		31
31	TOTAL	3·24 ~~3·46~~	2·94 ~~2·88~~	·85 ~~·89~~	1·71 ~~1·93~~	1·92 ~~1·84~~	3·34 ~~2·95~~	5·08 ~~5·55~~	1·14	2·04	2·13	2·37	1·57 ~~1·50~~	Year's Total ~~29·25~~	28·33 inches
	* Days with .01 in. or more.	~~8~~ 23	~~4~~ 17	~~8~~ 13	~~4~~ 12	~~8~~ 11	~~4~~ 13	~~8~~ 21	~~2~~ 7	~~4~~ 15	~~6~~ 19	~~7~~ 19	~~4~~ 17	184	
	* Days with .04 in. or more.	~~18~~ 17	~~10~~ 11	6	~~9~~ 8	~~7~~ 8	9	~~14~~ 13	5	11	13	12	~~10~~ 12	125	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Johnson

[P.T.O.

132917

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Brocklesby Park

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ft.

corrd by W.D

+ auth. SV

days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 05 ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	07	48	09						05 ✓					1
2		01	18	02							02	68		2
3		10	02	21								1.26		3
4		02		31				15 ✓				03		4
5	04	04	10	12	03									5
6	05		18							01	05	52		6
7			04	14	25						04	17		7
8		45	02	12	01							09		8
9		02					27 ✓		03		08	06		9
10		01	02	46	11		02 ✓	03			12			10
11		03	13	18	05	24					03	25		11
12	04		48	12	83							18		12
13	05	20		01	62	06			13			26		13
14		02	04		05	41								14
15	15 ✓	07	17		01	04	1.27 ✓	1.00	09			09		15
16		27	08	35					18 ✓			19		16
17		07	30	61		08			71 ✓			08		17
18	80 ✓	03 ✓	08	21		03			01					18
19	11 ✓	03 ✓	09			02	06				56			19
20			01	27		07		12	03		37			20
21	28		03	01	69			03 ✓				02		21
22	01		03	06						22				22
23	35		15				03			30	23			23
24	12		01		02		13			22	25			24
25	19	05				01	12		05	31				25
26	03	26	10		48 ✓		11			02				26
27		17	03							52				27
28		01	08	15			03			35	03			28
29	04					04				03	02			29
30		✕				02				02	02	09		30
31	35	✕		✕		✕			✕	02	✕	06		31
TOTAL	·48 ~~2.68~~ 3·16	·09 ~~2.34~~ 1·95	237 2.~~46~~ 37	3.34	3.15	1.02	2.04	1.33	1.28	202	1.82	·05 4.~~04~~ ·08 ~~14~~	Year's Total ~~26.55~~	56 27·~~62~~ ✓
* Days with .01 in. or more.	~~2~~ 17	~~9~~ 21	~~8~~ 23	~~3~~ 18	~~4~~ 12	~~4~~ 11	~~3~~ 9	~~2~~ 5	~~3~~ 9	~~X~~ 11	~~5~~ 13	~~2~~ 17	~~56~~	166 ✓
* Days with .04 in. or more.	1~~4~~5	1~~X~~2	1~~6~~5	1~~4~~5	8	7	6	3	6	6	8	1~~3~~5 4·08	~~113~~	116 ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Johnson

[P.T.O.

132917

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brocklesby Park

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 100 ft.

Circ. C sent 27/1/39

HD

Days ✓ W.E.R.
Total

Snow notified 8/3/39 W.J.

corr for Dec. 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
	1	~~.04~~	.04	~~.04~~				.29	~~1.20~~	~~.12~~	.01	.15	.03		1
1	2	.04				.05	.40	.95		.15	.13	.05			2
2	3	.06						.15		.10	.05	.06	.06		3
3	4							.05		.02	.73	.08			4
4	5	~~.15~~			.01		.03	.12	1.23		.05		.43		5
5	6	.15						.03		.03	.11				6
6	7	.18						.40	.20	.34	.12				7
7	8							.10	.62		.14		.03		8
8	9	.18	.04	.02							.25				9
9	10	.11	.05				.14	.05		.02			.41		10
10	11	.10	.08					.16		.01					11
11	12	.16					.02	.01			.08	.02			12
12	13	.05	.20			.11					.30	.08			13
13	14		.12					.01		.32		.01	.16		14
14	15	.08				.09		.90		.03					15
15	16	.19						.20	.03		.01	.01	.29		16
16	17	.09			.01			.22					.17		17
17	18				.02	.39		.9	.09		.03				18
18	19				.01	.04	.05		.15	.37	.13	.35			19
19	20	.03								.03		.38	4	.25	20
20	21								.07			.16	4	.28	21
21	22				.01		.08						~~.70~~ 4	.44	22
22	23		.03				.12					.22	~~.38~~ 4 (1.70)	.36	23
23	24				.02	.22							~~.04~~	.02	24
24	25	.05		.15		.03				.31			4	.09	25
25	26		.10						.17		.19	.44	~~.07~~ 4	.16	26
26	27		.27	.02		.48	.19	.12		.03	.10	.03	4	.10	27
27	28	.15	.05		.01	1.02	.11	(.08) ~~.12~~	.27	.32		.22			28
28	29	.09	.04		.01	.54 ~~.05~~	.07	(.02) ~~.08~~	1.72	.14			.16		29
29	30				.03	.05 ~~.54~~	.40	(~~.02~~)			.02	.17			30
30	31	.09		~~=~~		.11			.12	.01	.15	.03	.06		31
31	TOTAL	.04 1.84	.98	.19 ~~.23~~	.13	3.13	1.61	3.95	4.67 ~~4.55~~	2.23 ~~2.34~~	2.59 ~~2.45~~	2.31 ~~2.43~~	(3.47) ~~2.90~~ ~~2.93~~	Year's Total ~~26.59~~	27.10 ~~26.59~~ ✓
	* Days with .01 in. or more.	18	10	~~2~~ 3	9	12	~~2~~ 11	~~4~~ 19	11	~~1~~ 16	~~4~~ 17	~~4~~ 16	~~2~~ 17 ~~13~~	~~132~~	15~~5~~ 9 ✓
	* Days with .04 in. or more.	17	9	~~2~~ 1	—	11	9	15	~~9~~ 10	8	~~13~~ 14	~~12~~ 11	15 ~~11~~	120 ~~117~~ ✓	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Johnson

P.T.O.

132917

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Gardens Brocklesby Park

in the County of Lincolnshire

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft ft. 5 in.

,, Ground ,, Sea Level ......ft.

Right day after January week

Days 8 Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05		·12	·02			·04	·35	·22	·01				1
2	·16			·22			·10	·15			·21			2
3				·10				·12			·19	·33		3
4			·22	·35				·35			·20	·73		4
5					·02			·80		·11	·15	·25		5
6	·40						·26			·10				6
7	(·02) ·40	·14									7	·18		7
8	(·09) ·02		·08									·29		8
9	0 ~~·09~~	·02					·35	·16		·90		·24		9
10	51					·03	·01		·15					10
11	(05) ·51		·31		·02	·35		·18	·01			·01		11
12	0 ·03	·02				·09				·03				12
13	3			·04	·04				·07	·16		·02		13
14	(35) ·03			·03	·40	·16	·02			·75	·06	·08		14
15	(8) ·33		·03	·13	·10	·28	·31		·15	·08		·04		15
16	(15) ·08		·22		·40	·30	·93				·13			16
17	(58) ·75			·12			·03			·12				17
18	(01) ·58	·02	·09		·10	·40	·16		·12	·03	1.41			18
19	(16) ·07		·20			1.38	·21							19
20	(15) ·16		·02			·03	·32					·02		20
21	5 ·13	·21	·17	·01			·05		·12					21
22	15 ·05	·22	·04	·07			·04		·06		·83			22
23	0 ·15		·04	·10		·07				·28	·36			23
24	12	·03	·10	·15		·01	·16	·13						24
25	(41) ·42		·03			·07		·01			·22			25
26	(13) ·47	·01	·04	·10						·23	·02	·02		26
27	(19) ·13	·06	·49				·13		·21	·21	·12			27
28	(31) ·10	·38	·22	·12		·06	·40		·07	7	·21			28
29	(0) ·03	×		·10							·03			29
30	0	×									·20			30
31	0	× ·12	·02	×		× ·04	~~·35~~	~~·22~~	× ~~·01~~		×			31
TOTAL	~~3·81~~ 3.86	~~1·23~~ ~~1.11~~	~~2·12~~ ~~2.12~~	~~1·64~~ ~~1.66~~	1.17	~~3·27~~ ~~3.23~~	~~3·83~~ ~~3.52~~	~~2·12~~ ~~2.25~~	~~·69~~ ~~·90~~	~~3·07~~ ~~3.08~~	4.31	2.21	Year's Total ~~[illegible]~~	~~29·67~~ Stet.
* Days with .01 in. or more.	21 ~~5~~ ~~4~~	~~5~~ 10	~~3~~ 17	15 ~~3~~ ~~14~~	27	13 ~~3~~ ~~14~~	~~3~~ 17	~~X~~ 9	~~X~~ 10	14 ~~3~~ ~~13~~	~~2~~ 16	~~4~~ 12	162	
* Days with .04 in. or more.	~~16~~ 17	~~5~~ 6	~~14~~ 14	12	5	~~10~~ 11	14	8	~~X~~ 9	11	14	8	~~128~~ 129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Johnson

[P.T.O.

COPY FOR OFFICIAL USE 132917

Section **A** for the entry of Daily Observations — Station No. 2577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at The Gardens, Brocklesby Park

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 100 ft.

KD Dup. Sngs.

Jan & Feb apportioned.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·10)

Please read the Notes and Instructions Overleaf

Jan Correct day

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·05							·28			1
2											·09			2
3				·15						·15		·09		3
4	·02	(·35) ~~·80~~					·06			·05	·51	·01		4
5							·06			·13	·10	·09		5
6	·05	·25			·03		·04			·80		·10		6
7	·18	·09		·10					·02					7
8								·01		·10				8
9			·19				·07	·02	·04	·16	·40	·15		9
10							1·95				·22			10
11			·09			·06	·71				·51			11
12			·10						·23					12
13		·13	·08					·05	·22		·04			13
14			·05	·09			·07		·09			·34		14
15					·19		·06			·03				15
16						·01	·20		·07	·55	·11			16
17			·61				1·00				1·22			17
18			·10	·60			·45	·32			·07	·09		18
19		·25	·09	·09			·35		·31					19
20		·05		·32			·07	·33			·22			20
21	·38		·05			·06		·08		·13	·78			21
22	·17				·07	·44		·03	·02	·01				22
23	·01	·42	·03	·05	·08	·16	·07	·01		·08	·05	·06		23
24	·30									·15		·03		24
25	·16 ~~x~~									·07				25
26	·73 ~~x~~				·18	·08	·41			·06		·01		26
27	-	·25		·84	·19		·35	·05		·07				27
28	-	·31		·03	·20			·01	·06					28
29	-		·10		·10	·02	·03					·25		29
30	·09 x (1·80)	✕							·03	·20		·33		30
31	·86 x ~~·35~~	✕	·06	✕		✕			✕	·92	✕	·13		31
TOTAL	2·05 ~~1·60~~	2·10 ~~2·55~~	·05 1·60 ~~1·55~~	2·27 ~~2·32~~	1·04	·83	5·95	·91	1·09	·28 ~~3·66~~ 3·94	~~4·65~~ 4·37	·10 1·~~8~~78	Year's Total 27·~~8~~93	
* Days with .01 in. or more.	~~x~~8	9	~~x~~13	~~x~~9	~~x~~8	~~2~~7	~~x~~17	~~5~~ 10	~~8~~ 10	~~2~~ 18	13	~~8~~ 14	~~20~~ 136	
* Days with .04 in. or more.	~~8~~6	9	11	~~9~~ 8	7	5	16	5	7	~~15~~ 16	~~14~~ 13	~~10~~ 11	~~110~~ 114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Johnson

[P.T.O.

2588

Sutton Bonnington

1931 – 1940

780410

Section **A** for the entry of daily ob

Station No. 2588

Metform 1091
(Revised January, 1967)

REG 31

Kept at Sutton Bo

in the County of

Diameter of funnel of gauge in

Height of top of gauge above ground

Height of ground above sea level

THE MORNING MEASUREMEN S DAY

An observer who does not conform to this rule sho ne space on the right of this paragraph. Please

Jan. 1, following

Date	Jan.	Feb.	Mar.	Ap							Nov.	Dec.	†	Date
	mm.	mm.	mm.								mm.	mm.		
1	—	—	3·5	·	—	11·2	—	—	3·4	Tr	—	—		1
2	—	1·2	—	12·6	Tr	·9	—	—	11·1	·7	Tr	·5		2
3	1·7	—	—	2·3	—	Tr	1·0	—	22·9	2·1	1·1	1·6		3
4	Tr	2·2	—	3·8	—	—	15·6	5·2	1·6	—	·5	·1		4
5	—	Tr	—	1·2	2·0	27·4	Tr	2·7	1·9	—	—	6·0		5
6	—	3·6	·1	·1	—	9·4	—	Tr	—	5·1	1·9	—		6
7	—	—	·3	Tr	—	4·4	7·0	7·9	—	—	1·5	Tr		7
8	1·7	1·1	·7	·7	·1	3·6	1·0	21·7	—	—	4·5	—		8
9	—	2·8	·3	1·6	—	·8	·9	5·0	—	—	5·4	Tr		9
10	Tr	1·0	Tr	—	Tr	·4	—	·9	Tr	—	2·1	—		10
11	1·2	8·3	—	—	—	1·0	Tr	—	7·6	—	·7	—		11
12	·7	2·4	—	—	—	—	37·2	Tr	3·4	Tr	·5	—		12
13	—	—	—	—	—	—	—	5·6	—	—	—	—		13
14	—	1·3	·8	—	·5	9·7	16·3	28·2	·1	—	3·4	—		14
15	·2	3·8	—	·8	·9	—	3·0	7·6	—	—	—	·9		15
16	Tr	5·2	—	2·0	8·0	11·8	·6	7·1	1·9	—	—	—		16
17	1·3	6·3	—	7·4	11·8	—	·2	—	Tr	—	Tr	—		17
18	·9	—	—	5·4	—	1·0	1·5	1·5	—	—	6·2	—		18
19	1·8	·4	—	4·0	—	5·2	1·1	1·5	·9	Tr	—	—		19
20	—	·5	Tr	·8	—	—	Tr	9·0	—	·1	Tr	·5		20
21	2·0	—	—	—	8·1	—	—	10·7	—	—	4·5	—		21
22	1·6	Tr	—	1·3	Tr	—	—	—	Tr	—	Tr	—		22
23	4·2	—	Tr	1·1	9·2	1·2	—	—	Tr	—	3·6	·8		23
24	—	—	—	1·9	14·3	—	3·0	—	—	—	—	·5		24
25	3·4	·4	—	14·1	Tr	—	2·7	—	—	—	—	Tr		25
26	1·7	·5	—	12·8	—	—	1·2	—	—	—	5·7	—		26
27	2·1	9·4	—	—	·9	—	Tr	—	—	·5	5·3	3·1		27
28	1·2	2·3	—	1·0	4·5	—	—	—	—	Tr	Tr	1·6		28
29	1·1	X	—	—	·4	—	1·1	—	—	4·7	·3	—		29
30	·8	X	—	Tr	—	—	—	—	Tr	—	—	—		30
31	4·3	X	—	X	Tr	X	—	—	X	Tr	X	Tr		31
TOTAL	31·9	52·7	5·7	75·6	60·7	88·0	93·4	114·6	54·8	13·2	47·2	15·6		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*)

(P.T.O.)

Section **A** for the entry of daily obs

Station No. 2588

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1931

Kept at Sutton Bonington

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–	3·5	·7	–	11·2	–	–	3·4	Tr	–	–		1
2	–	1·2	–	12·6	Tr	·9	–	–	11·1	·7	Tr	·5		2
3	1·7	–	–	2·3	–	Tr	1·0	–	22·9	2·1	1·1	1·6		3
4	Tr	2·2	–	3·8	–	–	15·6	5·2	1·6	–	·5	·1		4
5	–	Tr	–	1·2	2·0	27·4	Tr	2·7	1·9	–	–	6·0		5
6	–	3·6	·1	·1	–	9·4	–	Tr	–	5·1	1·9	–		6
7	–	–	·3	Tr	–	4·4	7·0	7·9	–	–	1·5	Tr		7
8	1·7	1·1	·7	·7	·1	3·6	1·0	21·7	–	–	4·5	–		8
9	–	2·8	·3	1·6	–	·8	·9	5·0	–	–	5·4	Tr		9
10	Tr	1·0	Tr	–	Tr	·4	–	·9	Tr	–	2·1	–		10
11	1·2	8·3	–	–	–	1·0	Tr	–	7·6	–	·7	–		11
12	·7	2·4	–	–	–	–	37·2	Tr	3·4	Tr	·5	–		12
13	–	–	–	–	–	–	–	5·6	–	–	–	–		13
14	–	1·3	·8	–	·5	9·7	16·3	28·2	·1	–	3·4	–		14
15	·2	3·8	–	·8	·9	–	3·0	7·6	–	–	–	·9		15
16	Tr	5·2	–	2·0	8·0	11·8	·6	7·1	1·9	–	–	–		16
17	1·3	6·3	–	7·4	11·8	–	·2	–	Tr	–	Tr	–		17
18	·9	–	–	5·4	–	1·0	1·5	1·5	–	–	6·2	–		18
19	1·8	·4	–	4·0	–	5·2	1·1	1·5	·9	Tr	–	–		19
20	–	·5	Tr	·8	–	–	Tr	9·0	–	·1	Tr	·5		20
21	2·0	–	–	–	8·1	–	–	10·7	–	–	4·5	–		21
22	1·6	Tr	–	1·3	Tr	–	–	–	Tr	–	Tr	–		22
23	4·2	–	Tr	1·1	9·2	1·2	–	–	Tr	–	3·6	·8		23
24	–	–	–	1·9	14·3	–	3·0	–	–	–	–	·5		24
25	3·4	·4	–	14·1	Tr	–	2·7	–	–	–	–	Tr		25
26	1·7	·5	–	12·8	–	–	1·2	–	–	–	5·7	-		26
27	2·1	9·4	–	–	·9	–	Tr	–	–	·5	5·3	3·1		27
28	1·2	2·3	–	1·0	4·5	–	–	–	–	Tr	Tr	1·6		28
29	1·1	X	–	–	·4	–	1·1	–	–	4·7	·3	–		29
30	·8	X	–	Tr	–	–	–	–	Tr	–	–	–		30
31	4·3	X	–	X	Tr	X	–	–	X	Tr	X	Tr		31
TOTAL	31·9	52·7	5·7	75·6	60·7	88·0	93·4	114·6	54·8	13·2	47·2	15·6		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*)

(P.T.O.)

2588

ection **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 136

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Sutton Bonington

in the County of Notts.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·14										1
2													2
3									·90				3
4													4
5						1·08						·24	5
6										·20			6
7													7
8													8
9													9
10													10
11							~~1·46~~						11
12							1·46						12
13													13
14								1·11					14
15													15
16													16
17													17
18											·24		18
19													19
20													20
21													21
22													22
23													23
24					·56								24
25				·56									25
26													26
27		·37											27
28													28
29													29
30		×											30
31	·17	×		×		×			×		×		31
													YEAR'S TOTAL
TOTAL	1·26	2·07	0·22	2·98	2·39	3·46	3·68	4·51	2·16	0·52	1·86	0·61	25·72
Days with ·01 in. or more.	18	18	5	19	11	14	16	14	9	5	16	9	154
Days with ·04 in. or more.	14	14	1	15	7	11	13	13	8	3	12	4	115
40-9999	32·0	52·7	5·7	75·6	60·7	88·0	93·4	114·6	54·8	13·2	47·2	15·6	653·5

(Signed)..........

P.T.O.

2588

136

Section A for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Sutton Bonington

in the County of Notts.

Diameter of Funnel of Gauge.........in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level.........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6	·44												6
7													7
8													8
9		·08											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										·38			20
21					2.18								21
22			·37						·46		·36		22
23													23
24													24
25													25
26				·30									26
27													27
28								·71					28
29													29
30		✕				·42						·13	30
31		✕		✕		✕	·85		✕		✕		31
TOTAL	1·34 ✓	0·25 ✓	1·50 ✓	2·00	6·24 ✓	·57	3·00 ✓	2·37 ✓	1·74 ✓	2·77 ✓	1·47 ✓	0·55 ✓	YEAR'S TOTAL 23·80
*Days with ·01 in. or more.	10	9	10	18	19	5	14	8	18	19	13	7	150
*Days with ·04 in. or more.	9	2	9	16	16	2	12	6	14	15	10	6	~~117~~
40-9999	34·1	6·4	38·0	50·9	158·6	14·6	76·2	60·3	44·1	70·4	37·4	14·0	

*See Instruction 2 (*f*) on other side.

(*Signed*)......... [P.T.O.

Section **A** for the entry of daily observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1932

Kept at SUTTON BONINGTON

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	2·5	·6	–	3·4	10·5	·2	Tr	5·5	1·5	4·4	·5	·1		1
2	1·5	–	–	–	3·8	–	–	·2	1·1	3·4	Tr	1·1		2
3	–	–	–	5·0	·3	–	–	–	–	–	–	–		3
4	·9	Tr	–	3·7	–	–	–	–	·6	–	4·8	Tr		4
5	6·9	·2	3·6	–	Tr	–	–	Tr	1·4	–	–	–		5
6	11·2	–	·3	1·6	Tr	–	–	–	2·4	–	–	–		6
7	–	–	4·0	5·8	–	–	–	–	·5	1·6	–	–		7
8	–	·2	–	1·3	–	–	–	–	1·5	2·6	–	Tr		8
9	1·1	2·0	Tr	1·0	1·1	–	–	–	Tr	–	–	·1		9
10	1·4	·4	–	1·2	·5	–	–	–	6·7	5·0	–	–		10
11	Tr	·8	–	·7	4·4	·5	3·2	–	1·7	1·4	·7	–		11
12	2·9	–	–	Tr	3·2	Tr	1·0	Tr	·2	9·3	·5	–		12
13	–	·6	–	1·3	–	–	13·3	–	·4	·6	1·2	·1		13
14	1·4	Tr	–	2·8	Tr	–	6·6	13·8	–	·6	3·5	Tr		14
15	Tr	–	–	Tr	4·4	–	–	–	–	·5	–	1·4		15
16	4·3	–	–	4·5	1·7	–	·1	–	–	–	–	–		16
17	Tr	–	–	–	–	–	·2	–	Tr	1·6	Tr	–		17
18	–	–	–	–	Tr	–	–	–	–	–	Tr	–		18
19	–	·1	–	·5	Tr	–	–	–	–	4·5	–	–		19
20	–	–	–	–	18·0	–	Tr	6·7	–	9·7	3·1	Tr		20
21	–	–	2·4	2·5	55·3	–	–	13·2	–	4·9	Tr	2·5		21
22	–	Tr	9·3	·1	4·9	·7	16·6	–	11·8	·9	9·2	·1		22
23	–	·5	Tr	–	8·8	–	·1	–	2·4	1·0	1·7	·6		23
24	–	–	–	–	–	–	1·8	Tr	1·6	–	2·5	–		24
25	–	1·0	–	Tr	Tr	Tr	1·8	–	1·0	4·2	Tr	–		25
26	–	–	Tr	7·7	9·9	·1	1·6	–	1·7	Tr	Tr	–		26
27	–	Tr	7·5	2·7	16·8	–	3·0	–	–	–	3·1	–		27
28	–	Tr	3·1	1·5	12·5	–	2·9	18·1	–	–	–	–		28
29	–	–	2·9	3·6	1·1	2·5	·9	·9	2·0	8·8	1·3	2·2		29
30	–	X	2·5	Tr	·4	10·6	1·5	1·9	5·6	5·4	5·3	3·2		30
31	–	X	2·4	X	1·0	X	21·6	–	X	–	X	2·6		31
TOTAL	34·1	6·4	38·0	50·9	158·6	14·6	76·2	60·3	44·1	70·4	37·4	14·0		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.** 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

136.

Kept Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 157 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										1.00			10
11													11
12												·05	12
13													13
14													14
15	·63										·33		15
16			·71										16
17													17
18													18
19							·45						19
20													20
21					·61								21
22								·30					22
23													23
24						·41							24
25		·63											25
26													26
27									1.00				27
28				·29									28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
ins. TOTAL	1·67 ✓	2·27 ✓	2·57 ✓	0·90 ✓	1·88 ✓	1·36 ✓	1·93 ✓	0·61 ✓	1·74 ✓	2·84 ✓	0·95 ✓	0·25 ✓	YEAR'S TOTAL 18·97 ✓
*Days with ·01 in. or more.	12	11	13	6	14	11	12	8	6	15	13	8	129 ✓
*Days with ·04 in. or more.	8	8	12	6	9	9	11	6	4.	10.	5	4	92 ✓
~~mms~~	42·5	57·6	65·3	22·9	47·8	34·5	49·0	15·5	44·2	72·1	24·1	6·4	~~481·9~~

40-9999

(Signed).. [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of daily observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1933

Kept at Sutton Bonington
in the County of
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	6·2	8·8	1·1	—	—	—	—	—	—	—	·4	—		1
2	8·4	—	7·5	—	Tr	—	—	—	—	—	·9	—		2
3	—	3·7	3·0	—	5·2	—	—	—	—	—	1·8	—		3
4	1·5	—	·3	—	6·8	—	—	—	—	—	—	—		4
5	1·8	Tr	1·8	—	·5	—	—	—	—	—	Tr	—		5
6	—	2·0	1·5	—	4·5	—	Tr	—	—	1·6	Tr	·8		6
7	·3	9·0	Tr	—	·6	—	—	—	—	5·5	—	—		7
8	—	Tr	1·1	—	·7	—	—	—	—	—	—	Tr		8
9	—	·4	—	—	Tr	—	8·4	—	—	14·1	·9	—		9
10	Tr	1·5	—	—	·1	1·3	8·8	1·3	—	25·4	·8	Tr		10
11	—	—	—	—	—	—	3·3	1·0	—	—	—	—		11
12	1·5	—	—	—	—	1·1	4·0	—	—	Tr	—	1·2		12
13	·5	—	—	—	1·9	Tr	3·2	—	—	·5	2·8	—		13
14	·1	—	—	—	5·7	—	2·7	·5	—	·6	4·1	—		14
15	16·0	—	17·5	—	—	Tr	2·4	·7	—	1·1	8·3	·6		15
16	4·1	—	18·0	—	1·3	3·1	1·9	Tr	—	·9	·7	·4		16
17	·6	—	1·6	—	—	1·7	1·3	—	·2	Tr	1·8	—		17
18	·5	·7	3·7	—	—	8·6	—	—	Tr	—	·9	—		18
19	—	Tr	—	Tr	—	·2	—	—	·9	—	Tr	Tr		19
20	—	1·0	—	Tr	—	1·6	11·5	1·2	—	Tr	·3	—		20
21	—	Tr	—	Tr	15·5	5·0	—	2·1	—	Tr	·1	—		21
22	—	—	—	—	—	1·2	—	7·6	—	10·2	·2	—		22
23	—	—	—	3·3	—	·4	—	—	7·9	·2	Tr	—		23
24	—	·5	—	2·9	1·8	10·4	—	—	7·9	·3	—	—		24
25	—	16·0	—	6·4	—	Tr	—	—	—	—	Tr	1·0		25
26	—	14·0	—	1·7	Tr	—	—	—	1·9	2·8	Tr	·3		26
27	—	—	—	—	1·5	—	—	—	25·5	·1	—	Tr		27
28	—	Tr	—	7·3	·8	—	Tr	—	Tr	2·7	—	1·0		28
29	—	x	—	1·3	·8	—	1·2	—	Tr	1·8	—	Tr		29
30	1·0	X	1·9	—	—	—	·1	—	—	Tr	—	1·1		30
31	Tr	X	6·3	X	—	X	·2	1·1	X	4·4	X	Tr		31
TOTAL	42·5	57·6	65·3	22·9	47·7	34·6	49·0	15·5	44·3	72·2	24·0	6·4		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 157 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4				.58										4
5														5
6					.36							.38		6
7														7
8														8
9											.72			9
10														10
11	.61													11
12														12
13														13
14			.31											14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27		.29												27
28						.15		.27						28
29									.35					29
30		✕												30
31		✕		✕		✕	.51		✕	.24	✕			31
TOTAL	2.05	0.48	1.80	2.21	0.73	.55 ~~1.40~~	1.27	1.56	1.83	1.06	2.07	3.29	Year's Total 18.90 ~~1975~~	18.90
*Days with .01 in. or more.	15	3	16	14	7	8	8	14	11	14	13	23	146	
*Days with .04 in. or more.	13	2	12	10	5	4	7	14	9	8	10	18	112	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 157 ft.

Days

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	3.6	–	–	–	–	–	–	1.7	Trace	0.6	0.2	3.7		1
2	0.8	Trace	0.7	–	–	–	–	3.2	5.5	Trace	1.7	2.6		2
3	0.5	0.9	–	–	–	–	–	–	–	0.5	0.3	–		3
4	1.0	–	3.1	14.8	0.9	–	–	Trace	1.4	–	3.7	6.9		4
5	–	–	5.7	Snow 0.9	1.0	–	–	5.0	–	1.4	1.7	2.1		5
6	–	–	0.3	Trace	9.1	0.7	–	1.4	–	3.9	–	9.6		6
7	1.4	–	–	–	0.3	Trace	–	Trace	–	2.0	–	3.2		7
8	–	–	1.3	–	1.7	Trace	–	1.6	–	Trace	6.2	–		8
9	–	–	4.6	0.5	–	–	–	2.8	–	–	18.4	6.0		9
10	0.1	–	3.5	3.2	–	–	–	3.2	–	–	2.4	–		10
11	15.5	–	2.0	7.6	–	–	–	1.1	–	–	–	3.9		11
12	0.1	–	3.7	–	–	–	–	1.8	–	–	–	0.3		12
13	9.5	–	–	0.2	–	–	1.1	Trace	–	–	0.3	2.1		13
14	1.7	–	8.0	–	Trace	0.7	4.9	–	–	5.0	11.8	7.0		14
15	2.2	–	4.2	–	1.7	–	–	–	6.1	–	3.4	0.1		15
16	2.2	–	2.0	–	3.8	–	–	–	–	0.7	1.6	1.9		16
17	3.2	–	Trace	–	Trace	–	1.0	1.6	8.7	2.0	1.0	1.2		17
18	2.9	–	–	3.3	–	1.3	Trace	–	1.2	–	–	–		18
19	–	–	3.2	0.3	–	3.1	–	Trace	0.1	0.2	–	1.0		19
20	–	–	Trace	1.0	Trace	–	–	–	–	–	–	–		20
21	–	–	–	–	–	3.3	–	1.4	0.3	0.4	–	–		21
22	–	–	–	–	Trace	–	–	5.4	5.4	Trace	–	0.4		22
23	–	–	0.8	7.0	Trace	0.5	7.1	–	Trace	–	Trace	0.8		23
24	–	4.0	2.5	–	–	0.6	1.6	–	7.7	Trace	Trace	–		24
25	3.2	–	–	1.0	–	–	–	–	–	2.4	–	8.5		25
26	2.9	–	0.2	4.0	–	Trace	Trace	–	1.0	Trace	–	0.5		26
27	–	Snow 7.4	–	5.4	–	Trace	0.1	–	–	0.6	–	1.4		27
28	–	–	–	7.0	–	3.8	Trace	6.8	–	–	–	9.2		28
29	–		–	–	–	–	3.1	2.7	8.8	–	Trace	3.0		29
30	1.3	×	–	–	–	–	0.5	–	0.2	1.1	–	7.8		30
31	–	×	–	×	–	×	12.0	–	×	Snow 6.0	×	0.3		31
TOTAL	51.9	12.3	45.8	56.2	18.5	14.0	2.3 ~~31.8~~	39.4	46.4	26.8	52.4	83.9	Year's Total. 480.0	= 18.9 inches
* Days with 0.2 mm. or more.	15	3	16	14	7	8	8	14	11	14	13	23		
* Days with 1.0 mm. or more.	13	2	12	10	5	4	7	14	9	8	10	18		

② Ackd 25.1.36 ALJ

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

(Signed) O. D. Kimble

[P.T.O.

Section **A** for the entry of daily observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1934

Kept at Sutton Bonington
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	3·6	–	–	–	–	–	–	1·7	Tr	·6	·2	3·7		1
2	·8	Tr	·7	–	–	–	–	3·2	5·5	Tr	1·7	2·6		2
3	·5	·9	–	–	–	–	–	–	–	·5	·3	–		3
4	1·0	–	3·1	14·8	·9	–	–	Tr	1·4	–	3·7	6·9		4
5	–	–	5·7	·9	1·0	–	–	5·0	–	1·4	1·7	2·1		5
6	–	–	·3	Tr	9·1	·7	–	1·4	–	3·9	–	9·6		6
7	1·4	–	–	–	·3	Tr	–	Tr	–	2·0	–	3·2		7
8	–	–	1·3	–	1·7	Tr	–	1·6	–	Tr	6·2	–		8
9	–	–	4·6	·5	–	–	–	2·8	–	–	18·4	6·0		9
10	·1	–	3·5	3·2	–	–	–	3·2	–	–	2·4	–		10
11	15·5	–	2·0	7·6	–	–	–	1·1	–	–	–	3·9		11
12	·1	–	3·7	–	–	–	1·1	1·8	–	–	–	·3		12
13	9·5	–	–	·2	–	–	4·9	Tr	–	–	·3	2·1		13
14	1·7	–	8·0	–	Tr	·7	–	–	–	5·0	11·8	7·0		14
15	2·2	–	4·2	–	1·7	–	–	–	6·1	–	3·4	·1		15
16	2·2	–	2·0	–	3·8	–	–	–	–	·7	1·6	1·9		16
17	3·2	–	Tr	–	Tr	–	1·0	1·6	8·7	2·0	1·0	1·2		17
18	2·9		–	3·3	–	1·3	Tr	–	1·2	–	–	–		18
19	–	–	3·2	·3	–	3·1	–	Tr	·1	·2	–	1·0		19
20	–	–	Tr	1·0	Tr	–	–	–	–	–	–	–		20
21	–	–	–	–	–	3·3	–	1·4	·3	·4	–	–		21
22	–	–	–	–	Tr	–	–	5·4	5·4	Tr	–	·4		22
23	–	–	·8	7·0	Tr	·5	7·1	–	Tr	–	Tr	·8		23
24	–	4·0	2·5	–	–	·6	1·6	–	7·7	Tr	Tr	–		24
25	3·2	–	–	1·0	–	–	–	–	–	2·4	–	8·5		25
26	2·9	–	·2	4·0	–	Tr	Tr	–	1·0	Tr	–	·5		26
27	–	7·4	–	5·4	–	Tr	·1	–	–	·6	–	1·4		27
28	–	–	–	7·0	–	3·8	Tr	6·8	–	–	–	9·2		28
29	–	X	–	–	–	–	3·1	2·7	8·8	–	Tr	3·0		29
30	1·3	X	–	–	–	–	·5	–	·2	1·1	–	7·8		30
31	–	X	–	X	–	X	12·9	–	X	6·0	X	·3		31
TOTAL	52·1	12·3	45·8	56·2	18·5	14·0	32·3	39·7	46·4	26·8	52·7	83·5		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

COPY FOR OFFICIAL USE.

Sect **A** for the entry of Daily Observations. Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

136

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 157 ft.

T. C.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7											·69			7
8														8
9										0·52				9
10														10
11														11
12														12
13														13
14														14
15				0.63										15
16							0.03							16
17														17
18														18
19														19
20														20
21		0·43												21
22														22
23			0.19					0·70						23
24									1.10					24
25	0.15					1·30								25
26														26
27												1·00		27
28					0.21									28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	0·74	1·93	0·56	2·94	0.54	2·99	0·10	2·11	4·45	2·96	3·95	3·11	Year's Total 26·38	
*Days with ·01 in. or more.	13	11	10	20	6	16	6	8	18	18	19	18	163	
*Days with ·04 in. or more.	7	9	6	19	5	11	0	6	14	16	16	15	12~~8~~4	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .... [P. T. O.

COPY FOR OFFICIAL USE. ✓

2588

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Totals corrected by comparison with M.W.R. Ssu

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 157 ft.

Duration

~~See MWR.~~

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·13 3.2	–	0.6	2.4	Trace	0.7	0.2	–	14.4	1.1	3.2	1.4	1
2	–	Trace	0.2	–	–	6.4	Trace	–	2.2	6.4	Trace	6.3	2
3	–	3.2	0.7	Trace	–	Trace	–	0.9	1.2	4.3	4.2	0.5	3
4	–	–	–	1.0	–	0.8	–	–	2.4	3.8	–	–	4
5	–	8.2	1.3	3.7	–	0.9	0.2	–	Trace	2.9	3.0	–	5
6	Trace	–	Trace	3.2	–	2.8	–	–	–	Trace	–	–	6
7	·08 2.0	Trace	Trace	8.5	–	1.9	–	–	–	4.7	17.4	2.7	7
8	–	–	0.2	1.7	Trace	–	–	0.2	–	0.1	2.5	4.0	8
9	–	–	Trace	1.6	–	3.2	–	–	–	13.3	2.9	–	9
10	Trace	Trace	Trace	5.4	–	Trace	–	–	–	Trace	0.6	Trace	10
11	·11 2.8	–	–	–	–	0.6	0.6	1.4	–	–	2.9	1.2	11
12	–	0.2	–	–	–	2.1	–	Trace	0.2	–	–	–	12
13	04 1.4	Trace	–	1.9	2.2	–	–	–	Trace	–	Trace	–	13
14	–	–	–	–	2.2	0.6	–	–	5.2	–	7.3	Snow 4.1	14
15	–	1.1	–	16.1	1.2	–	–	–	8.3	–	3.9	Snow 10.5	15
16	–	Trace	2.4	3.6	–	3.6	0.8	–	11.4	6.2	14.4	Snow 2.1	16
17	–	–	–	3.5	–	3.6	0.5	–	0.2	1.8	16.7	–	17
18	0.3 0.7	–	–	5.4	0.9	3.5	Trace	–	7.0	2.9	0.2	–	18
19	·03 0.4	–	–	1.1	2.0	8.6	Trace	–	1.3	1.4	4.4	0.2	19
20	·02 0.3	6.1	–	7.8	–	3.6	Trace	–	–	–	1.1	–	20
21	Trace	10.8	Trace	1.2	–	–	–	–	12.6	Trace	2.6	–	21
22	–	5.5	1.9	0.8	–	–	–	6.9	0.1	–	0.1	Trace	22
23	Trace	Trace	4.7	3.8	–	–	–	10.7	0.5	5.5	–	–	23
24	·08 1.6	7.1	1.0	–	–	–	–	–	28.0	Trace	0.1	Snow 3.4	24
25	·16 3.9	0.2	–	1.1	–	33.0	–	–	–	–	–	0.4	25
26	·02 0.2	–	–	–	–	–	–	15.8	10.3	0.4	–	10.8	26
27	·04 1.0	5.0	–	–	Trace	Trace	0.3	–	5.9	1.6	5.1	25.4	27
28	04 0.6	1.5	–	–	5.3	–	–	7.4	0.2	0.3	0.1	1.1	28
29	–	–	1.3	–	–	–	–	Trace	1.8	1.0	0.8	1.4	29
30	04 0.8	×	–	1.0	–	–	–	3.2	Trace	7.9	6.8	1.7	30
31	–	×	–	×	–	×	–	–	×	9.5	×	1.8	31 26·38
TOTAL	·74 18·9	1·93 48·9	·56 14·3	2·94 74·8	·54 13·8	2·99 75·9	·10 2·6	2·11 53·5	4·45 113·0	2·96 75·1	3·95 100·3	3·11 79·0	YEAR'S TOTAL 67[illegible]·0 X3
*Days with 0·2 mm. or more.	13	11	10	20	6	16	6	8	18	18	19	18	162
*Days with 1·0 mm. or more.	7	9	6	19	5	11	0	6	14	16	16	15	124

(144W)

40-9999

M.

(Signed) O. D. Kimble

P.T.O.

Section **A** for the entry of daily observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1935

Kept at Sutton Bonington
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	3·2	—	·6	2·4	Tr	·7	·2	—	14·4	1·1	3·2	1·4		1
2	—	Tr	·2	—	—	6·4	Tr	—	2·2	6·4	Tr	6·3		2
3	—	3·2	·7	Tr	—	Tr	—	·9	1·2	4·3	4·2	·5		3
4	—	—	—	1·0	—	·8	—	—	2·4	3·8	—	—		4
5	—	8·2	1·3	3·7	—	·9	·2	—	Tr	2·9	3·0	—		5
6	Tr	—	Tr	3·2	—	2·8	—	—	—	Tr	—	—		6
7	2·0	Tr	Tr	8·5	—	1·9	—	—	—	4·7	17·4	2·7		7
8	—	—	·2	1·7	Tr	—	—	·2	—	·1	2·5	4·0		8
9	—	—	Tr	1·6	—	3·2	—	—	—	13·3	2·9	—		9
10	Tr	Tr	Tr	5·4	—	Tr	—	—	—	Tr	·6	Tr		10
11	2·8	—	—	—	—	·6	·6	1·4	—	—	2·9	1·2		11
12	—	·2	—	—	—	2·1	—	Tr	·2	—	—	—		12
13	1·4	Tr	—	1·9	2·2	—	—	—	Tr	—	Tr	—		13
14	—	—	—	—	2·2	·6	—	—	5·2	—	7·3	4·1		14
15	—	1·1	—	16·1	1·2	—	—	—	8·3	—	3·9	10·5		15
16	—	Tr	2·4	3·6	—	3·6	·8	—	11·4	6·2	14·4	2·1		16
17	—	—	—	3·5	—	3·6	·5	—	·2	1·8	16·7	—		17
18	·7	—	—	5·4	·9	3·5	Tr	—	7·0	2·9	·2	—		18
19	·4	—	—	1·1	2·0	8·6	Tr	—	1·3	1·4	4·4	·2		19
20	·3	6·1	—	7·8	—	3·6	Tr	—	—	—	1·1	—		20
21	Tr	10·8	Tr	1·2	—	—	—	—	12·6	Tr	2·6	—		21
22	—	5·5	1·9	·8	—	—	—	6·9	0·1	—	·1	Tr		22
23	Tr	Tr	4·7	3·8	—	—	—	17·7	0·5	5·5	—	—		23
24	1·6	7·1	1·0	—	—	—	—	—	28·0	Tr	·1	3·4		24
25	3·9	·2	—	1·1	—	33·0	—	—	—	—	—	·4		25
26	·2	—	—	—	—	—	—	15·8	10·3	·4	—	10·8		26
27	1·0	5·0	—	—	Tr	Tr	·3	—	5·9	1·6	5·1	25·4		27
28	·6	1·5	—	—	5·3	—	—	7·4	0·2	·3	·1	1·1		28
29	—	x	1·3	—	—	—	—	Tr	1·8	1·0	·8	1·4		29
30	·8	X	—	1·0	—	—	—	3·2	Tr	7·9	6·8	1·7		30
31	—	X	—	X	—	X	—	—	X	9·5	X	1·8		31
TOTAL	18·9	48·9	14·3	74·8	13·8	75·9	2·3	53·5	113·2	75·1	100·3	79·0		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*)

(P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D 136

T.L.

Kept at Sutton Bonington.

in the County of Notts.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 157 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				0·34										1
2														2
3														3
4						0·45								4
5														5
6								0·15						6
7														7
8														8
9							1·61							9
10														10
11														11
12														12
13														13
14									0·48			·51		14
15														15
16											·36			16
17		0·54												17
18														18
19														19
20														20
21														21
22					0·18									22
23														23
24										0·42				24
25														25
26			0·35											26
27														27
28														28
29	0·44													29
30		×												30
31		×		×		×			×		×			31
													Year's Total.	
TOTAL	3·26	1·85	1·27	1·44	0·31	3·31	5·15	0·50	2·13	1·22	2.09	1·56	24·09	
* Days with .01 in. or more.	18	15	14	11	5	16	20	6	15	13	17	15	165	
* Days with .04 in. or more.	15	12	10	8	2	14	15	4	11	9	9	10	119	
	82·7	47·1	32·3	36·6	7·9	84·2	130·7	12·8	54·2	31·0	53·1	39·6	612·2	

40-9999 † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*).......... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at Sutton Bonington

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 157 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	Trace	1.5	0.9	8.7	-	Trace	2.1	3.6	Trace	-	-	1.5		1
2	5.4	0.2	3.8	1.3	-	7.1	1[illegible].1	0.6	-	-	2.7	0.2		2
3	Trace	Trace	-	-	-	11.4	Trace	Trace	2.0	-	Trace	-		3
4	Trace	Trace	2.1	Trace	Trace	11.6	Trace	2.6	7.0	Trace	1.8	2.7		4
5	1.8	0.9	4.7	-	-	-	0.9	1.5	4.6	0.7	-	5.6		5
6	Trace	-	0.1	-	2.1	1.4	6.7	3.8	3.4	-	2.0	-		6
7	5.7	-	0.1	-	-	-	10.9	-	0.5	-	0.5	Trace		7
8	3.3	-	0.9	-	-	-	0.2	-	-	Trace	4.5	0.7		8
9	7.1	-	0.4	-	-	0.5	41.0	-	0.9	1.1	0.5	-		9
10	0.8	-	Trace	Trace	-	-	8.2	-	-	0.3	-	0.3		10
11	-	-	Trace	0.6	-	0.5	3.7	-	2.0	-	9.0	-		11
12	-	-	-	0.7	0.2	9.2	13.9	-	6.6	-	0.3	0.7		12
13	-	-	-	0.8	Trace	3.9	-	-	-	0.5	0.2	5.3		13
14	-	-	-	4.0	-	2.0	8.0	-	12.2	-	0.2	13.0		14
15	-	2.9	Trace	0.1	-	4.9	1.0	-	1.0	-	7.3	1.4		15
16	5.1	1.9	-	Trace	-	-	0.6	-	-	-	9.2	Trace		16
17	0.3	13.8	-	-	-	-	1.2	-	-	1.8	4.6	1.8		17
18	-	0.3	-	-	-	0.1	4.4	-	-	1.5	0.1	Trace		18
19	10.1	1.7	-	6.2	-	5.8	Trace	0.7	-	1.3	-	-		19
20	0.1	2.1	-	-	-	-	-	Trace	-	0.4	-	Trace		20
21	5.4	-	0.6	3.0	-	4.4	-	-	-	-	-	-		21
22	0.2	8.7	1.8	Trace	4.5	-	4.1	-	-	-	0.7	0.7		22
23	-	1.0	2.1	1.6	0.9	-	7.9	-	-	Trace	Trace	-		23
24	3.6	2.8	-	Trace	0.2	-	-	-	2.9	10.7	Trace	-		24
25	1.0	Trace	1.1	8.2	Trace	2.7	0.3	-	6.8	Trace	Trace	-		25
26	-	0.8	9.0	1.4	-	-	-	-	0.3	1.8	Trace	-		26
27	4.0	Trace	Trace	-	-	-	-	-	3.2	2.9	-	-		27
28	9.8	3.1	1.9	Trace	-	1.2	0.8	-	0.8	-	0.4	1.5		28
29	11.1	5.4	2.5	-	-	6.5	-	-	-	0.1	8.7	1.4		29
30	2.7	✕	-	-	2.6	11.0	1.7	-	-	6.4	0.4	Trace		30
31	5.2	✕	1.0	✕	1.1	✕	-	-	✕	1.5	✕	2.8		31
													Year's Total	
TOTAL	82.7	47.1	33.0	36.6	11.6	84.2	130.7	12.8	54.2	31.0	53.1	39.4	616.4	
* Days with 0.2 mm. or more.	18	15	14	11	7	16	20	6	15	13	17	15	167	✓
* Days with 1.0 mm. or more.	15	11	10	8	4	14	15	4	11	9	9	10	120	✓

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(*Signed*) D. B. Kimble [P.T.O.

Section **A** for the entry of daily observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1936

Kept at Sutton Bonington

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	Tr	1·5	·9	8·7	–	Tr	2·1	3·6	Tr	–	–	1·5		1
2	5·4	·2	3·8	1·3	–	7·1	13·1	·6	–	–	2·7	·2		2
3	Tr	Tr	–	–	–	11·4	Tr	Tr	2·0	–	Tr	–		3
4	Tr	Tr	2·1	Tr	Tr	11·6	Tr	2·6	7·0	Tr	1·8	2·7		4
5	1·8	·9	4·7	–	–	–	·9	1·5	4·6	·7	–	5·6		5
6	Tr	–	·1	–	2·1	1·4	6·7	3·8	3·4	–	2·0	–		6
7	5·7	–	·1	–	–	–	10·9	–	·5	–	·5	Tr		7
8	3·3	–	·9	–	–	–	·2	–	–	Tr	4·5	·7		8
9	7·1	–	·4	–	–	·5	41·0	–	·9	1·1	·5	–		9
10	·8	–	Tr	Tr	–	–	8·2	–	–	·3	–	·3		10
11	–	–	Tr	·6	–	·5	3·7	–	2·0	–	9·0	–		11
12	–	–	–	·7	·2	9·2	13·9	–	6·6	–	·3	·7		12
13	–	–	–	·8	Tr	3·9	–	–	–	·5	·2	5·3		13
14	–	–	–	4·0	–	2·0	8·0	–	12·2	–	·2	13·0		14
15	–	2·9	Tr	·1	–	4·9	1·0	–	1·0	–	7·3	1·4		15
16	5·1	1·9	–	Tr	–	–	·6	–	–	–	9·2	Tr		16
17	·3	13·8	–	–	–	–	1·2	–	–	1·8	4·6	1·8		17
18	–	·3	–	–	–	·1	4·4	–	–	1·5	·1	Tr		18
19	10·1	1·7	–	6·2	–	5·8	Tr	·7	–	1·3	–	–		19
20	·1	2·1	–	–	–	–	–	–	–	·4	–	Tr		20
21	5·4	–	·6	3·0	–	4·4	–	–	–	–	–	–		21
22	·2	8·7	1·8	Tr	4·5	–	4·1	–	–	–	·7	·7		22
23	–	1·0	2·1	1·6	·9	–	7·9	–	–	Tr	Tr	–		23
24	3·6	2·8	–	Tr	·2	–	–	–	2·9	10·7	Tr	–		24
25	1·0	Tr	1·1	8·2	Tr	2·7	·3	–	6·8	Tr	Tr	–		25
26	–	·8	9·0	1·4	–	–	–	–	·3	1·8	Tr	–		26
27	4·0	Tr	Tr	–	–	–	–	–	3·2	2·9	–	–		27
28	9·8	3·1	1·2	Tr	–	1·2	·8	–	·8	–	·4	1·5		28
29	11·1	5·4	2·5	–	–	6·5	–	–	–	·1	8·7	1·4		29
30	2·7	X	–	–	2·6	11·0	1·7	–	–	6·4	·4	Tr		30
31	5·2	X	1·0	X	1·1	X	–	–	X	1·5	X	2·8		31
TOTAL	82·7	47·1	32·3	36·6	11·6	84·2	130·7	12·8	54·2	31·0	53·1	39·6		
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) .... (P.T.O.)

2588 136

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Sutton Bonington (Agri. coll.)

in the County of Notts

T.L.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 157 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2													2
3													3
4												·56	4
5													5
6													6
7		·42											7
8													8
9													9
10													10
11			·70										11
12													12
13								·31					13
14													14
15							2·18						15
16													16
17				·41									17
18	·56								1·22		·47		18
19						·27							19
20					·69								20
21													21
22													22
23										·73			23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	3·10	3·43	~~2·66~~ 1·98	2·20	2·44	·95	3·70	·50	1·98	2·36	1·47	2·08	YEAR'S TOTAL ~~26·87~~ 26·19.
*Days with 0·2 mm. or more.	19	21	16	12	12	6	~~12~~ 11	4	11	7	7	15	~~142~~ 141.
*Days with 1·0 mm. or more.	15	18	~~12~~ 11	9	11	5	6	3	5	6	5	10	~~105~~ 104
(144W)	78·8	87·2	67·6	55·9	62·0	24·1	94·0	12·7	50·3	59·9	37·3	52·8	682·6

40-9999

(Signed)

[P.T.O.

Section **A** for the entry of daily observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1091
(Revised January, 1967)

REGISTER OF RAINFALL IN 1937

Kept at Sutton Bonington
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	1·8	Tr												1
2	·4	2·2												2
3	·1	·5												3
4	1·9	1·5												4
5	8·5	–												5
6	1·4	–												6
7	–	10·7												7
8	–	6·0												8
9	–	1·4												9
10	Tr	8·2												10
11	·1	–												11
12	·7	5·8												12
13	–	·5												13
14	–	Tr												14
15	3·8	3·1												15
16	·7	4·5												16
17	5·4	·2												17
18	14·1	1·0												18
19	1·0	1·2												19
20	5·1	4·7												20
21	·6	1·8												21
22	2·0	Tr												22
23	7·5	–												23
24	3·2	8·3												24
25	4·3	8·4												25
26	Tr	5·2												26
27	–	8·6												27
28	Tr	3·4												28
29	Tr	x												29
30	9·3	X												30
31	6·9	X		X		X			X		X			31
TOTAL	78·8	87·2												
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

Section A **for the entry of Daily Observations** **Station No.** 2588

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~37

Kept at SUTTON BONINGTON

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			—	Tr	—	—	Tr	—	·04	—	·01	·11		1
2			·06	·36	—	—	Tr	—	—	—	—	·52		2
3			—	—	·14	Tr	·03	Tr	—	—	—	·30		3
4			·01	—	·04	—	Tr	·03	—	—	—	·56		4
5			·09	—	—	—	—	Tr	—	—	—	·01		5
6			·14	—	·07	Tr	Tr	—	—	Tr	Tr	—		6
7			·03	·15	Tr	Tr	—	—	—	·01	—	—		7
8			—	·02	—	—	·03	—	·03	—	·37	Tr		8
9			—	·02	·08	—	·29	—	·02	—	—	·01		9
10			—	·10	·51	·14	—	—	—	—	—	·07		10
11			·70	—	·42	—	·02	—	—	—	—	·13		11
12			·07	—	Tr	Tr	—	—	·16	—	—	·16		12
13			—	—	Tr	·21	—	·31	·02	—	—	·02		13
14			·09	—	—	·05	—	·04	·03	—	—	·07		14
15			Tr	·17	—	Tr	2·18	—	·02	—	—	—		15
16			·36	·34	—	—	—	·12	·35	—	—	Tr		16
17			·16	·41	—	—	—	—	·07	—	—	—		17
18			·05	·02	—	—	·03	—	1·22	—	·47	—		18
19			·02	·08	—	·27	·08	—	Tr	—	·12	—		19
20			—	·30	·69	·26	—	—	·02	Tr	—	—		20
21			·04	Tr	—	—	·23	—	—	Tr	—	Tr		21
22			Tr	Tr	·08	—	·44	—	—	·22	·14	—		22
23			Tr	—	·07	—	·03	—	—	·73	·33	—		23
24			·03	—	·01	—	·34	—	Tr	·17	—	Tr		24
25			·03	—	·07	—	—	—	Tr	·46	—	Tr		25
26			·10	—	·26	—	—	—	—	—	—	·02		26
27			—	·23	—	—	—	—	—	·67	—	Tr		27
28			—	—	—	Tr	—	—	—	Tr	—	·04		28
29			Tr	—	—	Tr	—	—	—	Tr	Tr	·02		29
30		X	—	—	—	·02	—	—	—	—	·03	·04		30
31		X	—	X	—	X	—	—	X	·10	X	Tr		31
TOTAL			1·98	2·20	2·44	0·95	3·70	0·50	1·98	2·36	1·47	2·08	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

136

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 157 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·04										2
3										55				3
4														4
5														5
6														6
7														7
8														8
9												·51		9
10														10
11														11
12														12
13														13
14							·63							14
15														15
16														16
17														17
18						52								18
19														19
20														20
21														21
22														22
23														23
24														24
25			·09								·48			25
26		·21	·09											26
27					·43				·63					27
28								·96						28
29	·56													29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·49	·46	·23	·04	1·88	1·61	2·46	1·70	2·23	1·93	2·02	3·59	Year's Total 20·64	
* Days with .01 in. or more.	19	7	3	1	10	9	15	11	15	15	13	22	140	
* Days with .04 in. or more.	15	3	3	1	8	6	12	7	8	10	10	19	102	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2588

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~38

Kept at SUTTON BONINGTON

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Tr	—	—	·03	·43	—	—	·02	·03	—	·28		1
2	·05	Tr	—	·04	Tr	·20	Tr	—	—	·09	—	·02		2
3	·04	—	—	—	—	·03	Tr	—	·03	·55	·02	—		3
4	·02	—	—	—	—	Tr	Tr	·15	—	·01	—	·33		4
5	·01	—	—	Tr	—	—	·03	·04	·04	Tr	—	—		5
6	·07	—	—	—	—	Tr	·31	—	·30	·10	—	Tr		6
7	·10	—	—	—	—	—	·11	·03	·10	·05	—	·01		7
8	·24	—	—	—	—	—	·07	—	—	·29	—	·02		8
9	Tr	·06	—	—	—	·03	Tr	·12	—	—	—	·51		9
10	Tr	—	—	—	—	Tr	·33	Tr	—	Tr	—	·05		10
11	·46	—	—	—		—	·04	·03	—	·01	·05	Tr		11
12	·15	—	—	—	·07	—	—	—	—	·33	·12	—		12
13	Tr	·01	—	—	Tr	—	—	—	—	—	·05	·26		13
14	·10	·01	—	—	·06	—	·63	—	·14	—	—	—		14
15	·13	Tr	—	—	—	—	·32	·02	—	—	—	·21		15
16	·20	—	—	—	—	—	·12	Tr	—	Tr	Tr	·18		16
17	—	·02	—	—	·09	—	·10	Tr	Tr	·11	·01	Tr		17
18	—	Tr	—	—	·34	·52	—	·07	·01	Tr	·25	—		18
19	—	—	—	—	—	—	—	·12	·03	—	Tr	·06		19
20	Tr	—	—	—	—	—	—	—	·02	—	·21	·07		20
21	Tr	—	—	—	—	—	—	—	Tr	—	—	·22		21
22	—	Tr	—	Tr	—	·04	—	—	Tr	—	·26	·26		22
23	—	—	—	Tr	·01	Tr	·04	—	·29	—	—	·06		23
24	—	Tr	·05	—	—	—	Tr	—	·32	—	Tr	·04		24
25	·06	·13	·09	—	—	—	Tr	·01	—	·10	·48	·15		25
26	·01	·21	·09	—	—	Tr	·02	—	·03	·07	—	·09		26
27	·02	·02	—	—	·43	·12	·20	·15	·63	·02	·34	—		27
28	·13	Tr	—	—	·29	·01	·13	·96	·03	—	·02	·08		28
29	·56	X	—	—	·41	—	·01	—	—	·02	·10	·14		29
30	·04	X	—	—	—	·23	—	—	·24	—	·11	·08		30
31	·10	X	—	X	·15	X	Tr	—	X	·15	X	·47		31
TOTAL	2·49	0·46	0·23	0·04	1·88	1·61	2·46	1·70	2·23	1·93	2·02	3·59	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 157 ft.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									1·36					2
3				·35								·22		3
4			·29					·36						4
5														5
6														6
7														7
8												·22		8
9														9
10														10
11														11
12														12
13														13
14					·30									14
15														15
16														16
17										·88				17
18						·23								18
19							·45							19
20														20
21														21
22		·19												22
23											·64			23
24														24
25	·85													25
26														26
27														27
28						·23								28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	4·15	·94	1·72	1·59	·97	1·28	3·03	2·68	1·41	2·59	3·97	1·15	Year's Total 25·48	✓
* Days with .01 in. or more.	20	12	15	15	6	12	20	14	3	14	19	9	159	✓
* Days with .04 in. or more.	15	7	12	8	4	11	14	13	2	11	16	7	120	✓

* See Insfruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Daily Observations Station No. 2588

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~39

Kept at SUTTON BONINGTON

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·02	·12	—	—	—	·02	·04	—	—	—		1
2	—	—	—	·15	—	—	Tr	·14	1·36	·12	·03	—		2
3	·35	—	—	·35	—	—	—	·32	—	—	·26	·22		3
4	·14	—	·29	·24	—	—	·03	·36	—	·17	·04	·15		4
5	—	—	—	·03	·14	—	·06	·20	—	·14	·23	·12		5
6	·46	—	·02	—	—	—	·23	—	—	—	·09	—		6
7	·04	·05	—	—	—	—	·43	—	—	—	·24	·17		7
8	Tr	·05	·28	—	—	—	·32	·14	—	·20	·24	·22		8
9	·01	·02	—	—	—	—	·03	·24	—	·40	—	·19		9
10	·52	—	·05	—	—	—	—	·14	—	·03	—	—		10
11	·01	—	·17	—	·01	·04	—	·26	Tr	·02	—	—		11
12	—	·12	Tr	—	—	·05	—	—	—	Tr	—	—		12
13	—	—	—	Tr	·01	·06	·03	—	—	·11	—	Tr		13
14	·46	—	—	·08	·30	·09	·09	—	—	·09	·13	—		14
15	·30	—	·02	Tr	·27	·19	·27	—	Tr	·07	·01	Tr		15
16	Tr	—	·06	Tr	·24	·14	—	—	—	·01	·12	—		16
17	·23	·01	Tr	·01	Tr	—	·05	—	—	·88	·01	—		17
18	·03	·01	·09	—	—	·23	·03	—	Tr	—	·60	—		18
19	·18	—	—	—	—	·01	·45	—	Tr	—	—	—		19
20	·04	—	—	—	—	·05	Tr	·31	—	—	—	—		20
21	·25	·14	·17	·02	—	·08	·02	·22	·01	—	—	—		21
22	·10	·19	·13	Tr	—	—	·06	—	Tr	—	·43	—		22
23	·02	—	—	·08	—	Tr	·19	—	—	—	·64	—		23
24	·07	—	Tr	·02	—	—	·26	Tr	—	—	—	—		24
25	·85	·03	·05	—	—	—	·11	·22	—	—	·42	·02		25
26	·06	·03	·05	·02	—	—	—	·06	—	Tr	·14	·05		26
27	—	·15	·20	·02	—	Tr	·02	—	—	·08	·06	·01		27
28	—	·14	·12	·13	—	·23	·12	—	—	Tr	·13	Tr		28
29	—	X	—	·30	—	—	·23	—	—	·27	—	—		29
30	—	X	—	·02	—	·11	—	—	—	—	·15	—		30
31	—	X	—	X	—	X	Tr	·05	X	—	X	—		31
TOTAL	4·15	0·94	1·72	1·59	0·97	1·28	3·03	2·68	1·41	2·59	3·97	1·15	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

136

Section **A** for the entry of Daily Observations

Station No. 2588 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Sutton Bonington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 157 ft.

T/L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10								·14				·50		10
11														11
12														12
13									·12					13
14														14
15														15
16							·64			1·35				16
17			·52											17
18				·31										18
19														19
20														20
21						·34					1·18			21
22														22
23					·32									23
24														24
25														25
26	·90													26
27														27
28		·48												28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	2·25	2·62	1·72	1·32	1·09	·96	2·90	·26	·61	3·62	5·34	1·49	24·18	
* Days with .01 in. or more.	11	14	12	16	11	9	17	6	11	17	18	14	156	
* Days with .04 in. or more.	7	13	9	11	6	5	14	3	7	12	16	8	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2588

METEOROLOGICAL OFFICE

Metform 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~40

Kept at Sutton Bonington

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·15	–	·03	–	–	–	–	Tr	–	·22	Tr		1
2	–	·02	–	·23	–	–	–	–	–	–	·52	·04		2
3	–	·19	–	·13	–	–	Tr	–	–	·09	·62	·05		3
4	–	·18	–	–	–	–	Tr	–	–	·07	·46	·08		4
5	–	Tr	–	–	·02	–	·04	–	–	·11	·28	·08		5
6	·05	·21	–	–	–	–	·05	–	–	·31	·05	·03		6
7	·02	·15	–	·04	·03	–	·04	–	·04	Tr	Tr	·01		7
8	–	–	–	–	–	–	·04	–	Tr	·10	·01	·16		8
9	–	–	·12	–	–	·17	·02	·04	·01	Tr	·18	·03		9
10	–	–	Tr	–	–	–	·58	·14	–	·02	·20	·50		10
11	–	–	·12	Tr	–	–	·42	–	–	Tr	·47	–		11
12	–	–	·03	–	–	–	·13	–	·05	Tr	·04	–		12
13	–	·06	·21	·02	–	–	·04	–	·12	–	–	Tr		13
14	–	–	Tr	·06	·30	–	–	–	·07	Tr	Tr	·21		14
15	–	–	Tr	·05	–	·01	·01	–	·02	·01	·05	Tr		15
16	·03	·23	·35	–	–	·03	·64	–	·03	1·35	·80	–		16
17	–	–	·52	–	–	–	·01	–	·02	Tr	·04	Tr		17
18	·08	·44	·07	·31	–	–	–	·05	·09	·16	·04	·03		18
19	–	·18	·06	·17	–	Tr	·36	Tr	·07	Tr	·16	·02		19
20	–	Tr	–	·06	–	·02	·10	·01	–	·10	·02	–		20
21	·11	Tr	–	–	–	·34	·11	Tr	–	·03	1·18	Tr		21
22	–	–	·01	–	·17	·16	–	–	·09	Tr	–	Tr		22
23	–	·12	·03	·03	·32	·10	–	–	–	·01	Tr	·03		23
24	·02	–	–	·01	–	–	–	–	–	·04	Tr	–		24
25	–	–	–	–	–	–	Tr	–	–	·02	–	–		25
26	·90	·05	–	·04	·02	·10	·14	·01	–	·05	Tr	Tr		26
27	·45	·16	–	Tr	·06	–	·17	·01	–	Tr	–	–		27
28	·46	·48	–	·05	·07	–	–	–	–	–	–	–		28
29	·02	–	·16	·03	·10	·03	Tr	–	–	Tr	–	·22		29
30	Tr	X	–	·06	–	–	–	–	–	·33	Tr	–		30
31	·11	X	·04	X	–	X	Tr	–	X	·82	X	–		31
TOTAL	2·25	2·62	1·72	1·32	1·09	0·96	2·90	0·26	0·61	3·62	5·34	1·49	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

2589

Section **A** for the entry of

AIR MINISTRY

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at Normanton on-th

in the County of Notting

Diameter of Funnel of Gauge E

Height of top of Gauge above Groun

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of thi

observer about

5 ..

llowing

Jan. 1, following

2589

PLUMTREE

NORMANTON-ON-THE-WOLDS

1931 — 32

780410

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·01	·05	·09	·04	·01	·15			·10	·01			1
2	~~·005~~ ·01	·04		·57		·04			·38	·06		·02	2
3	·09			·12					·46	·03	·08	·11	3
4	·01	·07		·13			·56	·10	·10		·06	·01	4
5		·01		·05	·08	·93		·01	·8		·01	·30	5
6	~~·005~~ 5	·17	·09	~~·005~~ 5		·21	·15		·02	·14	·02		6
7						·18	·40	·25		·01	·08	·01	7
8	·03	·09	·03	·03	~~·005~~ 5	·08	·06	1·02			·19		8
9		·11	·01	·08		·02	·02	·30			·20	·01	9
10	·01		·02		·03	·04			·01		·05		10
11	·07	·32				·02			·15		·02		11
12	·03	·06					1·23		·28	·01	·10		12
13	~~·005~~ ·01			~~·015~~ 02		·01	·01	·11	·01				13
14		·05	·05			·12	·61	1·02	·01		·11	·05	14
15		·18		·02	·13		·04	·09			·01		15
16	·05	·26		·09	·40	·50		·14	·10	·01			16
17		·18		·29	·67	·03	·05	·01					17
18	·03	·01		·19		·05	·09	·08			·26		18
19	·04	·02		·20		·12	·26	·04	·04		·01		19
20	·01	·03		·03			·02	·40		·06	·02		20
21	·08				·50			·16			·19	·02	21
22	·04			·02	·02								22
23	·13		·02	·02	·38		·01		·13		·15	~~·005~~ ·01	23
24		·01~~5~~		·09	·55		·15			·01			24
25	·11	~~·005~~ ·01		·56	·01		·20						25
26	·01	·03		·44	·05		·08		·01		·18		26
27	·12	·41			·03					·06	·22	·09	27
28	·08	·24		·03	·08						·01	·07	28
29	·02			·23	·04		·10			·16	·01	·02	29
30	·14	×				·06							30
31	·21	×		×		×			×	·01	×	·02	31
TOTAL	1·43	2·35	31	3·25	2·98	2·56	4·04	3·73	1·94	·57	1·98	·74	YEAR'S TOTAL 25·88
*Days with ·01 in. or more.	2~~1~~ 3	2~~0~~ 1	7	21	15	16	18	14	15	12	21	~~12~~ 13	196
*Days with ·04 in. or more.	13	1~~3~~ 4	3	1~~3~~ 4	1~~1~~ 0	12	14	12	10	5	13	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) MRS HILL

[P.T.O.

Section **A** for the entry of ...PY FOR OFFICIAL USE.

2589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Normanton on-the-Wolds Plumtree
in the County of Nottingham.
Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground two ft – in.
,, Ground ,, Sea Level 170 ft.

Do not write to observer about this record.

totals etc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·05	·09	·04	·01	·15			·16	·01			1
2	~~·005~~ ·01	·04		·57		·04			·38	·06		·02	2
3	·09			·12					·46	·03	·08	·11	3
4	·01	·07		·13			·56	·10	·10		·06	·01	4
5		·01		·05	·08	·93		·01	·8		·01	·30	5
6	~~·005~~ 5	·17	·09	~~·005~~ 5		·21	·15		·02	·14	·02		6
7						·18	·40	·25		·01	·08	·01	7
8	·03	·09	·03	·03	~~·005~~ 5	·08	·06	1·02			·19		8
9		·11	·01	·08		·02	·02	·30			·20	·01	9
10	·01		·02		·03	·04			·01		·05		10
11	·07	·32				·02			·15		·02		11
12	·03	·06					1·23		·28	·01	·10		12
13	~~·005~~ ·01			~~·015~~ ·02		·01	·01	·11	·01				13
14		·05	·05			·12	·61	1·02	·01		·11	·05	14
15		·18		·02	·13		·04	·09			·01		15
16	·05	·26		·09	·40	·50		·14	·10	·01			16
17		·18		·29	·67	·03	·05	·01					17
18	·03	·01		·19		·05	·09	·08			·26		18
19	·04	·02		·20		·12	·26	·04	·04		·01		19
20	·01	·03		·03			·02	·40		·06	·02		20
21	·08				·50			·16			·19	·02	21
22	·04			·02	·02								22
23	·13		·02	·02	·38		·01		·13		·15	~~·005~~ ·01	23
24		·01~~5~~		·09	·55		·15			·01			24
25	·11	~~·005~~ ·01		·56	·01		·20						25
26	·01	·03		·44	·05		·08		·01		·18		26
27	·12	·41			·03					·06	·22	·09	27
28	·08	·24		·03	·08						·01	·07	28
29	·02			·23	·04		·10			·16	·01	·02	29
30	·14	X				·06							30
31	·21	X		X		X			X	·01	X	·02	31
TOTAL	1·43	2·35	31	3·25	2·98	2·56	4·04	3·7 3	1·94	·57	1·98	·74	YEAR'S TOTAL 25·88
*Days with ·01 in. or more.	~~21~~ 23	~~20~~ 21	7	21	15	16	18	14	15	12	21	~~12~~ 13	196
*Days with ·04 in. or more.	13	~~13~~ 14	3	~~13~~ 14	~~11~~ 10	12	14	12	10	5	13	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Mrs Hill

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Normanton Grange, PLUMTREE

in the County of Nottingham

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground TWO ft — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·04		·06	·47	·01			·13	·24	·01	·02	1
2	·03	—	—	—	·13	—	—	·54	·04	·11	—	·02	2
3	—	·01	—	·17	·07	—	—	·03	—	—	—	—	3
4	·02	—	—	·15		—	—	—	—	—	·21	—	4
5	·18	·01	·06	—	·06	—	—	·001	·06	—	—	—	5
6	·25	—	·04	·04	—	—	—	—	·10	—	—	—	6
7	·03	—	·19	·17	—	—	—	—	·04	·08	·01	—	7
8	—	—	—	·07	—	—	—	—	·02	·04	—	·02	8
9	·04	·13	—	—	—	—	—	—	—	—	—	·02	9
10	·04	·01	—	·06	·005	—	—	—	·37	·17	—	·02	10
11	·01	·02	—	·09	·19	·03	·24	—	·10	·005	·04	—	11
12	·12	—	—	·02	·09	—	—	·01	—	·40	·02	—	12
13	—	·03	—	·04	—	—	1·18	—	—	·03	·06	·01	13
14	·13	·01	—	—	—	—	·15	·40	—	·01	·20	·01	14
15	—	—	—	·04	·22	—	—	—	—	·05	—	·04	15
16	—	—	—	·32	·21	—	—	—	—	·005	—	—	16
17	—	—	—	·005	—	—	·03	—	—	·04	·01	—	17
18	—	—	—	—	—	—	—	—	·005	—	—	—	18
19	—	—	—	—	—	—	—	—	—	·20	—	—	19
20	—	—	—	·02	·28	—	—	·26	—	·46	·17	·01	20
21	—	—	·04	·10	·216	—	—	·68	—	·30	—	·07	21
22	—	—	·45	·01	·25	—	·87	—	·41	·05	·24	·04	22
23	—	·01	—	—	·45	—	·03	—	·12	·05	·10	—	23
24	—	—	—	—	·01	—	·40	—	·08	·01	·11	·02	24
25	—	·05	—	—	·02	—	·21	·01	·03	·20	·01	—	25
26	—	—	—	·27	·33	·02	·04	—	·07	·005	·04	·01	26
27	—	—	·22	·13	·57	—	·07	—	·01	—	·10	—	27
28	—	—	·19	·06	·30	·08	·10	1·04	—	·05	—	—	28
29	—	—	·08	·12	·05	·33	·04	·24	·05	·23	·06	·06	29
30	—	×	·08	·005	·02	·02	·06	·04	·19	·18	·14	·14	30
31	—	×	·09	×	·01	×	·83	—	×	—	×	·09	31
TOTAL	1·05	·32	1·44	1·95	5·89 ~~3·95~~	·49	4·25	3·251	1·821	2·915	1·53	·60	YEAR'S TOTAL 25·507 ~~23·567~~
*Days with ·01 in. or more.	12	10	10	19	20	6	14	10	16	20	17	16	170
*Days with .04 in. or more.	8	3	10	16	16	2	12	7	13	17	12	6	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) T. Ram Hill

P.T.O.

2590

Section **A** for the entry o
AIR MINISTR

OPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090. **REGIS**

Kept at "Westlands",
in the County of N

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea l

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

ollowing

Jan. 1, following

—

2590

RUDDINGTON, "WESTLANDS"
1931 – 40

7f0410

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	—	·04	·05								—	—	1
2	—	·04	—	·50	—	·04	—	—	·37	·02	—	·03	2
3	·08	—	—	·07	—	—	·03	—	·95	·04	·04	·14	3
4	—	·09	—	·13	—	—	·41	·12	·07	—	·03	—	4
5	—	·02	—	·04	·10	1·06	·01	—	·12	·15	tr.	·31	5
6	—	·13	·08	·01	—	·18	·25	—	—	—	·05	—	6
7	—	—	·01	—	—	·25	·49	·39	—	—	·09	·01	7
8	—	·08	·03	·04	·01	·06	·05	·93	—	—	·21	tr.	8
9	·04	·11	—	·10	—	·02	tr.	·23	—	—	·21	—	9
10	tr.	·05	·01	—	·03	·02	—	·04	·01	—	·04	—	10
11	·04	·38	—	—	—	·03	·01	—	·17	—	·02	—	11
12	·03	·03	—	—	—	—	1·10	—	·29	—	·17	—	12
13	—	—	tr.	—	—	tr.	—	·12	·02	—	—	—	13
14	—	·05	·04	—	—	·13	1·22	·95	·02	—	·21	—	14
15	·01	·19	—	·02	·09	—	·10	·16	—	—	·01	·05	15
16	·03	·30	—	·09	·27	·47	·03	·35	·10	·01	—	—	16
17	·03	·14	—	·33	·58	·03	·05	—	—	—	—	—	17
18	·03	—	—	·22	—	·08	·06	·07	—	—	·29	—	18
19	·04	·02	—	·15	—	·15	·09	·06	·02	·01	—	—	19
20	—	·04	—	·02	—	—	·02	·40	—	—	·01	·02	20
21	·12	tr.	—	—	·47	—	—	·16	—	—	·24	—	21
22	·05	—	—	·01	·01	—	—	—	—	—	—	—	22
23	·13	—	—	·03	·33	·11	—	—	·01	—	·16	·01	23
24	—	·01	—	·09	·61	—	·18	—	—	—	—	—	24
25	·13	·01	—	·50	tr.	—	·25	—	—	—	·01	—	25
26	·01	·02	—	·44	—	—	·07	—	—	—	·15	—	26
27	·14	·43	—	—	·02	—	—	—	—	·04	·24	·09	27
28	·05	·23	—	·02	·15	—	—	—	—	—	·01	·09	28
29	·12	×	—	·16	·02	—	·08	—	—	·15	·01	·03	29
30	·08	×	—	tr.	—	·12	—	—	—	—	tr.	—	30
31	·21	×	—	×	—	×	—	—	×	—	×	·01	31
TOTAL	1·37	2·41	0·22	3.00	2·69	2·90	4.50	3.98	2·30	0.43	2.20	0·79	YEAR'S TOTAL 26·79
*Days with ·01 in. or more.	19	21	6	21	13	16	19	13	13	8	20	11	180
*Days with ·04 in. or more.	13	15	3	14	8	12	14	13	8	4	13	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John D. Walker

P.T.O.

2590

Section **A** for the entry of OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Westlands", Ruddington

in the County of Notts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level 100 ft. approx:

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	·05	·03	—	·15	—	—	·15	·01	—	—	1
2	—	·04	—	·50	—	·04	—	—	·37	·02	—	·03	2
3	·08	—	—	·07	—	—	·03	—	·95	·04	·04	·14	3
4	—	·09	—	·13	—	—	·41	·12	·07	—	·03	—	4
5	—	·02	—	·04	·10	1·06	·01	—	·12	·15	tr.	·31	5
6	—	·13	·08	·01	—	·18	·25	—	—	—	·05	—	6
7	—	—	·01	—	—	·25	·49	·39	—	—	·09	·01	7
8	—	·08	·03	·04	·01	·06	·05	·93	—	—	·21	tr.	8
9	·04	·11	—	·10	—	·02	tr.	·23	—	—	·21	—	9
10	tr.	·05	·01	—	·03	·02	—	·04	·01	—	·04	—	10
11	·04	·38	—	—	—	·03	·01	—	·17	—	·02	—	11
12	·03	·03	—	—	—	—	1·10	—	·29	—	·17	—	12
13	—	—	tr.	—	—	tr.	—	·12	·02	—	—	—	13
14	—	·05	·04	—	—	·13	1·22	·95	·02	—	·21	—	14
15	·01	·19	—	·02	·09	—	·10	·16	—	—	·01	·05	15
16	·03	·30	—	·09	·27	·47	·03	·35	·10	·01	—	—	16
17	·03	·14	—	·33	·58	·03	·05	—	—	—	—	—	17
18	·03	—	—	·22	—	·08	·06	·07	—	—	·29	—	18
19	·04	·02	—	·15	—	·15	·09	·06	·02	·01	—	—	19
20	—	·04	—	·02	—	—	·02	·40	—	—	·01	·02	20
21	·12	tr.	—	—	·47	—	—	·16	—	—	·24	—	21
22	·05	—	—	·01	·01	—	—	—	—	—	—	—	22
23	·13	—	—	·03	·33	·11	—	—	·01	—	·16	·01	23
24	—	·01	—	·09	·61	—	·18	—	—	—	—	—	24
25	·13	·01	—	·50	tr.	—	·25	—	—	—	·01	—	25
26	·01	·02	—	·44	—	—	·07	—	—	—	·15	—	26
27	·14	·43	—	—	·02	—	—	—	—	·04	·24	·09	27
28	·05	·23	—	·02	·15	—	—	—	—	—	·01	·09	28
29	·12	×	—	·16	·02	—	·08	—	—	·15	·01	·03	29
30	·08	×	—	tr.	—	·12	—	—	—	—	tr.	—	30
31	·21	×	—	×	—	×	—	—	×	—	×	·01	31
TOTAL	1·37	2·41	0.22	3.00	2·69	2·90	4.50	3.98	2·30	0.43	2.20	0·79	YEAR'S TOTAL 26·79
*Days with ·01 in. or more.	19	21	6	21	13	16	19	13	13	8	20	11	180
*Days with ·04 in. or more.	13	15	3	14	8	12	14	13	8	4	13	5	122

40-9999

(Signed) John D. Walker

P.T.O.

*See Instruction 2 (*f*) on other side.

2590

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Westlands" Ruddington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03	—	·08	·41	—	—	·38	·09	·21	·02	·01	1
2	·05	—	—	—	·09	—	—	·17	·04	·09	—	·02	2
3	—	—	—	·27	·03	—	—	—	—	—	—	—	3
4	·02	·01	—	·16	—	—	—	—	·01	—	·19	—	4
5	·18	tr.	·06	—	·02	—	—	·03	·05	—	—	—	5
6	·31	—	·04	·06	—	—	—	—	·09	—	—	tr.	6
7	—	—	·22	·21	—	—	—	—	·04	·05	·01	—	7
8	—	·01	—	·10	—	—	—	—	·04	·06	—	—	8
9	·04	·12	—	·07	·05	—	—	—	—	—	—	·01	9
10	·05	·02	·01	·06	tr.	—	—	—	·20	·18	—	·01	10
11	·02	·05	—	·06	·22	·09	·17	—	·07	—	·03	—	11
12	·10	·01	—	tr.	·09	—	—	—	—	·46	·02	—	12
13	—	·03	—	·05	—	—	1·03	—	—	—	·08	·01	13
14	·06	—	tr.	·16	—	—	·13	·31	—	·02	·15	·01	14
15	—	—	—	·03	·36	—	—	—	—	·04	—	·04	15
16	·13	—	—	·30	·12	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	tr.	·03	—	—	17
18	—	—	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	·01	—	—	—	—	—	·22	—	tr.	19
20	—	—	—	·08	·40	—	—	·26	—	·40	·16	—	20
21	—	·01	·13	·12	2·17	—	—	·44	—	·30	—	·12	21
22	—	—	·34	·02	·32	·01	·62	—	·47	·03	·30	tr.	22
23	—	tr.	—	—	·54	—	·05	—	·11	·08	·09	·02	23
24	—	—	—	—	—	—	·33	—	·04	[illegible]	·10	—	24
25	—	·04	—	—	—	—	·13	—	·02	·21	·02	·01	25
26	—	—	tr.	·28	·31	·05	·02	—	·03	—	·02	—	26
27	—	—	·30	·13	·50	—	·05	—	—	—	·10	tr.	27
28	—	—	·09	·07	·34	—	·12	·52	—	·03	—	—	28
29	·01	—	·09	·10	·04	·13	·04	·12	·06	·21	·06	·09	29
30	—	×	·09	—	—	·35	·06	·05	·07	·26	·17	·15	30
31	tr.	×	·15	×	·01	×	·88	—	×	—	×	·11	31
TOTAL	1·04	0·33	1·52	2·42	6·02	0·63	3·62	2·28	1·43	2·88	1·52	0·61	YEAR'S TOTAL 24·30
*Days with ·01 in. or more.	12	10	11	21	18	5	13	9	16	18	16	13	162
*Days with .04 in. or more.	9	3	10	18	15	4	12	8	13	14	10	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John D. Walker

P.T.O.

2590

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Westlands", Ruddington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·21	·12	—	—	—	—	—	—	—	·04	—	1
2	·29	—	·32	—	tr.	—	—	—	—	—	·05	—	2
3	·01	·15	·19	—	·17	—	—	—	—	—	·08	—	3
4	·05	·02	·01	—	·11	—	—	—	—	—	—	—	4
5	·08	—	·06	—	·20	—	—	—	—	—	—	—	5
6	—	·09	·08	—	·23	—	—	—	—	·02	·01	·03	6
7	tr.	·32	—	—	·09	—	·32	—	—	·23	—	—	7
8	—	—	·06	—	·04	—	·45	—	—	—	—	—	8
9	—	—	—	—	·06	—	·17	—	—	·67	·05	—	9
10	—	·09	—	—	—	·07	·25	·02	—	·86	·01	—	10
11	·03	—	—	—	—	·02	·16	·01	—	·01	·01	—	11
12	·05	—	—	—	—	·02	·12	—	—	—	—	05	12
13	·03	—	—	—	·12	·02	·39	—	·04	·02	·15	—	13
14	—	—	—	—	·03	—	·15	—	—	·07	·21	—	14
15	·72	—	—	—	—	·02	·08	·05	—	·06	·31	·03	15
16	·15	—	·62	—	·03	·09	·17	—	—	·03	·04	·02	16
17	·03	—	·89	—	—	·04	—	—	·01	—	·06	—	17
18	·01	·07	·06	—	—	·30	—	—	·01	—	·04	—	18
19	—	—	·15	—	—	—	·55	—	·04	—	—	·01	19
20	—	·06	—	—	—	·12	—	·21	—	·02	·01	—	20
21	—	·01	—	—	·57	·17	—	·09	—	—	—	—	21
22	—	—	—	—	—	·12	—	·29	—	·41	—	—	22
23	—	—	—	·47	—	—	—	—	·25	·01	—	—	23
24	—	·31	—	·10	·05	·31	—	—	·18	·02	·04	—	24
25	—	·83	—	·27	—	·02	—	—	—	—	—	·03	25
26	—	·52	—	·15	—	·05	—	—	·06	·06	·02	·03	26
27	—	—	—	—	—	—	—	—	·73	·05	—	—	27
28	·01	tr.	—	·23	·02	—	·02	—	·02	·11	—	·04	28
29	·03	×	—	·08	·02	—	—	—	tr.	·07	—	—	29
30	·03	×	·15	—	—	—	·03	—	—	tr.	—	·04	30
31	—	×	·30	×	—	×	—	·02	×	·09	×	—	31
TOTAL	1·73	2·68	3·01	1·30	1·74	1·37	2·86	0·69	1·33	2·81	1·13	0·28	YEAR'S TOTAL 20·93
*Days with ·01 in. or more.	15	12	13	6	14	14	13	7	9	18	16	9	146
*Days with .04 in. or more.	7	10	12	6	10	9	11	4	6	11	11	3	100

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) John D Walker

P.T O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Westlands, Ruddington

in the County of Notts.

Diameter of Funnel of Gauge 5 in. —

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	—	—	—	—	—	—	·09	—	·03	·01	·26		1
2	·04	·01	·04	—	—	—	—	·06	·22	·02	·08	·22		2
3	·02	·03	—	—	—	—	—	—	—	·02	·03	—		3
4	·04	tr.	·09	·58	—	—	—	—	·05	—	·15	·32		4
5	—	—	·07	·03	·11	—	—	·26	—	·02	·06	·02		5
6	—	—	·01	·01	·37	·05	—	·05	—	·18	—	·39		6
7	·06	—	—	—	—	—	—	·01	—	·05	—	·13		7
8	—	—	·07	—	·08	·04	—	·06	—	·01	·33	—		8
9	—	—	·20	·03	—	—	—	·05	—	—	·61	·15		9
10	tr.	—	·15	·12	—	—	—	·09	—	—	·14	·01		10
11	·48	—	·13	·26	—	—	—	·07	—	—	—	·15		11
12	tr.	—	·23	—	—	—	·05	·18	—	—	—	·02		12
13	·42	—	—	·02	·01	—	·97	·03	—	—	·01	·12		13
14	·06	—	·24	—	·01	·06	—	—	—	·12	·60	·27		14
15	·05	—	·07	—	·06	—	—	—	·03	—	·11	—		15
16	·16	—	·09	—	·08	—	—	—	—	·03	·05	·03		16
17	·20	—	—	—	·02	—	·01	·03	·18	·04	·01	·04		17
18	·05	—	—	·12	—	·02	·05	—	·09	—	—	·01		18
19	—	—	·07	·07	—	·11	—	—	—	·01	—	·08		19
20	—	—	·01	·05	—	—	—	—	—	—	—	—		20
21	—	—	—	—	—	·12	—	·02	·02	·01	—	·01		21
22	—	—	—	—	—	—	—	·23	·18	—	—	·02		22
23	—	—	·02	·26	·04	·01	·42	—	—	—	—	·06		23
24	—	·17	·09	·08	—	·06	·02	—	·44	—	—	—		24
25	·11	—	—	·02	—	·01	—	—	·01	·10	—	·33		25
26	·16	—	·01	·20	—	—	·03	—	·02	tr.	—	·04		26
27	—	·25	—	·35	—	·01	·02	—	—	·03	—	·08		27
28	—	—	—	·10	—	·45	—	·36	—	—	—	·40		28
29	—	×	—	—	—	—	·13	·07	·35	·02	—	·16		29
30	·02	×	—	—	—	—	·03	—	·02	·04	—	·24		30
31	·02	×	—	×	—	×	·09	—	×	·15	×	—		31
TOTAL	2·05	0·46	1·59	2·30	0·78	0·94	1·82	1·66	1·61	0·88	2·09	3·56	Year's Total. 19·74	
* Days with .01 in. or more.	16	4	17	16	9	11	11	16	12	17	13	25	167	
* Days with .04 in. or more.	13	2	13	11	6	7	6	12	7	7	9	18	111	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John D. Walker. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Westlands, Ruddington

in the County of Nottinghamshire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 100 ft. approx.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	·01	·03	–	·09	·01	–	·61	·05	·15	·10		1
2	tr:	–	·07	–	–	·21	–	–	·02	·23	–	·20		2
3	–	·12	·03	·04	–	·09	–	–	·02	·04	·16	–		3
4	–	–	–	·05	–	·08	–	–	·27	·18	–	–		4
5	–	·30	·10	·08	–	·02	–	–	·04	·25	·14	–		5
6	·01	·01	·01	·09	–	·13	–	–	–	–	–	–		6
7	·11	tr:	–	·37	–	·08	–	–	–	·18	·61	·15		7
8	–	–	·02	·08	–	–	–	·01	–	·04	·08	·19		8
9	–	–	–	·09	–	·13	–	–	–	·37	·17	·01		9
10	–	·01	·02	·21	–	·01	–	–	–	tr:	·07	·01		10
11	·07	–	–	–	–	·02	–	·06	–	tr:	·11	·07		11
12	–	·01	–	–	–	·12	–	·03	·02	–	–	–		12
13	·06	tr:	–	·09	·16	–	–	–	–	–	·01	–		13
14	–	–	–	–	·10	·02	–	–	·29	–	·33	·14		14
15	–	·05	–	·60	·06	–	–	–	·30	–	·20	·24		15
16	–	·02	·09	·16	–	–	·03	–	·33	·18	·47	·04		16
17	–	–	–	·09	–	·51	·02	·01	·03	·05	·52	–		17
18	·02	–	–	·26	·03	·16	·02	–	·26	·08	·02	–		18
19	·01	–	–	·04	·02	·41	–	–	·03	·05	·20	·02		19
20	–	·23	–	·22	–	·21	·02	–	–	–	·07	–		20
21	–	·35	·01	·02	–	–	–	–	·75	·02	·16	–		21
22	–	·25	·01	·06	–	–	–	·01	–	–	·02	·04		22
23	tr:	–	·16	·08	–	–	–	·91	·02	·19	–	–		23
24	·03	·22	·09	–	–	–	–	–	1·45	–	–	·15		24
25	·23	·01	–	·04	–	·72	–	–	–	–	–	·01		25
26	·04	–	–	–	–	–	–	·66	·41	·04	–	·42		26
27	–	·24	–	–	–	–	·01	–	·25	·05	·18	1·03		27
28	·01	·02	–	–	·08	–	–	03	·02	tr:	·02	·03		28
29	–	×	·09	–	–	–	–	–	·08	·01	·01	·05		29
30	·10	×	–	·11	–	–	–	·15	–	·25	·21	·05		30
31	·01	×	–	×	–	×	–	–	×	·35	×	·12		31
TOTAL	0·95	1·84	0·71	2·81	0·45	3·01	0·11	1·87	5·20	2·61	3·91	3·07	Year's Total. 26·54 inches	
* Days with .01 in. or more.	13	14	13	21	6	17	6	9	19	19	22	20	179	
* Days with .04 in. or more.	7	8	6	19	4	13	0	4	12	17	17	15	122	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) John D. Walker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Westlands" Ruddington

in the County of Notts.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·08	·05	·28	—	—	·10	·18	—	—	tr.	·02		1
2	·27	·04	·10	·05	—	·33	·25	·13	—	—	·12	·02		2
3	—	—	—	—	—	·27	·02	—	·10	—	—	·02		3
4	·04	·01	·09	—	—	·22	—	·05	·14	·03	·10	·13		4
5	·08	·04	·18	—	—	—	·03	·02	·08	·01	—	·08		5
6	—	—	·01	—	·02	·05	·27	·14	·18	—	·05	·04		6
7	·31	—	tr.	—	—	—	·46	—	·01	—	·02	·01		7
8	·13	—	·04	—	—	—	—	—	—	·04	·15	·04		8
9	·20	—	·02	—	—	·02	·73	—	·05	·02	·09	—		9
10	·01	—	—	—	—	—	·71	—	—	—	—	—		10
11	—	—	—	·13	—	·03	·26	·11	—	·01	·31	—		11
12	—	—	—	·10	·01	·22	·53	—	·52	—	·03	·03		12
13	—	—	—	·03	—	·19	—	—	—	·04	·01	·14		13
14	—	—	—	·09	—	·04	·25	—	·68	—	·05	·29		14
15	·07	·09	—	·03	—	·16	·13	—	—	—	·21	·02		15
16	·16	·08	—	tr.	—	—	·02	—	—	—	·40	tr.		16
17	·01	·47	—	—	·03	—	·14	—	—	·05	·06	·05		17
18	—	·02	—	—	—	·02	·19	—	—	·04	·02	—		18
19	·37	·06	—	·26	—	·12	—	·04	—	·10	—	—		19
20	—	·06	—	·04	—	—	—	·03	—	tr.	tr.	—		20
21	·08	—	·01	·09	—	·40	—	—	—	—	—	—		21
22	—	·37	·08	·01	·17	—	·17	—	—	—	·02	·02		22
23	—	·02	·12	·12	·10	—	·31	—	—	—	—	—		23
24	·15	·09	—	—	·03	—	—	—	·11	·14	—	—		24
25	·04	—	·07	·38	—	·10	tr.	—	·33	·01	—	—		25
26	—	·04	·36	·02	—	—	—	—	·07	·06	tr.	—		26
27	·12	—	—	—	—	—	—	—	·28	·12	—	—		27
28	·30	·14	·08	tr.	—	·01	·03	—	·08	—	·03	·06		28
29	·57	·20	·06	—	—	·25	—	—	—	·02	·44	·07		29
30	·18	✕	—	—	·11	·30	·09	—	—	·20	·01	—		30
31	·08	✕	·02	✕	·02	✕	·01	—	✕	·07	✕	·12		31
TOTAL	3·18	1·81	1·29	1·63	0·49	2·73	4·70	0·70	2·63	0·96	2·12	1·16	Year's Total 23.40	✓
* Days with .01 in. or more.	20	16	15	14	8	17	20	8	13	16	18	17	182	✓
* Days with .04 in. or more.	17	13	11	10	3	13	15	6	12	10	11	10	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John D. Walker [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Westlands, Ruddington

in the County of Notts

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	—	—	—	—	—	·01	—	·07	—	·04	·21		1
2	·02	·09	·07	·29	—	—	—	—	—	—	—	·69		2
3	—	·02	—	—	·20	—	·03	—	—	—	—	·30		3
4	·07	·07	·02	—	·03	—	tr:	·02	—	—	—	·62		4
5	·22	—	·09	—	—	—	—	·02	—	—	—	·02		5
6	—	—	·03	·01	·06	—	—	—	—	—	—	·01		6
7	—	·36	·04	·16	·01	·02	—	—	—	·04	—	—		7
8	—	·27	—	—	—	—	—	—	·02	—	·23	—		8
9	tr:	·12	—	·05	·08	—	·38	—	·03	—	—	·04		9
10	·02	·09	·19	·10	—	·16	—	—	—	—	—	·07		10
11	—	—	·60	·03	·53	—	—	—	—	—	—	·21		11
12	·04	·23	·09	—	·38	·13	—	—	·13	—	—	·14		12
13	—	·02	—	—	tr:	·03	—	—	—	—	—	·01		13
14	—	—	·10	—	—	—	—	·08	·03	—	—	·08		14
15	·11	·14	—	·25	—	—	2·02 ✓	—	·02	—	—	—		15
16	·04	·18	·34	·30	—	—	—	·11	·14	—	—	tr:		16
17	·19	tr:	·23	·37	—	—	—	—	·29	—	—	—		17
18	·58	·03	·04	·09	—	—	·04	—	·18	tr:	·45	—		18
19	·05	·09	·01	·07	—	·10	·04	—	—	·01	·12	—		19
20	·21	·15	—	·31	·69	—	—	—	·02	—	—	·02		20
21	·02	·07	·03	—	—	—	·27	—	—	—	—	—		21
22	·06	·02	·01	—	·05	—	·21	—	—	·27	·21	·02		22
23	·30	—	—	—	·03	—	·06	—	—	·87	·20	—		23
24	·12	·32	·05	—	tr:	—	·01	—	·02	·15	—	—		24
25	·17	·38	·05	—	·05	—	—	—	·01	·96	—	—		25
26	—	·16	·03	—	·25	—	—	—	—	—	—	·03		26
27	—	·23	—	·19	—	—	—	—	—	·76	—	·01		27
28	tr:	·08	·01	—	—	—	—	—	—	·01	—	·02		28
29	·08	✕	—	—	—	—	—	—	—	—	·04	·02		29
30	·32	✕	—	—	—	·03	—	·01	—	—	·06	·03		30
31	·31	✕	—	✕	—	✕	—	—	✕	·13	✕	·01		31
TOTAL	3·01	3·12	2·03	2·22	2·36	0.47	3·07	0·24	0·96	3·20	1·35	2·56	Year's Total 24·59	✓
* Days with .01 in. or more.	20	21	19	13	12	6	10	5	12	9	8	20	155	✓
* Days with .04 in. or more.	17	17	12	11	9	3	7	2	5	7	8	9	107	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John D. Walter

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Westlands Ruddington

in the County of Notts

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·01	·42	—	—	·02	·03	—	·15		1
2	·03	—	—	·05	·04	·13	—	—	—	·10	·01	·06		2
3	·04	—	—	—	—	·04	·01	—	·15	·46	·05	—		3
4	·02	—	—	·02	—	·02	·01	·50	—	·04	·01	·29		4
5	—	—	—	—	—	—	·19	·02	·02	·01	—	·01		5
6	·04	·01	—	—	—	—	·28	—	·90	·06	—	·01		6
7	·10	—	—	—	—	—	·14	·01	·04	·02	—	·03		7
8	·21	—	—	—	—	—	·10	—	—	·24	—	·03		8
9	·02	·17	—	—	—	·14	tr.	·18	—	—	—	·41		9
10	—	·02	—	—	—	·01	·37	tr.	—	—	—	·03		10
11	·44	—	—	—	—	—	·01	·08	—	—	·06	·01		11
12	·09	—	—	—	·08	—	·03	—	—	·39	·12	—		12
13	—	·05	—	—	—	—	—	—	—	—	·06	·23		13
14	·08	·02	—	—	·06	—	·51	—	·19	—	—	·01		14
15	·11	—	—	—	—	—	·34	·02	—	—	·01	·18		15
16	·17	—	·01	—	—	—	·15	·05	—	·10	·01	·27		16
17	—	·04	—	—	·17	—	·06	tr.	·01	·14	—	—		17
18	—	—	—	—	·34	·18	—	·05	·03	·02	·24	—		18
19	—	—	—	—	—	—	—	·10	·04	—	—	·07		19
20	—	—	—	—	—	—	—	[illegible]	—	—	·26	·08		20
21	·01	—	—	—	—	—	—	·09	—	—	—	·26		21
22	—	·02	—	—	—	·07	—	—	—	—	·27	·24		22
23	—	—	—	—	—	·02	tr.	—	·08	—	—	·07		23
24	—	—	·02	—	·08	—	tr.	—	·26	—	tr.	·02		24
25	·04	·12	·08	—	·01	—	·01	·02	tr.	·13	·52	·13		25
26	tr.	·18	·08	—	—	—	—	—	·08	·08	—	·08		26
27	·01	·01	—	—	·18	·09	·12	·22	·53	·01	·28	—		27
28	·22	—	—	—	·37	·02	·16	·88	·13	—	·04	·07		28
29	·49	×	—	—	·51	—	·15	—	—	·03	·10	·13		29
30	·04	×	—	—	—	·07	—	—	·20	—	·03	·07		30
31	·06	×	—	×	·15	×	—	—	×	·13	×	·55		31
TOTAL	2·22	0.64	0·19	0·07	2.00	1·21	2·64	2·22	2·68	1·99	2·07	3·49	Year's Total 21·42	in. ✓
* Days with .01 in. or more.	19	10	4	2	12	12	17	13	15	17	16	26	163	✓
* Days with .04 in. or more.	14	5	2	1	10	8	12	9	11	11	11	18	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John A. Walker

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Westlands, Ruddington
in the County of Notts
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. – in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	·02	·10	–	–	·05	–	·06	–	–	–		1
2	·03	–	–	·02	–	–	trace	·22	·38	·20	·03	trace		2
3	·28	–	–	·26	–	–	–	·26	–	trace	·21	·25		3
4	·15	–	·25	·22	–	–	·02	·33	·03	·02	–	·11		4
5	–	–	–	·03	·12	–	·11	·15	–	·06	·19	·15		5
6	·40	–	–	–	–	–	·20	–	–	·02	·03	–		6
7	·07	·05	–	–	–	–	·33	–	–	–	·18	·20		7
8	–	·06	·24	–	–	–	·36	·07	–	·07	·21	·21		8
9	–	·06	–	–	–	–	·03	·18	–	·52	–	·24		9
10	·48	–	·01	–	–	–	–	·25	–	·04	–	–		10
11	·02	–	·19	–	·01	·02	–	·09	·08	·11	–	–		11
12	–	·06	–	–	–	·05	–	–	–	·01	–	–		12
13	–	–	–	–	–	·09	·01	–	–	·09	–	–		13
14	·38	–	–	·08	·20	·12	·30	–	–	·09	·05	–		14
15	·19	–	–	tr.	·31	·28	·48	–	–	·08	–	–		15
16	tr.	–	·08	–	·24	·17	·05	–	·01	–	·15	–		16
17	·26	·01	·02	·06	–	–	·01	–	–	·69	trace	–		17
18	·03	–	·07	–	–	·28	·09	–	–	trace	·63	–		18
19	·23	–	–	–	–	·06	·36	–	·01	–	–	–		19
20	·02	–	–	–	–	·04	–	·16	–	–	–	–		20
21	19	·12	·12	·02	–	·06	·81	·15	·01	–	–	–		21
22	15	·15	·04	–	–	trace	·15	–	·01	·01	·57	–		22
23	02	·01	–	·08	–	–	·12	·01	–	–	·52	–		23
24	06	–	tr.	·03	–	–	·36	–	–	–	–	–		24
25	83	·01	·05	–	–	–	·09	·34	–	–	·35	·02		25
26	·05	–	·02	·03	–	–	–	·09	–	·02	·11	·02		26
27	–	·12	·22	–	–	·02	·03	–	–	·09	·04	·01		27
28	–	·16	·19	·15	–	·18	·09	·02	–	–	·17	–		28
29	–	×	–	·30	–	–	·24	–	–	·25	–	–		29
30	–	✕	–	·01	–	·06	trace	–	–	–	·14	–		30
31	–	✕	–	✕	–	✕	·03	·09	✕	–	✕	–		31
TOTAL	3·88	0·81	1·52	1·39	0·88	1·43	4·27	2·41	0·59	2·37	3·52	1·21	Year's Total 24·28	✓
* Days with .01 in. or more.	20	11	14	14	5	13	23	15	8	17	16	9	165	✓
* Days with .04 in. or more.	15	8	10	8	4	11	17	13	3	12	14	6	121	✓

July 21st 0·80 Rainfall in 15 minutes between 3·30 & 3·45 p.m. S.T.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John D. Walker.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "Westlands", Ruddington

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read **the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·10	—	·02	—	—	—	—	—	—	·25	—		1
2	—	·01	—	·27	—	—	—	—	—	—	·38	·04		2
3	—	·26	—	·13	—	—	—	—	—	·05	·33	·10		3
4	—	·13	—	·04	—	—	—	—	—	·11	·60	·04		4
5	—	—	—	—	·03	—	·09	—	—	·05	·28	·11		5
6	·09	·19	—	—	—	—	·01	—	—	·52	·06	·01		6
7	·03	·16	—	·05	·05	—	—	—	·04	—	—	·03		7
8	—	—	—	—	—	—	·15	—	—	·08	—	·19		8
9	—	—	·14	—	—	·07	·03	·05	·03	—	·13	·04		9
10	—	—	·02	—	—	—	·83	·05	—	—	·11	·33		10
11	—	—	·08	—	—	—	·18	—	—	—	·44	·02		11
12	—	·01	·08	—	—	—	·09	—	·07	—	·10	—		12
13	—	·03	·19	—	—	—	—	—	·11	—	—	—		13
14	—	—	·03	·08	·25	—	—	—	·07	—	—	·30		14
15	—	—	—	·02	—	·04	—	—	·04	—	·06	·01		15
16	·04	·20	·33	·02	—	·07	·72	—	·02	1·60	·75	—		16
17	—	—	·63	—	—	—	·05	—	—	—	·52	—		17
18	·08	·42	·10	·35	—	—	—	·05	—	·04	·01	—		18
19	—	·14	·04	·21	—	—	·32	—	·09	·08	·14	·05		19
20	—	·01	—	·07	—	·04	·07	·02	—	·08	·04	—		20
21	·08	—	—	—	—	·27	·23	—	—	·09	1·02	—		21
22	—	—	·01	—	·19	·28	—	—	·06	—	—	—		22
23	—	·05	·04	·02	·92	·12	—	—	—	·01	—	·03		23
24	·02	—	—	·02	—	—	—	—	—	·03	—	—		24
25	—	—	—	—	—	—	—	—	—	·01	—	—		25
26	·90	·07	—	·01	·06	·02	·16	—	—	·02	—	—		26
27	·98	·06	—	·42	—	—	·24	·05	—	—	—	—		27
28	·05	·63	—	—	·09	—	—	—	—	—	—	—		28
29	·02	—	·16	·06	·40	·04	—	—	—	—	—	·20		29
30	·08	✕	—	·05	—	—	—	—	—	·29	—	·04		30
31	·13	✕	·05	✕	—	✕	—	—	✕	·84	✕	—		31
TOTAL	2·50	2·47	1·90	1·84	1·99	0·90	3·17	0·22	0·53	390	5·22	1·54	Year's Total 2618	
* Days with .01 in. or more.	12	16	14	17	8	9	14	5	9	16	17	16	153	
* Days with .04 in. or more.	9	12	11	11	7	8	12	4	7	12	16	11	120	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John D. Walker [P.T.O.

2591

Section **A** for the entry
AIR MINISTI

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at WILFORD HILL

in the County of NOTT

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform
year in the space on the right of

following

Jan. 1, following

2591

NOTTS
WILFORD HILL RESERVOIR
1931 —— 40

7804 10

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·010	·030	s ·040							0	–	–	1
2	·010	·040	–	·540	–	·035	–	–	·325	·045	–	·030	2
3	·060	·010	–	·070	–	Tr.	·040	–	·830	·020	·070	·110	3
4	·010	·080	–	·140	–	–	·400	·160	·060	–	·030	·020	4
5	–	·020	–	·040	·120	1·080	–	Tr.	·160	–	·010	·320	5
6	–	·150	·020	–	–	·190	·290	–	Tr.	·140	·035	–	6
7	·040	Tr.	–	–	–	·240	·940	·110	–	–	·080	·010	7
8	·030	·090	s ·025	·060	·010	·040	·060	1·180	–	–	·220	Tr.	8
9	–	·110	s ·020	·090	–	·010	Tr.	·260	–	–	·200	Tr.	9
10	·015	·090	s ·015	–	·050	·015	–	·090	–	–	·040	–	10
11	·060	·370	–	–	–	·040	Tr.	–	·155	–	·020	Tr.	11
12	·040	·050	–	–	–	–	1·260	–	·280	·010	·135	–	12
13	–	–	–	·010	Tr.	–	–	·150	·020	–	–	–	13
14	–	·050	·060	–	·010	·105	1·110	·995	·020	–	·150	–	14
15	–	·175	–	·015	·080	–	·130	·135	–	–	·015	·050	15
16	·060	·265	–	·095	·315	·510	·020	·320	·100	Tr.	Tr.	–	16
17	–	·150	–	·280	·700	Tr.	·050	–	–	–	–	–	17
18	·030	Tr.	–	·220	–	·060	·065	·065	–	·010	·275	–	18
19	·045	·035	–	·190	–	·220	·090	·090	·020	·045	Tr.	–	19
20	–	·035	–	·035	–	–	·010	·420	–	Tr.	·010	·020	20
21	·120	–	–	–	·470	–	–	·150	–	–	·255	Tr.	21
22	·055	–	–	–	·010	–	–	–	–	–	Tr.	–	22
23	·130	–	·010	·025	·390	·080	–	–	·015	–	·175	·010	23
24	–	·010	–	·090	·590	–	·210	–	–	–	–	·010	24
25	·105	·010	–	·640	·010	–	·130	–	–	–	Tr.	–	25
26	·010	·020	–	·420	·040	–	·070	–	Tr.	–	·165	–	26
27	·160	·410	–	–	·045	–	–	–	–	·075	·260	·200	27
28	·060	s ·200	–	·030	·085	–	–	–	–	Tr.	·010	·060	28
29	·120	X	–	·230	·030	–	·090	–	–	·160	·020	·030	29
30	·095	X	–	·010	–	·130	–	–	Tr.	–	Tr.	–	30
31	·245	X	–	X	–	X	–	–	X	–	X	·015	31
TOTAL	1·51~~0~~	2·40~~0~~	·19~~0~~	3·2~~65~~7	2·95~~5~~	2·7~~85~~9	4·96~~5~~	4·1~~25~~3	2·12~~5~~	·5~~15~~2	2·17~~5~~	·8~~35~~8	YEAR'S TOTAL 27·89~~5~~
*Days with ·01 in. or more.	22	22	7	21	16	15	17	13	12	9	20	13	187
*Days with ·04 in. or more.	15	14	2	14	11	11	15	13	8	5	12	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Davies
Engineer & General Manager.

[P.T.O.

2591

Section **A** for the entry … COPY FOR OFFICIAL USE.
AIR MINIST … ~~BRITISH RAINFALL~~ ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 1.

Kept at WILFORD HILL RESERVOIR,
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 294·80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·010	·030	s ·040	·035	-	·030	-	-	·140	·010	-	-	1
2	·010	·040	-	·540	-	·035	-	-	·325	·045	-	·030	2
3	·060	·010	-	·070	-	Tr.	·040	-	·830	·020	·070	·110	3
4	·010	·080	-	·140	-	-	·400	·160	·060	-	·030	·020	4
5	-	·020	-	·040	·120	1·080	-	Tr.	·160	-	·010	·320	5
6	-	·150	·020	-	-	·190	·290	-	Tr.	·140	·035	-	6
7	·040	Tr.	-	-	-	·240	·940	·110	-	-	·080	·010	7
8	·030	·090	s ·025	·060	·010	·040	·060	1·180	-	-	·220	Tr.	8
9	-	·110	s ·020	·090	-	·010	Tr.	·260	-	-	·200	Tr.	9
10	·015	·090	s ·015	-	·050	·015	-	·090	-	-	·040	-	10
11	·060	·370	-	-	-	·040	Tr.	-	·155	-	·020	Tr.	11
12	·040	·050	-	-	-	-	1·260	-	·280	·010	·135	-	12
13	-	-	-	·010	Tr.	-	-	·150	·020	-	-	-	13
14	-	·050	·060	-	·010	·105	1·110	·995	·020	-	·150	-	14
15	-	·175	-	·015	·080	-	·130	·135	-	-	·015	·050	15
16	·060	·265	-	·095	·315	·510	·020	·320	·100	Tr.	Tr.	-	16
17	-	·150	-	·280	·700	Tr.	·050	-	-	-	-	-	17
18	·030	Tr.	-	·220	-	·060	·065	·065	-	·010	·275	-	18
19	·045	·035	-	·190	-	·220	·090	·090	·020	·045	Tr.	-	19
20	-	·035	-	·035	-	-	·010	·420	-	Tr.	·010	·020	20
21	·120	-	-	-	·470	-	-	·150	-	-	·255	Tr.	21
22	·055	-	-	-	·010	-	-	-	-	-	Tr.	-	22
23	·130	-	·010	·025	·390	·080	-	-	·015	-	·175	·010	23
24	-	·010	-	·090	·590	-	·210	-	-	-	-	·010	24
25	·105	·010	-	·640	·010	-	·130	-	-	-	Tr.	-	25
26	·010	·020	-	·420	·040	-	·070	-	Tr.	-	·165	-	26
27	·160	·410	-	-	·045	-	-	-	-	·075	·260	·200	27
28	·060	s ·200	-	·030	·085	-	-	-	-	Tr.	·010	·060	28
29	·120	X	-	·230	·030	-	·090	-	-	·160	·020	·030	29
30	·095	X	-	·010	-	·130	-	-	Tr.	-	Tr.	-	30
31	·245	X	-	X	-	X	-	-	X	-	X	·015	31
TOTAL	1·51~~0~~	2·40~~0~~	·19~~0~~	3·2~~65~~7	2·95~~5~~	2·7~~85~~9	4·96~~5~~	4·1~~25~~3	2·12~~5~~	·5~~15~~2	2·17~~5~~	·8~~85~~8	YEAR'S TOTAL 27·89~~5~~
*Days with ·01 in. or more.	22	22	7	21	16	15	17	13	12	9	20	13	187
*Days with ·04 in. or more.	15	14	2	14	11	11	15	13	8	5	12	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Davies

Engineer ~~& General~~ Manager.

[P.T.O.

2591

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WILFORD HILL RESERVOIR

in the County of NOTTINGHAM

*Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft -⅛ in.

*,, Ground ,, Sea Level 294.78 ft.

* **THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.105	.020	-	.090	.425	-	-	.235	.115	.210	.015	Tr.	1
2	-	-	-	-	.130	-	-	.100	.040	.125	.010	.030	2
3	-	.010	-	.270	.030	-	-	-	-	Tr.	-	.010	3
4	.020	.010	-	.170	-	-	-	-	Tr.	-	.185	-	4
5	.180	Tr.	.050	Tr.	-	Tr.	-	Tr.	.055	-	-	.010	5
6	.345	-	.040	.070	-	-	-	-	.085	-	-	-	6
7	.030	-	.235	.150	-	-	-	-	.040	.050	.025	-	7
8	.015	.015	-	.120	-	-	-	-	.050	.060	-	-	8
9	-	.090	-	.095	.080	-	-	-	-	-	-	.010	9
10	.050	.025	-	.060	Tr.	-	-	-	.200	.185	Tr.	.010	10
11	.015	.040	Tr.	.060	.205	.080	.155	Tr.	.060	.015	.030	-	11
12	.115	.015	-	.020	.095	-	-	Tr.	-	.505	.030	-	12
13	-	.030	-	.060	Tr.	-	1.040	-	.010	-	.055	.015	13
14	.065	.010	-	.030	-	-	.125	.290	-	.015	.180	.010	14
15	-	-	-	.030	.230	-	-	-	-	.050	Tr.	.050	15
16	.150	-	-	.340	.140	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	-	-	Tr.	.050	-	-	17
18	-	-	-	-	.015	-	-	-	-	-	-	-	18
19	-	Tr.	-	.020	Tr.	-	-	-	-	.220	-	-	19
20	-	-	-	.060	.615	-	-	.265	-	.420	.175	Tr.	20
21	-	-	.175	.150	1.940	-	-	.380	-	.315	Tr.	.125	21
22	-	-	.345	.030	.570	.020	.625	Tr.	.470	.040	.310	Tr.	22
23	-	Tr.	-	-	.600	-	.055	-	.110	.080	.115	.025	23
24	-	Tr.	-	-	-	-	.275	Tr.	.040	.050	.115	Tr.	24
25	Tr.	.010	-	-	.015	-	.140	.010	.025	.205	.030	.015	25
26	-	-	.010	.290	.300	.040	.020	-	.025	-	.030	.010	26
27	-	-	.290	.130	.525	-	.055	-	Tr.	-	.110	Tr.	27
28	-	-	.090	.220	.350	-	.125	.520	-	.035	-	-	28
29	-	-	.100	.115	.030	.150	.040	.100	.075	.230	.080	.090	29
30	-	X	.100	-	.055	.350	-	.060	.085	.150	.180	.150	30
31	.010	X	.170	X	.010	X	.530	-	X	-	X	.110	31
TOTAL	1.100	.275	1.605	2.580	6.360	.640	3.185	1.960	1.485	3.010	1.675	.670	YEAR'S TOTAL 24.545
*Days with ·01 in. or more.	12	11	11	22	20	5	12	9	16	20	17	15	170
*Days with ·04 in. or more.	7	2	10	17	15	4	11	8	13	17	10	5	119

40-9999

*See Instruction 2 (*f*) on other side.

A W Davies (Signed)

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WILFORD HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft $\frac{1}{8}$ in.
,, Ground ,, Sea Level 294·78 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.205	.210	.135	-	-	-	-	-	-	-	.060	-	1
2	.285	-	.320	-	Tr.	-	-	-	-	-	.065	-	2
3	.010	.090	.250	-	.160	-	-	-	-	-	.070	-	3
4	.060	Tr.	.010	-	.140	-	-	-	-	Tr.	Tr.	-	4
5	.080	.025	.070	-	.230	-	-	-	-	-	Tr.	-	5
6	-	.100	.110	-	.265	-	-	-	-	.040	Tr.	.040	6
7	Tr.	.350	-	-	.105	-	.350	-	-	.215	-	Tr.	7
8	Tr.	Tr.	.060	-	.060	-	.385	-	-	Tr.	-	sTr.	8
9	-	-	Tr.	-	.040	-	.190	-	-	.700	.040	-	9
10	.010	.060	-	-	-	.060	.280	.020	-	.855	.010	-	10
11	.030	-	-	-	-	.010	.180	.010	-	Tr.	Tr.	-	11
12	.055	-	-	-	-	.020	.140	-	-	-	-	s.040	12
13	.055	Tr.	-	-	.090	.030	.480	-	.060	.020	.170	-	13
14	Tr.	-	-	-	.020	-	.140	-	-	.075	.220	Tr.	14
15	s.615	-	-	-	-	.050	.090	.060	-	.055	.350	.030	15
16	s.180	-	.670	-	.040	.105	.090	-	-	.030	.040	.020	16
17	s.045	-	.900	-	Tr.	.070	-	-	.020	-	.060	Tr.	17
18	.030	Tr.	.060	-	-	.315	-	-	Tr.	-	.065	Tr.	18
19	-	-	.170	-	-	.010	.380	-	.060	-	Tr.	Tr.	19
20	.010	s.065	.010	-	Tr.	.080	-	.240	-	.020	.020	-	20
21	-	-	-	-	.270	.120	-	.100	Tr.	Tr.	.010	Tr.	21
22	-	-	-	-	-	.160	-	.270	-	.550	Tr.	Tr.	22
23	-	-	-	.465	-	-	-	-	.340	.020	Tr.	-	23
24	-	s.105	-	.105	.070	.315	-	-	.170	.030	.035	-	24
25	-	s.830	-	.270	-	.065	-	-	-	-	Tr.	.030	25
26	-	s.495	-	.165	.020	.030	-	-	.050	.070	.030	.025	26
27	-	Tr.	-	-	.010	-	-	-	.870	.070	-	Tr.	27
28	-	-	-	.235	.030	-	.010	-	.020	.100	-	.030	28
29	.015	X	-	.090	-	-	-	-	Tr.	.090	-	-	29
30	.045	X	.060	-	-	-	.040	-	Tr.	Tr.	-	.040	30
31	Tr.	X	.300	X	-	X	-	.020	X	.085	X	Tr.	31
TOTAL	1.730	2.330	3.125	1.330	1.550	1.440	2.755	.720	1.590	3.025	1.245	.255	YEAR'S TOTAL 21.095
*Days with ·01 in. or more.	16	10	14	6	15	15	13	7	8	17	15	8	144
*Days with .04 in. or more.	10	9	12	6	11	10	12	4	6	12	10	3	105

40-9999

*See Instruction 2 (*f*) on other side

Davies (*Signed*)
Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WILFORD HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 294.78 ft.

Est Days Oct Nov & Dec

aly

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.165	Tr.	-	-	-	-	-	.080	-	.085	.010	.490		1
2	.050	.020	.040	-	-	-	-	.080	.220	.010	.080			2
3	.025	.035	-	-	-	-	-	-	-	.020	.175	Tr.		3
4	.040	Tr.	.085	.480	.010	-	-	-	.050	Tr.		.360		4
5	Tr.	.015	.070	.045	.110	-	-	.280	-	.010	.065	.030		5
6	-	-	-	.010	.400	.020	-	.025	-	.210	-	.440		6
7	.050	-	-	-	-	-	-	.010	-		.010	.160		7
8	-	-	.055	-	.065	.025	-	.060	-	Tr.	.345	.160		8
9	Tr.	-	.180	.025	-	-	-	.050	-	-	.640			9
10	-	-	.165	.130	-	-	-	.090	-	-	.140	Tr.		10
11	.510	Tr.	.135	.260	-	-	-	.080	-	Tr.	—	.180		11
12	Tr.	.010	.235	-	-	-	.065	.150	-	-	.010	.020		12
13	.420	Tr.	Tr.	.025	Tr.	-	1.580	.030	-	.015	.010	.130		13
14	.050	Tr.	.235	-	.010	.060	-	-	-	.080	.485	.280		14
15	.040	-	.080	-	.075	-	-	-	.010	-	.110	.030		15
16	.160	Tr.	.085	-	.080	-	-	-	-	.040	.045			16
17	.220	Tr.	Tr.	-	.020	-	.015	.030	.175	.040	.015	.060		17
18	.055	Tr.	.010	.125	-	.020	.055	Tr.	.060	Tr.	—	.010		18
19	-	-	.065	.205	-	.130	-	-	-	.020	Tr.	.160		19
20	-	-	.020	.060	Tr.	-	-	-	-	.020	Tr.	.010		20
21	-	-	-	-	-	.140	-	.030	.010	—	-	Tr.		21
22	-	-	Tr.	-	-	-	-	.220	.200	Tr.	-	.080		22
23	-	Tr.	.020	.240	.075	.015	.430	-	-	-	-			23
24	-	.170	.120	.120	-	.050	.080	-	.430	-	-	Tr.		24
25	.065	-	-	Tr.	Tr.	.010	-	-	-	.070	-	.320		25
26	.200	-	.010	.170	-	Tr.	.030	-	.020	Tr.	-	.060		26
27	Tr.	.180	-	.345	-	.010	.025	-	-	.070	-	.070		27
28	-	-	-	.060	-	.090	-	.350	-	—	-	.410		28
29	-	X	-	-	-	-	.125	.110	.340	.020	Tr.	.400		29
30	.025	X	-	-	-	-	-	-	.020	.040	-			30
31	Tr.	X	Tr.	X	-	X	.070	-	X	.150	X	Tr.		31
TOTAL	2.075	.430	1.610	2.300	.845	.570	2.475	1.675	1.535	.900	2.140	3.860	Year's Total 20.415	
*Days with ·01 in. or more.	15	6	17	15	9	11	10	16	11	14	15	24	166	
*Days with .04 in. or more.	13	2	13	12	6	5	7	11	7	11	9	14	113	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies

Engineer & General Manager.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WILFORD HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 294.80 ft.

acc. c day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.270	-	.010	.040	-	.300	.015	-	.640	.070	.160	·390		1
2	Tr.	.130	.125	-	-		-	-	-	.230	.130	·170		2
3	-			.020	-	.150	-	-	-	.045		Tr.		3
4	-	Tr.	-	.060	-	.150	-	-	.265	.140	Tr.	-		4
5	Tr.	.270	.080	.080	-	-	-	-	.040	.230	.160	-		5
6		Tr.	.010	.410	-	.150	-	-	-		Tr.	-		6
7	.110	Tr.	-		-	.100	-	-	-	.190	.630	·325		7
8	Tr.	Tr.	Tr.	.080	-	.060	-	.040	-	.040	.090			8
9	-	-	.010	.100	Tr.		-	-	-	.400	.330	·010		9
10	-	-		.210	-	-	-	-	-	-		·010		10
11	.085	-	-	-	-	.035	-	.060	-	Tr.	.130	·085		11
12	.060	.040	-	-	-	.150	-	.035	.015	-	-	-		12
13		.010	-	.090	.140	-	-	-	-	Tr.	Tr.	-		13
14	Tr.	-	-		.085	.010	-	-	.735	-	.340	·400		14
15	.015	.050	-	.510	.030	.500	-	-		-	.180			15
16	Tr.	.040	.090	.150	-		.015	-	.375	.160	1.120	·045		16
17	-	-		.080	-	.180	.020	-	.025	.050		-		17
18	.025	-	-	.260	.055	.090	.025	.050	.290	.110	.020	Tr.		18
19	.010	-	-	.030		.400	-	-	.030	.055	.230	·030		19
20		.230	-	.295	-	.210	-	-	-	-	.050	-		20
21	-	.410	.015		-	-	-	-	.630	.020	.170	·040		21
22	-	.210	.015	.115	-	-	-	-		Tr.	.020			22
23	.010	.240	.275	-	-	-	-	1.000	.015	.170	Tr.	-		23
24	.060			.060	-	-	-	-	1.595	Tr.		Tr.		24
25	.200	.020	-	.050	-	.670	-	-	-	.010	Tr.	·270		25
26	Tr.	-	-	-	-	-	-	.640	.410	.130	Tr.	·300		26
27		.230	-	-	-	-	.010	-	.270		.200	1·100		27
28	Tr.	.015	-	-	.070	-	-	.025	.120	.015	.025	·090		28
29	Tr.	X	.100	-	-	-	-	-		.010	.010			29
30	.120	X	-	.070	-	-	-	.180	Tr.	.275	.220	·040		30
31	Tr.	X	-	X	-	X	-	-	X	.380	X	·140		31
TOTAL	.965	1.895	.730	2.710	.380	3155	.085	2.030	5.455	2.730	4.215	3·445	Year's Total. 27·795	
* Days with .01 in. or more.													—	
* Days with .04 in. or more.													—	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W Davies

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at WILFORD HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 294·79 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·020	·080	·055	·320	-	Tr.	·120	·330	-	-	·010	·030		1
2	·260		·095	·060	-	·345	·280		-	-	·150	·040		2
3	Tr.	·040	·010	-	-	·280	·020	-	·150	-	Tr.	·025		3
4	·100	·050	·090	-	-	·100	·040	·045	·110	·025	·010	·145		4
5		·040	·095	-	-	Tr.		·030	·565	·010	Tr.	·185		5
6	·010	-	·010	-	·015	·050	·270	·150		·010	·050	-		6
7	·330	-	·050	-	-	-	·550	Tr.	·015	Tr.	·170	·025		7
8	·140	-		-	-	-	-	-	-	·030		·040		8
9	·215	-	·020	-	-	·025	·595	-	·060	·040	·070	-		9
10	·015	-	-	-	-	-	·740	-	·010	-	-	·020		10
11	-	-	-	·145	-	·030	·735	·045	Tr.	·010	·300	Tr.		11
12	-	-	-	·080	·010	·240		-	·540	-	·050	·175		12
13	·010	-	-	-	·010	-	-	-		·050	·030			13
14	·010	-	-	·080	-	·190	·225	-	1·395	-	·250	·345		14
15	s ·065	·190	Tr.	·030	-	·200	·110	-	Tr.	·010		·035		15
16	s ·095		-	Tr.	-	-	·020	-	-	-	·450	Tr.		16
17	s ·060	·480	-	-	·050	-	·090	-	-	·125	·060	·060		17
18	-	·040	-	-	-	·040	·180	-	-		·030	-		18
19	sl ·350	·080	Tr.	·270	-	·240		·050	-	·115	-	-		19
20	·010	·060	Tr.	·050	-	-	-	·040	-	Tr.	-	-		20
21	·075	-	-	·070	-	·535	-	-	-	-	-	-		21
22	-	·340	·090	Tr.	·185	·015	·175	-	Tr.	-	·040	·030		22
23	-		·135	·140	·130	-	·345	-	-	·015	-	-		23
24	·160	·110	-	Tr.		-	-	-	·100	·150	Tr.	-		24
25	·055	-	·085	-	-	·070	-	-	·380		-	-		25
26		·050	·380	·390	-	-	-	-	·220	·100	-	-		26
27	·120	-	Tr.	·030	-	-	-	Tr.		·115	-	-		27
28	·300	·130	·140	-	-	·015	·020	-	·115	Tr.	·490	·055		28
29	·580	·160		-	-	·320	-	-	-	·040		·055		29
30	·190		-	-	·220	·450	·100	-	-	·200	·010	Tr.		30
31	·060		·030				·015	-		·100		·120	d	31
TOTAL	3·230	1·850	1·285	1·665	·620	3·145	4·630	·690	3·660	1·145	2·170	1·385	Year's Total 25·475	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at WILFORD HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 294·81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·095	Tr.	s ·020	-	-	-	·020	-	·085	-	·050	·200		1
2	-	·095	·050	·330	-	-	-	-	-	-	Tr.	·675		2
3	·050	·025	·010	·120	·150	-	-	-	-	-	·010	·320		3
4	·075	·060	·040		·030	-	-	Tr.	-	-	·010	·630		4
5	·270	-	·075	Tr.	-	-	-	·045	-	-	-			5
6	-	-	·055	·010	·075	-	-	-	-	-	·010	·015		6
7	-	·370		·150	·020	-	-	-	-	·040		Tr.		7
8	-	·270	-	Tr.	-	-	-	-	-	Tr.	·220	-		8
9	-	·110	-	·030	·100	-	·380	-	·035	-	-	s ·020		9
10	·015	·080	s ·075	·150	·020	·155	-	-	-	-	-	·080		10
11	Tr.	-	·595	-	·940	-	Tr.	-	-	-	-	·340		11
12	·050	·230	·120	-		·250	-	-	·160	-	-			12
13	-	·025	-	-	Tr.		-	-	-	-	-	·020		13
14	-	-	·115	-	-	-	-	·080	·040	-	·010	s ·060		14
15	·150	·140	·010	·280	-	-	1·530	-	·020	Tr.	-	·020		15
16	·210	·220	·330	·320	-	-	-	·100	·150	-	Tr.	Tr.		16
17		·010	·180	·400	-	-	-	-	·370	Tr.	-	-		17
18	·570	·035	·055		-	-	·030	-	·100	·015	·465	-		18
19	·065	·130	·010	·075	-	·200	·030	-	-	·015	·150	-		19
20	·215	·165	·025	·290	·735		-	-	Tr.	·005	-	s ·030		20
21	·020			-	-	-	·280	-	-	·010	·010	·010		21
22	·060	Tr.	·010	-	·070	-	·210	-	Tr.	·270	·155	·020		22
23	·440	-	Tr.	-		-	·130	-	-	1·100	·215	Tr.		23
24		·360	·075	-	Tr.	-	-	-	·020		-	-		24
25	·215	·410	·020	-	·055	-	·010	-	-	1·000	·010	Tr.		25
26	-	·160	·020	-	·320	-	-	-	·010	-	Tr.			26
27	-	s ·340	-	·170	-	-	-	-	-	·820	-	·020		27
28	-		-	-	-	-	-	-	-	·020	-	·025		28
29	s ·035	X	-	-	-	-	-	-	Tr.	Tr.	·035	·020		29
30	·650	X	-	-	-	·030	-	-	-	·130	·060	·030		30
31		X	-	X	-	X	-	-	X		X	·010		31
TOTAL	3·185	3·235	1·890	2·325	2·515	·635	2·620	·225	·990	3·425	1·410	2·545	Year's Total 25·000	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

9

3 3 3 5

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) J. W. Dav[illegible]

Engineer & General Manager.

T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at WILFORD HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " Ground " Sea Level 294·81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	·010	·420	-	-	·020		-	·140		1
2	·030	Tr.	-	·035	·020	·115	·010	-	-	·145	Tr.	·065		2
3	·040	-	-		-	·040		-	·160	·545	·050	·330		3
4	·020	-	·010	·025	-	·030	·020	·430		·035	·030			4
5	·010	-	-	Tr.	-		·190	·020	·020	Tr.	·010	·020		5
6	·040	·020	-	-	-	Tr.	·295	·030	1·000	·070		·010		6
7	·140	-	-	-	-	-	·140		·050	·020	-	·030		7
8	·220	-	-	-	-	-	·155	·020	-	·260	-	·035		8
9		·255	-	-	-	·050		·270	-		-	·435		9
10	·010	·010	-	-	-	-	·370	·010		-	-			10
11	·420	-	-	-	-	-	·015	·080	·010	·010	·050	·040		11
12	·100	-	-	-	·070	-	·040	-	-	·465		-		12
13	-	s ·055	-	-	·010	-	-	-	-	·010	·190	·220		13
14	·110	·010	-	-	·050	-	·380	-	·190	-	·010	Tr.		14
15	·300	-	-	-		-	·410	·030	-	·115	·020	·210		15
16		-	·020	-	-	-	·250	·020	-		·010	·290		16
17	-	·025	-	-	·200	-		·010	·110	·155	·015	-		17
18	-	-	-	-	·365	·100	-	·050		·020	·250	-		18
19	-	-	-	-	-		-	·110	·035	-	·255	s ·055		19
20	·010	-	-	-	-	-	-		·010	-		s ·065		20
21	·010	-	-	-	-	-	-	·030	-	-	·010	s ·075		21
22	-	·010	-	-	-	·125	-	-	-	·010	·270	·210		22
23	-	-	-	-	-	·020	-	-	·050		Tr.	·070		23
24	-	-	·030	-	-	-	-	-	·310	-	Tr.	s ·020		24
25	·070	·140	·065	-	·030	-	·010	·020		·125	·505			25
26	·010	·190	·080	-	-	-	-	-	·105	·085	·300	·260		26
27	·020			-	·190	·110	·125	1·125	·625	·010		-		27
28	·300	·010	-	-	·865	·025	·060		·160	-	·040	·075		28
29	·530	X	-	-		-	·190	-	-	·030	·100	·120		29
30		✕	-	-	·010	·065	-	-	·175		·040	·040		30
31	·080	✕	-	✕	·160	✕	-	-	✕	·155	✕	·570		31
		3	1							7			Year's Total	
TOTAL	2·470	·725	·205	·060	1·980	1·100	2·660	2·255	3·030	2·285	2·155	3·385	22·290	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

Engineer & General Manager

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at WILFORD HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 294·80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·050	–	·030	·125	–	–	·030	–	·060	–	–	·010		1
2	·040	–	–		–	–		·210	·430	·170	·025	·350		2
3	s ·320	–	–	·295	–	–	–	·210		·020	·215			3
4	s ·100	–	·225	·210	–	–	·035	·370	·190	–	·220	·120		4
5	–	–	–	·030	·105	–	·040	·190	–	·070		·155		5
6	sl ·400	–	Tr.	–	–	–	·225		–	·030	·040	–		6
7	·080	·055	–	–	–	–	·300	–	–	·070	·180	·200		7
8	–	·060	·210	–	–	–	·380	·100	–		·230	·250		8
9	–	·070	–	–	–	–		·175	–	·570	–	·250		9
10	sl ·440	–	·010	–	–	·040	–	·230	–	·060	·010			10
11	·030	·090	·210	–	–		–	·200	·090	·050	–	Tr.		11
12	–			–	Tr.	·090	–	–	–	Tr.	–	–		12
13	–	–	–	Tr.	·150	·100	·010	–	–	·130	–	–		13
14	·620	–	Tr.	·090		·130	·300	–	–	·185	·080	–		14
15		–	–	·030	·350	·265	·280	–	Tr.		Tr.	–		15
16	·010	·010	·060		·260	·190		–	·020	Tr.	·180	–		16
17	·260	Tr.	·110	·115	·005	·255	·010	–		·710	·010	–		17
18	·040	–	·055	–	–		·100	–	–	·010	·690	–		18
19	·240	–		–	–	·090	·500	·060	·010	–		–		19
20	·045	–	–	–	–	·035	–		–	–	–	–		20
21	·350	·125	·130	·030	–	·050	·010	·050	·010	·010	–	–		21
22		·150	·040	·155	–	–	·270	–	·010		·530	–		22
23	·020	·020	–		–	Tr.		·010	–	Tr.	·520	–		23
24	s ·040	–	–	·030	–	–	·330	–	–	–	·010	–		24
25	s ·690	·010	·065	·010	–	–	·100	·500	–	–	·530	·010		25
26	·050			·030	–	–	–	–	–	·030		·020		26
27	–	·100	·215	·010	–	·020	·030	·010	–	·090	·045	s ·010		27
28	–	·180	·195	·135	–	·165	·100	·010	–	·240	·180	–		28
29	–	X	–	·300	–	–	·260	–	–		Tr.	–		29
30	–	X	–		–	·060		Tr.	–	–	·140	–		30
31	–	X	–	X	–	X	·020	·010	X	–	X	–		31
TOTAL	3·825	·870	1·555	1·595	·870	1·490	3·330	2·335	·820	2·445	3·835	1·375	Year's Total 24·345	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Adcs.

Kept at WILFORD HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 294·80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	s ·140	–	·030	–	–	–	–	–	–	·260	–		1
2	–	·050	Tr.	·265	–	–	Tr.	Tr.	–	–	·730	·030		2
3	–	·490		·100	–	–	Tr.	–	–	·050		·080		3
4	–		–	·160	–	–	–	–	–	·110	·640	·050		4
5	–	Tr.	–	–	·030	–	·060	Tr.	–	·530	·350	·150		5
6	·150	·210	–	–	–	–	Tr.	Tr.	–		·070	·010		6
7		·160	–	·040	·050	–	–	Tr.	·040	–	–	·185		7
8	Tr.	Tr.	–	–	–	–	·190	Tr.		·090	–			8
9	–	–	·170	–	–	·050	·020	·090	·040	–	·230	·060		9
10	–	–		–	–	–	·930	·060	–	–		·290		10
11	–	–	·060	–	–	–	·150		–	–	·540	Tr.		11
12	–	·030	·080	–	–	–	·050	Tr.	·080	–	·140	Tr.		12
13	–	·030	·110	·055	–	–	–	Tr.	·100	–	–	–		13
14	–	–	·010		·240	–	–	·030	·100	Tr.	–	·320		14
15	–	–	–	–	·030	·150	–	Tr.		Tr.	·050			15
16	·030	·140	·020	–	–		·950	Tr.	·040	1·500	1·250	·010		16
17	–	·370		–	–	–	·020	·050	–	·010		–		17
18	·060		·090	·340	–	–	–		Tr.	·040	·020	–		18
19	–	·180	·040	·200	–	–	·330	Tr.	·100	·140	·160	·040		19
20	s ·030	·010	–	·100	–	·030	·020	·040	–		·060	–		20
21		–	–	–	–	·200		Tr.	·050	·100	1·080	–		21
22	–	–	·010	–	·220	·020	–	Tr.		·010	–	–		22
23	–	·040	·040	·020	·460		–	Tr.	–	·020	Tr.	·020		23
24	·030	–		·020	–	–	–	–	–	·040		Tr.		24
25	Tr.	–	–	Tr.	–	Tr.	–	–	–	·010	–	–		25
26	s ·760	·065	–	·020	·050	·030	·070	Tr.	–	·010	·010	–		26
27	s ·910	·060	–	·840	–	–	·460	·010	–		–	–		27
28		·550	–		·155	–		–	–	–	–	–		28
29	–	–	·015	·030	·605	·030	–	Tr.	–	–	–	·220		29
30	s ·040	×	–	Tr.	–	–	–	–	–	·300	–	·040		30
31	s ·080	×	·060	×	–	×	–	–	×	·900	×	Tr.		31
TOTAL	2·090	2·525	1·705	2·220	1·840	·510	3·250	·280	·550	3·860	5·590	1·505	Year's Total 25·925	
* Days with .01 in. or more.	10	16	14	14	9	9	13	6	9	19	18	16	153	"d"
* Days with .04 in. or more.	7	13	10	9	7	6	11	4	9	14	16	10	116	

† Spare column, no entries required.

(*Signed*) Engineer & General Manager.

[P.T.O.

* See Instruction 3 (f) on other side.

2592

Section **A** for the entry of I

AIR MINISTRY.

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

—

2592

EAST BRIDGFORD

1931 — 40

78040

Kept at East Bridgford

in the County of Nottingham

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p

Ple

ving

Jan. 1, following

Date	Jan.	Feb.	March	Ap			July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·02	·10	—	Trace	—	—	·10	—	—	—	1
2	·01	·12	—	·62	—	·04	—	—	·34	·04	Trace	·05	2
3	·08	Trace	—	·09	·01	Trace	·03	—	·81	·01	·05	·18	3
4	·01	·07	T	·07	—	—	·47	·15	·10	Trace	·04	Trace	4
5	—	·02	Trace	Trace	·05	1·12	Trace	·01	·12	—	Trace	·36	5
6	—	·12	Trace	—	—	·28	·03	—	·01	·11	·06	—	6
7	—	—	Trace	Trace	—	·25	·08	·40	—	·02	·10	Trace	7
8	·04	·08	·06	·03	Trace	·01	·04	·91	—	Trace	·23	—	8
9	nil	·13	·01	·09	—	Trace	Trace	·20	·50	—	·18	·01	9
10	—	·06	·03	—	·02	·01	Trace	·07	—	—	·04	—	10
11	·08	·47	Trace	—	—	·03	—	—	·20	—	Trace	—	11
12	·04	·14	—	Trace	—	Trace	·96	Trace	·10	·02	·03	—	12
13	Trace	—	—	—	Trace	Trace	—	·11	—	—	—	—	13
14	Trace	·05	Trace	—	Trace	·05	·27	·95	Trace	—	·08	Trace	14
15	—	·11	—	·02	·08	—	·07	·08	—	—	·03	·01	15
16	·04	·15	—	·12	·67	·47	·02	·12	·15	—	—	—	16
17	Trace	·24	—	·28	1·16	—	Trace	—	—	—	Trace	—	17
18	·02	·01	Trace	·23	—	·16	·23	·05	—	·01	·30	—	18
19	·05	·01	—	·24	—	·17	·23	—	·15	·03	—	—	19
20	—	·01	—	·04	—	—	Trace	·44	—	—	·02	·02	20
21	·12	—	—	Trace	·43	—	—	·10	—	—	·18	—	21
22	·04	—	—	·01	—	—	—	—	Trace	—	Trace	—	22
23	·14	—	·01	·02	·31	·07	Trace	—	·06	·01	·18	—	23
24	·01	·01	Trace	·08	·41	—	·04	—	—	—	—	·01	24
25	·10	Trace	—	·41	—	—	·47	—	—	—	·01	—	25
26	Trace	Trace	—	·42	·08	—	·10	—	Trace	—	·16	—	26
27	·16	·38	—	·02	Trace	—	—	—	—	·08	·28	·11	27
28	·16	·34	—	·05	·17	—	—	—	—	—	—	·04	28
29	·29	×	—	—	·03	—	·14	—	—	·14	·03	·01	29
30	·17	×	—	Trace	Trace	·05	—	—	—	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	·04	×	·02	31
TOTAL	1·73	2·57	·13	2·94	3·42	2·71	3·18	3·59	2·64	·51	2·00	·82	YEAR'S TOTAL 26·24
*Days with ·01 in. or more.	19	20	5	19	12	13	15	13	12	11	18	11	168
*Days with ·04 in. or more.	15	15	1	14	9	10	12	12	11	5	13	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G H Beaumont

[P.T.O.

2592

Section **A** for the entry of I

PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at East Bridgford

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·02	·10	—	Trace	—	—	·10	—	—	—	1
2	·01	·12	—	·62	—	·04	—	—	·34	·04	Trace	·05	2
3	·08	Trace	—	·09	·01	Trace	·03	—	·81	·01	·05	·18	3
4	·01	·07	T	·07	—	—	·47	·15	·10	Trace	·04	Trace	4
5	—	·02	Trace	Trace	·05	1·12	Trace	·01	·12	—	Trace	·36	5
6	—	·12	Trace	—	—	·28	·03	—	·01	·11	·06	—	6
7	—	—	Trace	Trace	—	·25	·08	·40	—	·02	·10	Trace	7
8	·04	·08	·06	·03	Trace	·01	·04	·91	—	Trace	·23	—	8
9	nil	·13	·01	·09	—	Trace	Trace	·20	·50	—	·18	·01	9
10	—	·06	·03	—	·02	·01	Trace	·07	—	—	·04	—	10
11	·08	·47	Trace	—	—	·03	—	—	·20	—	Trace	—	11
12	·04	·14	—	Trace	—	Trace	·96	Trace	·10	·02	·03	—	12
13	Trace	—	—	—	Trace	Trace	—	·11	—	—	—	—	13
14	Trace	·05	Trace	—	Trace	·05	·27	·95	Trace	—	·08	Trace	14
15	—	·11	—	·02	·08	—	·07	·08	—	—	·03	·01	15
16	·04	·15	—	·12	·67	·47	·02	·12	·15	—	—	—	16
17	Trace	·24	—	·28	1·16	—	Trace	—	—	—	Trace	—	17
18	·02	·01	Trace	·23	—	·16	·23	·05	—	·01	·30	—	18
19	·05	·01	—	·24	—	·17	·23	—	·15	·03	—	—	19
20	—	·01	—	·04	—	—	Trace	·44	—	—	·02	·02	20
21	·12	—	—	Trace	·43	—	—	·10	—	—	·18	—	21
22	·04	—	—	·01	—	—	—	—	Trace	—	Trace	—	22
23	·14	—	·01	·02	·31	·07	Trace	—	·06	·21	·18	—	23
24	·01	·01	Trace	·08	·41	—	·04	—	—	—	—	·01	24
25	·10	Trace	—	·41	—	—	·47	—	—	—	·01	—	25
26	Trace	Trace	—	·42	·08	—	·10	—	Trace	—	·16	—	26
27	·16	·38	—	·02	Trace	—	—	—	—	·08	·28	·11	27
28	·16	·34	—	·05	·17	—	—	—	—	—	—	·04	28
29	·29	×	—	—	·03	—	·14	—	—	·14	·03	·01	29
30	·17	×	—	Trace	Trace	·05	—	—	—	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	·04	×	·02	31
TOTAL	1·73	2·57	·13	2·94	3·42	2·71	3·18	3·59	2·64	·51	2·00	·82	YEAR'S TOTAL 26·24
*Days with ·01 in. or more.	19	20	5	19	12	13	15	13	12	11	18	11	168
*Days with ·04 in. or more.	15	15	1	14	9	10	12	12	11	5	13	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G H Beaumont

[P.T.O.

2592

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at East-Bridgford

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·05	—	·13	·42	Trace	—	Trace	·17	·20	Trace	·01	1
2	·03	—	—	—	·19	—	—	·02	·09	·12	·01	·05	2
3	Trace	—	—	·11	·03	—	—	—	—	Trace	—	—	3
4	Trace	—	—	·08	Trace	Trace	—	—	Trace	Trace	·24	Trace	4
5	·19	·01	·02	Trace	·02	Trace	Trace	—	·04	—	—	—	5
6	·44	—	·10	·24	Trace	—	Trace	—	·05	—	—	—	6
7	—	—	·12	·15	—	—	—	—	·04	·06	·02	—	7
8	—	·02	—	·08	—	—	—	—	·03	·02	·05	Trace	8
9	·02	·19	—	·04	Trace	—	—	—	Trace	—	—	Trace	9
10	·03	·03	Trace	·04	—	—	—	—	·36	·14	—	Trace	10
11	Tr.	·05	Trace	·12	·14	·10	·98	Trace	·05	Trace	·02	—	11
12	·09	Trace	—	Trace	·05	Trace	·05	—	Trace	·53	·02	—	12
13	—	·04	—	·05	—	—	2·96	—	Trace	·01	·11	·01	13
14	·10	·04	—	·03	—	—	·18	·28	—	·01	·15	·01	14
15	Trace	Tr	—	·01	·11	—	—	—	—	·05	—	·06	15
16	·10	—	—	·38	·31	—	Trace	—	—	Trace	Trace	—	16
17	Trace	—	Trace	Trace	—	—	·09	—	·01	·06	Trace	—	17
18	—	—	—	Trace	·03	—	—	—	Trace	—	Trace	—	18
19	—	—	—	Trace	Trace	—	—	Trace	—	·15	—	—	19
20	—	—	—	·01	·30	—	Trace	·26	—	·40	·17	Trace	20
21	—	Trace	·15	·06	1·71	—	Trace	·17	—	·30	Trace	·12	21
22	—	Trace	·39	·01	·42	Trace	·29	—	·43	·05	·27	Trace	22
23	—	·03	—	Trace	·63	—	·02	—	·10	·08	·24	·01	23
24	—	Trace	—	—	·04	—	·22	Trace	·03	—	·16	—	24
25	—	·07	—	Trace	Trace	—	·20	Trace	·05	·15	·01	—	25
26	—	Trace	—	·35	·38	—	·13	—	·02	·01	·02	—	26
27	—	—	·21	·15	·41	—	·12	—	Trace	Trace	·11	Trace	27
28	—	—	·10	·04	·24	—	·13	·66	—	·06	—	—	28
29	Trace	—	·09	·08	·22	·15	·03	·27	·04	·22	·09	·10	29
30	—	×	·07	·01	Trace	·31	·06	·09	·16	·16	·15	·13	30
31	—	×	·02	×	·01	×	·68	Trace	×	Trace	×	·08	31
TOTAL	1·04	·53	1·27	2·17	5·66	·56	6·14	1·73	1·67	2·78	1·84	·58	YEAR'S TOTAL 25·97
*Days with ·01 in. or more.	Nine	Ten	10	21	19	3	15	7	16	20	17	10	157
*Days with .04 in. or more.	Six.	Six.	8	16	15	3	13	6	12	16	11	6	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. E. Beaumont.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at East Bridgford

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 125 ft.

Days 17.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·13	·23	—	Trace	—	—	—	—	—	·13	—		1
2	·27	—	·32	—	Trace	Trace	—	—	—	Trace	·08	—		2
3	·01	·10	·20	—	·18	—	—	—	—	—	·05	—		3
4	·11	Trace	·02	—	·29	—	—	—	—	—	Trace	—		4
5	·09	—	·05	—	·09	—	—	—	—	—	Trace	—		5
6	—	·11	·07	—	·55	—	—	—	—	·04	Trace	·05		6
7	Trace	·19	—	—	·12	—	·21	—	—	·24	Trace	Trace		7
8	Trace	—	·10	Trace	·07	—	·27	—	—	—	—	·01		8
9	—	—	—	—	·01	—	·21	—	—	·71	·04	Trace		9
10	Trace	·02	—	—	Trace	·04	·18	·02	—	·88	·02	·10		10
11	·02	—	—	—	—	Trace	·07	·01	—	Trace	—	—		11
12	·09	—	—	—	— ~~·13~~	·02	·15	—	—	—	—	·05		12
13	·04	—	—	—	·13 ~~Trace~~	·03	·31	Trace	·05	Trace	·11	Trace		13
14	—	—	—	—	Trace ~~4~~	—	·15	Trace	—	·05	·27	—		14
15	·66	—	—	—	Nil ~~·02~~	Trace	·03 ~~·50~~	·18	—	·04	·39	·02		15
16	·14	Trace	·61	—	·02 ~~Trace~~	·11	·15	Trace	—	·01	·08	·01		16
17	·02	Trace	·78	—	Trace ~~8~~	·07	—	—	·06	Trace	·07	Trace		17
18	Trace	·08	·08	—	—	·53	—	—	—	—	·03	Trace		18
19	·01	·01	·16	—	—	·16	·50	—	·05	—	Trace	—		19
20	—	·02	Trace	Trace	— ~~·02~~	·22	—	·08	—	Trace	·03	—		20
21	—	Trace	—	—	·02	·35	—	·23	·02	Trace	Trace	—		21
22	—	Trace	—	—	—	·06	—	·36	—	·40	Trace	—		22
23	—	—	—	·43	— ~~·10~~	·02	—	—	·77	·01	— ~~Trace~~	—		23
24	—	·22	—	·11	·10 ~~·02~~	·40	—	—	·17	·03	·05	—		24
25	—	·85	—	·27	·02 ~~Trace~~	Trace	—	—	Trace	Trace	·01	·04		25
26	—	·42	—	·11	Trace	Trace	—	—	·03	·11	·04	·01		26
27	—	Trace	—	—	·27	—	Trace	—	·42	·11	Trace	Trace		27
28	—	Trace	—	·16	·02	—	·02	—	Trace	·24	—	·01		28
29	·02	×	—	·04	Trace	—	Trace	—	·01	·05	—	Trace		29
30	·03	×	·02	Trace	—	—	·03	—	—	·03	—	·02		30
31	Trace	×	·11	×	—	×	Trace	·04	×	·03	×	—		31
TOTAL	1·71	2·15	2·75	1·12	1·89	2·01	2·28	·92	1·58	2·98	1·40	·32	Year's Total 21·11	
*Days with ·01 in. or more.	14	11	13	6	14	12	13	7	9	16	15	10	140	
*Days with .04 in. or more.	8	8	11	6	9	9	10	5	6	11	11	4	98	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G.M. Beaumont

[P.T.O.

Section **A** for the entry of Daily Observations. Station No. 2592

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at East Bridgford
in the County of Nottingham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	Trace	—	—	—	—	—	·16	—	·02	—	·32		1
2	·04	·04	·01	—	—	—	—	·09	·24	Trace	·11	×		2
3	·03	·02	—	—	—	—	—	—	—	·11	·01	·03		3
4	·03	Trace	·04	·34	·05	—	—	—	·03	Trace	·16	·18		4
5	Trace	—	·08	·05	·03	—	—	·20	—	·01	·11	·03		5
6	nil	—	·01	—	·34	·01	—	·01	—	·13	—	·46		6
7	·04	—	Trace	—	Trace	Trace	—	—	Trace	·05	Trace	·15		7
8	nil	—	·08	—	·02	Trace	—	·07	—	Trace	·31	—		8
9	nil	—	·24	·04	—	—	—	·02	—	—	·40	·21		9
10	Trace	—	·13	·10	—	—	—	·08	—	—	·12	Trace		10
11	·46	—	·09	·21	—	—	—	·10	—	—	—	·34		11
12	—	—	·31	—	—	—	·71	·10	—	—	—	·05		12
13	·42	—	Trace	·03	Trace	—	·63	·06	—	·01	—	·24		13
14	·03	—	·15	—	Trace	·05	Trace	—	—	·13	·48	·29		14
15	—	—	·03	—	·07	—	—	Trace	·05	Trace	·11	—		15
16	·18	—	·08	—	·17	—	—	—	—	·01	·07	Trace		16
17	·16	—	Trace	—	·03	—	·07	·06	·13	·08	·02	·04		17
18	·04	—	Trace	·17	Trace	·02	·05	—	·09	Trace	—	Trace		18
19	—	—	·09	·14	Trace	·15	—	Trace	—	·06	—	—		19
20	—	—	·03	·03	Trace	—	—	—	—	—	—	·06		20
21	—	—	Trace	—	—	·08	—	·01	—	·01	—	·01		21
22	—	—	—	—	—	—	—	·18	·27	—	—	Trace		22
23	—	—	·01	·20	·05	Trace	·74	Trace	—	—	—	·14		23
24	—	·18	·14	·13	Trace	·05	·02	—	·40	—	—	—		24
25	·11	—	—	·03	Trace	Trace	—	—	—	·06	—	·34		25
26	·22	Trace	Trace	·14	—	Trace	Trace	—	·03	·30	—	·18		26
27	—	·09	—	·33	—	Trace	·02	—	—	·15	—	·09		27
28	—	—	—	·03	—	Trace	Trace	·42	—	—	—	·40		28
29	—	×	—	—	—	—	·10	·04	·25	·01	Trace	·08		29
30	·03	×	—	—	—	—	·08	—	·03	·09	Trace	·20		30
31	Trace	×	—	×	—	×	·18	—	×	·14	×	·02		31
TOTAL	1·87	·33	1·52	1·97	·76	·36	2·60	1·60	1·52	1·37	1·90	3·86	Year's Total. 19·66	
* Days with .01 in. or more.	14	4	16	15	8	6	10	15	10	17	11	23	149	
* Days with .04 in. or more.	10	3	11	11	5	4	8	12	7	11	9	19	110	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) G. H. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at East Bridgford

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	—	Trace	—	—	·08	—	—	·20	·04	·20	·17		1
2	Trace	Trace	·08 ~~Trace~~	—	—	·13	Trace	—	Trace	·28	—	·01		2
3	—	·11	·08	—	—	·07	—	·02	·01	·07	·20	—		3
4	—	Trace	Trace ~~·08~~	—	—	·07	—	—	·04	·26	Trace	—		4
5	Trace	·22	·13	·07	—	Trace	—	—	—	·01	·10	—		5
6	·01	·01	·02	·06	—	·11	—	—	—	—	—	—		6
7	·08	Trace	Trace	·29	—	·04	—	—	—	·17	·52	·14		7
8	—	—	·02	·18	Trace	—	—	Trace	—	·03	·10	·26		8
9	—	—	Trace	·10	Trace	·20	—	—	—	·44	·29	·03		9
10	Trace	·05	Trace	·14	Trace	Trace	—	—	—	—	Trace	·01		10
11	·15	Trace	—	—	—	·02	Trace	·05	—	Trace	·08	·09		11
12	—	·02	—	—	—	·11	—	·03	·01	—	Trace	Trace		12
13	·08	·02	—	·09	·12	Trace	—	—	Trace	Trace	Trace	Trace		13
14	—	—	—	—	·05	—	—	—	·23	—	·30	·11		14
15	—	·02	—	·65	·03	Trace	—	—	·35	—	·13	·24		15
16	—	·06	·10	·13	—	·34	·08	Trace	·32	·11	·48	—		16
17	—	—	—	·11	—	·16	—	·11	Trace	·02	·55	—		17
18	·02	Trace	—	·23	·19	·06	·19	Trace	·30	·10	·05	—		18
19	·02	Trace	—	·04	Trace	·25	—	Trace	·01	·06	·31	—		19
20	·02	·19	—	·31	—	·10	·12	—	—	Trace	·04	—		20
21	—	·49	·01	Trace	Trace	—	—	—	·40	—	·15	Trace		21
22	—	·27	—	·10	—	—	—	·05	Trace	—	·01	·01		22
23	·01	·02	—	Trace	—	—	—	·65	·02	·06	Trace	—		23
24	·13	·18	·19	—	—	—	—	—	1·58	—	—	·14		24
25	·27	·03	—	·08	—	·12	—	Trace	—	—	—	·07		25
26	·08	Trace	—	—	—	—	—	·59	·31	·01	Trace	·28		26
27	Trace	·20	—	—	Trace	—	Trace	—	·24	·07	·19	1·00		27
28	—	—	—	—	·01	—	—	—	·01	·04	Trace	·02		28
29	Trace	✕	·08	—	—	—	—	Trace	·14	·04	Trace	·04		29
30	·08	✕	—	·01	—	—	—	·14	·01	·50	·34	·04		30
31	Trace	✕	—	✕	—	✕	—	—	✕	·43	✕	·10		31
TOTAL	1·20	1·89	·71	2·59	·40	1·86	·39	1·64	4·18	2·74	4·04	2·76	Year's Total 24·40	
* Days with .01 in. or more.	13	15	9	16	5	15	3	8	17	19	18	18	156	
* Days with .04 in. or more.	8	9	6	15	3	14	3	6	11	15	17	13	120	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) GHBeaumont [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days

Kept at East Bridgford

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	·07	·02	·37	—	Trace	·21	·29	·02	—	·02	·04		1
2	·34	·02	·09	·06	—	·23	·40	·04	—	—	·32	·14		2
3	Trace	Trace	Trace	—	—	·36	Trace	—	·10	—	—	—		3
4	·01	·03	·10	—	Trace	—	Trace	—	·13	—	·07	·19		4
5	·04	·01	·17	Trace	—	Trace	·04	·07	·01	·01	—	·32		5
6	Trace	—	Trace	—	Trace	·03	·31	·14	·19	·01	·03	—		6
7	·36	—	Trace	—	Trace	—	1·67	—	·08	·01	—	·03		7
8	·13	—	·05	—	—	—	—	—	·02	·08	·15	Trace		8
9	·21	—	·02	—	Trace	·07	·39	—	—	·07	·14	—		9
10	Trace	—	Trace	—	Trace	Trace	·93	—	—	—	—	·05		10
11	NIL	—	—	·12	—	·01	·08	—	·02	—	·29	Trace		11
12	NIL	—	—	·05	—	·24	·66	—	·64	—	·08	·06		12
13	NIL	—	—	·06	·09	·11	—	—	—	·11	Trace	·15		13
14	·11	—	—	·15	Trace	·05	·31	—	·35	Trace	·06	·14		14
15	·16	·08	—	·05	—	·11	·06	—	—	—	·24	·03		15
16	·01	·16	—	·02	—	—	·01	—	—	—	·41	Trace		16
17	NIL	·36	—	—	·07	—	·03	—	—	Trace	·03	·05		17
18	NIL	·05	—	—	—	·02	·17	—	—	·11	·02	Trace		18
19	·36	·02	·02	·28	—	·28	Trace	·05	—	·14	—	—		19
20	Trace	·03	·01	Trace	—	—	Trace	·05	—	Trace	—	Trace		20
21	Trace	—	—	·01	·02	·48	—	—	—	—	—	—		21
22	·01	·43	·06	Trace	·05	·10	·16	—	—	—	—	·02		22
23	NIL	·01	·09	·13	·14	—	·34	—	—	·04	—	—		23
24	·21	·09	—	—	Trace	—	—	—	·17	·12	—	—		24
25	·06	Trace	·07	·26	—	·01	Trace	—	·32	·01	—	—		25
26	Trace	·05	·17	—	—	—	—	—	·15	·11	·03	—		26
27	·14	—	Trace	Trace	—	—	·07	Trace	·29	·14	—	—		27
28	·31	·14	·04	—	—	·05	—	—	·05	—	·02	·04		28
29	·78	·21	·09	—	·01	·34	Trace	—	—	·02	·35	·06		29
30	·18		—	—	·12	·05	·16	—	—	·35	Trace	Trace		30
31	·06		Trace		Trace		·01	—		·05		·13		31
TOTAL	3·48	1·76	1·00	1·56	·50	2·54	6·01	·64	2·54	1·38	2·26	1·45	Year's Total 25·12	✓
* Days with .01 in. or more.	Three 18	~~6~~ 16	~~4~~ 14	~~8~~ 12	~~8~~ 7	~~4~~ 17	~~3~~ 19	— 6	~~4~~ 15	~~5~~ 16	~~6~~ 16	~~3~~ 15	~~42~~ 171	✓
* Days with .04 in. or more.	15	10	10	10	5	13	16	~~5~~ 6	11	11	10	12	129	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. W. Beaumont [P.T.O.

File number. 818877/28

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at East-Bridgford
in the County of Nottinghamshire
Diameter of Funnel of Gauge five inches
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 150 ft.

Day

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·02	·01	—	—	—	Trace	—	·06	—	·06	·15		1
2	·02	·11	·02	·23	—	—	Trace	—	—	—	—	·69		2
3	·01	·01	·01	·06	·04	Trace	—	—	—	—	—	·37		3
4	·06	·09	Trace	Trace	Trace	—	Trace	·05	—	—	—	·39		4
5	·20	—	·07	—	—	—	—	Trace	—	Trace	Trace	·17		5
6	—	—	·02	Trace	·08	—	—	—	—	Trace	·01	·01		6
7	Trace	·31	·02	·14	·04	—	—	—	—	—	—	Trace		7
8	—	·24	—	·02	—	Trace	·03	—	—	Trace	·17	Trace		8
9	—	·04	Trace	·05	·15	—	·43	Trace	—	—	—	·02		9
10	·03	·03	·13	·20	Trace	·20	Trace	—	—	—	·01	·09		10
11	Trace	—	·58	Trace	1·05	—	Trace	—	—	Trace	Trace	·08		11
12	·04	·30	·14	—	·42	·02	—	—	·20	—	—	·12		12
13	—	·05	—	—	Trace	·03	—	—	—	—	—	·01		13
14	—	—	·11	Trace	Trace	—	—	·07	·03	—	—	·07		14
15	·12	·15	·02	·29	Trace	—	1·67	—	·03	—	—	·02		15
16	·03	·22	·22	·40	—	Trace	—	·07	·08	—	—	·01		16
17	·07	Trace	·21	·35	—	Trace	—	—	·25	—	—	Trace		17
18	·55	·01	·08	·05	—	Trace	Trace	—	—	—	·38	—		18
19	·05	·08	—	·03	—	·17	·04	—	—	Trace	·10	—		19
20	·20	—	·01	·29	·67	Trace	—	—	·01	—	—	—		20
21	Trace	·08	·08	Trace	—	—	·24	Trace	—	Trace	—	·02		21
22	·07	Trace	·02	Trace	Trace	—	·25	—	—	·49	·17	·01		22
23	·37	Trace	·01	—	·01	—	·03	—	—	·83	·23	—		23
24	·18	·27	·01	—	Trace	—	·01	—	·01	·10	—	—		24
25	·09	·20	—	—	·06	—	—	—	·02	·28	—	—		25
26	—	·21	·01	—	·37	—	—	—	—	Trace	—	—		26
27	—	·30	—	·14	—	—	—	—	—	1·01	Trace	·03		27
28	·02	·09	—	—	—	—	—	—	—	Trace	—	·02		28
29	·09	×	—	—	—	Trace	—	—	—	—	·07	·02		29
30	·26	×	—	—	—	Trace	—	—	—	Trace	·04	·04		30
31	·26	×	·03	×	—	×	—	—	×	·25	×	·02		31
TOTAL	2·84	2·81	1·81	2·25	2·89	·42	2·70	·19	·69	2·96	1·24	2·36	Year's Total 23·16	✓ ✓
* Days with .01 in. or more.	~~5~~ 21	~~4~~ 20	~~12~~ 21	~~2~~ 13	~~7~~ 10	~~2~~ 4	~~2~~ 8	~~0~~ 3	9 ~~5~~	~~0~~ 6	~~2~~ 10	~~11~~ 21	~~44~~	146 ✓ ✓
* Days with .04 in. or more.	16	16	9	11	9	2	5	3	4	6	8	10	99.	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. M. Beaumont [P.T.O.

Mrs Beaumont

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at East-Bridgford

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 ins in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	Trace	·53	—	—	·12	·04	—	·14		1
2	·07	—	—	—	—	·11	·01	—	Trace	·11	—	·07		2
3	·04	—	—	—	—	·04	Trace	—	·15	·62	·03	—		3
4	·01	—	—	—	—	·03	·17	·05	—	·34	—	·35		4
5	Trace	—	—	—	—	—	·06	—	·01	·03	—	Trace		5
6	·03	—	—	—	—	Trace	·37	·04	·35	·10	—	Trace		6
7	·08	—	—	—	—	—	·10	·03	·08	·02	—	·03		7
8	·19	—	—	—	—	—	·15	Trace	—	·23	—	·01		8
9	·04	·06	—	—	—	Trace	Trace	·41	—	—	—	·32		9
10	Trace	Trace	—	—	—	Trace	·26	·02	—	—	—	·03		10
11	·48	—	—	—	—	—	·02	Trace	—	·05	·04	·01		11
12	·12	·01	—	—	·08	—	·03	Trace	—	·40	·02	Trace		12
13	~~At~~	·18	—	—	—	—	—	—	—	Trace	·15	·19		13
14	·11	Trace	—	—	·06	—	·56	—	·13	—	Trace	Trace		14
15	·12	—	—	—	—	—	·28	·03	—	—	—	·31		15
16	·15	—	·01	—	—	—	·24	·01	—	·10	·01	·26		16
17	·03	·02	—	—	·63	—	·08	·01	—	·10	·01	Trace		17
18	—	Trace	—	—	·21	·01	—	·05	·09	Trace	·27	Trace		18
19	—	Trace	—	—	Trace	—	—	·06	·03	—	·01	·07		19
20	—	—	—	—	Trace	—	·08	—	—	—	·31	·14		20
21	—	—	—	—	—	—	—	Trace	—	—	—	·31		21
22	—	Trace	—	Trace	—	·27	—	Trace	—	—	·29	·25		22
23	—	—	—	Trace	Trace	·01	—	—	—	—	Trace	·07		23
24	—	—	·01	—	Trace	Trace	—	·01	·31	—	·01	·05		24
25	·08	·14	—	Trace	Trace	—	Trace	·09	—	·12	·47	·23		25
26	—	·31	·14	—	—	Trace	—	—	·16	·06	·01	—		26
27	·03	—	—	—	·48	·10	·11	·28	·30	—	·31	—		27
28	·13	Trace	—	Trace	·34	·02	·16	1·23	·15	—	·07	·05		28
29	·24		—	·03	·57	—	·04	Trace	—	·03	·12	·11		29
30	·02	✕	—	—	·03	Trace	·01	—	·11	—	·04	·01		30
31	·03	✕	—	✕	·15	✕	—	—	✕	·17	✕	·64		31
TOTAL	2·00	·72	·16	·03	2·55	1·12	2·73	2·32	1·99	2·52	2·17	3·65	Year's Total 21·96	✓
* Days with .01 in. or more.	19	6	3	1	9	9	18	14	13	16	17	22	147	✓
* Days with .04 in. or more.	13	4	1	—	8	5	14	8	11	13	10	17	104	✓

† Spare column, no entries required.

(*Signed*) G. M. Beaumont

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at EAST-BRIDGFORD

in the County of NOTTS.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	NIL	·04	NIL	Trace	—	·03	Trace	Trace	Trace	—	Trace		1
2	·01	NIL	NIL	·16	Trace	—	·01	·20	1-61	·16	·05	—		2
3	·35	NIL	NIL	·36	Nil	—	—	·31	—	Trace	·22	·24		3
4	·24	NIL	·19	·23	NIL	—	Trace	·75	Trace	Trace	·01	·15		4
5	·60	NIL	NIL	·04	·07	—	·02	·26	—	·10	·16	·21		5
6	NIL	NIL	·04	NIL	—	—	·25	—	—	Trace	·04	—		6
7	·05	·04	NIL	NIL	—	—	·21	—	—	Trace	·14	·27		7
8	·01	·07	·15	NIL	—	—	·18	·01	—	·11	·15	·25		8
9	NIL	·04	NIL	NIL	—	—	·02	·19	—	·65	—	·21		9
10	·48	Trace	Trace	NIL	—	—	Trace	·15	Trace	·01	—	Trace		10
11	·01	NIL	·32	NIL	Trace	·19	—	·16	·04	Trace	—	Trace		11
12	·01	·04	·02	NIL	—	·36	—	—	—	—	—	Trace		12
13	Trace	Trace	NIL	Trace	·02	·10	·03	—	Trace	·18	—	Trace		13
14	·39	NIL	·01	·10	·31	·17	·21	—	—	·23	·15	—		14
15	·14	NIL	NIL	Trace	·44	·14	·28	—	Trace	·14	·02	—		15
16	·01	NIL	·14	NIL	·35	·30	Trace	—	·01	Trace	·17	—		16
17	·32	Trace	Trace	·15	·02	—	1-63	—	—	·76	Trace	—		17
18	·07	Trace	·09	NIL	—	·47	·15	—	·02	·03	·90	—		18
19	·21	NIL	NIL	NIL	—	·25	·61	—	·02	—	—	Trace		19
20	·03	Trace	Trace	NIL	—	Trace	Trace	·18	—	—	—	—		20
21	·16	·13	·16	·01	—	·18	Trace	·05	·04	—	—	—		21
22	·21	·11	·08	Trace	—	Trace	·14	—	Trace	—	·40	—		22
23	·05	·01	NIL	·20	—	·02	·08	Trace	—	·05	·45	—		23
24	·06	Trace	NIL	·01	Trace	·01	·18	Trace	—	—	—	—		24
25	·86	Trace	·10	Trace	—	Trace	·28	1·30	—	—	·28	·01		25
26	·03	NIL	·03	·14	—	—	—	Trace	—	·07	·11	·02		26
27	NIL	·04	·26	·03	—	·03	·07	—	—	·09	·01	—		27
28	NIL	·18	·11	·21	—	·20	·10	·05	—	·01	·13	Trace		28
29	NIL	X	NIL	·36	—	—	·22	—	—	·31	Trace	—		29
30	NIL	X	NIL	·01	—	·04	Trace	—	—	—	·13	—		30
31	NIL	X	NIL	X	—	X	—	·02	X	—	X	—		31
TOTAL	4·31	·66	1·74	2·01	1·21	2·46	4·70	3·63	1·74	2·90	3·52	1·36	Year's Total 30·24	30·24
* Days with .01 in. or more.	23	9	15	14	6	14	20	13	6	15	18	8	161	✓
* Days with .04 in. or more.	15	8	12	10	4	11	15	11	3	12	15	6	122	✓

† Spare column, no entries required.

(Signed) G. M. Beaumont

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1920

Kept at EAST - BRIDGFORD

in the County of NOTTS

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 50 ft. 150'

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·15	Trace	·05	Trace	—	—	—	—	—	·24	—		1
2	—	·03	Trace	·26	—	—	Trace	—	—	—	·15	—		2
3	—	·14	—	·13	—	—	—	—	—	·08	·85	—		3
4	—	·25	—	Trace	—	—	—	—	—	·08	·25	·14		4
5	Trace	·01	—	—	·10	—	—	—	—	·07	·19	·12		5
6	·09	·30	—	—	—	—	—	—	—	·57	·08	Trace		6
7	·02	·17	—	·07	·03	—	·09	—	—	—	1·76 —	—		7
8	Trace	—	—	Trace	—	Trace	—	—	—	·10	·71	·18		8
9	—	Trace	·18	—	—	—	Trace	—	—	Trace	·11	—		9
10	—	—	·03	—	—	—	·85	·10	—	—	·15	·22		10
11	—	·01	·02	Trace	—	—	·23	Trace	—	—	·51	—		11
12	—	Trace	·10	—	—	—	·13	—	·07	—	·15	—		12
13	—	·06	·20	Trace	—	—	—	—	·06	—	—	—		13
14	—	Trace	·15	·05	·28	—	—	—	—	—	Trace	·34		14
15	—	—	Trace	Trace	—	·06	—	—	—	—	·13	Trace		15
16	·06	·14	·37	·01	—	·14	·55	—	—	1·47	·87	—		16
17	—	Trace	·49	—	—	—	·11	—	—	—	·25	—		17
18	·08	·26	·11	·40	—	—	—	·15	·13	·07	·03	—		18
19	—	·20	·04	·21	—	Trace	·29	—	Trace	Trace	—	—		19
20	—	Trace	—	·11	—	— ✓	·09	—	—	—	·09	—		20
21	·13	·03	Trace	—	—	·35	·20	—	—	·13	1·34	—		21
22	—	—	—	—	·21	·22	—	—	—	—	—	—		22
23	—	·02	·02	·03	·53	·16	—	—	—	—	—	—		23
24	Trace	Trace	—	·03	—	—	—	—	—	·05	—	—		24
25	—	—	—	—	—	—	—	—	—	·05	—	—		25
26	Snow ·95	·09	—	Trace	·05	·10	—	—	—	—	—	—		26
27	·61	·09	—	·18	—	—	·14	—	—	—	—	—		27
28	·15	·60	—	Trace	—	—	·41	—	—	—	—	—		28
29	Trace	Trace	·17	·07	·05	Trace	—	—	—	~~·33~~	—	—		29
30	·15	✗	—	Trace	—	—	—	—	—	·33	—	—		30
31	·21	✗	·06	✗	—	✗	—	—	✗	·93	✗	—		31
TOTAL	2·45	2·55	1·94	1·60	1·25	1·03	2·79	·25	·26	3·93	5·50	1·00	Year's Total 24·55	
* Days with .01 in. or more.	~~10~~	~~17~~	~~13~~	~~13~~	~~7~~	~~6~~	~~11~~	~~2~~	~~3~~	~~12~~	~~16~~	~~5~~	~~115~~	
* Days with .04 in. or more.	9	12	10	10	6	6	11	2	3	12	15	5	101	

·95
93
43
136

126
176
9·02

† Spare column, no entries required.

(Signed) G. M. Beaumont

[P.T.O.

* See Instruction 3 (f) on other side.

2593

Section **A** for th
AIR

COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.

FORM 1090.

R **193** 1.

2593

QUEENS RD DEPOT

NEWARK.

1931- 40

780410

Kept at Queens
in the County of

Diameter of Funnel of
Height of top of Gauge
,, Ground ,

THE MORNIN **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.07	.09	tr	tr	-	-	.10	-	-	-	1
2	.02	.05	tr	.65	-	.12	-	.01	.28	.05	-	.06	2
3	.08	.01	-	.11	.03	-	.02	-	1.57	.02	.08	.09	3
4	.01	.07	tr	.06	-	-	.46	.31	.25	-	.07	.02	4
5	-	.04	.02	-	.01	1.19	.01	.03	.36	-	tr	.42	5
6	tr	.21	.04	-	-	.12	.03	-	tr	.10	.04	tr	6
7	-	.01	.08	-	-	.21	-	.13	-	.01	.20	tr	7
8	.10	.05	.01	.02	-	.08	.04	1.28	-	-	.13	tr	8
9	.01	.08	.05	.12	-	.01	tr	.20	.02	.01	.19	.01	9
10	-	.05	-	-	.01	.02	-	.07	-	.01	.04	-	10
11	.09	.38	-	-	-	.01	tr	-	.12	-	.01	-	11
12	.05	.08	-	-	-	-	1.31	tr	.10	.01	.01	-	12
13	tr	-	-	tr	-	.01	tr	.14	-	-	.01	-	13
14	.01	.10	-	-	-	.12	.62	.71	-	-	.04	tr	14
15	-	.12	-	.10	.06	-	.40	.51	-	-	.02	.05	15
16	.02	.17	-	.11	.34	.43	.01	.10	.19	.01	tr	tr	16
17	tr	.24	-	.24	.75	.05	.02	.01	-	-	-	-	17
18	.02	.01	-	.33	-	.17	.03	.02	-	.01	.42	-	18
19	.06	.02	-	.25	-	.27	.28	.05	.16	-	.02	tr	19
20	-	.06	-	.05	-	tr	.03	.38	.01	.04	.02	.01	20
21	.09	.04	-	.01	.50	-	-	.02	tr	-	.18	tr	21
22	.08	-	.06	.01	.11	-	-	-	.01	tr	tr	-	22
23	.22	-	.06	.02	.31	.11	-	-	.09	-	.28	.13	23
24	tr	-	.01	.08	.39	-	.04	-	.01	-	.01	.01	24
25	.13	-	-	.42	tr	-	.77	-	-	-	.03	tr	25
26	.01	tr	-	.33	.11	-	.08	-	.01	-	.12	tr	26
27	.12	.37	-	.01	tr	-	.01	-	-	.06	.31	.12	27
28	.33	.48	-	.18	.13	-	-	-	-	tr	.02	.05	28
29	.55	×	-	-	.04	-	.13	-	-	.18	.02	.05	29
30	.28	×	-	.05	.11	.01	.01	-	-	-	tr	-	30
31	.17	×	-	×	-	×	-	-	×	.07	×	.05	31
TOTAL	2.47 ✓	2.66 ✓	40 .~~3~~ ✓	3.24 ✓	2.90 ✓	2.93 ✓	4.30 ✓	3.97 ✓	3.28 ✓	.58 ✓	2.27 ✓	1.07 ✓	YEAR'S TOTAL 30.07
*Days with ·01 in. or more.	22 ✓	22 ✓	9 ✓	21 ✓	14 ✓	16 ✓	19 ✓	16 ✓	15 ✓	13 ✓	23 ✓	13 ✓	203 ✓
*Days with ·04 in. or more.	14 ✓	17 ✓	6 ✓	16 ✓	11 ✓	11 ✓	10 ✓	11 ✓	10 ✓	6 ✓	13 ✓	9 ✓	134 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John M Clarke
Borough Surveyor.

[P.T.O.

Section **A** for th
AIR

2593

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Queens Road Depot. Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 40 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.07	.09	tr	tr	-	-	.10	-	-	-	1
2	.02	.05	tr	.65	-	.12	-	.01	.28	.05	-	.06	2
3	.08	.01	-	.11	.03	-	.02	-	1.57	.02	.08	.09	3
4	.01	.07	tr	.06	-	-	.46	.31	.25	-	.07	.02	4
5	-	.04	.02	-	.01	1.19	.01	.03	.36	-	tr	.42	5
6	tr	.21	.04	-	-	.12	.03	-	tr	.10	.04	tr	6
7	-	.01	.08	-	-	.21	-	.13	-	.01	.20	tr	7
8	.10	.05	.01	.02	-	.08	.04	1.28	-	-	.13	tr	8
9	.01	.08	.05	.12	-	.01	tr	.20	.02	.01	.19	.01	9
10	-	.05	-	-	.01	.02	-	.07	-	.01	.04	-	10
11	.09	.38	-	-	-	.01	tr	-	.12	-	.01	-	11
12	.05	.08	-	-	-	-	1.31	tr	.10	.01	.01	-	12
13	tr	-	-	tr	-	.01	tr	.14	-	-	.01	-	13
14	.01	.10	-	-	-	.12	.62	.71	-	-	.04	tr	14
15	-	.12	-	.10	.06	-	.40	.51	-	-	.02	.05	15
16	.02	.17	-	.11	.34	.43	.01	.10	.19	.01	tr	tr	16
17	tr	.24	-	.24	.75	.05	.02	.01	-	-	-	-	17
18	.02	.01	-	.33	-	.17	.03	.02	-	.01	.42	-	18
19	.06	.02	-	.25	-	.27	.28	.05	.16	-	.02	tr	19
20	-	.06	-	.05	-	tr	.03	.38	.01	.04	.02	.01	20
21	.09	.04	-	.01	.50	-	-	.02	tr	-	.18	tr	21
22	.08	-	.06	.01	.11	-	-	-	.01	tr	tr	-	22
23	.22	-	.06	.02	.31	.11	-	-	.09	-	.28	.13	23
24	tr	-	.01	.08	.39	-	.04	-	.01	-	.01	.01	24
25	.13	-	-	.42	tr	-	.77	-	-	-	.03	tr	25
26	.01	tr	-	.33	.11	-	.08	-	.01	-	.12	tr	26
27	.12	.37	-	.01	tr	-	.01	-	-	.06	.31	.12	27
28	.33	.48	-	.18	.13	-	-	-	-	tr	.02	.05	28
29	.55	X	-	-	.04	-	.13	-	-	.18	.02	.05	29
30	.28	X	-	.05	.11	.01	.01	-	-	-	tr	-	30
31	.17	X	-	X	-	X	-	-	X	.07	X	.05	31
TOTAL	2.47	2.66	40 .X	3.24	2.90	2.93	4.30	3.97	3.28	.58	2.27	1.07	YEAR'S TOTAL 30.07
*Days with ·01 in. or more.	22	22	9	21	14	16	19	16	15	13	23	13	203
*Days with ·04 in. or more.	14	17	6	16	11	11	10	11	10	6	13	9	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John M. Clarke
Borough Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Queen's Road Depot. Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft 10 in.

,, Ground ,, Sea Level 40 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.06	-	.15	.51	-	.03	.03	.17	.20	.01	.02	1
2	.02	tr	-	-	.20	-	.03	.06	.07	.07	-	.12	2
3	-	tr	-	.15	.06	-	-	-	-	.06	-	.02	3
4	tr	.01	-	.15	.03	-	-	-	-	.01	.23	.01	4
5	.17	.02	.03	.01	.07	.05	.05	-	.04	tr	-	.01	5
6	.32	-	tr	.11	.01	-	-	-	.06	-	-	.01	6
7	.01	-	.09	.08	-	tr	-	-	.06	.06	.04	-	7
8	.01	.02	-	.05	-	-	-	-	.06	.02	.06	-	8
9	.01	.17	-	.03	-	-	-	-	-	-	-	.01	9
10	.03	.04	-	.04	-	-	-	-	.15	.21	-	-	10
11	.01	.11	.01	.17	.13	.05	2.85	-	.09	.02	.04	-	11
12	.08	tr	.03	.08	.03	-	.02	.01	-	.45	.03	-	12
13	.02	.05	-	.06	.01	-	2.78	-	-	.05	.03	-	13
14	.04	.02	-	.02	-	-	.46	.06	-	tr	.08	.02	14
15	tr	-	-	.04	.03	-	tr	-	-	.03	.01	.04	15
16	.09	-	-	.32	.27	-	-	-	-	.01	-	-	16
17	-	-	-	.01	tr	-	.05	-	.02	.20	-	-	17
18	tr	-	-	-	.03	-	-	-	.01	-	-	-	18
19	-	.01	-	tr	-	-	-	-	-	.08	-	-	19
20	-	-	.03	.02	.13	-	-	.27	-	.27	.18	tr	20
21	-	tr	.17	.05	1.70	-	-	.11	-	.26	.02	.21	21
22	-	-	.47	.01	.34	-	.24	tr	.37	.07	.26	.02	22
23	-	.07	tr	-	.42	-	.03	-	.10	.07	.13	.03	23
24	-	-	-	-	.02	-	.38	-	.02	.02	.20	.01	24
25	-	.06	-	.01	-	.03	.05	.01	tr	.26	.01	.01	25
26	.01	.01	.03	.24	.37	.07	.07	-	.04	.02	.03	.02	26
27	-	-	.17	.20	.50	-	.14	-	.02	.01	.15	.01	27
28	-	-	.09	.03	.17	-	.24	.62	-	.08	.01	-	28
29	-	-	.10	.08	.08	.10	.05	.42	.04	.23	.08	.12	29
30	-	×	.11	.01	.22	.30	.06	.08	.09	.09	.19	.14	30
31	.01	×	.04	×	.04	×	.75	-	×	-	×	.06	31
TOTAL	.86	.65	1.37	2.12	5.37	.60	8.28	1.67	1.41	2.85	1.79	.89	YEAR'S TOTAL 27.86
*Days with ·01 in. or more.	15	13	13	25	23	6	18	10	17	25	20	19	204
*Days with .04 in. or more.	5	7	8	16	16	5	14	7	13	17	12	~~5~~ 6	~~125~~ 6

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John H. Blaire
Borough Surveyor.

P.T.O.

COPY FOR OFFICIAL USE.

Section | **A** | for the entry of Daily Observations. Station No 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Queen's Road Depot. Newark.
in the County of Nottinghamshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 40 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.12	.14	-	-	-	-	-	-	.01	.40	-	1
2	.22	.01	.31	-	tr	-	-	-	-	-	.05	-	2
3	.01	.09	.14	-	.06	-	-	-	-	-	.06	-	3
4	.13	.01	.01	-	.02	-	-	-	-	-	-	-	4
5	.12	-	.04	-	.29	-	-	-	-	-	-	-	5
6	.01	.10	.06	-	.50	-	-	-	-	.01	.01	.06	6
7	.07	.07	.01	-	.24	-	-	-	-	.34	-	.01	7
8	.01	-	.15	-	.02	-	.12	-	-	tr	-	.02	8
9	-	.03	tr	.02	.02	-	.54	-	-	.61	.03	-	9
10	.05	.02	-	-	.01	.08	.09	.03	-	.80	.04	-	10
11	.02	tr	-	-	.02	.11	.21	.02	-	.03	tr	-	11
12	.07	-	tr	-	-	.03	.07	-	-	-	-	.09	12
13	.01	-	tr	-	.11	-	.14	tr	.06	-	.13	-	13
14	.06	tr	-	-	-	-	.01	tr	-	.09	.18	-	14
15	.77	-	tr	-	-	-	-	.16	-	.05	.39	tr	15
16	.21	.01	.63	-	.09	.11	.04	-	-	.02	.06	.03	16
17	.05	.02	.86	tr	-	.02	-	-	.09	-	.06	-	17
18	.02	.06	.07	-	-	.23	-	-	-	-	.03	-	18
19	tr	.04	.20	-	-	.14	.35	-	.09	-	.01	-	19
20	-	.04	tr	-	-	.29	-	.07	.09	.02	.03	-	20
21	-	-	-	-	.01	.14	-	.09	.08	-	.01	-	21
22	-	.01	-	-	-	1.02	-	.20	-	.71	-	-	22
23	-	-	-	.13	tr	.02	-	tr	.97	.01	-	-	23
24	-	.20	-	.08	.06	.20	-	-	.20	.07	.03	-	24
25	-	.87	-	.30	.01	-	-	-	.04	tr	.05	-	25
26	-	.37	-	.07	tr	-	-	-	.04	.12	.02	tr	26
27	-	.01	-	tr	-	-	-	-	.17	.10	-	-	27
28	-	.01	-	.04	-	-	tr	-	.01	.33	-	-	28
29	.04	X	-	.07	-	-	-	-	-	tr	-	tr	29
30	.05	X	-	.05	-	-	.04	-	-	tr	-	.06	30
31	.01	X	.04	X	-	X	-	.04	X	.01	X	-	31
TOTAL	2.13	2.09	2.66	.76	1.46	2.39	1.61	.61	1.84	3.33	1.59	.27	YEAR'S TOTAL 20.74
*Days with ·01 in. or more.	20 ✓	19 ✓	13 ✓	8 ✓	14 ✓	12 ✓	10 ✓	7 ✓	11 ✓	17 ✓	18 ✓	6 ✓	155 ✓
*Days with .04 in. or more.	13 ✓	10 ✓	11 ✓	7 ✓	7 ✓	9 ✓	9 ✓	5 ✓	10 ✓	10 ✓	10 ✓	3 ✓	104 ✓

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) John Holme

P.T.O.

COPY FOR OFFICIAL USE. ✓✓/17. 2593

Section **A** for the entry of Daily Observations. Station No. ~~72283/30~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Queens Road Depot. Newark.

in the County of Nottinghamshire.

400

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	-	-	-	-	-	-	.27	-	.04	-	.17		1
2	.02	.03	tr	-	-	-	-	.02	.33	tr	.07	.13		2
3	.10	.03	-	-	-	-	-	-	-	.10	.03	tr		3
4	.05	.02	.03	.23	-	-	-	-	-	tr	.19	.21		4
5	-	-	.02	.04	.08	-	-	.12	-	.04	.17	.04		5
6	tr	-	.02	.02	.30	.03	-	.12	-	.12	tr	.45		6
7	.01	-	.02	-	-	-	-	-	-	.10	-	.22		7
8	-	-	.02	-	.03	.03	-	.06	-	-	.24	tr		8
9	-	-	.26	.03	-	-	-	.06	-	-	.50	.15		9
10	-	-	.29	.09	-	-	-	.03	-	-	.02	tr		10
11	.45	-	.34	.17	-	-	-	.08	-	-	-	.26		11
12	-	-	.22	tr	-	-	.59	.03	-	-	-	.08		12
13	.34	-	tr	.02	-	-	.46	.06	-	.02	.01	.26		13
14	.05	-	.13	-	-	.10	-	-	-	.12	.37	.28		14
15	tr	-	tr	-	.04	-	-	.02	.01	tr	.10	-		15
16	.09	-	.08	-	.16	-	-	-	-	.02	.06	-		16
17	.11	-	-	-	.01	-	.06	.03	.05	.05	.01	.04		17
18	.02	-	-	.18	-	tr	.10	-	-	-	-	tr		18
19	-	-	.07	.01	-	.10	-	-	tr	.09	-	-		19
20	-	-	.01	-	-	.10	-	-	tr	-	-	.03		20
21	-	-	-	-	-	.09	-	.01	tr	.02	-	.01		21
22	-	-	-	-	-	-	-	.15	.21	-	-	tr		22
23	-	-	tr	.13	.11	-	.60	-	-	-	.02	.18		23
24	-	.21	.16	.02	-	tr	.05	-	.36	-	tr	tr		24
25	.10	-	-	.14	-	.02	-	-	tr	.03	-	.35		25
26	.18	.04	-	.20	-	-	-	-	.03	tr	-	.15		26
27	-	.14	-	.29	-	-	.02	-	-	.02	-	.10		27
28	-	-	-	.01	-	.02	-	.65	-	-	-	.45		28
29	-	×	-	-	-	-	.06	.09	.17	tr	-	.07		29
30	.05	×	-	-	-	-	.10	-	.02	.12	-	.10		30
31	.01	×	-	×	-	×	.44	-	×	.13	×	.05		31
TOTAL	1.67 ✓	.47 ✓	1.67 ✓	1.58 ✓	.73 ✓	.49 ✓	2.48 ✓	1.80 ✓	1.18 ✓	1.02 ✓	1.79 ✓	3.78 ✓	Year's Total 18.66 ✓	
* Days with .01 in. or more.	15 ✓	6 ✓	14 ✓	15 ✓	7 ✓	8 ✓	10 ✓	16 ✓	8 ✓	15 ✓	13 ✓	22 ✓	149 ✓	
* Days with .04 in. or more.	11	3 ✓	8 ✓	9 ✓	5 ✓	4 ✓	9 ✓	10 ✓	5 ✓	10 ✓	8 ✓	20 ✓	102 ✓	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. 11 / 17 2593

Section **A** for the entry of Daily Observations. Station No. ~~79203/30~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

400

Kept at Queens Road Depot, Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 10 in.

" Ground " Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	-	-	Tr	-	-	-	-	.49	.09	.23	.06		1
2	Tr	-	.01	.01	-	.15	-	-	-	.22	Tr	-		2
3	-	.10	.11	.08	-	.06	-	-	-	.01	.22	-		3
4	-	Tr	-	.01	-	.14	-	-	.01	.15	.02	-		4
5	-	.29	.03	.01	-	-	.02	-	.03	.05	.09	-		5
6	Tr	Tr	Tr	.03	-	.11	-	-	-	-	-	-		6
7	.03	-	-	.45	-	.03	-	-	-	.19	.44	.10		7
8	-	.01	.01	.09	-	-	-	-	-	.11	.01	.14		8
9	-	-	Tr	.08	-	.15	-	-	-	.58	.30	.03		9
10	-	.04	-	.12	-	Tr	-	-	-	-	.01	.01		10
11	.15	Tr	-	-	-	.02	-	-	-	-	.08	.06		11
12	.06	-	-	-	-	.10	-	.05	.02	-	-	-		12
13	.08	-	-	.05	.12	-	-	.02	-	-	-	-		13
14	Tr	-	-	.17	.09	-	1.85	-	.20	-	.42	.10		14
15	.01	.01	-	.52	.07	-	-	-	.32	-	.11	.23		15
16	Tr	.06	.09	.05	Tr	.33	.11	-	.22	.06	.65	-		16
17	-	-	-	.09	-	.11	.04	-	.05	.02	.54	-		17
18	.01	-	-	.24	.06	.18	.17	.46	.18	.06	.18	-		18
19	.02	-	-	.01	-	.25	.01	-	-	.02	.26	-		19
20	.02	.21	-	.09	-	.08	.04	-	-	-	.08	-		20
21	-	.71	Tr	.01	-	-	-	-	.37	.01	.08	-		21
22	-	.22	-	.06	-	-	-	-	-	-	-	-		22
23	-	.02	.08	-	-	-	-	.55	.03	.01	-	-		23
24	.15	.22	.05	-	-	-	-	-	1.47	-	-	.25		24
25	.31	.04	-	.05	-	.30	-	-	-	-	-	-		25
26	.19	-	-	-	-	-	-	.72	.37	Tr	-	.36		26
27	.03	.24	-	-	-	-	.01	-	.16	Tr	.11	1.07		27
28	Tr	-	-	-	.04	-	-	-	Tr	.09	-	.03		28
29	-	X	.06	-	-	-	-	-	.14	-	-	.05		29
30	.09	X	Tr	.11	-	-	-	.15	.01	.19	.30	.01		30
31	Tr	X	-	X	-	X	-	-	X	.41	X	.11		31
TOTAL	1.52	2.17	.44	2.33	.38	2.01	2.25	1.95	4.07	2.27	4.13	2.61	Year's Total 26.13	
* Days with .01 in. or more.	14	13	8	21	5	14	8	6	16	17	19	15	156	
* Days with .04 in. or more.	8	10	5	15	5	12	5	5	11	12	16	11	115	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Borough Surveyor. [P.T.O.

X

J. H. Clarke

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Newark, Queens Road Depot

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	·14	·06	·31	—	Tr	·13	·23	·01	—	·09	·13		1
2	·22	·03	·09	·06	Tr	·38	·35	·12	—	—	·37	·10		2
3	Tr	·01	—	—	—	·62	·02	—	·18	—	·01	—		3
4	·02	·03	·07	—	—	·01	—	—	·28	·02	·08	·05		4
5	·03	—	·08	—	—	—	·03	·03	·03	·01	—	·29		5
6	·01	—	Tr	—	—	·03	·28	·41	·21	·01	·01	·01		6
7	·35	—	—	—	—	—	1·69	·01	·21	·04	·01	·04		7
8	·17	—	·08	—	—	—	·01	—	—	·07	·23	·06		8
9	·22	—	·01	—	·01	·03	·67	—	—	·09	·02	—		9
10	—	—	—	—	—	—	·80	·70	—	·01	—	—		10
11	—	—	—	·09	—	—	·07	—	Tr	—	·27	—		11
12	—	—	—	·12	·02	·15	·49	—	·65	—	·03	·06		12
13	—	—	—	—	—	·22	·22	—	—	·14	·01	·22		13
14	—	—	—	·10	—	·04	·15	—	·56	·01	·01	·08		14
15	·12	·07	—	·07	—	·14	·15	—	—	—	·29	·02		15
16	·20	·08	—	·07	—	—	·02	—	—	—	·47	Tr		16
17	·04	·41	—	—	·15	—	·10	—	—	—	·02	·06		17
18	—	·02	—	—	—	·05	·02	—	—	·20	·03	Tr		18
19	·30	·01	·02	·24	—	·32	—	·07	—	·07	—	—		19
20	Tr	·02	·01	—	—	·02	·22	·12	—	—	—	—		20
21	—	—	·01	·04	·01	·12	—	—	—	—	·01	—		21
22	—	·43	·03	—	·03	·15	·16	—	—	—	·02	—		22
23	—	·01	Tr	·10	·13	—	·57	—	—	·03	—	·01		23
24	·19	·08	—	—	Tr	—	—	—	·14	·06	·01	—		24
25	·14	—	·03	·18	—	—	—	—	·30	·03	·01	·01		25
26	—	·07	·16	—	—	—	—	—	·15	·13	—	—		26
27	·08	—	·05	—	—	—	—	—	·12	·10	—	—		27
28	·25	·18	·03	—	—	·16	·01	—	·05	—	·05	·03		28
29	·79	·06	·10	—	—	·41	·08	—	—	·05	·32	·05		29
30	·18	✕	—	—	·19	·33	·22	—	—	·33	·01	·Tr		30
31	·02	✕	·01	✕	—	✕	·02	—	✕	·10	✕	·10		31
TOTAL	3·33	1·69	·84	1·38	·54	3·18	6·48	1·69	2·89	1·50	2·38	1·32	Year's Total 27·22	
* Days with .01 in. or more.	18	16	16	11	7	17	24	8	13	19	23	17	189	
* Days with .04 in. or more.	14	9	8	10	3	13	17	6	11	12	9	12	124	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. Clarke [P.T.O.

22

COPY FOR OFFICIAL USE.

Section | A | for the entry of Daily Observations. Station No. 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Newark Queens Road Depot

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level 40 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·02	·06	—	—	—	—	—	·04	—	·10	·09		1
2	TR.	·02	·04	·26	—	—	—	—	—	—	—	·66		2
3	—	·02	·03	·26	·02	Tr.	—	—	—	—	—	·36		3
4	·06	·11	·01	·01	Tr	—	—	·16	—	—	—	·27		4
5	·13	TR.	·11	—	—	—	—	·01	—	—	—	·05		5
6	—	—	·05	·01	·20	—	—	—	—	—	·06	·04		6
7	—	·26	—	·12	·06	—	—	—	—	—	—	·02		7
8	—	·24	—	·01	—	—	Tr.	—	—	—	·10	·05		8
9	—	·02	—	·05	·10	—	44	·13	Tr	—	—	·01		9
10	TR.	TR.	·18	·20	—	·20	·01	Tr.	—	—	·02	·11		10
11	—	—	·48	—	·95	—	—	·04	—	—	—	·10		11
12	—	·34	·13	—	·39	·03	—	—	·21	—	—	·10		12
13	·06	·04	Tr	—	·06	·07	—	—	·03	—	—	·02		13
14	TR.	—	·11	—	Tr	—	—	·03	·01	—	—	·04		14
15	—	·13	—	·21	—	—	1·84	—	·03	—	—	·02		15
16	·04	·10	·23	·41	—	·02	Tr	·05	·13	—	—	·04		16
17	·03	·01	·05	·27	—	·02	—	—	·20	—	—	—		17
18	·59	·03	·19	·01	—	—	·01	—	—	—	·29	—		18
19	·02	·07	·20	·05	—	·17	·02	—	—	—	·13	—		19
20	·19	·02	·02	·28	·60	—	—	—	·05	—	—	—		20
21	TR.	·01	·02	·01	—	—	·26	—	—	—	—	·03		21
22	·03	—	—	—	—	—	·08	—	—	·37	·09	·05		22
23	·27	—	—	—	·01	—	·07	—	—	·65	·25	—		23
24	·19	·17	·06	—	·02	—	—	—	·02	·10	Tr	—		24
25	·03	·25	Tr	—	·09	—	—	—	·02	·08	—	·01		25
26	TR.	·25	·05	—	·44	—	—	—	·02	—	Tr	Tr.		26
27	—	·24	·07	·10	—	—	—	—	—	·73	—	·01		27
28	·02	·07	Tr	—	—	—	—	—	—	·02	—	·02		28
29	·15		—	—	—	—	—	—	—	—	·05	·01		29
30	·31		—	—	—	·05	—	—	—	·02	·01	·03		30
31	·22		—		—		—	—		·31		·03		31
TOTAL	2·49	2·42	2·09	2·26	2·94	·56	2·73	·42	·76	2·28	1·10	2·17	Year's Total 22·22	
* Days with .01 in. or more.	17	21	19	16	12	7	8	6	11	8	10	24	154	
* Days with .04 in. or more.	12	12	14	11	9	4	5	4	5	6	8	13	103	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

22

Travelling forms – [illegible]

COPY FOR OFFICIAL USE

Sec a **A** for the entry of Daily Observations

Station No. 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Newark (Queens Rd. Depot)

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 40 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	Tr	·41	·17	—	·12	·04	—	·05		1
2	·06	—	—	—	·02	·11	—	—	—	·10	·03	·02		2
3	·04	—	—	—	—	·02	·04	—	·16	·68	Tr	—		3
4	·01	—	—	·02	—	—	·22	·22	—	·10	Tr	·29		4
5	—	—	—	—	—	—	·17	Tr	·02	·02	—	Tr		5
6	·01	·03	—	—	—	—	·31	·02	·29	·05	—	—		6
7	·07	—	—	—	—	—	·14	~~·29~~ ·02	—	·06	—	·02		7
8	·16	—	—	—	—	—	·23	~~·04~~ Tr	·04	·15	—	·01		8
9	·10	·04	—	—	—	Tr	·02	·47	—	—	—	·29		9
10	—	—	—	—	—	—	·28	Tr	·02	—	—	·02		10
11	·43	—	—	—	—	—	Tr	—	—	·03	·02	·01		11
12	·14	—	—	—	·09	—	·01	·10	—	·27	·04	—		12
13	—	·11	—	—	—	—	—	·09	—	—	·23	·17		13
14	·15	·03	—	—	·06	—	·55	—	·17	—	Tr	·02		14
15	·14	—	—	—	·02	—	·28	Tr	—	—	Tr	·25		15
16	·21	—	—	—	—	—	·38	·02	—	·02	·02	·34		16
17	—	—	—	—	·80	—	·04	Tr	—	·02	Tr	—		17
18	·02	·01	—	—	·23	—	—	Tr	·15	—	·23	Tr		18
19	—	—	—	—	·01	—	—	·06	·04	—	—	·07		19
20	—	—	—	—	·02	—	—	—	·01	—	·43	·15		20
21	—	—	—	—	—	—	—	·04	—	—	—	·31		21
22	—	—	—	Tr	—	·33	—	—	—	—	·29	·26		22
23	—	—	—	—	·01	·02	—	—	·06	—	Tr	·05		23
24	—	—	·04	—	Tr	—	—	·03	·33	—	·02	·03		24
25	·04	·15	·07	—	—	—	—	·10	—	·12	·44	·17		25
26	—	·50	·13	—	~~·32~~ Tr	—	—	—	·33	·05	·01	·10		26
27	·04	·10	—	—	·32	·11	·14	·24	·28	~~·06~~	·18	—		27
28	·20	—	—	—	·64	·03	·08	1·61	·21	·06	·03	·04		28
29	·10		—	·04	·55	—	·07	Tr	Tr	·05	·10	·14		29
30	·02		—	—	·07	·01	—	—	·10	·01	·05	—		30
31	·06		—		·16		—	—		·11		·62		31
TOTAL	2.00	·97	·24	·06	3·00	1·04	3.13	3·02	2·33	1·94	2·12	3·43	Year's Total 23·28	
* Days with .01 in. or more.	19	8	3	2	14	8	17	13	16	18	15	23	156	
* Days with .04 in. or more.	15	5	3	1	9	4	15	9	13	13	9	16	112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) John H Clarke

~~Bor~~ough Engineer.

[P.T.O.

22 T.F. J. H. Clarke, Esq

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Newark (Queens Road Depot)

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 10 in.

,, Ground ,, Sea Level 40 ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·08	·05	—	—	·04	Tr	—	—	—	Tr		1
2	·03	—	—	·06	—	—	—	·16	·34	·17	·06	—		2
3	·27	—	—	·22	—	—	—	·15	—	·01	·20	·17		3
4	·18	—	·20	·19	—	—	Tr	·63	—	—	·03	·08		4
5	Tr	—	—	·02	·11	—	·05	·50	—	·21	·18	·24		5
6	·41	—	—	—	—	—	·26	—	—	—	·03	—		6
7	·12	—	—	—	—	—	·16	—	—	—	·15	·13		7
8	—	·06	·09	—	—	—	·18	—	—	·05	·09	·37		8
9	—	·02	—	—	—	—	—	·08	—	·57	—	·22		9
10	·43	—	—	—	—	—	—	·22	—	—	—	—		10
11	·03	—	·30	—	—	·18	—	Tr	—	·17	—	—		11
12	—	·03	·01	—	—	Tr	—	—	—	Tr	—	—		12
13	—	—	—	—	·01	Tr	·03	—	—	·25	—	·01		13
14	·51	—	Tr	—	·18	·16	·19	—	—	·17	·11	Tr		14
15	·13	—	—	—	·45	·25	·74	—	·11	·10	Tr	—		15
16	·01	—	·15	—	·36	·31	·31	—	—	—	·17	—		16
17	·38	—	·02	·41	·03	—	·11	—	—	·42	Tr	—		17
18	·03	·01	·07	—	—	·50	·09	—	Tr	—	·96	—		18
19	·21	—	—	—	—	·33	·25	—	·01	—	—	Tr		19
20	Tr	—	—	—	—	—	·01	·50	—	—	—	—		20
21	·14	·11	·12	—	·03	·17	·06	·01	·07	—	—	—		21
22	·16	·19	·17	—	—	—	·01	Tr	Tr	—	·20	—		22
23	·05	·01	Tr	·16	—	—	·01	Tr	—	·03	·48	—		23
24	·04	Tr	·01	·02	—	Tr	—	Tr	—	·01	—	—		24
25	·70	—	·10	—	—	—	—	·40	—	—	·47	·16		25
26	·05	—	Tr	·08	—	—	—	·02	—	·19	·06	·01		26
27	·01	·02	·26	Tr	—	Tr	·03	—	—	·16	·09	—		27
28	Tr	·11	·12	·14	—	·24	·04	·06	—	·02	·14	—		28
29	—	X	Tr	·38	—	—	·32	—	—	·26	·06	—		29
30	—		—	—	—	·07	Tr	—	—	—	·19	—		30
31	—		—		—		—	—		Tr		—		31
TOTAL	3·90	·56	1·70	1·73 ~~1·85~~	1·17	2·21	2·89	2·73	·53	2·79	3·67	1·39	Year's Total 25·27	
* Days with .01 in. or more.	21	9	14	11	7	9	19	11	4	16	18	9	148	
* Days with .04 in. or more.	15	4	11	9	4	9	14	9	3	12	16	7	113	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. Crane

Borough Engineer.

[P.T.O.

22

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~2~~40.

See letter

Kept at Newark ~~The Friary. Appleton~~ Gate. see letter 14/2/40.
in the County of Nottinghamshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
,, Ground ,, Sea Level 48 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·03	—	·05	—	—	—	—	—	—	·24	—		1
2	—	·01	—	·22	—	—	—	—	—	—	·40	·01		2
3	—	·18	—	·10	—	—	—	—	—	·07	·36	·04		3
4	—	·23	—	·04	—	—	—	—	—	·05	·88	·05		4
5	—	—	—	—	·07	—	·03	—	—	·05	·51	·18		5
6	TR	·21	—	—	·04	—	·02	—	—	·55	·18	—		6
7	·04	·26	—	05 ~~·06~~	·03	—	·04	—	—	—	—	·04		7
8	—	—	·18	·03	—	·01	·02	—	—	·11	—	·16		8
9	—	—	·04	—	—	·04	·06	·02	—	·01	·29	·03		9
10	—	—	·01	—	—	—	1·04	·02	—	—	·03	·15		10
11	—	—	·10	—	—	·10	·22	—	—	—	·48	·01		11
12	—	·05	·10	—	—	—	·10	—	·12	—	·12	—		12
13	—	·02	·18	—	—	—	—	—	·18	—	—	—		13
14	—	—	—	·04	·14	—	—	·05	·01	—	—	·34		14
15	—	—	·01	—	—	·12	—	—	—	·03	·02	—		15
16	·04	·18	·32	—	—	·07	·62	—	·03	1·04	·32	—		16
17	—	·04	·50	—	—	—	·36	—	·01	—	·30	—		17
18	·05	·32	·15	·34	—	—	·02	·18	—	·04	·01	·01		18
19	—	·12	—	·25	—	—	·35	—	·11	·02	·15	·02		19
20	—	·01	—	·16	—	·04	·06	·05	—	—	·08	—		20
21	—	·01	—	—	—	·26	·10	·01	—	·12	1·00	—		21
22	·12	—	—	—	·14	·25	—	—	·03	·01	·01	—		22
23	·02	·04	·12	·01	·31	·22	—	—	—	·01	—	·05		23
24	—	—	~~·03~~	·03	—	—	·10	—	—	·03	—	—		24
25	·01	—	—	—	·04	·04	·33	—	—	·03	—	—		25
26	·70	·12	—	—	·03	—	·18	·01	—	·01	·01	—		26
27	·45	·90	—	—	—	—	·04	·03	—	—	·02	—		27
28	·02	·44	~~·02~~	·02	—	—	—	—	—	—	—	—		28
29	—	—	11	—	—	·01	—	—	—	—	—	·15		29
30	·12	✕	—	—	—	—	—	—	—	·38	—	·09		30
31	·04	✕	~~·05~~ ✕	✕		✕	—	—	✕	1·20	✕	·02		31
TOTAL	1·61	3·17	1·87	1·34	·70	1·16	3·69	·37	·49	3·76	5·41	1·35	Year's Total 24·92	
* Days with .01 in. or more.	11	18	13	13	8	11	18	8	7	18	20	16	161	
* Days with .04 in. or more.	8	13	11	9	6	9	14	3	3	10	14	10	110	

1.34

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Jm H Clare

[P.T.O.

Newark Sewage ~~~~

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

Kept at Sewage Disposal

in the County of Nottin

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

2593/5

NEWARK SEWAGE WKS
1931 – 40

780410

PY FOR OFFICIAL USE.
ORGANIZATION.

2593/5

Notts/2

Sent re low total
14/32

owing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	-	.03	.02								-	-	1
2	tr	.01	-	.61	tr	.12	-	tr	.26	.03	-	.05	2
3	.05	.01	-	.08	.01	-	tr	-	1.46	tr	.04	.07	3
4	-	.03	-	.04	tr	-	.44	.38	.49	-	.07	.01	4
5	tr	.01	tr	-	.03	1.16	tr	.02	.12	-	-	.37	5
6	tr	.18	.01	-	-	.14	tr	-	tr	.09	.06	-	6
7	-	tr	tr	-	-	.26	-	.35	-	-	.15	tr	7
8	.08	.03	.05	tr	-	.07	.01	.80	-	-	.08	-	8
9	tr	.10	tr	.11	-	-	tr	.20	tr	tr	.26	tr	9
10	-	.01	.01	-	-	tr	-	.04	-	tr	.01	-	10
11	.08	.33	-	-	tr	-	tr	-	.15	-	-	-	11
12	.02	.03	-	-	-	-	.98	-	.02	tr	tr	-	12
13	-	-	tr	-	tr	tr	tr	.11	-	-	-	-	13
14	tr	.10	-	-	tr	.09	.71	.63	-	-	tr	tr	14
15	-	.12	tr	.11	.03	-	.24	.24	-	-	.01	.04	15
16	.01	.15	-	.12	.25	.42	tr	.08	.17	tr	tr	-	16
17	-	.19	-	.21	.91	tr	.01	-	-	-	-	-	17
18	tr	tr	-	.27	-	.14	.07	tr	-	tr	.37	-	18
19	.05	.01	-	.26	-	.21	.15	.05	.16	.02	tr	-	19
20	-	.02	-	.02	-	-	.01	.38	tr	-	tr	.01	20
21	.07	tr	tr	-	.49	-	-	.01	-	-	.16	tr	21
22	.06	-	.13	tr	tr	-	-	-	tr	-	-	-	22
23	.25	-	.02	.01	.29	.08	-	-	.05	tr	.22	.12	23
24	tr	-	tr	.06	.38	-	.02	-	tr	-	-	-	24
25	.07	-	-	.39	-	-	.81	-	-	-	.01	-	25
26	-	tr	-	.28	.11	-	.03	-	tr	-	.11	-	26
27	.11	.32	-	tr	-	-	tr	-	-	.05	.20	.13	27
28	.32	.61	-	.10	.10	-	-	-	-	-	.03	.01	28
29	.32		-	-	.02	-	.12	-	-	.18	.01	.02	29
30	.21	×	-	.03	.12	tr	-	-	-	-	tr	-	30
31	.16	×	-	×	-	×	-	-	×	.06	×	tr	31
TOTAL	1.86	2.29	.24	2.77	2.74	2.69	3.60	3.29	2.95	.43	1.79	.83	YEAR'S TOTAL 25.48
*Days with ·01 in. or more.	15	19	6	17	12	10	15	13	10	6	16	10	147
*Days with ·04 in. or more.	13	9	2	14	8	10	8	11	9	4	11	6	105

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) John H. Clarke

[P.T.O.

NEWARK SEWAGE W

2593/5

Section A for the entry of PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Notts/?

Kept at Sewage Disposal Works, Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft 12 in.

" Ground " Sea Level 33 ft.

Letter sent re low total 4/4/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	.02	.07	-	tr	-	-	.07	tr	-	-	1
2	tr	.01	-	.61	tr	.12	-	tr	.26	.03	-	.05	2
3	.05	.01	-	.08	.01	-	tr	-	1.46	tr	.04	.07	3
4	-	.03	-	.04	tr	-	.44	.38	.49	-	.07	.01	4
5	tr	.01	tr	-	.03	1.16	tr	.02	.12	-	-	.37	5
6	tr	.18	.01	-	-	.14	tr	-	tr	.09	.06	-	6
7	-	tr	tr	-	-	.26	-	.35	-	-	.15	tr	7
8	.08	.03	.05	tr	-	.07	.01	.80	-	-	.08	-	8
9	tr	.10	tr	.11	-	-	tr	.20	tr	tr	.26	tr	9
10	-	.01	.01	-	-	tr	-	.04	-	tr	.01	-	10
11	.08	.33	-	-	tr	-	tr	-	.15	-	-	-	11
12	.02	.03	-	-	-	-	.98	-	.02	tr	tr	-	12
13	-	-	tr	-	tr	tr	tr	.11	-	-	-	-	13
14	tr	.10	-	-	tr	.09	.71	.63	-	-	tr	tr	14
15	-	.12	tr	.11	.03	-	.24	.24	-	-	.01	.04	15
16	.01	.15	-	.12	.25	.42	tr	.08	.17	tr	tr	-	16
17	-	.19	-	.21	.91	tr	.01	-	-	-	-	-	17
18	tr	tr	-	.27	-	.14	.07	tr	-	tr	.37	-	18
19	.05	.01	-	.26	-	.21	.15	.05	.16	.02	tr	-	19
20	-	.02	-	.02	-	-	.01	.38	tr	-	tr	.01	20
21	.07	tr	tr	-	.49	-	-	.01	-	-	.16	tr	21
22	.06	-	.13	tr	tr	-	-	-	tr	-	-	-	22
23	.25	-	.02	.01	.29	.08	-	-	.05	tr	.22	.12	23
24	tr	-	tr	.06	.38	-	.02	-	tr	-	-	-	24
25	.07	-	-	.39	-	-	.81	-	-	-	.01	-	25
26	-	tr	-	.28	.11	-	.03	-	tr	-	.11	-	26
27	.11	.32	-	tr	-	-	tr	-	-	.05	.20	.13	27
28	.32	.61	-	.10	.10	-	-	-	-	-	.03	.01	28
29	.32		-	-	.02	-	.12	-	-	.18	.01	.02	29
30	.21	✕	-	.03	.12	tr	-	-	-	-	tr	-	30
31	.16	✕	-	✕	-	✕	-	-	✕	.06	✕	tr	31
TOTAL	1.86	2.29	.24	2.77	2.74	2.69	3.60	3.29	2.95	.43	1.79	.83	YEAR'S TOTAL 25.48
*Days with ·01 in. or more.	15	19	6	17	12	10	13	13	10	6	16	10	147
*Days with ·04 in. or more.	13	9	2	14	8	10	8	11	9	4	11	6	105

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Borough Surveyor.

[P.T.O.

X NEWARK (SEWAGE WORKS) X

79303/30

low wp 1931

(2593/5)

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Notts/2

Kept at Sewage Disposal Works. Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground --- ft 12 in.

,, Ground ,, Sea Level 33 ft.

C1931

letter sent re low total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.05	-	.13	.40	-	.07	.02	.13	.19	tr	.01	1
2	tr	-	-	-	.19	-	-	.04	.02	.03	-	.06	2
3	-	tr	tr	.14	.01	-	-	-	-	.06	-	tr	3
4	tr	-	tr	.15	tr	tr	tr	tr	-	-	.21	tr	4
5	.12	.01	.03	-	.06	.02	.02	-	.03	tr	-	tr	5
6	.23	-	.03	.11	tr	-	tr	-	.03	-	-	-	6
7	-	-	.09	.10	-	tr	-	-	.06	.03	.02	tr	7
8	.01	.02	tr	.03	tr	-	-	-	.04	.01	.03	tr	8
9	-	.12	tr	.03	tr	-	-	-	-	tr	-	tr	9
10	tr	tr	-	.02	tr	-	-	-	.14	.25	tr	-	10
11	-	.14	.01	.14	.11	.03	1.81	.01	.01	.18	.01	-	11
12	.07	tr	tr	.04	tr	-	.12	-	-	.45	tr	-	12
13	-	.01	-	.05	tr	-	2.25	-	-	.04	tr	tr	13
14	.01	tr	tr	.04	-	-	.31	.02	-	-	.06	tr	14
15	-	-	-	.01	.01	-	-	-	-	.04	tr	.01	15
16	.07	-	tr	.26	.28	-	-	-	-	tr	tr	-	16
17	-	tr	-	tr	-	-	.01	-	.02	.12	-	-	17
18	-	-	-	-	.01	-	-	-	-	-	-	.01	18
19	-	-	-	tr	-	tr	-	-	tr	.07	-	tr	19
20	-	tr	.01	tr	.13	-	-	.23	tr	.24	.17	tr	20
21	-	-	.16	.06	1.50	-	-	.11	tr	.23	tr	.18	21
22	-	-	.45	tr	.34	-	.21	-	.38	.07	.23	tr	22
23	-	.04	-	tr	.33	-	.01	-	.04	.05	.17	.01	23
24	-	-	-	-	.02	tr	.36	-	-	tr	.18	tr	24
25	tr	.05	-	tr	-	.01	.02	-	.01	.25	-	tr	25
26	tr	tr	.01	.22	.42	.03	.03	-	.01	.01	.01	-	26
27	-	-	.15	.18	.36	-	.12	-	.03	tr	.12	.01	27
28	-	tr	.07	.01	.12	-	.24	.62	-	..07	-	-	28
29	tr	-	.07	.05	.10	.13	tr	.43	.02	.20	.05	.11	29
30	-	×	.07	tr	.21	.21	.05	.02	.05	.06	.16	.12	30
31	-	×	.04	×	.02	×	.72	-	×	-	×	.03	31
TOTAL	.52	.44	1.19	1.77	4.62	.43	6.35	1.50	1.02	2.65	1.42	.55	YEAR'S TOTAL 22.46
*Days with ·01 in. or more.	~~7~~	~~8~~	~~13~~	~~19~~	~~19~~	~~6~~	~~16~~	~~9~~	~~16~~	~~21~~	~~13~~	~~10~~	~~157~~
*Days with ·04 in. or more.	~~4~~	~~5~~	~~8~~	~~14~~	~~14~~	~~2~~	~~11~~	~~5~~	~~7~~	~~17~~	~~9~~	~~4~~	~~100~~

40-9999

*See Instruction 2 (*f*) on other side X J.H.CLARKE, ESQ., C.E.

(Signed) John H. Clarke

Borough Surveyor.

n/low yrs

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. #79203/30 Station No. (2598/5)

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at (Sewage ~~Disposal~~ Works) Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 12 in.

,, Ground ,, Sea Level 33 ft.

cf 2593

New gauge installed end of May. 1933.
Values satisfactory June – Decr ∴
monthly totals estimated by
proportionation with Newark Queens Rd [illegible]
Observer informed 6/3/34.
Daily values were not amended.

Notts/2

(Steel Lines)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.13	.14	-	-	-	-	-	-	tr	.40	-	1
2	.17	.01	.32	-	tr	-	-	-	-	.01	.04	-	2
3	tr	.05	.11	-	.09	-	-	-	-	-	.05	-	3
4	.08	tr	.02	-	.17	-	-	-	-	tr	tr	-	4
5	.12	-	.03	tr	.08	-	tr	-	-	tr	tr	-	5
6	tr	.08	.05	tr	.54	-	-	-	-	.02	.01	.06	6
7	.06	.05	-	-	.20	-	tr	-	-	.31	-	-	7
8	-	-	.15	.01	tr	-	.12	-	-	-	-	-	8
9	-	tr	-	tr	.01	-	.27	-	-	.66	.02	-	9
10	.04	tr	-	-	tr	.09	.05	.01	-	.79	.02	-	10
11	.02	tr	tr	-	tr	.10	.11	.02	-	.02	tr	-	11
12	.08	tr	tr	-	tr	.02	.09	-	-	-	-	.11	12
13	.01	-	tr	-	.11	tr	.10	tr	.07	tr	.13	-	13
14	tr	-	-	-	-	-	tr	-	-	.05	.21	.01	14
15	.72	tr	tr	-	-	-	tr	.11	-	.05	.33	.03	15
16	.18	-	.53	-	.08	.10	tr	tr	-	.02	.05	.01	16
17	.03	tr	.82	-	-	.02	-	-	.09	-	.06	tr	17
18	.01	.02	.05	tr	-	.22	-	-	-	-	.02	tr	18
19	tr	.01	.17	tr	-	.33	.36	-	.14	-	tr	.01	19
20	-	.01	tr	tr	-	.40	-	.06	tr	tr	.02	-	20
21	-	-	-	-	.01	.15	-	.06	.06	-	.01	-	21
22	-	-	-	-	-	1.28	-	.24	-	.76	-	-	22
23	-	-	-	.08	tr	.11	-	tr	.84	tr	-	-	23
24	-	.06	tr	.10	.03	.15	-	-	.25	.06	.02	-	24
25	-	.62	tr	.25	.01	-	-	-	.01	tr	.11	.04	25
26	-	.32	tr	.04	-	-	-	-	.03	.15	.02	tr	26
27	-	tr	tr	.04	-	-	-	-	.15	.04	-	-	27
28	-	tr	-	.05	-	-	tr	-	tr	.30	-	-	28
29	.06		-	.01	-	-	-	-	-	tr	-	tr	29
30	.02	×	tr	tr	-	-	.04	-	-	tr	-	.06	30
31	tr	×	.02	×	-	×	-	.03	×	tr	×	-	31
													YEAR'S TOTAL
TOTAL	(2.07) ~~1.77~~	(2.08) ~~1.36~~	(2.58) ~~2.41~~	(.71) ~~.58~~	(1.42) ~~1.33~~	2.97	1.14	.53	1.64	3.24	1.52	.33	(20.18) ~~18.82~~
*Days with ·01 in. or more.	~~15~~	~~11~~	~~12~~	~~8~~	~~11~~	~~12~~	~~8~~	~~7~~	~~9~~	~~14~~	~~17~~	~~8~~	~~132~~
*Days with .04 in. or more.	~~10~~	~~7~~	~~9~~	~~6~~	~~7~~	~~10~~	~~8~~	~~4~~	~~7~~	~~10~~	~~9~~	~~4~~	~~91~~

40-9999

*See Instruction 2 (*f*) on other side. J. H. CLARKE ESQ (*Signed*)

P.T.O.

2593/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 79203/30

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sewage Disposal Works.Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft 12 in.

,, Ground ,, Sea Level 33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.01	-	tr	-	-	-	.25	-	.12	-	.13		1
2	.02	.03	.01	-	-	-	-	.02	.34	tr	.08	.14		2
3	.10	.01	-	-	-	-	-	-	-	.13	.01	tr		3
4	.04	.01	.02	.22	tr	-	-	-	-	-	.17	.24		4
5	-	-	.04	.04	.09	-	-	.13	-	tr	.14	.04		5
6	-	-	.02	.02	.31	.04	-	.16	-	.10	-	.43		6
7	.02	-	-	-	-	tr	-	-	-	.19	-	.24		7
8	-	-	.01	-	.02	.03	-	.06	-	tr	.23	-		8
9	tr	-	.28	.03	-	-	-	.06	-	-	.50	.15		9
10	-	-	.37	.09	-	-	-	.05	-	-	.02	-		10
11	.39	-	.34	.17	-	-	-	.07	-	-	-	.27		11
12	-	-	.22	tr	-	-	1.16	.02	-	-	tr	.06		12
13	.35	-	tr	.02	tr	-	.38	.06	-	tr	tr	.25		13
14	.02	-	.13	-	-	.08	-	-	-	.11	.34	.27		14
15	.01	-	-	-	.10	-	-	.01	.01	tr	.08	-		15
16	.09	-	.08	-	.14	-	-	-	-	.01	.05	-		16
17	.09	-	tr	-	.01	-	.09	.18	.05	.04	.02	.03		17
18	.01	-	tr	.17	-	tr	.04	-	-	-	tr	-		18
19	-	-	.07	.02	-	.05	-	tr	tr	.08	-	-		19
20	-	-	.01	tr	-	.03	-	tr	.02	-	-	.04		20
21	-	-	-	-	-	.08	tr	.01	tr	.01	-	tr		21
22	-	-	-	-	-	-	-	-	.21	-	-	.01		22
23	-	-	.01	.15	.10	-	.55	-	-	-	-	.17		23
24	-	.23	.15	.10	-	.01	.04	-	.35	-	-	-		24
25	.08	tr	-	.13	-	tr	-	-	tr	.09	-	.35		25
26	.18	.04	tr	.19	-	tr	-	-	.03	-	tr	.16		26
27	-	.11	-	.23	-	-	.03	-	tr	.01	tr	.10		27
28	-	-	-	.02	-	tr	-	.63	-	tr	-	.45		28
29	-	-	tr	-	-	-	.05	-	.17	-	-	.06		29
30	.05	×	tr	-	-	tr	.08	.06	.02	.12	-	.09		30
31	.01	×	-	×	-	×	.18	-	×	.12	×	.05		31
TOTAL	1.54	.44	1.76	1.60	.77	.32	2.60	1.77	1.20	1.13	1.64	3.73	Year's Total. 18.50	
* Days with .01 in. or more.	16	7	15	15	7	7	10	15	9	13	11	22	147	
* Days with .04 in. or more.	10	3	9	10	5	4	9	11	5	10	8	20	104	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) John H. Clarke

[P.T.O.

COPY FOR OFFICIAL USE.

2593/5

Section **A** for the entry of Daily Observations.

Station No. ~~79203/30~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sewage Disposal Works Newark.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 12 in.

,, Ground ,, Sea Level 33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	Tr	--	Tr	--	--	--	--	.49	.13	.21	.06		1
2	--	--	Tr	.01	--	.14	--	Tr	Tr	.22	--	Tr		2
3	--	.09	.11	.09	--	.08	--	--	--	.03	.25	--		3
4	--	--	Tr	Tr	--	.11	--	--	.06	.11	.01	--		4
5	--	.27	.02	Tr	--	--	.01	--	.03	.04	.09	Tr		5
6	Tr	.01	--	.02	--	.11	--	--	--	--	Tr	--		6
7	.01	.01	Tr	.46	--	.03	--	--	--	.22	.45	.10		7
8	--	--	Tr	.07	--	--	--	--	--	.05	.07	.12		8
9	--	--	--	.06	Tr	.13	--	--	--	.53	.22	.03		9
10	--	.03	--	.13	--	Tr	--	--	--	--	.01	.01		10
11	.25	Tr	Tr	--	--	.02	Tr	.04	--	--	.06	.05		11
12	--	Tr	--	--	--	.10	--	.01	.02	--	Tr	Tr		12
13	.07	--	--	.05	.12	Tr	--	--	Tr	--	.01	Tr		13
14	--	--	--	.29	.14	Tr	1.50	--	.17	--	.40	.07		14
15	.01	Tr	--	.53	.06	.01	--	--	.30	--	.11	.22		15
16	--	.08	.08	.03	Tr	.32	.10	--	.23	.06	.65	--		16
17	--	--	--	.05	--	.15	.17	Tr	.03	.03	.60	--		17
18	.07	--	--	.23	.05	.16	.03	.32	.16	.03	.16	--		18
19	.01	--	--	.01	--	.26	.01	--	Tr	.02	.24	--		19
20	.01	.30	--	.09	--	.06	.01	--	--	--	.06	--		20
21	--	.73	.10	.01	--	--	--	--	.46	.01	.07	Tr		21
22	--	.19	--	.05	--	--	--	.06	--	Tr	--	--		22
23	Tr	Tr	.07	--	--	--	--	.54	.05	Tr	--	--		23
24	.11	.22	.04	--	--	--	--	--	1.44	--	--	.24		24
25	.37	.03	--	.04	--	.24	--	Tr	--	Tr	--	.01		25
26	.06	--	--	--	--	--	--	.74	.33	Tr	Tr	.30		26
27	--	.24	--	--	Tr	--	--	--	.19	.01	.11	1.00		27
28	--	--	--	--	.04	--	--	--	Tr	.09	Tr	.03		28
29	.05	--	.05	--	--	--	--	--	.11	.01	Tr	.03		29
30	.09	✕	--	.01	--	--	--	.16	Tr	.23	.34	.01		30
31	Tr	✕	--	✕	--	✕	--	--	✕	.45	✕	.13		31
TOTAL	1.47	2.20	.47	2.23	.41	1.92	1.83	1.87	4.07	2.27	4.12	2.41	Year's Total 25.27	
* Days with .01 in. or more.	13	12	7	19	5	15	7	6	15	18	20	16	153	
* Days with .04 in. or more.	9	8	6	13	5	12	3	5	12	11	17	10	111	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. Clarke
Borough Surveyor.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2593/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Newark (Sewage Works)
in the County of Notts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. ~~10~~ 12 in.
,, Ground ,, Sea Level ~~40~~ 33 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·12	·04	·23	—	·02	·16	·28	Tr	—	·10	·14		1
2	·25	·03	·07	·05	—	·33	·26	·08	Tr	—	·37	·09		2
3	Tr	·03	—	—	—	·51	·02	—	·20	—	—	—		3
4	Tr	·03	·07	—	—	—	—	—	·44	·02	·06	·04		4
5	·02	Tr	·05	—	—	—	·03	·05	·03	—	—	·35		5
6	Tr	—	Tr	—	—	·02	·27	·18	·23	—	Tr	—		6
7	·33	—	Tr	—	—	—	1·91	—	·09	·06	Tr	·05		7
8	·16	—	·07	—	—	—	·01	—	—	·08	·26	·10		8
9	·22	—	—	—	·01	·04	·75	—	—	·11	·02	—		9
10	—	—	Tr	Tr	—	—	·75	·88	—	·01	—	—		10
11	—	—	—	·06	—	Tr	·04	—	·03	—	·30	—		11
12	—	—	—	·12	·04	·20	·45	—	·66	—	·03	·09		12
13	—	—	—	·01	—	·12	·24	—	—	·13	·02	·14		13
14	—	—	—	·08	—	·05	·20	—	·52	·01	—	·17		14
15	·15	·01	—	·07	—	·07	·12	—	Tr	—	·27	·03		15
16	·12	·11	—	·05	Tr	—	—	—	—	—	·45	—		16
17	Tr	·40	—	—	·18	—	·11	—	—	Tr	·03	·05		17
18	—	·01	—	—	—	·05	·02	—	—	·22	—	—		18
19	·31	Tr	·02	·25	—	·36	Tr	·09	—	·05	—	—		19
20	—	·04	·01	·01	—	—	Tr	·08	—	—	—	—		20
21	Tr	—	—	·01	·01	·11	·11	—	—	—	—	Tr		21
22	Tr	·39	·02	—	·04	·13	—	—	—	—	Tr	—		22
23	—	Tr	Tr	·03	·08	—	·15	—	—	·02	Tr	—		23
24	·19	·07	—	—	—	—	·45	—	·10	·11	—	—		24
25	·14	—	·05	·16	Tr	—	—	—	·29	·02	—	·02		25
26	Tr	·07	·14	—	—	—	—	—	·16	·18	—	—		26
27	·03	—	·05	·01	—	—	—	—	·09	·12	—	—		27
28	·22	·16	·02	—	—	·19	~~[illegible]~~ ·01	—	·02	—	·06	·03		28
29	·72	·17	·09	—	—	·37	·08	—	Tr	·07	·36	·06		29
30	·18	✕	—	—	·15	·28	·24	—	—	·38	—	Tr		30
31	·03	✕	Tr	✕	—	✕	·02	—	✕	·05	✕	·13		31
													Year's Total	
TOTAL	3·07	1·64	·70	1·14	·51	2·85	6·40	1·64	2·86	1·64	2·33	1·49	26·27	
* Days with .01 in. or more.	15	14	13	14	7	16	23	7	13	17	13	15	167	J
* Days with .04 in. or more.	12	9	8	9	3	14	17	7	10	12	9	12	122	J

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. [illegible] [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2593/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Newark (Sewage Works)

in the County of Notts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 33 ft.

May 20th. corrected by Observer 14.6.37. see [illegible]

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·01	·02	—	—	—	—	—	·06	—	·10	·09		1
2	·01	·07	·01	·25	—	—	—	—	—	—	—	·63		2
3	TR	·02	·03	·24	·02	Tr.	Tr	—	—	—	—	·31		3
4	·17	·12	·01	·02	Tr	—	—	·20	—	—	—	·32		4
5	·14	—	·14	—	—	—	—	·01	—	—	—	—		5
6	—	—	·02	·02	·22	—	—	—	—	—	·03	·02		6
7	—	·25	Tr	·11	·06	—	—	—	—	—	—	Tr		7
8	—	·21	—	TR.	—	—	Tr	—	—	—	·08	·03		8
9	—	·02	—	·07	·11	—	·42	·10	Tr	—	—	Tr		9
10	TR.	TR.	·06	·20	Tr	·22	Tr	—	—	—	·01	·06		10
11	TR.	TR.	·50	—	1·12	—	—	Tr	—	—	—	·11		11
12	·09	·35	·09	—	·44	·02	—	—	·22	—	—	·12		12
13	—	·05	—	—	·03	·09	—	—	Tr.	—	—	Tr		13
14	—	TR.	·06	—	—	—	— ✓	·02	Tr	—	—	·04		14
15	·05	·14	—	·20	—	—	2·02	—	·02	—	—	·03		15
16	·04	·07	·20	·35	—	Tr.	—	·04	·07	—	—	·03		16
17	·03	·01	·05	·25	—	Tr.	—	—	·12	—	—	—		17
18	·60	·03	·14	TR.	—	—	Tr	—	Tr	—	·28	—		18
19	·03	·13	·01	·04	—	·14	Tr	—	—	—	·12	—		19
20	·20	·01	·01	·24	~~·06~~ ·69	—	—	—	·04	—	—	Tr		20
21	TR.	·01	·01	TR.	—	—	·22	—	—	Tr.	—			21
22	·03	—	·01	—	Tr	—	·08	—	—	·37	·07	·07		22
23	·28	—	—	—	Tr	—	·02	—	—	·67	·24	·05		23
24	·20	·19	·05	—	·02	—	—	—	·02	·08	—	Tr		24
25	·03	·25	Tr	—	·08	—	—	—	·01	·07	—	Tr		25
26	—	·27	·08	—	·40	—	—	—	—	—	·01	Tr		26
27	—	·22	·02	·10	—	—	—	—	—	·67	—	Tr		27
28	—	·08	·01	—	—	—	—	—	—	·01	—	Tr		28
29	·12	✗	—	—	—	—	—	Tr	—	Tr.	·03	·02		29
30	·30	✗	—	—	—	·03	—	—	—	·02	·01	·01		30
31	·23	✗	—	✗	—	✗	—	—	✗	·35	✗	·03		31
TOTAL	2·75	2·51	1·53	2·09	~~2·56~~ 3·10	·50	2·76	·37	·56	2·24	·98	1·98	Year's Total 21·37	
* Days with .01 in. or more.	18	21	21	13	11	5	5	5	8	8	11	14	144	
* Days with .04 in. or more.	13	13	10	11	8	3	4	3	5	6	6	10	92	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Sec **A** for the entry of Daily Observations

Station No. 2593/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Newark, Sewage Works

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 12 in.

,, Ground ,, Sea Level 33 ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	Tr	—	—	Tr	·37	·16	Tr	·12	·03	—	·03		1
2	·07	—	—	·01	—	·07	—	—	—	·10	·02	·01		2
3	·03	—	—	—	—	·02	·15	—	·14	·67	Tr	—		3
4	·01	—	Tr	—	—	·04	·15	·25	—	·04	—	·22		4
5	·02	—	Tr	—	—	—	·15	Tr	·01	·01	—	—		5
6	·01	·03	Tr	—	—	Tr	·37	·02	·37	·04	—	—		6
7	·10	—	—	—	—	—	·13	·01	—	·08	—	·02		7
8	·16	—	—	—	—	—	·25	—	·02	·12	—	·02		8
9	·09	·04	—	—	—	Tr	—	·23	—	—	—	·31		9
10	—	—	—	—	—	—	·24	Tr	·01	—	—	·01		10
11	·37	—	—	—	—	—	·01	—	—	Tr	·01	Tr		11
12	·12	·01	—	—	·08	—	—	·07	—	·25	·01	·01		12
13	—	·08	—	—	—	—	—	·23	—	—	·26	·17		13
14	·15	Tr	—	—	·05	—	·58	—	·14	—	Tr	Tr		14
15	·10	Tr	—	—	·01	—	·24	Tr	—	—	Tr	·27		15
16	·19	—	Tr	—	—	—	·35	—	Tr	—	·01	·34		16
17	—	Tr	—	—	·80	—	·03	·01	Tr	·10	Tr	Tr		17
18	·02	Tr	—	—	·23	—	—	Tr	·17	Tr	·23	—		18
19	—	Tr	—	—	·01	—	—	—	·10	—	·01	·10		19
20	Tr	—	—	—	·02	—	—	Tr	·01	—	·42	·07		20
21	—	—	—	—	—	—	—	·05	—	—	—	·20		21
22	—	Tr	—	—	—	·49	—	—	—	—	·30	·23		22
23	—	—	—	—	·01	·01	—	—	·08	—	Tr	·05		23
24	—	—	·04	—	·02	—	—	·03	·35	—	·01	·01		24
25	·04	·14	·06	—	—	—	—	·10	—	·12	·42	·16		25
26	—	·58	·11	—	Tr	—	—	—	·21	·04	Tr	Tr ✓		26
27	·03	·09	—	—	·42	·09	·15	·27	·22	—	·16	Tr		27
28	·23	—	—	Tr	·62	·02	·13	1·53	·16	—	·02	·03		28
29	·07		—	·03	·61	—	Tr	Tr	—	·03	·10	·13		29
30	·01		—	—	·06	Tr	—	—	·10	·01	·06	Tr		30
31	·06		—		·13		—	—		·12		·57		31
TOTAL	1·88	·97	·21	·04	3·07	1·11	3·09	2·80	2·21	1·76	2·04	2·96	Year's Total 22·14	
* Days with .01 in. or more.	20	7	3	2	14	6	15	12	16	15	14	21	147	
* Days with .04 in. or more.	13	5	3	—	9	5	13	8	12	11	7	13	99	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Borough Engineer.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Newark, Sewage Works

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 12 in.

,, Ground ,, Sea Level 33 ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·05	·03	—	—	—	Tr	·02	Tr	—	Tr		1
2	·02	—	—	·06	—	—	·02	·14	·41	·21	·05	—		2
3	·25	—	—	·24	—	—	—	·12	—	·01	·20	·20		3
4	·15	—	·18	·20	—	—	·03	·56	—	Tr	·02	·07		4
5	—	—	—	·01	·11	—	·04	·44	—	·25	·20	·25		5
6	·38	—	—	—	—	—	·21	Tr	—	Tr	·02	—		6
7	·09	Tr	—	—	·01	—	·15	—	—	—	·12	·18		7
8	—	·02	·08	—	—	—	·14	Tr	—	·07	·05	·31		8
9	—	·01	—	—	—	—	—	·10	—	·57	Tr	·20		9
10	·44	—	—	—	—	—	—	·09	Tr	—	—	—		10
11	·01	—	·28	—	Tr	·21	—	·02	·03	·25	—	—		11
12	—	·07	·01	—	—	·01	—	—	—	—	Tr	Tr		12
13	—	Tr	—	—	·01	·02	·03	—	—	·32	—	·01		13
14	·50	—	Tr	·06	·18	·14	·14	—	—	·20	·07	—		14
15	·15	—	Tr	Tr	·41	·30	·71	—	·07	·08	Tr	—		15
16	—	—	·14	—	~~·36~~ ~~·41~~ ·37	·25	·40	—	Tr	—	·16	—		16
17	·42	—	·01	·40	·01	—	·11	—	—	·38	—	—		17
18	·02	·01	·06	—	—	·41	·15	—	·02	—	·91	—		18
19	·23	—	—	—	—	·32	·19	—	—	—	—	Tr		19
20	Tr	—	—	—	—	·01	·01	·75	—	—	—	—		20
21	·13	·12	·12	—	·02	·20	·18	·01	·10	—	—	—		21
22	·16	·18	·14	Tr	—	—	Tr	Tr	Tr	—	·17	Tr		22
23	·02	Tr	Tr	·14	—	·01	·01	Tr	—	·02	·46	Tr		23
24	·04	Tr	·01	·01	—	—	Tr	Tr	—	Tr	Tr	·01		24
25	·61	Tr	·10	Tr	—	Tr	·03	·38	—	—	·40	·05		25
26	·02	Tr	Tr	·10	—	—	—	·01	—	·13	·05	—		26
27	—	·01	·24	Tr	—	·02	·02	—	—	·10	·11	—		27
28	—	·05	·11	·06	—	·12	·03	·01	—	·03	·12	—		28
29	—		—	·44	—	—	·32	—	—	·27	·09	—		29
30	—		—	—	—	·01	Tr	—	—	Tr	·12	—		30
31	—		Tr		—		—	—		—		—		31
TOTAL	3·64	·47	1·53	1·75	1·12	2.03	2·92	2·63	·65	2.89	3.32	1·28	Year's Total 24·23	✓
* Days with .01 in. or more.	18	8	14	12	8	14	20	12	6	15	18	9	154	✓
* Days with .04 in. or more.	13	4	10	9	4	8	12	7	3	12	16	7	105	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. [illegible]
Borough Engineer.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Newark, Sewage Works

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 12 in.

,, Ground ,, Sea Level 33 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	Tr	Tr	—	—	—	—	—	·14	Tr		1
2	TR	·05	—	·19	—	—	—	—	—	—	·18	·02		2
3	·02	·15	—	·02	—	—	Tr	—	—	·06	·26	·02		3
4	—	·02	—	·01	—	—	·01	—	—	·03	·34	·03		4
5	—	—	—	—	·10	—	·01	—	—	·02	·23	·18		5
6	·10	·21	—	—	—	—	·01	—	—	·40	·11	Tr		6
7	·02	·25	—	·04	·03	—	·01	—	—	—	—	·03		7
8	—	—	—	·01	—	—	—	—	—	·10	·01	·15		8
9	—	—	·15	Tr	—	·01	·07	·01	·03	·01	·30	·12		9
10	TR	—	·02	—	—	—	·85	·03	—	—	·02	·18		10
11	—	·02	Tr	Tr	—	·26	·28	—	—	—	·47	—		11
12	—	—	·07	—	—	—	·10	—	·18	—	·05	—		12
13	—	·01	·04	—	—	—	Tr	—	·12	—	—	—		13
14	TR	Tr	·18	·01	·13	—	—	Tr	·01	—	—	·35		14
15	·01	—	—	—	—	·01	Tr	—	·01	·01	·02	Tr		15
16	·02	·16	·31	—	—	·03	·60	—	·02	1·06	·25	—		16
17	—	Tr	·42	Tr	—	—	·43	—	—	Tr	·30	—		17
18	·02	·28	·10	·36	—	—	·01	·17	Tr	·02	·01	·02		18
19	—	·12	·01	·26	—	Tr	·32	—	·10	·01	·20	·02		19
20	—	·01	—	·14	—	·02	·01	·04	—	·02	Tr	—		20
21	·05	Tr	—	—	—	·30	·07	—	—	·08	1·10	—		21
22	·02	—	Tr	—	·13	·15	—	—	·05	Tr	—	Tr		22
23	—	·03	·05	Tr	·17	·20	—	—	—	·01	Tr	·03		23
24	·01	Tr	—	·01	—	—	·16	—	Tr	·01	—	—		24
25	—	—	—	—	—	·03	·23	—	—	·03	—	—		25
26	·52	·11	—	—	·02	·01	·20	·01	—	—	Tr	·01		26
27	·41	·70	—	—	·01	—	·03	—	—	—	·01	—		27
1·06 28	TR	·35	—	·02	·01	—	—	—	Tr	—	—	—		28
29	—	—	·12	—	—	·02	—	—	—	—	—	·18		29
30	·12	✕	—	—	—	—	—	—	—	·28	—	·08		30
31	·01	✕	·01	✕	—	✕	—	—	✕	1·10	✕	·03		31
TOTAL	1·33	2·47	1·48	1·07	·60	1·04	3·40	·26	·52	3·25	3·80	1·45	Year's Total 20·67	Print
* Days with .01 in. or more.	13	15	12	11	8	11	18	5	8	17	18	16	152	✓ WH
* Days with .04 in. or more.	4	10	9	5	4	4	11	2	4	7	13	7	80	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jm H Clarke

P.T.O.

KELHAM / SUGAR FACTOR

Section A for the entry o
AIR MINISTI

FORM 2090

REGIS

Kept at Kelham, Beet

in the County of Nottingh

Diameter of Funnel of Gauge.......

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEASURI

An observer who does not conform t
year in the space on the right of th

Ple

—

2593/5/3

KELHAM SUGAR FACTORY

1937 — 40

780410

tation No. 2593/5/3

L ORGANIZATION

CT 1937

DAY

ollowing

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.									in.	†	
1		·015	·04						·085		·10	·08		1
2		·065	·0175	·26								·72		2
3	·01	·0175	·02	·155	·017	·01						·32		3
4	·06	·10	·01	·03	·01			·23				·18		4
5	·13		·125	·002	·22					·01 ·005		·18		5
6		—	·04	·018	·08							·07		6
7		·26	·005	·13	·125						·05			7
8		·26	—	·005	·004						·08			8
9		·015	—	·075	1·07			·09	·003					9
10	·01	·005	—	·30	·41	·19	·005				·02	·16		10
11		—	·60	·002	·05			·02				·13		11
12	·08	·34	·10			·03			·25			·12		12
13		·04	·005			·14			·01			·02		13
14		·005	·115			·005		·06	·01			·04		14
15	·06	·125	—	·22			2·19		·04			·04		15
16	·04	·015	·20	·4		·01		·06	·12			·04		16
17	·03	·009	·10	·26		·005			·18					17
18	·62	·025	·18	·015						·01 ·007	·29			18
19	·05	·054	·008	·05		·13	·03		·003	·004	·14			19
20	·17	·011	·01	·26	·62				·15			·03		20
21	·01	·01	·02	·01			·24		·003			·013		21
22	·03	—	—		·005		·07			·4	·085	·06		22
23	·27	—	·05		·008		·07			·6				23
24	·18	·205	·02		·01				·025	·9	·27			24
25	·03	·25	—		·09					·85				25
26		·26	·08		·415				·02			·016		26
27		·03	·04	·09						·75		·017		27
28		·225	·02							·033		·01		28
29			—								·05	·025		29
30	·45	✕	—			·05				·01		·02		30
31	·22	✕	—	✕		✕			✕	·33	✕	·03		31
TOTAL	2·45	2·34	1·81	2·282	3·13	·57	2·61	·46	·90 ~~·899~~	3·899 ~~3·79~~	1·09	2·32	Year's Total 23·75 8	
* Days with .01 in. or more.	18	20	19	15	13	7	5	5	10	8	9	22	151	
* Days with .04 in. or more.	12	12	11	11	9	4	4	4	6	6	8	13	100	

✓ print ✓ γ

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N

(Signed) .... [P.T.O.

BRITISH SUGAR CORPN. LTD

KELHAM/SUGAR FAC

Section **A** for the entry of Daily Observations

Station No. 2593|5|3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kelham, Beet Sugar Factory

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 33.30 ft.

RECᴰ 19 OCT 1937
ACK.
ANSᴰ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·015	·04						·09 ·085		·10	·08		1
2		·065	·0175	·26								·72		2
3	·01	·0175	·02	·155	·017	·01						·32		3
4	·06	·10	·01	·03	·01			·23				·18		4
5	·13		·125	·002	·22					·01 ·005		·18		5
6		—	·04	·018	·08							·07		6
7		·26	·005	·13	·125						·05			7
8		·26	—	·005	·004						·08			8
9		·015	—	·075	1·07			·09	·003					9
10	·01	·005	—	·30	·41	·19	·005				·02	·16		10
11		—	·60	·002	·05			·02				·13		11
12	·08	·34	·10			·03			·25			·12		12
13		·04	·005			·14			·01			·02		13
14		·005	·115			·005		·06	·01			·04		14
15	·06	·125	—	·22			2·19		·04			·04		15
16	·04	·015	·20	·4		·01		·06	·12			·04		16
17	·03	·009	·10	·26		·005			·18					17
18	·62	·025	·18	·015						·01 ·007	·29			18
19	·05	·054	·008	·05		·13	·03		·003	·004	·14			19
20	·17	·011	·01	·26	·62				·15			·03		20
21	·01	·01	·02	·01			·24		·003			·013		21
22	·03	—	—		·005		·07			·4	·085	·06		22
23	·27	—	·05		·008		·07			·6				23
24	·18	·205	·02		·01				·025	·9	·27			24
25	·03	·25	—		·09					·85				25
26		·26	·08		·415				·02			·016		26
27		·03	·04	·09						·75		·017		27
28		·225	·02							·033		·01		28
29			—								·05	·025		29
30	·45	✕	—			·05				·01		·02		30
31	·22	✕	—	✕		✕			✕	·33	✕	·03		31
TOTAL	2·45	2·34	1·81	2·281	3·13	·57	2·61	·46	·90 ~~·899~~	3899 ~~3·79~~	1·09	2·32	Year's Total 8 23·75	
* Days with .01 in. or more.	18	20	19	15	13	7	5	5	10	8	9	22	151	
* Days with .04 in. or more.	12	12	11	11	9	4	4	4	6	6	8	13	100	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N

(Signed) BRITISH SUGAR CORPN. LTD [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593/5/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kelham, Beet Sugar Factory

in the County of Nottinghamshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

corr. for snow Dec 19–21

Snow ams

notified 9/3/39

w.J.B.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					trace	.48	.16		.12	.05		.05		1
2	.09	.01				.11				.10				2
3	.06					.01	.13		.15	.76	.03			3
4	.01		Trace	.03		.04	.13	.28		.075		.24		4
5							.15		.01	.025				5
6	.02	.03					.41	.02	.30	.05				6
7	.09						.14	.02	.03	.075		.03		7
8	·18						.28	.02		.15				8
9	.06	.05				.01		.44				.33		9
10							.25		.02			.03		10
11	·41						.01			.03	.01	.01		11
12	.15	.01			.09			.08		.26	.02			12
13		.06						.22			.28	.19		13
14	·19	.03			.05		.52		.17					14
15	·11				.02	n	.27					.31		15
16	·24						.39					.34		16
17		.01			.90		.04			.12				17
18	·03	Trace			.19				.21		.23			18
19					.01			.04	.07		.02	4		19
20	trace	.01							.01		.41	(·25)		20
21						.42		.04				.4		21
22										.015	.31	.29		22
23					.01	.02			.07			.07		23
24			.04		trace			.02	.30			✓		24
25	·05	.17	.06					.10		.14	.47	4		25
26		.55	.13		trace				.31	.04		.24 4		26
27	·03	.10			.34	.10	.14	.28	.30		.20			27
28	·25				.56	.04	.13	1.55	.42			.05		28
29	.09			.05	.63					.06	.16	.13		29
30	.02	✕			.05	.02			.12		.07			30
31	.09	✕		✕	.15	✕			✕	.14	✕	.61		31
TOTAL	2.17	1.03	.23	.08	3.0	1.25	3.15	3.11	2.61	2.09	2.21	(3.17) ~~2.92~~	Year's Total ~~23.85~~	24.10
* Days with .01 in. or more.	19	11	-	2	12	10	15	13	16	16	12	~~15~~ 20	146 ~~141~~	✓
* Days with .04 in. or more.	14	5	3	1	9	6	14	9	12	14	8	~~12~~ 16	111 ~~107~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593/5/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]90

REGISTER OF RAINFALL IN 1939

annual total corrected for arithmetic

Kept at Kelham, Beet Sugar Factory

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5·0 in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

acc ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notès and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·08	·06			·04		·02					1
2	·10			·08				·15	·42		·06	·19		2
3				·25				·13		·22	·21	·09		3
4			·20	·21			·04	·58		·01	·03	·30		4
5				·02	·1		·03	·47			·19			5
6	·42						·26			·20	·03			6
7	·11				·02		·17				·10	·20		7
8		·05	·09		·01		·17				·09	·32		8
9		Tr.						·17		·10		·22		9
10	·50							·10		·51				10
11	·03		·30			·17		·03	·03					11
12		·05	·03			·01				·16				12
13					·01	·03	·06			·01				13
14	·50		·01	·06	·2	·15	·18			·30	·10			14
15	·22				·48	·32	1·20		·07	·27	·01			15
16			·17		·4	·25	·54			·10	·17			16
17	·43		·02	·42	·02		·11				Trace			17
18	·05	·01	·07			·45	·22			·42	·92			18
19	·21					·32	·07		·02					19
20	·01						·04	·55						20
21	·15	·32	·12		·04	·20	·08	·01	·10					21
22	·19		·16						Trace		·21			22
23				·16			·02				·46			23
24	·08		·02	·02		·02				·03		·06		24
25	·81	·01	·13				·05	·41		·01	·09			25
26	·07		·01	·09				·16			·06			26
27		·01	·28			·03	·04			·12	·09			27
28	·01	·12	·14	·15		·13	·05	·06		·11	·13			28
29		✕		·45			·37			·12	·13			29
30		✕				·02				·29	·13			30
31		✕		✕		✕		·01	✕		✕			31
TOTAL	3·89	·57	1·83	1·97	1·28	2·10	3·74	2·83	·66	2·98	3·21	1·38	Year's Total 29·4[illegible]	26·44
* Days with .01 in. or more.	17	8	16	12	9	13	20	13	6	17	19	7	157	
* Days with .04 in. or more.	14	5	11	10	5	8	18	10.	3	13	16	7	130.	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 2593/5/3 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Kelham Beet Sugar Factory

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 40 ft.

f898583/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.16			1
2				.20							.36	.02		2
3				.06			.02			.05	.12	.02		3
4											.38	.04		4
5		.20			.11		.01			.06	.33	.16		5
6	.10	.22								.43	.10			6
7		.27		.04	.03		.02		.006					7
8	.04									.11		.21		8
9						.06	.09		.03		.30	.03		9
10			.03				.95	.01			.03	.17		10
11						.27	.33				.59			11
12							.08		.135		.06			12
13			.15						.116					13
14			.09	.02	.15				.02			.38		14
15						.10				.02	.03			15
16			.30			.07	.60		.05	1.10	.53			16
17			.47				.39				.26			17
18		.50	.12					.24	.03	.04	.01	.03		18
19	.05	.13	.03	.04		.01	.43		.08		.23	.02		19
20	.50		.02	.29			.03	.05		.07	.03			20
21	.30			.16		.36	.06			.04	1.11			21
22					.18	.12			.07					22
23		.03			.20	.22				.02		.05		23
24		.15					.13			.015				24
25		.10		.02		.10	.26			.025				25
26	.30				.02	.02	.21	.01			.01			26
27	.30				.02		.01	.01			.02			27
28	.20	.38			.04									28
29			.11			.05						.17		29
30		✗								.30		.10		30
31		✗	.04	✗		✗			✗	1.06	✗	.01		31
TOTAL	1.79	1.98	1.36	.83	.75	1.38	3.62	.32	.581	3.34	4.66	1.42	Year's Total 22.03	
* Days with .01 in. or more.	-8	9 ~~1~~	10 ~~3~~	8 2	8 ~~3~~	11 2	16 ~~3~~	5 ~~3~~	9 ~~4~~	14 4	19 ~~6~~	14 ~~6~~	131 ~~39~~	
* Days with .04 in. or more.	8	8	7	6	5	9	11	2	5	10	13	8	92	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) W. Swannack [P.T.O.

2593/6

Section **A** for the entry of Da

Y FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.–

RGANIZATION.

FORM 1090.

Notts/7

REGIST

2593/6

NEWARK, NORTH COLLINGHAM

1931 — 37

7 Yo4 10

Kept at N. Collingham

in the County of Notts

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p

ving

Jan. 1, following

Ple

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				6		4			6				1
2		·7		·64		29		4	31	4		11	2
3				12					1·72	3	11	10	3
4					7	~~1·49~~	39	1·49	26				4
5			4			1·19		5	33				5
6		30			15	18			3	10	18	41	6
7						22	2	10			22		7
8		12	18					1·31			8		8
9		11	3	·18				20			38		9
10								3			4		10
11	22	26			3	4			12				11
12	4						·99		6	3			12
13								5	20				13
14					2	10	10	56					14
15				12	5		51	5			11	15	15
16		10		12	·24	45		9					16
17		53		10	54	6		3					17
18	6			32		11	8				44		18
19				24			16	6	17	6			19
20	5	10		3				·39					20
21	8				·30			2			20		21
22	7		12	12					3			7	22
23	17	4	6	8	35	9			9		32		23
24				10	34		10					18	24
25				36			69						25
26	7			24	19						16		26
27	13	31								6	20		27
28	35	68		10	8					19			28
29	44			5	30		21					6	29
30	47	×							20				30
31	34	×		×		×			× 8	14	×		31
TOTAL	2·49	2·62 ✓	·43 ✓	2·78	2·66 ✓	2·77	3·25 ✓	4·47 ✓	3·58	·65 ✓	2·44 ✓	1·08 ✓	YEAR'S TOTAL 29·22
*Days with ·01 in. or more.	~~13~~	~~11~~	~~5~~	~~15~~									
*Days with ·04 in. or more.	~~13~~	~~11~~	~~4~~	~~14~~									

Print d

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M Bergne Coupland [P.T.O.

Section **A** for the entry of Da

COPY FOR ~~OFFICIAL~~ USE.

2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Notts/

Kept at N. Collingham

in the County of Notts:

c inp 1930

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 18 inches in.

,, Ground ,, Sea Level ~~about~~ 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				6		4			6				1
2		·7		·64		29		4	31	4		11	2
3				12					1·72	3	11	10	3
4					7	~~1·49~~	39	1·49	26				4
5			4			1·19		5	33				5
6		30			15	18			3	10	18	41	6
7						22	2	10			22		7
8		12	18					1·31			8		8
9		11	3	·18				20			38		9
10								3			4		10
11	22	26			3	4			12				11
12	4						·99		6	3			12
13								5	20				13
14					2	10	10	56					14
15				12	5		51	5			11	15	15
16		10		12	·24	45		9					16
17		53		10	54	6		3					17
18	6			32		11	8				44		18
19				24			16	6	17	6			19
20	5	10		3				·39					20
21	8				·30			2			20		21
22	7		12	~~12~~					3			7	22
23	17	4	6	~~8~~	35	9			9		32		23
24				10	34		10					18	24
25				36			69						25
26	7			24	19						16		26
27	13	31								6	20		27
28	35	68		10	8					19			28
29	44			5	30		21					6	29
30	47	×							20				30
31	34	×		×		×			× 8	14	×		31 Paid
TOTAL	4 2·~~5~~9	2·62 ✓	·43 ✓	2·~~8~~8	2·66 ✓	2·77 ~~1·55~~	3·25 ✓	4·47 ✓	3·5~~1~~ 8	·65 ✓	2·44 ✓	1·08 ✓	YEAR'S TOTAL 22 29·~~88~~
*Days with ·01 in. or more.	~~13~~	~~11~~	~~5~~	~~15~~									
*Days with ·04 in. or more.	~~13~~	~~11~~	~~4~~	~~14~~									

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. Bergne Coupland [P.T.O.

W ✓ ✓ Ck.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Corner House N Collyham

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 40 ft.

B.A.

Sent Circ. D2. 1.2.33.

obs. concurs 13/2/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·07	–	0·16	·40	–	·07	·06	·12	·20	–	·16	1
2	–	–	–	–	·28	–	–	·04	~~0~~	·09	–	·15	2
3	–	–	–	·22	–	–	·04	–	–	·06	–	–	3
4	–	–	–	·30	·03	–	–	–	–	–	·20	–	4
5	·16	·03	–	–	–	–	–	–	·06	–	–	–	5
6	·39	–	–	·12	–	–	·05	–	·07	–	–	–	6
7	–	–	·09	·13	–	–	–	–	·09	–	·04	–	7
8	–	–	–	·08	–	–	–	–	·10	·07	·03	–	8
9	·05	–	–	·05	–	–	–	–	–	–	–	·05	9
10	·03	·19	–	–	–	–	–	–	·15	·30	–	–	10
11	–	–	–	·16	·11	·05	1·05	–	·02	·04	·04	–	11
12	·09	–	–	·06	–	–	·13	–	–	·44	·02	–	12
13	–	·06	[illegible]	·09	–	–	1·60	·25	–	·07	·04	–	13
14	·03	–	–	–	–	–	·43	–	–	·02	·11	–	14
15	–	–	–	·07	–	–	–	–	–	·06	–	–	15
16	–	–	–	·25	·29	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	·03	–	·02	·16	–	–	17
18	–	–	–	·02	·03	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	·15	–	–	19
20	–	–	–	·24	·11	–	–	·11	~~–~~	·28	·14	–	20
21	–	–	·22	·06	1·53	–	–	·01	–	·25	–	·25	21
22	–	–	·48	·02	·48	–	·45	–	·42	·05	·30	·03	22
23	–	·06	–	–	·26	–	·04	–	·06	·06	·21	–	23
24	–	–	–	·04	–	–	·64	–	–	·30	–	–	24
25	–	·06	–	–	–	·06	·02	–	·02	·05	·20	–	25
26	–	–	·02	·25	·40	·03	·13	–	·06	–	·12	–	26
27	–	–	·24	·20	·45	–	·02	–	–	·02	–	·05	27
28	–	–	·13	–	·16	–	·30	·68	–	·09	–	–	28
29	–	–	·09	·05	·07	·09	·04	·59	·02	·20	·15	·15	29
30	–	×	·02	·12	–	·30	·07	·07	·08	·05	–	·16	30
31	–	×	·03	×	·03	×	·57	–	×	–	×	·05	31
TOTAL	·89 ✓	·47 ✓	1·32 ✓	2·68 ✓	4·63 ✓	·53 ✓	5·68 ✓	1·81 ✓	1·29 ✓	3·01 ✓	1·60 ✓	1·05	YEAR'S TOTAL ~~24.96~~
*Days with ·01 in. or more.	7 ✓	6 ✓	9	21	15	5	18	8	14	22	13	9	147
*Days with .04 in. or more.	45	5 ✓	6 ✓	19 ✓	12	4 ✓	15 ✓	7 ✓	10 ✓	20 ✓	11 ✓	8 ✓	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Miss Beyne Coupland
P.P. [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at North Collingham Newark

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ft.

recd D.2 M.07 sent 20/1/34 J.W.O

B.A.

11/1/34 J.W.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	12	.22								.38			1
2	.15		.30								..8			2
3	·	..9	..16		.16						..8			3
4	.08				2									4
5	.07				25									5
6	·	..8			40							.12		6
7	.08	.10			28					.31	.10			7
8			.30				.12							8
9				4	.8		.22			.54				9
10	09					.15				.93	..12			10
11					.5	..4	.20	..12		..5				11
12	06						..6							12
13						..8	.10		.22		..7	..8		13
14					.15					..6	.14	..7		14
15	76		30				.14	.12		..4	.64	.10		15
16			20		4		.45							16
17			104			.15								17
18			6			.12			.10					18
19			22			.16	.30		.18					19
20		.15				.14		..1	..9		..7			20
21						.20		..8	..8					21
22								.20	..1	.86				22
23	.29			9		.28			.81					23
24		.49		8		8			.18	..6				24
25		.50		.30	15						.11	.10		25
26		.65		..6						.20				26
27									18	.15				27
28										.34				28
29				.12						..5				29
30		×					..8					.12		30
31	31.	×	8	×		×			×	3	×			31
TOTAL	2.14 ✓	2.18 ✓	~~2.78~~ 2.88	0.69 ✓	158 ✓	140 ✓	1.67 ✓	.43 ✓	185 ✓	362 ✓	179 ✓	.59 ✓	Year's Total ~~22.49~~	20.82
*Days with ·01 in. or more.	10	8	10	6	10 ✓	10	9	5 ✓	9 ✓	13 ✓	10	6	~~37~~	106
*Days with .04 in. or more.	10 ✓	8 ✓	10 ✓	6 ✓	.9 ✓	10 ✓	9 ✓	3 ✓	8 ✓	12 ✓	10 ✓	6 ✓	101 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Corner House N Collingham

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

Total + Days

AG

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10							25		4		20		1
2		··8	··2					8	35		8	19		2
3	·14									10	4			3
4	· 5			·42	10						14	30		4
5			·17		25			14			20	14		5
6				··4	6	··6		10		16		45		6
7										4		30		7
8					5			6			30			8
9			·30			10		5			62	18		9
10			·31	·18							4			10
11	·45		24									30		11
12			25				72					6		12
13	·36						46					18		13
14	·6									14		30		14
15	·5		·16								40			15
16	·10		13		15						10			16
17	·10		5				6		·6	7		6		17
18	·5		4	·25			10		5					18
19			12			5			6	8				19
20						3				7				20
21						15				5		15		21
22									23					22
23					6		49	45				5		23
24		·20		34		8	10		32					24
25	·10			25					4	4	10	45		25
26	·21	x		15								18		26
27		x		27				68				14		27
28		26		4								45		28
29								5	20			10		29
30	·6	✕					10					13		30
31		✕		✕		✕	11		✕	24	✕	5	d	31
TOTAL	183	54	179	194	67	47	214	186	131.	103	202	426	Year's Total. 19.86	
* Days with .01 in. or more.	~~13~~	~~5~~	~~11~~	~~9~~	~~6~~	~~6~~	~~8~~	~~9~~	~~8~~	~~11~~	~~10~~	~~21~~	~~114~~	
* Days with .04 in. or more.	13	5	10	9	6	5	8	9	8	11	10	21	115	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) M. Burgue Coupland

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at North Collingham

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 30 ft.

Ave

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.47								50.	54	·75	·12		1
2						10				19				2
3			18	20						5	·26			3
4		·10				30				22				4
5						14			4		·12			5
6		..8		45						19	·10			6
7						5				5				7
8		·12									·20			8
9		11		9		12				54	·8	·30		9
10				7							·4			10
11				8				4				·11		11
12						14		3		19	·20			12
13	35				15						·15			13
14				25	12		80.		15		·16	·12		14
15				55					42		·25	·20		15
16						30			21	8	50			16
17				10	10	30	12	Annual	10	4	75			17
18	·4			30		10	17		12		7			18
19				6		21	5			12	28			19
20	5	34		30		12			43	5	10			20
21		House closed	8								14			21
22												House Closed		22
23	·11		10							4				23
24			5	5				Holiday	124					24
25	35	128				44								25
26									39					26
27		27							36		18			27
28	22				15					12				28
29									12	11				29
30	30	X	5						4	35	25	190		30 d
31		X		X		X		148	X	52	X	10		31
TOTAL	189	230	46	250	52	222	114	155	412	340	4.08	28.5	Year's Total ~~26.63~~	27.03
* Days with .01 in. or more.														—
* Days with .04 in. or more.														—

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. B. Coupland [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Cfr Totals

Kept at Corner House Collingham

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level ~~300~~ 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		10	10	22		8	10	17			12	16		1
2	25		12	5		30	47	23	25		35	14		2
3						65			45					3
4			10				22					4		4
5	5							6			12			5
6						5	30	17	30					6
7	24		8				175			18		47	Snow	7
8	16									15				8
9	12						82			8	30			9
10				10			96	58						10
11							7				37.			11
12				15	6	28	42		65		5			12
13						30	16			10	4	40		13
14	Ice & Snow			17		5	14		25			42		14
15						10	28	Holidays House closed			40	6		15
16		10									12			16
17	32	14			12		15				6			17
18		60		25		.5	5			7	5			18
19			4			65				43				19
20	35	30	5			20								20
21						21					7			21
22		29			5	52	14							22
23				10	12		55			10		Xmas Holidays House closed		23
24	22	10							7	15				24
25									20					25
26			25	10			.16		15	20				26
27		15			.6				5	22				27
28	25	20				20		27						28
29	70	26	14			40	28			8	35			29
30		✕			25	24	27			25		25		30
31	5	✕		✕	5	✕			✕	12	✕		'd'	31
TOTAL	2.71	2.14	.88	114	.71	428	729	148	237	213	2.40	194	Year's Total 29.47	✓
* Days with .01 in. or more.													″	
* Days with .04 in. or more.	13	10	8	8	7	16	19	7	9	13	13	10	133	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Bergne Coupland [P.T.O.

PP 80

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2593/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Corner House North Collingham

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10		25								·12	8		1
2		5	7	30								75		2
3			4	34	15							22		3
4	10	12						48						4
5												45		5
6	·12		25	19	25									6
7		26			15									7
8		28												8
9			12	15	12			12						9
10				30		20	49				15	30		10
11			47		92		No Record Taken Daily illness							11
12	15				45				15			25		12
13		·39				15			·5					13
14			12											14
15	12			10			~~[illegible]~~	annual Holiday House closed	·7			15		15
16		14	25	25		10			15			5		16
17	10		14	68					38					17
18	62		19								35			18
19		15		19					10		22			19
20	25				75	16								20
21		8												21
22	5									48		12		22
23	·34									56	25			23
24	25	22			8				18	12				24
25		30								15				25
26		28			40									26
27										62				27
28												7		28
29											10			29
30	55	✕					221				·5	5		30
31	30	✕		✕		✕		12	✕	42	✕			31
TOTAL	3.05	2·27	1.90	2.60	3·27	·61	2·68	·72	1·08	2·35	1·24	2·49	Year's Total 24.2	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Bergne Coupland [P.T.O.

P.S. Q.S.

2594

Section **A** for the entry of D

AIR MINISTRY.

FORM 1090.

REGIST

Kept at Strelley

in the County of Nott

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to thi
year in the space on the right of this

Please read the

2594

NOTTS. STRELLEY

1931 —— 40

780410

FOR OFFICIAL USE.

ORGANIZATION.

wing

Jan. 1, following.

Date	Jan.	Feb.	March	Ap							Nov.	Dec.	Date
	in.	in.	in.	in.							in.	in.	
1	·01	·02	·04	[illegible]	[illegible]	[illegible]	—	[illegible]	[illegible]	[illegible]	—	·01	1
2	·02	·04	—	·51	—	·06	—	—	·38	·05	—	·08	2
3	·06	·01	—	·07	—	·03	·05	—	2·31	·01	·06	·18	3
4	—	·10	—	·12	—	—	·60	·07	·09	—	·02	·04	4
5	—	·06	·01	·04	·05	1·19	·03	—	·05	—	—	·50	5
6	—	·21	·01	·01	—	·19	·05	—	·01	·13	·10	—	6
7	—	—	·02	—	—	·31	·75	·31	—	·05	·12	·02	7
8	·04	·09	·05	·04	—	—	·08	·96	—	—	·26	—	8
9	—	·16	·04	·10	—	·02	·01	·20	—	—	·27	·01	9
10	·02	·06	·01	—	·03	·05	·08	·06	—	—	·06	·01	10
11	·04	·51	—	—	—	·03	·03	—	·17	—	·01	—	11
12	·07	·10	—	—	—	—	1·12	—	·31	—	·12	—	12
13	—	—	—	—	—	—	·07	·15	·01	·01	—	—	13
14	·01	·06	·02	—	—	·60	1·03	1·27	·08	—	·42	—	14
15	·02	·09	—	·03	·09	—	·08	·08	—	—	·03	·05	15
16	·10	·32	—	·14	·37	·66	·03	·15	·14	—	—	—	16
17	·01	·15	—	·32	·62	·02	·02	·01	—	—	—	—	17
18	·05	—	—	·34	—	·26	·14	·06	—	—	·48	—	18
19	·06	·05	—	·19	—	·36	·06	·12	·02	·02	·01	—	19
20	—	·07	—	·03	—	—	·03	·54	—	—	·01	·03	20
21	·26	·01	—	—	·41	—	—	·12	—	—	·24	·01	21
22	·06	—	—	·01	·03	—	—	—	—	—	·01	—	22
23	·15	—	·05	·07	·34	·15	—	—	—	—	·23	—	23
24	·01	·01	—	·13	·66	—	·13	—	—	·03	—	·02	24
25	·14	—	—	·56	—	—	·55	—	—	—	·02	—	25
26	·01	·03	—	·44	—	—	·10	—	—	—	·20	—	26
27	·19	·35	—	—	·02	—	—	—	—	·08	·35	·19	27
28	·06	·41	—	·04	·18	—	—	—	—	—	·01	·12	28
29	·09	×	—	·15	·07	—	·08	—	—	·16	·01	·01	29
30	·02	×	—	·02	—	·06	—	—	·01	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	·01	×	·02	31
TOTAL	1·67	2·91	0·25	3·40	2·87	4·14	5·15	4·10	3·69	0·56	3·04	1·25	YEAR'S TOTAL 33·03
Days with ·01 in. or more.	24	22	9	22	12	16	22	14	13	11	22	16	203
Days with ·04 in. or more.	15	17	4	17	9	12	16	13	9	5	13	6	136

40-9999

(Signed) Ralph Ildge [P.T.O.

2594

Section **A** for the entry of D

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Strelley

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 396 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·04	·04	—	·15	—	—	·11	·01	—	·01	1
2	·02	·04	—	·51	—	·06	—	—	·38	·05	—	·08	2
3	·06	·01	—	·07	—	·03	·05	—	2·31	·01	·06	·18	3
4	—	·10	—	·12	—	—	·60	·07	·09	—	·02	·04	4
5	—	·06	·01	·04	·05	1·19	·03	—	·05	—	—	·50	5
6	—	·21	·01	·01	—	·19	·05	—	·01	·13	·10	—	6
7	—	—	·02	—	—	·34	·75	·31	—	·05	·12	·02	7
8	·04	·09	·05	·04	—	—	·08	·96	—	—	·26	—	8
9	—	·16	·04	·10	—	·02	01	·20	—	—	·29	·01	9
10	·02	·06	·01	—	·03	·05	·08	·06	—	—	·06	·01	10
11	·04	·51	—	—	—	·03	·03	—	·17	—	·01	—	11
12	·07	·10	—	—	—	—	1·12	—	·31	—	·12	—	12
13	—	—	—	—	—	—	·07	·15	·01	·01	—	—	13
14	·01	·06	·02	—	—	·60	1·03	1·27	·08	—	·42	—	14
15	·02	·09	—	·03	·09	—	·08	·08	—	—	·03	·05	15
16	·10	·32	—	·14	·37	·66	·03	·15	·14	—	—	—	16
17	·01	·15	—	·32	·62	·02	·02	·01	—	—	—	—	17
18	·05	—	—	·34	—	·26	·14	·06	—	—	·48	—	18
19	·06	·05	—	·19	—	·36	·06	·12	·02	·02	·01	—	19
20	—	·07	—	·03	—	—	·08	·54	—	—	·01	·03	20
21	·26	·01	—	—	·41	—	—	·12	—	—	·24	·01	21
22	·06	—	—	·01	·03	—	—	—	—	—	·01	—	22
23	·15	—	·05	·07	·34	·15	—	—	—	—	·23	—	23
24	·01	01	—	·13	·66	—	·13	—	—	03	—	·02	24
25	·14	—	—	·56	—	—	·55	—	—	—	·02	—	25
26	·01	·03	—	·44	—	—	·10	—	—	—	·20	—	26
27	·19	·35	—	—	·02	—	—	—	—	·08	·33	·19	27
28	·06	·41	—	·04	·18	—	—	—	—	—	·01	·12	28
29	·09	×	—	·15	·07	—	·08	—	—	·16	·01	·01	29
30	·02	×	—	·02	—	·06	—	—	·01	—	—	—	30
31	·17	×	—	×	—	×	—	—	×	·01	×	·02	31
TOTAL	1·67	2·91	0·25	3·40	2·87	4·14	5·15	4·10	3·69	0·56	3·04	1·25	YEAR'S TOTAL 33·03
Days with ·01 in. or more.	24	22	9	22	12	16	22	14	13	11	22	16	203
Days with ·04 in. or more.	15	17	4	17	9	12	16	13	9	5	13	6	136

40-9999

(Signed) Ralph Iliffe [P.T.O.

2594

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Strelley

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 396 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·02	—	·14	·27	—	·17	·06	·10	·22	·02	·02	1
2	·05	—	—	—	·15	—	—	·03	·16	·16	·03	·04	2
3	—	—	—	·28	·04	—	—	—	—	·02	—	·03	3
4	·01	—	—	·15	—	—	—	—	—	—	·29	·01	4
5	·20	·01	·05	·01	·01	—	—	—	·04	—	—	—	5
6	·46	—	·07	·25	—	—	·01	—	·11	—	—	—	6
7	—	—	·21	·11	—	—	—	—	·08	·03	—	—	7
8	—	·02	—	·10	—	—	—	—	·12	·06	—	·06	8
9	·03	·26	·01	·06	·08	—	—	—	—	—	·01	·01	9
10	·07	·04	—	·05	—	—	—	—	·27	·14	—	·02	10
11	·02	·03	·02	·03	·21	·09	·08	—	·09	·03	·03	—	11
12	·14	—	—	·02	·04	—	—	—	—	·47	·04	—	12
13	·02	·05	—	·05	·01	—	1·02	—	·01	·04	·10	·03	13
14	·04	—	—	·11	—	—	·28	·45	—	·01	·15	—	14
15	—	—	—	·03	·31	—	—	—	—	·05	·01	·07	15
16	·21	—	—	·36	·25	—	—	—	—	—	—	—	16
17	—	—	—	·01	—	—	—	—	·02	·09	—	—	17
18	—	—	—	—	·02	—	—	—	·01	·01	·01	—	18
19	—	·01	—	·01	·01	—	—	—	—	·21	—	—	19
20	—	—	—	·01	·45	—	·01	·39	—	·32	·15	—	20
21	—	—	·16	·07	2·33	—	—	·41	—	·30	·01	·15	21
22	—	—	·26	·03	·36	·02	·86	—	·45	·02	·36	·03	22
23	—	·02	—	—	·54	—	·04	—	·08	·08	·18	·04	23
24	·01	—	—	—	·01	—	·57	—	·02	·01	·11	·01	24
25	·01	·04	—	—	—	·01	·02	—	—	·18	—	—	25
26	—	·01	—	·32	·29	·15	·08	—	·02	—	·03	—	26
27	—	—	·28	·27	·56	—	·05	—	—	—	·12	·01	27
28	—	—	·27	·09	·27	—	·11	·38	—	·04	—	—	28
29	—	—	·10	·13	·15	·20	·07	·03	·11	·32	·11	·15	29
30	·01	×	·05	—	·01	·41	·04	·01	·07	·07	·21	·17	30
31	—	×	·07	×	·02	×	·95	—	×	—	×	·08	31
TOTAL	1·28	·51	1·55	2·69	6·39	·88	4·36	1·76	1·76	2·88	1·97	·93	YEAR'S TOTAL ~~27·06~~ 26·96
*Days with ·01 in. or more.	15	11	12	24	23	6	16	8	17	23	19	17	191
*Days with ·04 in. or more.	8	4	10	16	16	4	13	5	12	16	11	8	123

40-9999

(*Signed*) Ralph Isdale [P.T.O.

*See Instruction 2 (*f*) on other side.

✓RJ

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Gardens Strelley Hall

in the County of Notts.

24

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 396 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·21	·08	–	–	–	–	–	–	–	·05	–	1
2	·25	–	·36	–	–	–	–	–	–	–	·07	–	2
3	–	·13	·16	–	·12	–	–	–	–	–	·04	–	3
4	·05	·01	·01	–	·10	–	–	–	–	–	–	–	4
5	·12	–	·08	–	·20	–	–	–	–	–	·01	–	5
6	–	·11	·04	–	·42	–	–	–	–	·02	·01	·05	6
7	·01	·29	–	–	·08	–	·15	–	–	·23	–	·01	7
8	·02	–	·06	–	·06	–	·38	–	–	·01	–	·03	8
9	–	–	–	–	·01	–	·27	–	–	·87	·03	–	9
10	·01	·13	–	–	–	·06	·17	·03	–	1·03	·01	–	10
11	–	–	–	–	–	–	·08	·01	–	·06	–	–	11
12	·05	–	–	–	–	·02	·11	–	–	–	–	·08	12
13	·03	–	–	–	·16	·01	·19	–	·10	·03	–	–	13
14	·01	–	–	–	·02	–	·06	–	–	·04	·22	–	14
15	·75	–	–	–	–	–	·21	·17	–	·10	·47	·06	15
16	·20	–	·56	–	·04	·13	·07	–	–	·06	·09	·01	16
17	·05	–	·93	–	–	·26	–	–	·03	–	·11	·01	17
18	–	·02	·10	–	–	·57	–	–	–	–	·07	–	18
19	–	·01	·25	–	–	–	·01	–	·08	–	–	·02	19
20	–	·06	–	–	–	·27	–	·07	–	·03	·01	–	20
21	–	·01	–	–	·16	·10	–	·05	·01	·01	·01	–	21
22	–	–	–	–	–	·05	–	·31	–	·43	·02	–	22
23	–	–	–	·28	–	–	–	–	·18	·02	–	–	23
24	–	·21	–	·29	·07	·04	–	–	·23	·03	·04	–	24
25	–	·90	–	·27	–	–	–	–	–	–	·01	·07	25
26	–	·45	–	·13	·01	·06	–	–	·03	·06	·04	·01	26
27	–	·01	–	–	–	–	–	–	·43	·04	–	·01	27
28	–	·01	–	·16	·05	–	–	–	·01	·10	–	·04	28
29	·03	×	–	·47	·03	–	–	–	–	·04	–	·01	29
30	·06	×	–	–	–	–	·05	–	–	·05	–	·02	30
31	·01	×	·10	×	–	×	·01	·01	×	·11	×	–	31
TOTAL	1·92	2·56	2·73	1·60	1·53	1·57	1·76	·65	1·10	3·37	1·31	·43	YEAR'S TOTAL 20.53
*Days with ·01 in. or more.	16	15	12	6	15	11	13	7	9	21	18	14	157
*Days with .04 in. or more.	9	9	11	6	11	9	11	4	5	14	10	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ralph [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934

Kept at Strelley

in the County of Notts

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 396 ft.

24

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	–	–	–	–	–	–	·07	–	·25	·01	·45	1
2	·03	·02	·02	–	–	–	–	·14	·40	·01	·1	·23	2
3	·01	·04	–	–	–	–	–	–	–	·02	·05	·01	3
4	·07	·01	·13	·52	·01	–	–	–	·04	·03	·04	·45	4
5	·02	·01	·09	·04	·12	·05	–	·32	–	·05	·08	·02	5
6	–	–	·01	·01	·46	·05	–	·08	–	·19	–	·55	6
7	·07	–	–	–	·01	·04	–	·01	–	·06	–	·18	7
8	–	–	·12	–	·10	·04	–	·08	–	·01	·40	·01	8
9	–	–	·26	·04	–	–	–	·04	–	–	·70	·15	9
10	·02	–	·28	·16	–	–	–	·09	–	–	·22	·03	10
11	·53	–	·08	·39	–	–	–	·07	–	–	–	·28	11
12	·01	–	·21	·01	–	–	·08	·20	–	–	–	·04	12
13	·50	–	·01	·02	–	–	·88	·04	–	·03	·01	·17	13
14	·07	–	·25	–	·01	·06	–	–	–	·14	·42	·34	14
15	·05	–	·06	–	·10	–	–	·01	·27	·01	·16	·02	15
16	·23	–	·09	–	·13	–	–	–	–	·02	·09	·08	16
17	·25	–	·03	–	·06	–	·01	·13	·23	·04	·02	·10	17
18	·05	–	·02	·14	–	·01	·04	·01	·06	–	–	·03	18
19	–	–	·11	·19	–	·16	–	–	·01	–	–	·04	19
20	–	–	·02	·04	–	–	–	–	–	–	–	·01	20
21	–	–	–	–	–	·11	–	·01	·02	·02	–	–	21
22	–	–	–	–	–	–	–	·21	·33	–	–	·01	22
23	–	–	·03	·24	·05	–	·56	·04	–	·01	–	·12	23
24	–	·17	·11	·04	–	·07	·01	–	·37	–	–	–	24
25	·10	–	–	·03	–	–	–	–	·01	·12	–	·44	25
26	·21	–	·02	·23	–	·01	·03	–	·05	·02	–	·01	26
27	–	·38	–	·29	–	–	·04	–	·04	·11	–	·10	27
28	–	–	–	·01	–	·12	·02	·37	–	·01	–	·54	28
29	–	×	–	–	–	–	·09	·06	·39	·04	–	·15	29
30	·03	×	–	–	–	–	·32	–	·03	·12	–	·25	30
31	·01	×	–	×	–	×	–	–	×	·08	×	–	31
Total	2·33	·63	1·95	2·40	1·05	·63	2·08	1·98	2·25	1·39	2·31	4·81	Year's Total 23·81
*Days with ·01 in. or more.	19	6	20	17	10	9	11	19	14	22	13	28	188
*Days with ·04 in. or more.	12	3	12	12	7	7	7	15	10	11	19	19	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ralph Elder [P.T.O.

See ~~NR~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Strelley.
in the County of Nottingham
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 396 ft.

154548/31 24

see file re authority

print Miss Edge by M.W.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	—	·01	·05	—	·06	—	—	·55	·08	·13	·23	1
2	—	—	·05	·01	—	·39	—	—	—	·34	·01	·12	2
3	—	·13	·06	·03	—	·11	—	—	·01	·21	·18	·01	3
4	—	—	·01	·04	—	·03	—	—	·19	·75	—	—	4
5	—	·25	·08	·08	—	—	—	—	·06	·06	·11	·01	5
6	·01	·01	—	·11	—	·20	—	—	—	—	·01	—	6
7	·03	—	—	·56	—	·06	—	—	—	·23	·52	·15	7
8	—	—	—	·20	—	—	—	—	—	·02	·08	·17	8
9	—	—	—	·19	—	·20	—	—	—	·56	·10	·02	9
10	—	—	·01	·07	—	·01	—	—	—	·01	·05	·01	10
11	·12	—	—	—	—	·08	·03	—	—	·02	·10	·08	11
12	—	·03	—	—	—	·13	—	·03	·02	—	·01	—	12
13	·07	·04	—	·11	·08	—	—	—	·04	·02	·01	—	13
14	—	—	—	—	·03	—	·42	—	·08	—	·67	·13	14
15	·01	·06	—	·60	·06	·23	—	—	·11	—	·23	·33	15
16	—	·07	·13	·03	—	·40	·07	—	·24	·13	·54	—	16
17	—	—	—	·18	—	·22	·09	—	·11	·03	·53	—	17
18	·02	—	—	·24	·03	·12	·19	—	·37	·16	·01	—	18
19	·01	—	—	·12	·05	·32	·04	—	·02	·08	·29	—	19
20	·01	·28	—	·27	—	·15	·05	—	—	—	·16	—	20
21	—	·58	—	·03	—	—	—	—	·82	·01	·13	—	21
22	—	·23	—	·05	—	—	—	·01	·01	—	·02	·03	22
23	·02	·01	·21	—	—	—	—	1·07	·03	·22	—	·01	23
24	·04	·31	·08	—	—	—	—	—	1·48	·01	·01	·29	24
25	·21	·04	—	·03	—	·43	—	—	—	—	—	·01	25
26	·08	—	—	—	—	—	—	·75	·39	·08	·03	·41	26
27	·02	·25	—	—	—	·02	·02	—	·32	·14	·21	·90	27
28	·04	·08	—	—	·05	—	—	—	·02	·02	·03	·08	28
29	—	×	·08	—	—	—	—	—	·11	·07	·02	·06	29
30	·12	×	—	·08	—	—	—	·17	·07	·21	·35	·04	30
31	·01	×	—	×	—	×	—	—	×	·55	×	·19	31
TOTAL	·99	2·37	·72	3·08	·30	3·16	·91	2·03	5·05	4·03	4·54	3·31	YEAR'S TOTAL 30·49
*Days with ·01 in. or more.	17	15	10	21	6	18	8	5	21	24	27	21	193
*Days with ·04 in. or more.	8	12	7	16	4	15	6	3	15	16	17	15	134

40-9999

*See Instruction 2 (*f*) on other side, Miss Edge (Signed) Ralph I Edge [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Strelley Hall-Gardens.
in the County of Nottinghamshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level 296 ft.

154548/31

TL

check [illegible] for [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	·05	·38	—	·01	·04	·20	·01	—	·02	·02	1
2	·33	·05	·04	·09	—	·23	·11	·17	—	—	·11	·01	2
3	·01	·01	—	—	—	·50	·04	·02	·20	—	·01	·01	3
4	·04	·05	·10	—	—	·15	·01	·03	·13	·01	·07	·16	4
5	·06	·04	·14	—	—	—	·02	·05	·07	·03	·01	·17	5
6	·01	—	·01	—	—	·06	·30	·20	·25	—	·06	—	6
7	·30	—	·01	—	—	—	·45	—	·03	—	·03	·01	7
8	·22	—	·05	—	—	—	·10	—	—	·05	·12	·02	8
9	·25	—	·12	—	·01	·08	·44	—	·03	·11	·17	—	9
10	·01	—	—	—	—	—	·58	·02	—	·01	—	—	10
11	—	—	—	·11	—	·02	·17	—	·01	—	·50	—	11
12	—	—	—	·07	·03	·36	·81	—	·35	—	·02	·01	12
13	—	—	—	·05	—	·20	·01	—	—	·04	·02	·20	13
14	—	—	—	·06	—	·08	·09	—	·55	·02	·06	·22	14
15	·10	—	—	—	—	·21	·09	—	—	—	·28	·05	15
16	·21	·13	—	·01	—	—	·02	—	—	—	·46	·01	16
17	—	·43	—	—	·11	—	·09	—	—	·04	·07	·10	17
18	—	·02	—	—	—	·01	·24	—	—	·22	·02	·03	18
19	·55	·06	·01	·27	—	·22	·03	·08	—	·09	—	·04	19
20	·02	·08	—	·01	—	—	·01	·09	—	·02	—	—	20
21	·04	—	·02	·07	—	·36	—	—	—	—	—	—	21
22	—	31	·10	·01	·06	·05	·24	—	—	—	·02	·02	22
23	—	·01	·07	·16	·07	—	·64	—	—	·02	·01	—	23
24	·24	·09	—	—	·03	—	·01	—	·19	·19	—	—	24
25	·08	—	·06	·32	—	·01	·18	—	·45	·03	·01	—	25
26	·01	·06	·46	·01	—	—	—	—	·07	·24	—	—	26
27	·13	—	·01	—	—	—	—	—	·03	·12	—	—	27
28	·28	·09	·07	—	—	—	·03	—	—	—	·03	·09	28
29	·40	·24	·16	—	—	·36	—	—	—	·04	·38	·05	29
30	·22	×	—	—	·16	·18	·10	—	—	·33	·01	·02	30
31	·06	×	·01	×	—	×	·02	—	×	·07	×	·25	31
TOTAL	3·57	1·76	1·49	1·62	·47	3·04	4·87	·86	2·37	1·68	2·44	1·46	YEAR'S TOTAL 25·63
*Days with ·01 in. or more.	22	16	18	14	7	18	27	9	14	19	23	20	207
*Days with .04 in. or more.	17	13	12	10	4	13	18	6	9	12	11	9	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Ralph [illegible]

Miss [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Strelley Hall Gardens

in the County of Notts

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 396 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·06	—	—	—	—	—	—	·08	—	·04	·15		1
2	·05	·15	·03	·33	—	—	·02	—	—	—	—	·95		2
3	·01	·03	·01	·61	·15	—	·01	—	—	—	·01	·13		3
4	·06	·13	·01	·01	·02	—	—	—	—	—	—	·68		4
5	·37	—	·08	—	—	—	—	·02	—	—	—	·01		5
6	—	—	·01	·01	·08	—	—	—	—	—	·01	—		6
7	—	·39	—	·20	·03	—	—	—	—	—	—	—		7
8	—	·24	—	·01	—	—	—	—	—	—	·18	—		8
9	—	·12	—	·03	·07	—	·48	·03	·01	—	—	·02		9
10	·09	·05	·15	·23	—	·10	—	—	—	—	—	·12		10
11	—	—	·63	—	·53	—	·01	·01	—	—	—	·46		11
12	·05	·28	·09	—	·29	·05	—	—	·15	—	—	·15		12
13	—	·05	·01	—	—	·25	—	·01	·01	—	—	·04		13
14	—	—	·08	—	—	—	—	·13	·02	—	—	·09		14
15	·11	·23	—	·35	—	—	1·85	—	·11	—	—	·01		15
16	·03	·25	·20	·30	—	—	—	·10	·21	—	—	·02		16
17	·13	·01	·28	·32	—	—	—	—	·40	—	—	—		17
18	·86	·05	·06	·12	—	—	·03	—	·01	—	·49	—		18
19	·04	·17	·05	·06	—	·05	·04	—	—	—	·12	—		19
20	·17	·03	—	·28	·65	—	—	—	·06	—	—	—		20
21	·02	·05	—	·01	—	—	·24	·01	—	—	—	·03		21
22	·03	·01	·02	·01	·01	—	·23	—	—	·35	·28	·04		22
23	·31	—	—	—	·25	—	·12	—	—	1·05	·37	—		23
24	·10	·49	·05	—	·01	—	·02	—	·05	·19	—	—		24
25	·08	·27	·12	—	·03	—	—	—	·02	·36	—	·01		25
26	—	·29	·07	—	·34	—	—	—	—	—	·01	·02		26
27	—	·37	·01	·19	—	—	—	—	—	·62	—	·02		27
28	·01	·12	—	—	—	—	—	—	—	·01	—	·03		28
29	·08	X	—	—	—	—	—	—	—	·01	·04	·02		29
30	·38	✕	—	—	—	·02	—	·02	—	—	·07	·01		30
31	·36	✕	—	✕	—	✕	—	—	✕	·14	✕	·01		31
TOTAL	3·38	3·84	1·96	3·07	2·46	·47	3·05	·33	1·13	2·73	1·62	3·02	Year's Total 27·06	
* Days with .01 in. or more.	22	23	19	17	13	5	11	8	12	8	11	22	171	+ late
* Days with .04 in. or more.	17	19	12	11	8	4	6	2	7	6	8	10	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

4

(*Signed*) .... [P.T.O.

NOTTINGHAM (STRELLEY)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Strelley

in the County of Nottingham /4

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 396 ft.

1937 r/p late

ave: 26.2

812116/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·52	·14	·01	·02	·09	—	·15		1
2	·03	·01	—	·08	—	·09	—	—	—	·08	—	·03		2
3	·03	—	—	—	—	·05	·01	—	·11	·65	·07	—		3
4	·05	—	—	—	—	·01	·22	·10	—	·14	·01	·34		4
5	—	—	—	—	—	—	·38	·02	·01	—	·01	·01		5
6	·04	·05	—	—	—	—	·86	—	·04	·07	—	—		6
7	·19	—	—	—	—	—	·13	·03	·15	·03	—	·06		7
8	·31	—	—	—	—	—	·07	·01	—	·30	—	·02		8
9	·04	·17	—	—	—	—	·02	·37	·01	—	—	·33		9
10	·01	·02	—	—	—	—	·27	·03	—	—	—	·05		10
11	·46	—	—	—	—	—	·02	1·46	—	·05	·05	·01		11
12	·16	·01	—	—	·10	—	·01	—	—	·44	·07	—		12
13	—	·02	—	—	—	—	—	—	—	·01	·17	·40		13
14	·08	—	—	—	·06	—	·58	—	·13	—	—	·01		14
15	·17	—	—	—	—	—	·29	·02	—	—	·01	·21		15
16	·19	—	—	—	—	—	·17	·01	—	·04	·02	·26		16
17	—	·03	—	—	·12	—	·06	·01	·01	·20	·02	—		17
18	·10	—	—	—	·29	·09	—	·03	·02	·03	·27	—		18
19	—	—	—	—	—	—	—	·08	·05	—	·01	·01		19
20	·01	—	—	—	—	—	—	—	·01	·01	·30	·13		20
21	·01	—	—	—	—	—	—	·11	—	—	·02	·21		21
22	—	—	—	—	—	·07	—	·01	—	—	·34	·18		22
23	—	—	—	—	—	·03	—	—	·17	—	·01	·05		23
24	—	—	·04	—	·01	—	·02	—	·26	—	·02	·01		24
25	·14	·23	·05	—	—	—	·03	—	·01	·18	·58	·20		25
26	·03	·15	·07	—	·01	·01	—	—	·28	·09	·01	·11		26
27	·06	·05	—	—	·20	·12	·16	·41	·26	·03	·31	—		27
28	·10	·02	—	—	·37	·14	·13	·55	·23	—	·03	·05		28
29	·38	X	—	·02	·62	—	·12	—	—	·05	·09	·13		29
30	·06	×	—	—	—	·09	—	—	·21	—	·10	·11		30
31	·11	×	—	×	·20	×	—	—	×	·16	×	·80		31
TOTAL	2·76	·76	·16	·10	1·98	1·22	3·69	3·26	1·98	2·65	2·52	3·87	Year's Total 24·95	
* Days with .01 in. or more.	23	11	3	2	10	11	20	17	18	19	22	25	181	
* Days with .04 in. or more.	17	5	3	1	8	8	14	7	11	14	11	18	117	

Prnt GB

14/4

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

MISS EDGE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at S. Trelley

in the County of Nottingham.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 396 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·05	·08	—	—	·01	—	·01	·01	—	·07		1
2	·04	—	—	·09	—	—	·03	·21	1·48	·06	·02	—		2
3	·36	—	—	·33	—	—	—	·29	—	·01	·24	·26		3
4	·20	—	·30	·27	—	—	·02	·51	—	·09	·01	·15		4
5	—	—	—	·03	·17	—	·09	·57	—	·08	·23	·21		5
6	·57	—	·05	—	—	—	·33	—	—	·01	·03	—		6
7	·06	·06	—	—	—	—	·24	—	—	—	·11	·44		7
8	—	·11	·17	—	—	—	·26	·04	—	·10	·13	·38		8
9	·01	·10	—	—	—	—	·05	·22	—	·69	·01	·32		9
10	·48	—	·02	—	—	—	—	·33	·01	·07	—	—		10
11	·03	—	·18	—	·01	·06	—	·63	·07	·08	—	—		11
12	·01	·08	—	—	—	·15	—	—	—	·01	—	—		12
13	—	—	—	·07	—	·09	·07	—	—	·17	—	·01		13
14	·72	—	—	·18	·25	·15	·54	—	—	·06	·08	—		14
15	·20	—	—	·01	·38	·31	·25	—	·02	·03	—	—		15
16	·05	—	·10	—	·27	·13	·04	—	—	—	·20	—		16
17	·51	·04	·02	·05	·01	·01	—	—	—	·70	—	—		17
18	·10	—	·07	—	—	·22	·14	—	·01	·01	·63	—		18
19	·25	—	—	—	—	·06	1·10	—	·01	—	—	·01		19
20	·08	—	—	—	·01	·01	·04	·10	—	—	—	—		20
21	·24	·20	·15	·05	—	·02	·35	·09	·02	—	—	—		21
22	·18	·17	·07	·01	—	—	·24	—	·03	—	·42	—		22
23	·02	·06	—	·24	—	—	·08	—	—	·01	·43	—		23
24	·06	—	·01	·01	—	—	·07	·01	—	—	—	—		24
25	·75	·02	·03	·02	—	·01	·05	·52	—	—	·58	·03		25
26	·01	—	·02	·02	—	—	—	·01	—	·02	·14	·02		26
27	·02	·12	·24	·04	—	·04	·02	—	—	·13	·04	·01		27
28	·01	·21	·17	·09	—	·09	·22	·05	—	·02	·25	—		28
29	—	×	—	·26	—	—	·35	—	—	·17	·01	—		29
30	—	×	—	·01	—	·04	·02	—	—	·01	·12	—		30
31	—	×	—	×	—	×	—	·01	×	—	×	—		31
TOTAL	5·01	1·17	1·65	1·86	1·10	1·39	4·61	3·50	1·66	2·54	3·68	1·91	Year's Total 30·08	
* Days with .01 in. or more.	25	11	16	19	7	15	24	15	9	22	19	12	194	
* Days with .04 in. or more.	18	10	11	12	4	11	19	12	2	12	14	7	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Strelley

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 396 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·12	—	·09	—	—	—	—	—	—	·25	·02		1
2	—	·01	—	·26	—	—	·02	—	—	—	·51	·03		2
3	—	·39	—	·11	—	—	—	—	—	·07	·23	·06		3
4	—	·17	—	·01	—	—	—	—	—	·04	·46	·09		4
5	—	·05	—	—	·04	—	·04	—	—	[illegible]	·44	·13		5
6	·12	·28	—	—	—	—	—	—	—	·51	·11	·02		6
7	·03	·24	—	·06	·08	—	—	—	·01	·01	—	·01		7
8	—	—	—	—	—	·05	·02	—	—	·08	—	·15		8
9	—	—	·17	—	—	·03	·04	·04	·05	·02	·31	·05		9
10	—	—	·02	—	—	—	·62	·17	—	—	·08	·30		10
11	—	—	·03	—	—	·03	·18	—	—	—	·67	·01		11
12	—	·02	·11	—	—	—	·09	—	·10	—	·28	—		12
13	—	·01	·26	—	—	—	—	—	·12	—	—	—		13
14		—	·02	·06	·36	—	—	—	·06	·01	—	·38		14
15	—	—	·01	·01	—	·02	—	—	·02	·01	·08	·01		15
16	·05	·31	·37	·01	—	·04	·98	—	·14	1·51	·72	·01		16
17	—	·01	·57	—	—	—	·01	—	—	—	·75	—		17
18	·10	·48	·13	·41	—	—	—	·06	—	·09	·02	·04		18
19	—	·16	·08	·32	—	·02	·26	—	·15	·17	·18	·03		19
20	—	·02	—	·08	—	·04	·23	·04	—	·09	·09	—		20
21	·06	·01	—	—	—	·34	·18	—	—	·05	1·11	—		21
22	—	—	·01	—	·31	·20	—	—	·05	·01	·51	—		22
23	—	·07	·12	·03	·32	·09	—	—	—	·03	·01	·03		23
24	·06	—	—	·03	·01	—	·07	—	—	·02	—	—		24
25	—	—	—	·01	—	·08	·01	—	—	·01	—	—		25
26	·92	·05	—	·06	·02	·03	·04	·01	—	—	·01	—		26
27	·96	·08	—	·04	—	—	·14	—	—	—	—	—		27
28	·32	·47	—	—	·16	—	—	—	—	—	—	—		28
29	—	—	·18	·04	·29	·13	—	—	—	·01	—	·17		29
30	·14	×	—	·02	—	—	—	—	—	·29	—	·66		30
31	·13	×	·08	×	—	×	—	—	×	1·04	×	·03		31
TOTAL	2·89	2·95	2·16	1·65	1·59	1·10	2·93	·32	·78	4·20	6·32	1·63	Year's Total 28·34	
* Days with ·01 in. or more.	11	19	15	18	9	13	16	5	9	21	20	20	176	
* Days with ·04 in. or more.	10	13	10	11	7	8	12	4	7	12	16	10	120	

* See Instruction 3 (f) on other side.

64

† Spare column, no entries required.

(*Signed*) ……………………………… [P.T.O.

2595

135

Section **A** **for the entry of**

AIR MINISTR

FORM 1090.

REGIS

FOR OFFICIAL USE.

ORGANIZATION.

Kept at Strel

in the County of Not

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of thi

llowing

Jan. 1, following.

Please read t

—

2595

NOTTS. STRELLEY HALL

1931 — 40

780410

Date	**Jan.**	**Feb.**	**March**								**Nov.**	**Dec.**	*Date*
	in.	in.	in.								in.	in.	
1													1
2													2
3									1·94				3
4													4
5						1·21						·48	5
6													6
7													7
8			·09										8
9													9
10													10
11													11
12							1·15						12
13													13
14								1·28					14
15													15
16													16
17													17
18											·50		18
19													19
20													20
21	·25												21
22													22
23													23
24					·69								24
25				·57									25
26													26
27													27
28		·39											28
29		X								·17			29
30		X											30
31		X		X		X			X		X		31
TOTAL	1·71	2·88	0·34	3·57	2·95	4·21	5·55	3·82	3·27	0·54	2·99	1·21	YEAR'S TOTAL 33·04
Days with ·01 in. or more.	25	24	10	21	14	16	22	13	12	9	18	13	197
Days with ·04 in. or more.	14	17	4	17	11	13	16	13	8	5	14	6	138
40-9999	43·4	73·2	8·6	90·7	74·9	106·9	141·0	97·0	83·1	13·7	75·9	30·7	839·1

(*Signed*)

P.T.O.

2595

Section **A** for the entry of

AIR MINISTR

FOR OFFICIAL USE.

ORGANIZATION.

135

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Strelley Hall.

in the County of Notts.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..................ft..................in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									1·94				3
4													4
5						1·21						·48	5
6													6
7													7
8			·09										8
9													9
10													10
11													11
12							1·15						12
13													13
14								1·28					14
15													15
16													16
17													17
18											·50		18
19													19
20													20
21	·25												21
22													22
23													23
24					·69								24
25				·57									25
26													26
27													27
28		·39											28
29										·17			29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·71	2·88	0·34	3·57	2·95	4·21	5·55	3·82	3·27	0·54	2·99	1·21	YEAR'S TOTAL 33·04
Days with ·01 in. or more.	25	24	10	21	14	16	22	13	12	9	18	13	197
Days with ·04 in. or more.	14	17	4	17	11	13	16	13	8	5	14	6	138
40-9999	43·4	73·2	8·6	90·7	74·9	106·9	141·0	97·0	83·1	13·7	75·9	30·7	839·1

(Signed)..................................

P.T.O.

2595

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1932.

135

Kept at Strelley

in the County of Notts.

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6	·50												6
7													7
8													8
9		·25											9
10													10
11													11
12										·47			12
13							1·04						13
14													14
15													15
16				·38									16
17													17
18													18
19													19
20													20
21					2·44			·42					21
22									·45		·35		22
23													23
24	·01												24
25													25
26													26
27			·28										27
28													28
29	·01												29
30		×				·40							30
31		×		×		×			×		×		31
TOTAL	1·38	0·52	1·53	2·86	6·64	·85	4·39	1·61	1·67	2·49	1·67	·87	YEAR'S TOTAL 26·48
*Days with ·01 in. or more.	12	8	10	21	20	5	15	8	13	18	12	12	154
*Days with ·04 in. or more.	7	4	10	18	16	4	12	5	13	16	9	8	122
40-9999	35·1	13·2	38·9	72·6	168·7	21·6	111·5	40·9	42·4	63·2	42·4		

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

2595

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

135.

Kept Strelley
in the County of Notts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6					·41								6
7													7
8							·37						8
9										·98			9
10													10
11													11
12												·08	12
13													13
14													14
15	·77										·50		15
16													16
17			·98										17
18													18
19													19
20													20
21													21
22								·21					22
23													23
24						·40							24
25		·86										·08	25
26													26
27									·49				27
28													28
29				·45									29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·95 ✓	2·53 ✓	2·83	1·51 ✓	1·61 ✓	1·30 ✓	1·62 ✓	·54	1·17 ✓	3·13	1·32	·46 ✓	YEAR'S TOTAL 19·97
*Days with ·01 in. or more.	14	10	13	6	15	10	11	6	9	18	16	15	143
*Days with ·04 in. or more.	10	8	11	6	12	8	11	5	5	12	10	5	103
40-9999	49·5	64·3	71·9	38·4	40·9	33·0	41·1	13·7	29·7	79·5	33·5	11·7	507·2

*See Instruction 2 (*f*) on other side.

(Signed) .... [P.T.O.

2595

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** ~~135~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Strelley

in the County of Notts

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 378 ft.

Corr by Strelley to agree with Obs^rs a/c

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										·28				1
2														2
3														3
4				56										4
5				~~·65~~										5
6					·43							·57		6
7														7
8														8
9											·72			9
10														10
11	·51		·44											11
12														12
13							·90							13
14														14
15														15
16														16
17														17
18														18
19						·16								19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27		·38												27
28								·35						28
29									·39					29
30		X												30
31		X		X		X			X		X			31
TOTAL	2·27 ✓	·65 ✓	1·96 ✓	2·51 ✓ ~~3·11~~	1·01	·67 ✓	2·08	1·94	2·21 ✓	1·52 ✓	2·33 ✓	4·73 ✓	Year's Total 23·88 ~~24·48~~ ✓	
*Days with ·01 in. or more.	17	6	19	14	9	8	10	16	13	20	11	27	170 ✓	
*Days with ·04 in. or more.	13	3	12	12	7	7	7	14	11	11	10	19	126 ✓	

40-9999

*See Instruction 2 (*f*) on other side. M

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Sect **A** for the entry of Daily Observations. Station No. 2595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

1351

Kept at Strelley

in the County of Notts

Diameter of Funnel of Gauge 5 12 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4										0.80				4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13					0.08									13
14							·36				0.65			14
15				0.61										15
16														16
17														17
18														18
19														19
20														20
21		0.57												21
22														22
23			0.20					1.12						23
24									1.45					24
25						0.48								25
26	0.29													26
27												·94		27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1.22	2.37	0.64	3.09	0.30	2.92	0.81	2.07	4.83	4.07	4.61	3.45	Year's Total 30.38	
*Days with ·01 in. or more.	15	15	8	20	6	16	8	4	20	21	21	17	171	
*Days with ·04 in. or more.	8	12	6	16	4	14	5	3	14	16	17	13	128	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2595

135

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Strelley

in the County of Notts

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				0·39				0·19						1
2														2
3						0·50								3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											·50			11
12							0·80							12
13														13
14									0·57					14
15														15
16														16
17		0·45			0·19									17
18														18
19	0·54													19
20														20
21														21
22														22
23														23
24														24
25														25
26			0·48											26
27														27
28														28
29														29
30		×								0·34		·23		30
31		×		×		×			×		×			31
													Year's Total.	
TOTAL	3·46	1·85	1·55	1·68	0·57	2·97	4·87	0·80	2·84	1·69	2·41	1·41	26·10	
* Days with .01 in. or more.	19	15	16	11	6	16	24	9	14	18	18	13	179	
* Days with .04 in. or more.	17	13	12	10	4	14	17	6	11	13	12	9	138	

40-9999

† Spare column, no entries required. 61·2

* See Instruction 2 (f) on other side.

(*Signed*) ..... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

135

Kept at Nottingham (Strelley Hall)
in the County of Notts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in. 1·0 ft.
,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2												·99		2
3				·75										3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11			·68											11
12														12
13						·25								13
14								·14						14
15							1·85							15
16														16
17									·39					17
18	·91										·50			18
19														19
20					·68									20
21														21
22														22
23										1·07				23
24		·53												24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	3·47	3·89	2·07	3·19	2·59	·49	3·00	·24	1·12	2·80	1·67	2·99	Year's Total 27·52	✓
*Days with ·01 in. or more.	20	21	15	13	12	5	10	5	9	8	9	18	145	✓
*Days with ·04 in. or more.	17	19	12	12	10	4	6	2	7	6	8	9	112	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

~~135~~ 2595

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]

REGISTER OF RAINFALL IN 1938

Kept at Nottingham (Strelley Hall)

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 378 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·50								1
2				·08										2
3										·62				3
4														4
5														5
6							·80							6
7														7
8														8
9														9
10														10
11	·45							1·15						11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25		·23									·60			25
26			·06											26
27									·33					27
28														28
29					·61									29
30		×												30
31		×		×		×			×		×	·80		31
TOTAL	2·74	·70	·15	·11	1·97	1·17	3·65	2·83	2·07	2·60	2·48	4·05	Year's Total 24·52	
* Days with .01 in. or more.	23	9	3	3	8	10	18	13	14	17	17	25	160	
* Days with .04 in. or more.	17	4	3	1	8	8	14	9	11	15	12	18	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Nottingham (Strelley Hall)
in the County of Notts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 378 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									1·55					2
3				·38										3
4														4
5								·60						5
6														6
7												·43		7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15					·40	·30								15
16														16
17										·72				17
18											·67			18
19							1·07							19
20														20
21														21
22														22
23														23
24														24
25	·88													25
26														26
27			·25											27
28		·21												28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·15	1·21	1·70	1·95	1·15	1·49	4·57	3·02	1·73	2·55	3·69	1·85	Year's Total 30·06	✓
* Days with .01 in. or more.	22	11	15	18	7	16	23	15	8	18	18	10	181	✓
* Days with .04 in. or more.	19	10	11	13	4	12	18	11	2	12	14	7	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

135

Section **A** for the entry of Daily Observations

Station No. 2595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Nottingham (Strelley Hall)

in the County of Notts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 378 ft.

T.K.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10								·20						10
11														11
12														12
13														13
14					·33							·39		14
15														15
16							·94			1·65				16
17			·58											17
18		·44		·44										18
19									·15					19
20														20
21						·34					1·12			21
22														22
23														23
24														24
25														25
26	·92													26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	2·55	2·92	2·09	1·65	1·52	1·13	2·72	·36	·70	4·32	6·40	1·66	Year's Total 28·02	
* Days with .01 in. or more.	11	18	13	16	10	14	14	6	9	17	18	16	162	
* Days with .04 in. or more.	10	14	10	11	7	9	11	2	7	12	16	11	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Miss Edge

[P.T.O.

2596

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

COPY FOR OFFICIAL USE.

L ORGANIZATION.

1.

2596

NOTTS. WATNALL RES.

1931 — 40

780410

Kept at WATNALL RES

in the County of NOTT

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t

year in the space on the right of t

ollowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	-	-	s ·020								·030	-	1
2	-	·060	-	·540	-	·090	-	·010	·340	·060	·010	·060	2
3	·020	-	-	·090	-	·030	·060	-	2·370	·040	·090	·210	3
4	-	·120	-	·090	-	-	·580	·140	·120	-	·040	-	4
5	-	·040	·010	·060	·060	1·010	-	-	·080	-	-	·480	5
6	-	·250	·020	-	-	·190	·140	-	-	·140	·120	-	6
7	-	·020	·010	-	-	·320	·430	·460	-	·130	·150	·020	7
8	·020	·150	s ·170	·060	-	-	·080	·920	-	-	·260	-	8
9	-	·220	-	·090	-	·030	·020	·230	-	-	·340	·020	9
10	-	·080	s ·020	-	·040	·040	·010	·080	-	-	·060	-	10
11	·120	·390	-	-	·020	·020	·040	-	·180	-	-	-	11
12	·080	·050	-	-	-	-	1·070	-	·140	·020	·120	-	12
13	-	·020	-	·020	·010	-	·140	·340	-	-	-	-	13
14	-	·060	·010	-	-	·580	·620	1·090	·030	-	·080	-	14
15	-	·130	-	·020	·090	-	·130	·150	·040	-	·060	·050	15
16	·080	·270	-	·150	·430	·660	-	·180	·130	-	-	-	16
17	·010	·310	-	·350	·750	·060	·030	-	-	·010	-	-	17
18	·070	·020	-	·430	-	·290	·200	·070	-	-	·580	-	18
19	·060	·050	-	·270	-	·280	·090	·190	·040	·050	-	-	19
20	-	·040	-	·050	-	-	·030	·670	-	-	-	·020	20
21	·320	·020	-	-	·470	-	-	·180	-	-	·290	-	21
22	·080	-	-	-	·020	-	-	-	-	-	·020	-	22
23	·190	-	-	·140	·410	·150	-	-	-	-	·340	·020	23
24	·010	·010	-	·180	·540	-	·160	-	-	·040	-	·060	24
25	·210	·020	-	·690	·020	-	·240	-	-	-	·020	-	25
26	-	·020	-	·370	·010	-	·150	-	-	-	·230	-	26
27	·230	·260	-	-	·030	-	-	-	-	·120	·350	·210	27
28	·060	s ·340	-	·030	·170	-	-	-	-	-	-	·040	28
29	·140	X	-	-	·070	-	·150	-	-	·180	·020	·080	29
30	·010	✕	-	·040	-	·090	-	-	-	-	-	-	30
31	·280	✕	-	✕	-	✕	-	-	✕	-	✕	·020	31
TOTAL	1·990	2·950	·260	3·720	3·140	4·220	4·370	4·710	3·560	·810	3·210	1·290	YEAR'S TOTAL 34·230
*Days with ·01 in. or more.	18	24	7	20	16	16	20	14	11	11	20	13	190
*Days with ·04 in. or more.	13	17	1	17	10	13	16	13	10	8	15	8	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Davies

Engineer & General Manager.

[P.T.O.

Section **A** for the entry o

OPY FOR OFFICIAL USE.

2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WATNALL RESERVOIR,

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 0 ft. $11\frac{7}{8}$ in.

" Ground " Sea Level 468·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	s ·020	·050	-	·380	-	-	·090	·020	·030	-	1
2	-	·060	-	·540	-	·090	-	·010	·340	·060	·010	·060	2
3	·020	-	-	·090	-	·030	·060	-	2·370	·040	·090	·210	3
4	-	·120	-	·090	-	-	·580	·140	·120	-	·040	-	4
5	-	·040	·010	·060	·060	1·010	-	-	·080	-	-	·480	5
6	-	·250	·020	-	-	·190	·140	-	-	·140	·120	-	6
7	-	·020	·010	-	-	·320	·430	·460	-	·130	·150	·020	7
8	·020	·150	s ·170	·060	-	-	·080	·920	-	-	·260	-	8
9	-	·220	-	·090	-	·030	·020	·230	-	-	·340	·020	9
10	-	·080	s ·020	-	·040	·040	·010	·080	-	-	·060	-	10
11	·120	·390	-	-	·020	·020	·040	-	·180	-	-	-	11
12	·080	·050	-	-	-	-	1·070	-	·140	·020	·120	-	12
13	-	·020	-	·020	·010	-	·140	·340	-	-	-	-	13
14	-	·060	·010	-	-	·580	·620	1·090	·030	-	·080	-	14
15	-	·130	-	·020	·090	-	·130	·150	·040	-	·060	·050	15
16	·080	·270	-	·150	·430	·660	-	·180	·130	-	-	-	16
17	·010	·310	-	·350	·750	·060	·030	-	-	·010	-	-	17
18	·070	·020	-	·430	-	·290	·200	·070	-	-	·580	-	18
19	·060	·050	-	·270	-	·280	·090	·190	·040	·050	-	-	19
20	-	·040	-	·050	-	-	·030	·670	-	-	-	·020	20
21	·320	·020	-	-	·470	-	-	·180	-	-	·290	-	21
22	·080	-	-	-	·020	-	-	-	-	-	·020	-	22
23	·190	-	-	·140	·410	·150	-	-	-	-	·340	·020	23
24	·010	·010	-	·180	·540	-	·160	-	-	·040	-	·060	24
25	·210	·020	-	·690	·020	-	·240	-	-	-	·020	-	25
26	-	·020	-	·370	·010	-	·150	-	-	-	·230	-	26
27	·230	·260	-	-	·030	-	-	-	-	·120	·350	·210	27
28	·060	s ·340	-	·030	·170	-	-	-	-	-	-	·040	28
29	·140	X	-	-	·070	-	·150	-	-	·180	·020	·080	29
30	·010	X	-	·040	-	·090	-	-	-	-	-	-	30
31	·280	X	-	X	-	X	-	-	X	-	X	·020	31
TOTAL	1·990	2·950	·260	3·720	3·140	4·220	4·370	4·710	3·560	·810	3·210	1·290	YEAR'S TOTAL 34·230
*Days with ·01 in. or more.	18	24	7	20	16	16	20	14	11	11	20	13	190
*Days with ·04 in. or more.	13	17	1	17	10	13	16	13	10	8	15	8	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Davies

Engineer & General Manager.

[P.T.O.

2596

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WATNALL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 11⅞ in.

,, Ground ,, Sea Level 468.03 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.130	.030	-	.160	.250	-	.090	.030	.140	.250	.060	.020	1
2	.040	-	-	-	.170	-	-	.050	.180	.170	.020	.030	2
3	-	-	-	.340	.030	-	-	-	-	.020	-	.030	3
4	.020	-	-	.140	-	-	-	-	-	-	.320	-	4
5	.250	.020	.070	.020	.040	-	-	-	.040	-	-	-	5
6	.580	-	.130	.180	-	-	-	-	.160	-	-	-	6
7	-	-	.260	.120	-	-	-	-	.090	.060	-	-	7
8	-	.020	-	.130	-	-	-	-	.180	-	-	-	8
9	.050	s.160	.020	.050	.170	-	-	-	-	.060	-	.020	9
10	.080	.030	-	.070	-	-	-	-	.220	.170	-	.010	10
11	.020	.030	.040	.050	.250	.120	.130	-	.180	-	.040	-	11
12	.250	-	-	.030	.030	-	.040	-	-	.460	.060	-	12
13	-	.080	-	.090	.040	-	1.360	-	-	.090	.090	.040	13
14	.020	-	-	.160	.010	-	.190	.380	-	.030	.160	-	14
15	-	-	-	.090	.340	-	-	-	-	.070	-	.080	15
16	.250	-	-	.030	.290	-	-	-	-	.020	-	-	16
17	-	-	-	-	-	-	.020	-	.020	.050	-	-	17
18	-	-	-	-	.060	-	-	-	-	.010	-	-	18
19	-	.010	-	.030	-	-	-	-	-	.210	-	-	19
20	-	-	-	.060	.680	-	-	.350	-	.290	.160	-	20
21	-	-	.190	.080	1.940	-	-	.460	-	.340	.020	.160	21
22	-	-	.320	.030	.420	.040	.420	-	.460	.070	.360	.030	22
23	-	.050	-	-	.380	-	.030	-	.120	.060	.220	.050	23
24	.020	-	-	-	-	-	.540	-	.020	-	.170	-	24
25	-	.080	-	-	-	.130	.010	-	-	.180	.020	-	25
26	-	-	-	.310	.380	.060	.090	-	.030	.040	.030	-	26
27	-	-	.410	.330	.540	.030	.110	-	-	-	.140	-	27
28	-	-	.190	.080	.290	-	.120	.320	-	.050	-	.020	28
29	-	-	.140	.160	.180	.190	.050	.030	.150	.410	.130	.230	29
30	-	X	.080	-	-	.420	.040	-	.090	.070	.280	.190	30
31	-	X	.050	X	.020	X	1.080	-	X	-	X	.090	31
													YEAR'S TOTAL
TOTAL	1.710	.510	1.900	2.740	6.510	.990	4.320	1.620	2.080	3.180	2.280	1.000	28.840
*Days with ·01 in. or more.	12	10	12	23	21	7	16	7	15	23	17	14	177
*Days with ·04 in. or more.	8	4	11	18	17	6	13	5	12	19	13	7	133

40-9999

*See Instruction 2 (*f*) on other side

Davies (*Signed*) Engineer & General Manager

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WATNALL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

*Height of top of Gauge above Ground 1 ft - in.

* ,, Ground ,, Sea Level 467.99 ft.

* * **THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.230	.240	.050	-	-	-	-	-	-	-	.060	-	1
2	.260	-	.430	-	-	-	-	-	-	-	.120	-	2
3	-	.160	.220	-	.190	-	-	-	-	-	.030	-	3
4	.120	.020	.030	-	.040	-	-	-	-	-	-	-	4
5	.210	.040	.120	-	.310	-	-	-	-	-	-	-	5
6	-	.150	.060	-	.460	-	-	-	-	-	-	.080	6
7	.020	.270	-	-	.120	-	.280	-	-	.320	-	-	7
8	-	-	.070	-	.090	-	.330	-	-	-	.020	.020	8
9	-	-	-	-	.020	-	.290	-	-	.890	.050	-	9
10	.020	.220	-	-	-	.080	.170	.040	-	1.340	-	-	10
11	-	-	-	-	-	-	.310	.030	-	.030	-	-	11
12	.040	-	-	-	-	.030	.090	-	-	-	-	s.050	12
13	.060	-	-	-	.230	.020	.220	-	.130	.030	.150	-	13
14	-	-	-	-	.030	-	.070	-	-	.040	.330	-	14
15	s.620	-	-	-	-	-	1.120	.210	-	.130	.580	.080	15
16	s.310	-	.580	-	.080	.130	.110	-	-	.070	.170	.020	16
17	s.080	.010	.850	-	-	.090	-	-	.080	-	.180	-	17
18	-	s.050	.120	-	-	.760	-	-	-	-	.180	-	18
19	-	s.030	.280	-	-	-	.010	-	.030	-	-	-	19
20	-	s.090	-	-	-	.070	-	.180	.040	.050	.030	-	20
21	-	.020	-	-	.280	.180	-	.020	.040	.060	-	-	21
22	-	-	-	-	-	.290	-	.290	-	.480	.040	-	22
23	-	-	-	.240	-	-	-	-	.250	.040	-	-	23
24	-	s.140	-	.220	.080	.320	-	-	.280	.030	.060	-	24
25	-	s.390	-	.290	-	-	-	-	-	-	-	.080	25
26	-	s.760	-	.130	.040	.050	-	-	.040	.090	.040	.020	26
27	-	-	-	-	.010	-	-	-	.360	.040	-	.030	27
28	-	-	-	.120	.040	-	-	-	.020	.180	-	.050	28
29	.070	X	-	.320	.030	-	.040	-	.010	.050	-	-	29
30	.040	X	-	.030	-	-	.080	-	-	.130	-	.050	30
31	.020	X	.120	X	-	X	-	.020	X	.140	X	-	31
TOTAL	2.100	2.590	2.930	1.350	2.050	2.020	3.120	.790	1.280	4.140	2.040	.480	YEAR'S TOTAL 24.890
*Days with ·01 in. or more.	14	15	12	7	16	11	13	7	11	19	15	10	150
*Days with .04 in. or more.	11	11	11	6	12	9	12	4	8	16	12	6	118

40-9999

*See Instruction 2 (*f*) on other side, D Davies (Signed) Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WATNALL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 468.02 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.090	-	-	-	-	-	-	.080	-	.230	-	.410		1
2	-	.040	.040	-	-	-	-	.150	.470	-	.100	.160		2
3	.050	.080	-	-	-	-	-	-	-	.020	.060	.010		3
4	.070	.010	.140	.550	Tr.	-	-	-	.040	.060	.020	.500		4
5	-	-	.120	.030	.160	-	-	.340	-	.020	.100	.080		5
6	-	-	.020	-	.405	.030	-	.110	-	.170	-	.580		6
7	.120	-	-	-	-	-	-	Tr.	-	.030	-	.280		7
8	-	-	.130	-	.100	.050	-	.090	-	.010	.390	Tr.		8
9	-	-	.210	.040	-	-	-	.030	.010	Tr.	.660	.140		9
10	.030	-	.390	.170	-	-	-	.130	-	-	.290	.020		10
11	.680	-	.130	.380	-	-	-	.060	-	-	-	.340		11
12	-	-	.280	.020	-	-	.080	.190	-	.010	-	.030		12
13	.580	-	-	.040	-	-	.480	.040	-	.040	.010	.150		13
14	.090	-	.350	-	.030	.050	-	-	-	.210	.410	.380		14
15	.050	-	.090	-	.100	-	-	Tr.	.060	.010	.140	-		15
16	.290	-	.130	-	.140	-	-	-	-	.020	.090	.070		16
17	.240	-	.070	.010	.030	-	Tr.	.060	.200	.040	Tr.	.100		17
18	.080	-	.040	.140	-	Tr.	.050	-	.040	-	-	.040		18
19	-	-	.220	.230	Tr.	.100	-	-	.020	-	-	.100		19
20	-	-	.030	.040	Tr.	-	-	-	-	-	-	-		20
21	-	-	-	-	Tr.	.110	-	.010	.020	.040	-	-		21
22	-	-	.010	-	-	-	-	.400	.230	-	-	Tr.		22
23	-	-	.030	.230	.020	-	.620	.010	-	.020	-	.150		23
24	-	.270	.120	.030	-	.090	-	-	.280	-	-	-		24
25	.080	-	-	.040	-	-	-	-	Tr.	.200	-	.590		25
26	.220	-	.030	.130	-	-	.020	-	.080	.010	-	Tr.		26
27	.010	.320	-	.190	-	-	.050	-	.040	.090	-	.090		27
28	-	-	-	.020	-	.170	Tr.	.360	-	-	-	.600		28
29	-	X	-	-	-	-	.050	.050	.410	.060	-	.180		29
30	.030	X	-	-	-	-	.210	-	.040	.030	-	.180		30
31	-	X	-	X	-	X	-	-	X	.140	X	Tr.		31
TOTAL	2.710	.720	2.580	2.290	.985	.600	1.560	2.110	1.940	1.460	2.270	5.180	Year's Total 24.405	24.41
*Days with ·01 in. or more.	16	5	20	17	8	7	8	16	14	21	11	23	166	
*Days with .04 in. or more.	13	4	15	12	5	6	7	13	11	11	9	20	126	126

49-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

Engineer & General Manager

CROWN COPYRIGHT RESERVED.

Section A for the entry of Daily Observations. Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WATNALL RESERVOIR,

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 468.02 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·150	-	-	·050	-	·040	Tr.	-	·610	·180	·140	·200		1
2	-	·020	·190	Tr.	-	·290	-	-	-	·440	-	·140		2
3	-	·110	·070	·040	-	·010	-	Tr.	·020	·270	·180	Tr.		3
4	-	-	Tr.	·050	-	·100	-	-	·100	·410	-	-		4
5	-	·290	·140	·070	-	·180	-	-	·070	·040	·120	-		5
6	·010	·040	-	·130	-	·250	-	-	-	-	-	-		6
7	Tr.	-	-	·480	-	·050	-	-	-	·260	·460	·140		7
8	-	-	-	·290	Tr.	-	-	-	-	·030	·110	·220		8
9	-	-	Tr.	·130	-	·200	-	-	-	·580	·150	·020		9
10	-	Tr.	·010	·060	-	-	-	-	-	-	·050	·010		10
11	·100	Tr.	-	-	-	·070	-	-	-	-	·120	·090		11
12	-	·020	-	-	-	·200	-	·020	·020	-	-	-		12
13	·110	·010	-	·140	·090	-	-	-	·050	Tr.	Tr.	-		13
14	-	-	-	-	·030	Tr.	·330	-	·220	-	·660	·130		14
15	-	·070	-	·700	·050	·110	-	-	·100	-	·240	·230		15
16	-	·110	·140	·030	-	·350	·110	-	·250	·110	·500	-		16
17	-	-	-	·280	-	·220	·160	-	·030	·080	·500	-		17
18	·030	-	-	·270	·030	·180	·080	-	·360	·160	·020	-		18
19	·010	-	-	·090	·040	·290	·030	-	·030	·090	·330	-		19
20	·010	·090	-	·320	-	·100	·080	-	-	-	·170	-		20
21	-	·800	-	·020	-	-	-	-	1·070	·010	·140	Tr.		21
22	-	·190	·040	·050	-	-	-	Tr.	·010	-	Tr.	·060		22
23	·010	-	·210	-	-	-	-	1·100	·030	·200	-	-		23
24	·140	·370	·080	-	-	-	-	Tr.	1·580	-	-	·350		24
25	·280	·040	-	·020	-	·230	-	-	-	-	Tr.	·020		25
26	·050	-	-	-	-	-	-	·770	·420	·090	·030	·440		26
27	-	·260	-	-	-	Tr.	·030	-	·220	·120	·200	·980		27
28	·040	·060	-	-	·060	-	-	-	·020	·010	·020	·080		28
29	-	X	·060	-	-	-	-	·020	·100	·080	·020	·080		29
30	·100	X	-	·110	-	-	-	·110	·080	·270	·330	·060		30
31	Tr.	X	-	X	-	X	-	-	X	·600	X	·200		31
TOTAL	1·040	2·480	·940	3·330	·300	2·870	·820	2·020	5·390	4·030	4·490	3·450	Year's Total. 31·160	
* Days with ·01 in. or more.	13	15	9	20	6	17	7	5	21	20	21	18	172	
* Days with ·04 in. or more.	8	12	8	17	4	16	5	3	14	17	17	15	136	

40-9999

† Spare column, no entries required.

(Signed) A W Davies

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at WATNALL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " Ground " Sea Level 468·09 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·070	·070	·480	–	Tr.	·050	·260	Tr.	–	·020	·030		1
2	·300	·030	·040	·090	–	·210	·120	·110	Tr.	–	·120	·040		2
3	·010	·030	–	–	–	·460	Tr.	·030	·220	–	–	–		3
4	·060	·050	·070	Tr.	–	·320	Tr.	·040	·180	Tr.	·070	·130		4
5	·060	·060	·150	–	Tr.	–	·020	·060	·030	–	Tr.	·340		5
6	·010	–	Tr.	–	·020	·070	·270	·200	·290	–	·080	–		6
7	·300	–	Tr.	–	–	–	·530	–	·050	–	·040	Tr.		7
8	·270	–	·070	–	–	–	·040	–	Tr.	·120	·190	·030		8
9	·270	–	·070	–	Tr.	·050	·450	–	·050	·100	·140	–		9
10	Tr.	–	–	Tr.	–	–	·670	·070	Tr.	–	–	Tr.		10
11	–	–	–	·120	–	·030	·150	·070	Tr.	–	·600	–		11
12	–	–	–	·090	·030	·310	·760	–	·460	–	·060	Tr.		12
13	–	–	–	·010	–	·180	–	–	–	·040	Tr.	·220		13
14	–	–	–	·080	–	·120	·680	–	·540	·020	·090	·200		14
15	s ·120	Tr.	Tr.	–	–	·100	·080	–	–	–	·380	·150		15
16	s ·160	·130	–	Tr.	–	–	·020	–	–	–	·530	Tr.		16
17	s ·030	·540	–	–	·080	–	·100	–	Tr.	·040	·040	·090		17
18	–	·010	–	–	–	–	·220	–	–	·130	–	·110		18
19	sl ·610	·050	·010	·260	–	·280	·020	·130	–	·090	–	–		19
20	·030	·100	Tr.	Tr.	–	–	Tr.	·040	–	·020	–	–		20
21	·050	–	·020	·100	–	·340	–	–	–	–	Tr.	–		21
22	Tr.	·330	·120	Tr.	·070	·510	·220	–	–	–	·020	·010		22
23	–	Tr.	·090	·120	·080	–	·750	–	–	·030	–	Tr.		23
24	·250	·100	–	–	Tr.	–	–	–	·180	·210	–	–		24
25	·070	–	·070	·350	–	·020	·080	–	·450	·020	–	–		25
26	Tr.	·050	·480	–	–	–	–	–	·080	·220	Tr.	–		26
27	·130	–	Tr.	–	–	–	–	–	·320	·150	–	–		27
28	·260	·100	·180	–	–	–	·020	–	Tr.	–	·050	·090		28
29	·360	·270	·120	–	–	·390	–	–	–	·040	·410	·040		29
30	·210	✕	–	–	·060	·170	·110	–	–	·330	·020	·020		30
31	·050	✕	·020	✕	–	✕	·020	–	✕	·090	✕	·220		31
TOTAL	3·610	1·920	1·580	1·700	·340	3·560	5·380	1·010	2·850	1·650	2·860	1·720	Year's Total 28·180	✓
* Days with .01 in. or more.	21	15	15	10	6	16	22	10	12	16	17	15	175	✓
* Days with .04 in. or more.	17	12	12	9	4	14	17	9	11	12	14	11	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies [P.T.O.

Engineer & ~~General Manager~~.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at WATNALL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 468·11 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·080	·070	-	-	Tr.	-	Tr.	-	·080	-	·060	·190		1
2	·050	·150	·020	·360	-	-	-	-	-	-	-	·860		2
3	-	·040	·010	·180	·150	-	·020	-	-	-	-	·210		3
4	·080	·180	·020	·020	·010	-	-	·050	-	-	-	^{s}·650		4
5	·380	-	·050	-	-	-	Tr.	·020	-	-	-	·010		5
6	-	-	·010	·010	·160	-	-	-	-	-	·030	Tr.		6
7	-	·380	Tr.	·250	·060	-	-	-	·010	-	-	Tr.		7
8	-	·280	-	-	Tr.	Tr.	-	-	-	-	·160	·080		8
9	-	·080	-	·030	·090	-	·510	·030	Tr.	-	-	-		9
10	·050	·060	^{s}·070	·120	-	·160	Tr.	-	-	Tr.	-	·110		10
11	-	-	·700	-	·610	-	Tr.	·020	-	Tr.	-	·020		11
12	·090	·280	·100	-	·300	·070	-	-	·180	-	-	·220		12
13	-	·050	-	-	-	·420	-	·020	·050	-	-	Tr.		13
14	-	-	·120	-	-	Tr.	-	·050	·020	-	-	^{s}·160		14
15	·120	·180	-	·360	-	-	✓ 2·100	-	·180	-	-	Tr.		15
16	·060	·210	·230	·230	-	-	-	·200	·320	-	-	Tr.		16
17	·160	Tr.	·200	·280	-	-	-	-	·440	-	-	-		17
18	·880	·050	·060	·180	-	-	·020	-	-	Tr.	·490	Tr.		18
19	·050	·150	·140	·060	-	·060	Tr.	·010	-	Tr.	·110	Tr.		19
20	·190	·070	-	·250	·650	Tr.	-	-	·070	Tr.	-	^{s}·020		20
21	·030	·040	Tr.	Tr.	-	-	·220	·030	-	·040	Tr.	·020		21
22	·030	Tr.	·020	Tr.	·020	-	·200	-	-	·240	·300	Tr.		22
23	·320	-	Tr.	-	·290	-	·140	-	-	1·120	·410	·020		23
24	·100	·630	·060	-	-	-	-	-	·060	·180	-	-		24
25	·050	·300	·150	-	·040	-	-	-	·080	·360	·010	Tr.		25
26	-	·230	·100	-	·370	-	-	-	-	-	Tr.	Tr.		26
27	-	·510	·020	·210	-	-	-	-	-	·650	-	·060		27
28	·030	·120	-	-	-	-	-	-	-	·010	-	·020		28
29	^{s}·030	X	-	-	-	·040	-	·040	-	-	·060	·020		29
30	·400	X	-	-	-	·030	-	Tr.	-	-	·090	·020		30
31	·400	X	-	X	-	X	-	-	X	·180	X	Tr.		31
TOTAL	3·580	4·060	2·080	2·540	2·750	·780	3·210	·470	1·490	2·780	1·720	2·690	Year's Total 28·150	✓
* Days with .01 in. or more.	21	21	18	14	12	6	7	10	11	8	10	17	155	✓
* Days with .04 in. or more.	17	21	12	11	10	5	5	4	9	7	8	9	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

Engineer & General Manager

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at WATNALL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 468·09 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	Tr.	·590	·240	·020	Tr.	·070	Tr.	·210		1
2	·050	·010	–	·090	–	·100	–	–	–	·100	–	·020		2
3	·030	–	–	–	Tr.	·040	–	–	·020	·690	·060	–		3
4	·040	–	Tr.	Tr.	–	·020	·430	·180	–	·100	·030	·330		4
5	–	–	–	–	–	–	·240	·030	Tr.	–	–	·010		5
6	·050	·050	Tr.	–	–	Tr.	·690	–	Tr.	·070	–	–		6
7	·170	Tr.	–	–	–	–	·140	·070	·020	·030	–	·060		7
8	·050	–	–	–	–	–	·110	·010	–	·290	–	Tr.		8
9	·420	·190	–	–	–	–	·040	·280	–	–	–	·310		9
10	–	·020	Tr.	–	–	–	·200	·020	–	–	–	·050		10
11	·490	–	–	–	–	–	·030	1·610	–	·020	·070	·020		11
12	·230	Tr.	Tr.	–	·130	–	–	–	–	·460	·100	–		12
13	Tr.	Tr.	Tr.	–	–	–	–	–	–	Tr.	·150	·180		13
14	·110	Tr.	Tr.	–	·060	–	·580	–	·120	–	Tr.	·020		14
15	·090	–	–	–	–	–	·360	Tr.	–	–	·020	·530		15
16	·300	–	Tr.	–	–	–	·200	Tr.	–	–	·040	·280		16
17	–	·040	–	–	·170	–	·070	Tr.	–	·320	–	Tr.		17
18	·080	–	–	–	·260	·030	–	·020	·200	·040	·280	–		18
19	–	–	–	–	–	–	–	·010	·050	–	–	s ·040		19
20	Tr.	–	–	–	–	–	–	–	·020	–	·370	s ·070		20
21	Tr.	–	Tr.	–	–	–	–	·170	–	–	Tr.	s ·100		21
22	–	–	–	–	–	·080	–	·010	–	–	·390	·060		22
23	–	–	–	–	–	·020	–	–	·120	–	–	Tr.		23
24	–	–	·050	–	·020	–	·270	–	·270	–	·050	·060		24
25	·140	·250	·030	–	–	–	·050	–	–	·200	·610	s ·240		25
26	·030	–	–	–	·020	Tr.	–	–	·260	·080	·060	·390		26
27	·050	·020	·060	–	·370	·180	·170	·010	·280	·020	·320	–		27
28	·060	Tr.	–	–	·340	·300	·110	·820	·400	–	–	·060		28
29	·140	X	–	·010	·770	–	·110	–	–	·030	·160	·120		29
30	·320	X	–	–	–	·030	–	–	·230	–	·030	·090		30
31	·150	X	–	X	·200	X	–	–	X	·180	X	·820		31
TOTAL	3·000	·580	·140	·100	2·340	1·390	4·040	3·260	1·990	2·700	2·740	4·070	Year's Total 26·350	✓
* Days with .01 in. or more.	20	7	3	2	10	10	18	14	12	16	16	23	151	✓
* Days with .04 in. or more.	18	4	2	1	8	6	17	6	9	12	13	19	115	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at WATNALL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 468·09 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·050	-	·060	-	-	-	-	·030	-	·020	-	·020		1
2	-	-	-	·170	-	-	-	·160	1·250	·110	·030	-		2
3	s·150	-	-	·330	-	-	-	·190	-	Tr.	·230	·220		3
4	s·070	-	·310	·290	-	-	·030	·500	-	·080	·010	·120		4
5	-	-	-	·020	·230	-	·090	·490	-	·090	·220	·300		5
6	sl ·500	-	·020	-	-	-	·380	Tr.	-	-	·050	-		6
7	·190	·060	-	-	·030	-	·200	-	-	-	·200	·410		7
8	Tr.	·100	·190	-	-	-	·250	·070	-	·100	·140	·380		8
9	-	·140	-	-	-	-	·060	·230	-	·740	-	·290		9
10	s ·050	-	·030	-	-	-	-	·220	Tr.	·080	-	-		10
11	·070	·010	·200	-	-	·050	-	·030	·100	·070	-	-		11
12	·020	·070	Tr.	-	·030	·130	-	-	-	Tr.	-	-		12
13	-	-	-	·030	Tr.	·140	·060	-	-	·300	-	·020		13
14	·910	-	·020	·240	·270	·160	·400	-	-	·070	·080	-		14
15	·320	-	Tr.	·010	·340	·340	·180	-	·030	·030	-	-		15
16	·060	Tr.	·100	-	·300	·090	·050	-	-	-	·180	-		16
17	·620	Tr.	·020	·080	·020	-	Tr.	-	-	·730	Tr.	-		17
18	·110	·040	·070	-	-	·280	·140	-	Tr.	Tr.	·690	-		18
19	·240	-	-	-	-	·090	2·070	-	-	-	-	-		19
20	·050	-	-	-	·010	·080	-	·080	-	-	-	-		20
21	·220	·300	·170	·040	-	·080	·740	·040	·040	-	-	-		21
22	·150	·210	·030	Tr.	-	-	·200	-	·030	-	·380	-		22
23	·020	-	-	·160	-	·020	·080	-	-	-	·420	-		23
24	s ·060	-	Tr.	·020	-	-	·070	Tr.	-	-	-	-		24
25	s ·870	·060	·030	Tr.	-	Tr.	·030	·380	-	-	·600	·040		25
26	·040	-	Tr.	·040	-	-	-	·010	-	·010	·100	-		26
27	Tr.	·110	·300	·080	-	·050	·030	-	-	·180	·040	s·030		27
28	Tr.	·250	·170	·040	-	·100	·230	·050	-	-	·210	-		28
29	-	X	-	·060	-	-	·380	-	-	·110	Tr.	-		29
30	-	X	-	-	-	·060	·020	-	-	-	·130	-		30
31	-	X	-	X	-	X	-	·030	X	·010	X	-		31
TOTAL	4·770	1·350	1·720	1·610	1·230	1·670	5·690	2·510	1·450	2·730	3·710	1·830	Year's Total 30·270	
* Days with .01 in. or more.	21	11	15	15	8	14	21	15	5	16	17	10	168	
* Days with .04 in. or more.	19	10	9	11	4	13	17	11	3	12	15	7	131	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at WATNALL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 468·09 ft.

Jan 26-7, Feb 16 estd for snow – observer not notified

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	S ·140	Tr.	·050	–	–	–	–	–	–	·210	–		1
2	–	S ·030	–	·170	–	–	Tr.	–	–	–	·250	·080		2
3	Tr.	·340	–	·090	–	–	Tr.	–	–	·090	·180	·050		3
4	–	·120	–	Tr.	–	–	Tr.	–	–	·090	·210	·050		4
5	–	·030	–	–	·030	–	·040	–	–	·070	·170	·080		5
6	·010	·430	–	–	–	–	–	–	–	·350	·080	·040		6
7	·070	·130	–	·040	·070	–	–	–	·020	·010	–	Tr.		7
8	–	–	–	Tr.	–	·110	Tr.	–	–	·030	–	·180		8
9	–	–	·180	Tr.	–	·050	·050	·010	·050	·020	·260	·030		9
10	–	–	Tr.	–	–	–	·510	·060	–	–	·080	·250		10
11	–	Tr.	·030	·010	–	–	·190	–	Tr.	–	·220	–		11
12	–	·010	·110	–	–	–	·070	–	·060	–	·220	–		12
13	–	·020	·210	–	–	–	–	–	·130	–	–	–		13
14	–	·010	–	·060	·270	–	–	–	–	·010	–	·120		14
15	–	·030	Tr.	Tr.	–	·020	Tr.	–	·090	·190	·060	Tr.		15
16	S ·020	(·49) ~~·190~~	·310	·040	–	·010	·730	–	·060	1·100	·590	–		16
17	–	–	·530	–	–	–	Tr.	–	–	–	·490	–		17
18	·080	·260	·110	·340	–	–	–	·060	–	·060	Tr.	·030		18
19	–	·090	·060	·320	–	·010	·110	–	–	·120	·060	·020		19
20	–	·020	–	–	–	·070	·090	·040	–	·080	·020	–		20
21	S ·040	–	Tr.	·060	–	·340	·070	–	–	·060	·790	–		21
22	–	–	·050	–	·240	·140	–	Tr.	·040	–	–	–		22
23	–	·100	–	·030	·270	·070	Tr.	–	–	·030	–	·020		23
24	·020	–	·060	·010	–	–	Tr.	–	–	·030	–	–		24
25	–	–	–	Tr.	–	·050	–	–	–	Tr.	–	–		25
26	S ~~·050~~ ·49	·060	–	·050	·140	·020	·160	·010	–	·020	–	–		26
27	S ~~·740~~	·070	–	·430	–	–	·110	·030	–	–	·010	–		27
28	S ·300	·300	–	Tr.	·150	–	–	Tr.	–	–	–	–		28
29	–	–	·200	·040	·050	·090	–	–	–	Tr.	–	·090		29
30	S ·140	✕	–	Tr.	–	–	–	–	–	·150	–	·040		30
31	S ·170	✕	·050	✕	–	✕	–	–	✕	·510	✕	·020	22·27	31
TOTAL	2·94 ~~2·240~~	2·68 ~~2·380~~	1·900	1·740	1·220	·980	2·130	·210	·450	3·020	3·900	1·100	Year's Total ~~21·270~~	
* Days with .01 in. or more.	11	19	12	15	8	12	11	6	7	19	17	15	152	
* Days with .04 in. or more.	8	12	11	12	7	8	11	3	6	13	15	10	115	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Engineer & General Manager.

P.T.O.

2597

Section **A** for the en

AIR MIN

ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REC

1.

2597 — 116346

East Wood Waterworks

1931-40

780410

Kept at EASTWOOD

in the County of N

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING ME

An observer who does not confor

year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.020	s .015	.030	-	.320	-	-	.080	.015	-	-	1
2	-	.030	-	.550	.015	.100	-	.010	.300	.030	.010	.080	2
3	.040	-	-	.080	-	-	.050	-	1.500	.030	.135	.160	3
4	.010	.100	-	.100	-	-	.560	.100	.140	-	.060	.015	4
5	-	.070	-	.045	.050	.940	-	-	.080	-	-	.600	5
6	-	.220	.010	-	-	.210	.140	-	.010	.130	.060	-	6
7	.010	-	.015	-	-	.270	.455	.600	-	.060	.140	.030	7
8	.025	.110	s .050	.040	-	-	.075	.700	-	-	.220	.010	8
9	-	.300	s .045	.080	-	.040	.010	.190	-	-	.360	-	9
10	.010	.100	s .020	-	.050	.060	.030	.045	.010	-	.065	-	10
11	.045	.410	-	-	.030	.025	.045	-	.250	-	-	-	11
12	.065	.085	-	-	-	-	1.010	-	.150	.010	.150	-	12
13	-	-	.010	.010	.010	-	.280	.190	-	-	-	-	13
14	-	.045	-	-	.015	.520	.710	.925	.015	-	.540	-	14
15	.010	.135	-	.020	.040	-	.190	.120	.130	-	.060	.030	15
16	.100	.330	-	.170	.325	.660	.010	.170	.090	-	-	-	16
17	.015	.260	-	.405	.620	.060	.040	-	-	-	-	-	17
18	.060	-	-	.370	-	.345	.170	.050	-	-	.630	-	18
19	.060	.030	-	.260	-	.260	.015	.220	-	.010	-	-	19
20	-	.025	-	.060	-	-	-	.570	-	-	.015	.025	20
21	.335	.010	-	-	.450	-	-	.155	-	-	.260	-	21
22	.100	-	-	-	.010	-	-	-	-	-	.010	-	22
23	.160	-	-	.120	.355	.180	-	-	-	-	.385	.010	23
24	.010	-	-	.100	.550	-	.130	-	-	.025	.010	.015	24
25	.200	.010	-	.650	.020	-	.760	-	-	-	.030	-	25
26	-	.015	-	.470	-	-	.165	-	-	-	.210	-	26
27	.200	.330	-	-	.040	-	.010	-	-	.105	.365	.170	27
28	.050	s .360	-	.030	.185	-	-	-	-	-	-	.160	28
29	.080	X	-	-	.120	-	.130	-	-	.190	.010	.035	29
30	.015	X	-	.020	-	.065	-	-	-	-	-	-	30
31	.320	X	-	X	-	X	-	-	X	[illegible]	X	.030	31
TOTAL	1.920	2.995	7 .1~~65~~	3.610	2.885	6 4.0~~55~~	4.985	5 4.0~~45~~	2.755	1 .6~~05~~	3.725	1.370	YEAR'S TOTAL 33.115
*Days with ·01 in. or more.	22	21	7	20	17	15	21	14	12	10	21	14	194
*Days with ·04 in. or more.	14	14	2	15	11	14	16	13	9	4	15	5	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Engineer & General Manager.

P.T.O.

3.51	1.98	3.16	7.70	7.07	[illegible]
3.44	2.58	4.77	11.34	7.98	5.08
3.05	2.29	9.76	11.06	7.27	5.31
3.29	2.10	3.38	9.99	7.70	2.92
3.38	2.60	4.35	11.62	[illegible]	[illegible]

2597

Section **A** for the en
AIR MIN

COPY FOR OFFICIAL USE.
BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 1.

Kept at EASTWOOD FILTRATION WORKS,
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3¼ in.
,, Ground ,, Sea Level 242.88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.020	s .015	.030	-	.320	-	-	.080	.015	-	-	1
2	-	.030	-	.550	.015	.100	-	.010	.300	.030	.010	.080	2
3	.040	-	-	.080	-	-	.050	-	1.500	.030	.135	.160	3
4	.010	.100	-	.100	-	-	.560	.100	.140	-	.060	.015	4
5	-	.070	-	.045	.050	.940	-	-	.080	-	-	.600	5
6	-	.220	.010	-	-	.210	.140	-	.010	.130	.060	-	6
7	.010	-	.015	-	-	.270	.455	.600	-	.060	.140	.030	7
8	.025	.110	s .050	.040	-	-	.075	.700	-	-	.220	.010	8
9	-	.300	s .045	.080	-	.040	.010	.190	-	-	.360	-	9
10	.010	.100	s .020	-	.050	.060	.030	.045	.010	-	.065	-	10
11	.045	.410	-	-	.030	.025	.045	-	.250	-	-	-	11
12	.065	.085	-	-	-	-	1.010	-	.150	.010	.150	-	12
13	-	-	.010	.010	.010	-	.280	.190	-	-	-	-	13
14	-	.045	-	-	.015	.520	.710	.925	.015	-	.540	-	14
15	.010	.135	-	.020	.040	-	.190	.120	.130	-	.060	.030	15
16	.100	.330	-	.170	.325	.660	.010	.170	.090	-	-	-	16
17	.015	.260	-	.405	.620	.060	.040	-	-	-	-	-	17
18	.060	-	-	.370	-	.345	.170	.050	-	-	.630	-	18
19	.060	.030	-	.260	-	.260	.015	.220	-	.010	-	-	19
20	-	.025	-	.060	-	-	-	.570	-	-	.015	.025	20
21	.335	.010	-	-	.450	-	-	.155	-	-	.260	-	21
22	.100	-	-	-	.010	-	-	-	-	-	.010	-	22
23	.160	-	-	.120	.355	.180	-	-	-	-	.385	.010	23
24	.010	-	-	.100	.550	-	.130	-	-	.025	.010	.015	24
25	.200	.010	-	.650	.020	-	.760	-	-	-	.030	-	25
26	-	.015	-	.470	-	-	.165	-	-	-	.210	-	26
27	.200	.330	-	-	.040	-	.010	-	-	.105	.365	.170	27
28	.050	s .360	-	.030	.185	-	-	-	-	-	-	.160	28
29	.080	X	-	-	.120	-	.130	-	-	.190	.010	.035	29
30	.015	X	-	.020	-	.065	-	-	-	-	-	-	30
31	.320	X	-	X	-	X	-	-	X	-	X	.030	31
TOTAL	1.92~~0~~	2.99~~5~~	.1~~65~~7	3.61~~0~~	2.88~~5~~	4.0~~55~~6	4.98~~5~~	4.0~~45~~5	2.75~~5~~	.6~~05~~1	3.72~~5~~	1.37~~0~~	YEAR'S TOTAL 33.11~~5~~
*Days with ·01 in. or more.	22	21	7	20	17	15	21	14	12	10	21	14	194
*Days with ·04 in. or more.	14	14	2	15	11	14	16	13	9	4	15	5	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)
Engineer & General Manager.

[P.T.O.

2597

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at EASTWOOD FILTRATION WORKS

in the County of NOTTINGHAM

*Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

* ,, Ground ,, Sea Level 242.88 ft.

* **THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.125	.015	-	.175	.190	-	.050	.120	.110	.130	.035	.010	1
2	.050	-	-	-	.130	-	-	.020	.230	.125	.010	.035	2
3	-	-	-	.285	.010	-	-	-	-	-	-	.030	3
4	.040	-	-	.110	-	-	-	-	-	.010	.275	-	4
5	.240	-	.050	.015	.030	-	-	-	.030	-	-	-	5
6	.810	-	.150	.140	-	-	.030	-	.085	-	-	-	6
7	.010	-	.275	.130	-	-	-	-	.080	.050	-	-	7
8	.010	.015	-	.115	-	-	-	-	.220	.060	-	-	8
9	.020	s.175	.030	.075	.185	-	-	-	-	-	-	.010	9
10	.100	s.010	-	.065	.010	-	-	-	.295	.160	-	-	10
11	.010	s.020	.060	.055	.220	.225	.020	-	.030	.015	.020	-	11
12	.280	-	-	.030	.035	-	-	.015	-	.400	.020	-	12
13	.010	.100	-	.075	.030	-	1.040	-	.010	.100	.060	.035	13
14	.040	-	-	.095	.010	-	.185	.350	-	.010	.075	.020	14
15	-	-	-	.100	.200	-	-	-	-	.040	-	.060	15
16	.335	-	-	.360	.225	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	.030	-	.020	.160	-	-	17
18	-	-	-	-	.065	-	-	-	-	.010	-	-	18
19	-	.015	-	.025	-	-	-	-	-	.210	-	-	19
20	-	-	-	.040	.945	-	-	.300	-	.260	.130	-	20
21	-	-	.180	.045	2.075	-	-	.320	-	.320	.010	.130	21
22	-	-	.290	.025	.380	.010	.210	-	.350	.030	.330	.050	22
23	-	.015	.025	-	.380	-	.030	-	.075	.070	.170	.035	23
24	.015	-	-	-	.010	-	1.020	-	.065	-	.130	-	24
25	.010	.035	-	-	-	.050	.010	-	.030	.155	.010	-	25
26	-	-	-	.310	.380	.020	.065	-	.015	.010	.030	-	26
27	-	-	.340	.260	.510	.055	.095	-	-	-	.145	-	27
28	-	.010	.210	.100	.215	-	.120	.330	-	.015	-	.010	28
29	-	-	.170	.135	.325	.200	.040	.050	.080	.440	.100	.215	29
30	-	×	.090	-	.165	.520	.060	.070	-	.060	.250	.135	30
31	-	×	.030	×	.020	×	.720	-	×	-	×	.080	31
TOTAL	2.105	.410	1.900	2.765	6.745	1.080	3.725	1.575	1.725	2.840	1.800	.855	YEAR'S TOTAL 27.525
*Days with ·01 in. or more.	16	10	13	23	24	7	16	9	16	23	17	14	188
*Days with ·04 in. or more.	9	2	10	19	16	5	11	7	10	16	10	6	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Engineer & General Manager

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at EASTWOOD FILTRATION WORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3¼ in.

„ Ground „ Sea Level 242.88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.225	.255	.060	-	-	.010	-	-	-	.015	.030	-	1
2	.270	-	.360	-	Tr.	-	-	-	-	-	.065	-	2
3	.020	.135	.195	-	.140	-	-	-	-	-	.030	-	3
4	.080	Tr.	-	-	.185	-	-	-	-	-	-	-	4
5	.230	.015	.150	-	.070	-	-	-	-	-	.010	-	5
6	-	.135	.025	-	.585	-	-	-	-	.010	-	.040	6
7	.010	.270	-	-	.050	-	.045	-	-	.240	-	-	7
8	.020	Tr.	.050	-	.080	-	.310	-	-	-	-	.015s	8
9	-	-	-	-	Tr.	-	.270	-	-	1.150	.035	-	9
10	.010	.175	-	-	-	.075	.125	.010	-	1.950	.010	-	10
11	-	-	-	-	-	-	.025	.020	-	.025	-	-	11
12	.040	-	-	-	-	.025	.115	-	-	-	-	.070s	12
13	.030	-	-	-	.210	.010	.255	Tr.	.090	.025	.090	-	13
14	.010	Tr.	-	-	.040	-	.055	.070	-	.020	.330	-	14
15	s.955	-	.020	-	-	-	.450	.160	-	.100	.435	.065	15
16	s.150	-	.570	-	.065	.110	.025	-	-	.070	.085	.010	16
17	s.050	Tr.	.945	-	-	.080	-	-	.075	-	.100	-	17
18	-	s.030	.100	-	Tr.	.865	-	-	-	-	.060	-	18
19	-	s.015	.210	-	-	Tr.	-	-	.050	-	-	.020	19
20	-	s.015	-	-	.010	.060	-	.120	-	.025	.010	-	20
21	-	-	-	-	.070	.130	-	.040	.015	.015	-	-	21
22	-	-	-	-	-	.020	-	.220	-	.380	.015	-	22
23	-	-	-	.220	-	-	-	-	.175	.010	-	-	23
24	-	s.330	-	.265	.035	.295	-	-	.230	.020	.025	-	24
25	-	s.830	-	.320	-	-	-	-	-	-	.030	.050	25
26	-	s.815	-	.120	.040	.050	-	-	.030	.070	.035	.015	26
27	-	-	-	-	-	-	-	-	.300	.060	Tr.	.010	27
28	-	-	-	.175	Tr.	-	.010	-	.010	.100	-	.025	28
29	.035	X	.010	.240	.060	-	.060	-	-	.065	-	.010	29
30	.045	X	.010	.020	-	-	.050	-	-	.100	-	.020	30
31	.020	X	.070	X	-	X	.010	.010	X	.120	X	-	31
TOTAL	2.200	3.020	2.775	1.360	1.640	1.730	1.805	.650	.975	4.570	1.395	.350	YEAR'S TOTAL 22.470
*Days with ·01 in. or more.	17	12	14	7	14	12	14	8	9	21	17	12	157
*Days with .04 in. or more.	9	8	10	6	12	8	10	5	6	12	7	4	97

40-9999

*See Instruction 2 (*f*) on other side.

Signed Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at EASTWOOD FILTRATION WORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3¼ in.

,, Ground ,, Sea Level 242.88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.040	-	-	-	-	-	-	.090	-	.130	-	.370		1
2	.015	.025	.010	-	-	-	-	.140	.460	.010	.115	.200		2
3	-	.040	-	-	-	-	-	-	-	.040	.050	.010		3
4	.080	Tr.	.115	.490	.050	-	-	-	.020	.170	.015	.465		4
5	.010	-	.065	.020	.135	-	-	.270	-	.030	.060	.055		5
6	-	-	-	.010	.335	.045	-	.040	-	.180	-	.540		6
7	.080	-	-	-	.015	.010	-	-	-	.040	-	.285		7
8	-	-	-	-	.075	.030	-	.055	-	.010	.375	.015		8
9	.010	-	.300	.030	-	-	-	.020	.010	.010	.510	.120		9
10	.010	-	.270	.200	-	-	-	.270	-	-	.255	.010		10
11	.620	-	.050	.320	-	-	-	.040	-	-	-	.330		11
12	.010	.010	.210	.010	-	-	.080	.175	-	.010	-	.060		12
13	.580	-	-	.025	.010	-	.375	.050	-	.030	Tr.	.130		13
14	.090	-	.240	-	.040	.060	-	-	-	.220	.340	.350		14
15	.070	-	.065	-	.110	-	-	.010	.650	.010	.145	.045		15
16	.275	-	.100	-	.135	-	-	-	-	.015	.060	.100		16
17	.230	.010	.030	-	.025	-	.035	.055	.200	.025	-	.120		17
18	.060	-	.045	.205	.010	.030	-	-	.030	-	.010	.040		18
19	-	-	.200	.100	-	.050	-	.010	.010	-	-	.085		19
20	-	-	.010	.035	.010	-	-	-	-	-	-	-		20
21	-	-	-	-	-	.090	-	.010	.035	.020	-	.010		21
22	.010	-	-	-	-	.010	-	.250	.320	.010	-	.010		22
23	-	-	.045	.270	.050	.010	.575	-	-	.015	.010	.095		23
24	-	.170	.100	.010	-	.030	-	-	.265	-	-	-		24
25	.070	.010	-	.025	.010	-	-	-	.010	.115	-	.540		25
26	.155	-	.030	.120	-	.025	.020	-	.030	.010	-	.020		26
27	-	s.360	-	.140	-	-	.050	-	.040	.060	-	.110		27
28	-	-	-	.010	-	.080	-	.330	-	.015	-	.600		28
29	-	X	-	-	-	-	.040	.070	.400	.065	-	.150		29
30	.025	X	-	-	-	-	.100	-	.020	.140	-	.310		30
31	Tr.	X	-	X	-	X	-	-	X	.040	X	.010		31
TOTAL	2.440	.625	1.885	2.020	1.010	.470	1.275	1.885	2.500	1.420	1.945	5.185	Year's Total 22.660	
*Days with ·01 in. or more.	19	7	17	17	14	12	8	17	15	25	12	29	192	
*Days with .04 in. or more.	12	3	13	8	8	5	6	13	7	11	9	22	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies

Engineer & General Manager.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at EASTWOOD FILTRATION WORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3¼ in.

,, Ground ,, Sea Level 242.88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.110	-	-	.070	-	.035	-	-	.570	.210	.145	·290		1
2	-	.010	.010	.010	-	.530	-	-	-	.510	-	·190		2
3	-	.100	.085	.040	-	.025	-	-	.050	.310	.215	·010		3
4	-	-	.010	.020	-	.090	-	-	.080	.430	-	-		4
5	-	.260	.130	.090	-	1.110	-	-	.065	.020	.100	-		5
6	.010	.025	-	.110	-	.240	-	-	-	-	-	·010		6
7	.010	-	-	.430	-	.040	-	-	-	.275	.400	·160		7
8	-	-	-	.200	-	-	-	-	-	.030	.100	·175		8
9	-	-	-	.100	-	.210	-	-	-	.660	.220	·030		9
10	-	.010	.010	.025	-	.010	-	-	-	-	.040	-		10
11	.220	-	-	-	-	.125	-	-	-	-	.130	·060		11
12	-	.010	-	-	-	.145	-	.020	.050	-	.010	-		12
13	.060	.010	-	.120	.050	-	-	-	.030	.010	.010	-		13
14	-	-	-	.010	.075	-	.540	-	.310	-	.850	·150	S.	14
15	-	.080	-	.590	.050	-	-	-	.110	-	.240	·340	S.	15
16	-	.110	.150	.015	-	.430	.120	-	.300	.100	.680	-		16
17	-	-	-	.310	-	.230	.085	-	.060	.070	.550	-		17
18	.010	-	-	.410	.025	.130	.090	-	.390	.210	.010	-		18
19	-	-	-	.095	.040	.280	.035	-	.040	.110	.310	·030		19
20	.010	.080	-	.285	-	.100	.010	-	-	-	.200	-		20
21	-	.910	-	.040	-	-	-	-	.750	.020	.120	·020	S.	21
22	-	s.210	-	.010	-	-	-	-	.010	-	.010	·015	S.	22
23	.035	-	.250	-	-	-	-	.890	.050	.220	-	-		23
24	.140	.440	.055	-	-	-	-	-	1.450	-	-	·420		24
25	s.360	.040	-	.010	-	.160	-	-	-	-	-	·050		25
26	s.250	-	-	-	-	-	-	.840	.385	.110	.045	·470		26
27	-	.210	-	-	-	-	.020	-	.260	.170	.190	·910		27
28	s.075	.060	-	-	.030	-	-	-	.015	.020	.030	·265		28
29	.010	x	.055	-	-	-	-	-	.090	.085	.020	·090		29
30	.070	×	-	.060	-	-	-	.075	.100	.360	.380	·050		30
31	-	×	-	×	-	×	-	-	×	.550	×	·170		31
TOTAL	1.370	2.565	.755	3.050	.270	3.890	.900	1.825	5.165	4.480	5.005	3·905	Year's Total. 33·180	
* Days with .01 in. or more.	14	16	9	22	6	17	7	4	21	21	24	21	182	
* Days with .04 in. or more.	8	11	6	15	4	14	4	3	18	16	18	15	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A W Davies

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at EASTWOOD FILTRATION WORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

" Ground " Sea Level 242·88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·110	·075	·450	-	·010	·090	·285	·015	-	·020	·025		1
2	·260	·050	·100	·060	-	·180	·160	·100	-	-	·120	·020		2
3	·010	·020	-	-	-	·750	-	·010	·330	-	-	-		3
4	·060	·060	·085	-	-	·170	-	·035	·315	-	·080	·150		4
5	·060	·045	·185	-	·010	-	·015	·060	·020	-	-	·415		5
6	·020	-	Tr.	-	-	·065	·260	·180	·325	-	·110	-		6
7	·270	-	·085	-	-	-	1·050	-	·070	·020	·035	·015		7
8	·275	-	·050	-	-	-	·060	-	-	·150	·190	·020		8
9	·240	-	·165	-	-	·045	·270	-	·060	·100	·120	-		9
10	·020	-	-	·015	-	-	·470	·115	-	-	-	·010		10
11	-	-	-	·090	-	·025	·080	·010	·060	-	·680	-		11
12	-	-	-	·095	·015	·520	·720	-	·430	-	·080	·030		12
13	-	-	-	·025	-	·130	-	-	-	·030	·010	·290		13
14	-	-	-	·090	-	·310	·100	-	·670	·020	·100	·170		14
15	s ·090	·020	·010	·010	·010	·030	·060	-	-	-	·400	·150		15
16	s ·140	·100	-	-	-	-	·090	-	-	-	·545	-		16
17	s ·030	·560	-	-	·010	-	·060	-	-	·070	·040	·130		17
18	-	·040	-	-	-	·010	·230	-	-	·150	·010	·280		18
19	sl ·580	·070	·010	·260	-	·150	·010	·135	-	·100	-	-		19
20	·065	·100	·045	-	-	-	-	·020	-	·030	-	-		20
21	·080	-	·040	·110	-	·300	-	-	-	-	-	-		21
22	·010	·340	·125	·010	·065	·200	·210	-	-	-	·020	·010		22
23	-	·010	·035	·135	·050	-	·760	-	-	·035	-	-		23
24	·265	·075	-	-	-	-	-	-	·130	·250	-	-		24
25	·065	-	·045	·470	-	·050	·110	-	·480	·030	-	-		25
26	-	·055	·430	·015	-	-	·025	-	·030	·250	·020	-		26
27	·160	-	·010	-	-	-	-	-	·180	·180	-	·100		27
28	·300	·100	·100	-	-	-	·010	-	-	-	·025	·100		28
29	·240	·265	·180	-	-	·330	-	-	-	·040	·270	·050		29
30	·220	✕	-	-	·070	·220	·100	-	-	·390	·020	·020		30
31	·080	✕	·020	✕	-	✕	·015	-	✕	·060	✕	·190		31
TOTAL	3·540	2·020	1·795	1·835	·230	3·495	4·955	·950	3·115	1·905	2·895	2·175	Year's Total 28·910	✓
* Days with .01 in. or more.	23	17	19	14	7	18	23	10	14	17	20	19	201	✓
* Days with .04 in. or more.	18	14	14	9	3	14	18	6	11	11	12	11	141	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at EASTWOOD FILTRATION WORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

" Ground " Sea Level 242·88 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·050	·060	-	-	-	-	-	-	·080	-	·040	·180		1
2	·050	·150	·035	·320	-	-	-	-	-	-	-	·890		2
3	-	·050	-	·160	·190	-	·020	·010	-	-	-	·160		3
4	·070	·270	·020	·015	·035	-	-	·020	-	-	-	s ·670		4
5	·445	-	·025	-	-	-	-	-	-	Tr.	-	-		5
6	-	-	·010	·010	·100	-	-	-	-	-	·020	·040		6
7	-	·440	-	·380	·095	-	-	-	·010	-	-	-		7
8	·010	·260	-	·010	-	-	-	-	-	-	·120	·030		8
9	-	·120	-	·030	·090	-	·510	·090	·010	-	-	s ·010		9
10	·035	·090	s ·210	·065	·020	·070	-	-	-	·020	-	·150		10
11	-	-	·650	-	·500	-	-	·010	-	-	-	·050		11
12	·100	·270	·070	-	·200	·060	-	-	·170	-	-	·200		12
13	-	·050	-	-	-	·270	-	·070	·030	-	-	·080		13
14	-	-	·110	-	-	-	-	·120	·010	-	·010	s ·110		14
15	·170	·170	-	·420	-	-	2·140	-	·210	-	-	·020		15
16	·020	·220	·210	·250	·010	-	-	·100	·300	-	-	-		16
17	·170	·020	·210	·130	-	-	-	-	·520	-	-	-		17
18	·800	·050	·080	·050	-	-	·015	-	·010	-	·420	-		18
19	·050	·170	·075	·075	-	·050	·075	·015	-	-	·120	-		19
20	·180	·040	-	·225	·650	·020	-	-	·010	-	-	s ·010		20
21	·020	·035	-	-	-	-	·240	-	-	·020	-	·030		21
22	·030	·020	·020	·010	·110	-	·240	-	-	·200	·210	·010		22
23	·300	-	·020	-	·170	-	·050	-	-	1·050	·290	-		23
24	·100	·540	·065	-	·040	-	·020	-	·050	·220	-	-		24
25	·020	·270	·220	-	·070	-	-	-	·010	·300	-	-		25
26	-	·210	·110	-	·310	-	-	-	-	-	-	·010		26
27	-	s ·450	-	·220	-	-	-	-	-	·550	-	·020		27
28	-	s ·150	-	-	-	-	-	-	-	·010	-	·020		28
29	s ·100	X	-	-	-	·015	-	-	-	·010	·085	·010		29
30	·535	X	-	-	-	·040	-	-	-	-	·090	·010		30
31	·460	X	-	X	-	X	-	-	X	·150	X	·025		31
TOTAL	3·715	1 4·105	2·140	2·370	2·590	3 ·525	3·310	·435	1·420	2·530	1 1·405	2·735	Year's Total 27·280	✓ ✓
* Days with .01 in. or more.	21	23	17	16	15	7	9	8	13	10	10	22	171	✓ ✓
* Days with .04 in. or more.	15	20	11	11	12	5	6	4	6	6	8	10	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at EASTWOOD FILTRATION WORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

,, Ground ,, Sea Level 242·88 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	·610	·430	·015	·010	·080	·010	·120		1
2	·010	·020	-	·100	-	·100	·020	-	-	·080	-	·020		2
3	·025	-	-	-	-	·030	·060	-	·110	·870	·070	-		3
4	·040	-	-	-	-	·020	·550	·050	-	·075	·025	·350		4
5	-	-	-	-	-	-	·420	·025	·015	·010	-	·015		5
6	·030	·050	-	-	-	·010	·810	-	-	·060	-	·010		6
7	·180	-	-	-	-	-	·095	·080	·040	·050	-	·040		7
8	·350	-	-	-	-	-	·110	-	-	·320	-	·030		8
9	·040	·210	-	-	-	-	·020	·410	·010	-	-	·280		9
10	-	·020	-	-	-	-	·210	·010	-	-	-	·040		10
11	·480	-	-	-	-	-	·070	·450	-	·070	·070	·020		11
12	·270	-	-	-	·135	-	-	·010	-	·420	·120	-		12
13	·010	S ·070	-	-	-	-	-	-	-	·010	·160	·490		13
14	·090	·010	-	-	·060	-	·680	-	·100	-	·025	·010		14
15	·180	-	-	-	-	-	·200	·030	-	-	·010	·330		15
16	·230	-	-	-	-	-	·180	·015	-	·040	·030	·240		16
17	-	·020	-	-	·130	-	·035	·010	·020	·220	·010	·080		17
18	·060	-	-	-	·150	·050	-	·050	·900	·040	·285	-		18
19	-	-	-	-	-	-	-	·050	·010	-	·050	S ·040		19
20	·010	-	-	-	-	-	-	·010	·030	-	·375	S ·120		20
21	-	-	-	-	-	-	-	·065	·010	-	·010	S ·320		21
22	·010	-	-	-	-	·300	-	-	-	-	·420	·210		22
23	-	-	-	Tr.	·020	·015	-	-	·070	-	·040	-		23
24	-	-	·040	-	·010	-	·550	·015	·280	-	·040	-		24
25	·130	·240	·035	-	-	-	·030	·020	-	·200	·600	S ·230		25
26	·040	·170	·050	-	·050	·120	-	-	·260	·100	·055	·070		26
27	·080	·060	-	-	·240	·125	·220	·340	·300	·020	·310	-		27
28	·180	·010	-	-	·380	·280	·200	·410	·500	-	·015	·050		28
29	·345	X	-	·030	·680	-	·050	·010	-	·035	·200	·120		29
30	·080	X	-	-	-	·060	-	-	·265	-	·150	·160		30
31	·070	X	-	X	·245	X	-	-	X	·180	X	·890		31
TOTAL	2·940	·880	·125	·130	2·100	1·720	4·940	2·075	2·930	2·880	3·080	4·285	Year's Total 28·085 ✓	
* Days with .01 in. or more.	23	11	3	2	11	12	20	20	17	19	23	25	186 ✓	
* Days with .04 in. or more.	17	6	2	1	9	8	16	9	10	15	15	19	127 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... D.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at EASTWOOD FILTRATION WORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3¼ in.

,, Ground ,, Sea Level 242·88 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·080	-	·070	·060	-	-	-	·030	·040	·050	-	·020		1
2	·040	-	-	·090	-	-	·030	·120	1·130	·080	·020	·010		2
3	s ·290	-	-	·250	-	-	-	·260	-	-	·380	·250		3
4	s ·220	-	·300	·340	-	-	·040	·410	·170	·140	·020	·150		4
5	-	-	-	·020	·350	-	·060	·760	-	·060	·280	·280		5
6	sl ·620	-	·035	-	-	-	·390	-	-	·020	·050	-		6
7	·070	·050	-	-	-	-	·170	·020	-	-	·150	·630		7
8	·010	·120	·210	-	-	-	·250	·090	-	·120	·270	·390		8
9	·010	·160	-	-	-	-	·070	·260	-	·830	·080	·310		9
10	sl ·650	-	·040	-	-	-	-	·120	·150	·110	·010	·010		10
11	·150	-	·175	-	-	·110	-	·310	·060	·140	·150	-		11
12	·025	·080	-	-	-	·120	-	-	-	·030	-	-		12
13	-	-	-	·210	·030	·130	·110	-	-	·240	-	·020		13
14	·720	-	·010	·110	·230	·140	·460	·010	-	·080	·190	-		14
15	·200	-	·020	·080	·310	·340	·190	-	-	·010	·010	-		15
16	·090	-	·090	-	·250	·050	·210	-	-	-	·170	-		16
17	·510	·050	-	·030	·020	-	·020	-	-	·860	·250	-		17
18	·115	-	·070	-	-	·330	·020	-	·010	Tr.	·630	-		18
19	·230	-	-	-	-	·040	1·150	·010	-	-	-	-		19
20	·025	-	-	-	-	·210	·040	·110	-	·110	-	-		20
21	·200	·050	·170	·040	·160	·110	·120	·170	·030	-	-	-		21
22	·130	·580	·035	-	-	·020	·210	-	-	·030	·590	-		22
23	·010	·030	·010	·190	-	·010	·110	-	-	-	·410	-		23
24	s ·050	-	-	·020	-	-	·130	-	-	-	-	-		24
25	s ·780	·035	sl ·020	-	-	-	·020	·340	-	-	·670	·030		25
26	·040	-	sl ·010	·030	-	-	-	·010	-	·050	·160	·020		26
27	-	·130	·305	·030	-	·060	·020	-	-	·150	·040	s ·010		27
28	·040	·290	·105	·310	-	·040	·110	·070	-	·050	·220	s ·010		28
29	-	X	·070	·320	-	·010	·380	-	·010	·190	·010	-		29
30	-	X	-	-	-	·070	·220	-	-	-	·120	-		30
31	-	X	-	X	-	X	·060	·030	X	·020	X	-		31
TOTAL	5·305	1·575	1·745	2·130	1·350	1·790	4·590	3·130	1·600	3·370	4·880	2·140	Year's Total 33·605	
* Days with .01 in. or more.	25	11	18	16	7	16	25	18	8	21	23	14	202	
* Days with .04 in. or more.	20	9	11	11	5	13	20	12	5	16	18	6	146	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at EASTWOOD FILTRATION WORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3½ in.

" Ground " Sea Level 242·88 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	s ·120	-	·070	-	-	-	-	-	-	·320	-		1
2	-	s ·010	-	·160	-	-	-	-	-	-	·520	·050		2
3	-	·340	-	·090	-	-	·010	-	-	·070	·240	·060		3
4	-	·210	-	-	-	-	-	-	-	·140	·310	·080		4
5	-	·160	-	-	·030	-	·050	-	-	·110	·360	·210		5
6	·090	·340	-	-	-	-	·030	-	-	·580	·110	·040		6
7	·030	·220	-	·060	·050	-	-	-	·030	·020	·010	-		7
8	·010	·010	-	-	-	-	-	-	·010	·060	·010	·210		8
9	-	-	·210	-	-	·040	·070	·030	·060	·050	·420	·040		9
10	-	-	·010	-	-	-	·750	·130	·030	-	·190	·320		10
11	-	·010	·040	-	-	·020	·180	-	·010	-	·810	·020		11
12	-	·020	·120	-	-	-	·070	-	·110	·010	·320	-		12
13	-	·020	s ·210	-	-	-	-	-	·160	-	-	·030		13
14	-	-	·010	·080	·320	-	-	-	·050	·010	-	·370		14
15	-	-	·020	·020	·010	·020	-	-	·060	·130	·120	·250		15
16	s ·110	s ·370	·310	·010	-	·010	·910	-	·190	1·470	·630	-		16
17	-	·040	·540	-	-	-	·020	-	·020	-	·910	-		17
18	s ·030	·390	·280	·580	-	-	-	·070	·020	·070	·020	·060		18
19	-	·170	·110	·390	-	·020	·190	-	·120	·120	·210	·210		19
20	-	·010	-	·070	-	·030	·060	·060	-	·110	·080	·010		20
21	s ·090	·010	·020	-	-	·390	·150	-	-	·030	1·250	-		21
22	-	-	-	-	·250	·160	·010	-	·060	·010	-	-		22
23	-	·080	·120	·030	·300	·060	-	-	·010	·010	·010	·040		23
24	-	-	-	·040	·010	-	-	-	-	·040	-	-		24
25	-	-	-	-	-	·050	-	-	-	·040	-	-		25
26	s 1·120	·070	-	·030	·110	·030	·020	·015	-	·010	·020	-		26
27	s 1·040	·090	-	·060	·010	-	·110	·025	·010	-	-	-		27
28	s ·160	·410	-	-	·170	-	-	-	-	-	-	-		28
29	s ·040	-	·210	·020	·030	·110	-	-	-	·020	-	·040		29
30	s ·110	X	-	·010	-	-	-	-	-	·340	·020	·040		30
31	·100	X	·070	X	-	X	-	-	X	1·070	X	·060		31
TOTAL	2·930	3·100	2·280	1·720	1·290	·940	2·630	·330	·950	4·520	6·890	2·140	Year's Total 29·720	
* Days with .01 in. or more.	12	21	15	16	11	12	15	6	16	23	22	19	188	
* Days with .04 in. or more.	9	14	11	10	5	6	10	3	8	15	16	16	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. H. Davies [P.T.O.

~~Engineer & General~~ Manager.

2598

Section **A** for the en

AIR MIN

FORM 1090.

REC

2598

EASTWOOD HALL

1931 - 1940

78 04 10

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

31 .

Kept at Eastwood H

in the County of

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,, Sea Level 218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·20	·04	—	·28	—	—	·07	·02	—	—	1
2	—	·04	—	·76	—	·10	—	—	·30	·01	—	·10	2
3	·04	—	—		—	—	·06	—	1·52	·03	·15	·18	3
4	—	·07	—	—	—	—	·53	·11	·18	—	·07		4
5	—	·06	—	—	·06	·94	·01	—	·07	—	—	·49	5
6	—	·30	·02	—	—	·46	·15	—	—	·12	·07	—	6
7	—	—	—	—	—		·42	·58	—	·06	·34	·04	7
8	·03	·05	·10	·04	—	—	·08	·91 (·71)	—	—		·01	8
9	—	·25	—	·09	—	·05	·01	(·20)	—	—	·36	—	9
10	—	·08	·04	—	·05	·05	·04	·05	·01	—	·06	—	10
11	·05	·35	—	—	·03	·01	·50	—	·25	—	—	—	11
12	·09	·11	—	—	—	—	·75	—	·15	·02	·11	—	12
13	—	—	—	Trace	—	—	·21	·21	—	—	—	—	13
14	Trace	—	—	—	·01	·51	·81	·97	·02	—	·60	—	14
15	·01	·17	—	·02	·04	—	·18	·28 (·12)	·15	—		·04	15
16	·10	·25	—	·19	1·03	·68	·01	(·16)	·10	—	—	—	16
17	·05	·48	—	·39		·05	·04	·01	—	—	—	—	17
18		—	—	·73	—	·40	·18	·05	—	—	·64	—	18
19	·08	·03	—		—	·26		·20	—	·02	—	—	19
20	—	·03	—	·07	—	—	—	·60	—	—	·01	—	20
21	·31	·02	—	—	·40	—	—	·16	—	—	·25	·02	21
22	·11	—	—	—	·04	—	—	—	—	—	—	—	22
23	·14	—	—	·12	·90	·25	—	—	—	—	·39	—	23
24	—	—	—	·11		—	—	—	—	·03	—	—	24
25	·20	Trace	—	1·06	—	—	1·20	—	—	—	·04	—	25
26	—	—	—		—	—		—	—	—	·20	—	26
27	·18	·28	—	—	·04	—	—	—	—	·10	·37	·15	27
28	·05	·21	—	·01	·19	—	Trace	—	—	—	—	·10	28
29	·10	—	—	—	·11	—	·15	—	—	·18	·01	—	29
30	·01	×	—	·02	—	·08	—	—	—	—	—	—	30
31	·34	×	—	×	—	×	—	—	×	·02	×	·07	31
TOTAL	1·89	2·78	0·36	3·65	2·90	4·12	5·33	4·13	2·82	0·61	3·67	1·20	YEAR'S TOTAL 33·46
*Days with ·01 in. or more.	18	17	4	17	14	15	20	14	11	11	18	11	170
*Days with ·04 in. or more.	13	14	3	14	12	14	17	13	9	4	16	9	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Geo Wardlock

for Barber Walker & Co Ltd

P.T.O.

Section **A** for the en
AIR MIN

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

2598

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at EASTWOOD HALL, EASTWOOD.
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·20	·04	—	·28	—	—	·07	·02	—	—	1
2	—	·04	—	} ·76	—	·10	—	—	·30	·01	—	·10	2
3	·04	—	—		—	—	·06	—	1·52	·03	·15	} ·18	3
4	—	·07	—	—	—	—	·53	·11	·18	—	·07		4
5	—	·06	—	—	·06	·94	·01	—	·07	—	—	·49	5
6	—	·30	·02	—	—	} ·46	·15	—	—	·12	·07	—	6
7	—	—	—	—	—		·42	·58	—	·06	} ·34	·04	7
8	·03	·05	·10	·04	—	—	·08	} ·91 (·71)	—	—		·01	8
9	—	·25	—	·09	—	·05	·01	(·20)	—	—	·36	—	9
10	—	·08	·04	—	·05	·05	·04	·05	·01	—	·06	—	10
11	·05	·35	—	—	·03	·01	·50	—	·25	—	—	—	11
12	·09	·11	—	—	—	—	·75	—	·15	·02	·11	—	12
13	—	—	—	Trace	—	—	·21	·21	—	—	—	—	13
14	Trace	—	—	—	·01	·51	·81	·97	·02	—	} ·60	—	14
15	·01	·17	—	·02	·04	—	·18	} ·28 (·12)	·15	—		·04	15
16	·10	·25	—	·19	} 1·03	·68	·01	(·16)	·10	—	—	—	16
17	} ·05	·48	—	·39		·05	·04	·01	—	—	—	—	17
18		—	—	} ·73	—	·40	} ·18	·05	—	—	·64	—	18
19	·08	·03	—		—	·26		·20	—	·02	—	—	19
20	—	·03	—	·07	—	—	—	·60	—	—	·01	—	20
21	·31	·02	—	—	·40	—	—	·16	—	—	·25	·02	21
22	·11	—	—	—	·04	—	—	—	—	—	—	—	22
23	·14	—	—	·12	} ·90	·25	—	—	—	—	·39	—	23
24	—	—	—	·11		—	—	—	—	·03	—	—	24
25	·20	Trace	—	} 1·06	—	—	} 1·20	—	—	—	·04	—	25
26	—	—	—		—	—		—	—	—	·20	—	26
27	·18	·28	—	—	·04	—	—	—	—	·10	·37	·15	27
28	·05	·21	—	·01	·19	—	Trace	—	—	—	—	·10	28
29	·10	—	—	—	·11	—	·15	—	—	·18	·01	—	29
30	·01	✕	—	·02	—	·08	—	—	—	—	—	—	30
31	·34	✕	—	✕	—	✕	—	—	✕	·02	✕	·07	31
TOTAL	1·89	2·78	0·36	3·65	2·90	4·12	5·33	4·13	2·82	0·61	3·67	1·20	YEAR'S TOTAL 33·46
*Days with ·01 in. or more.	18	17	4	17	14	15	20	14	11	11	18	11	170
*Days with ·04 in. or more.	13	14	3	14	12	14	17	13	9	4	16	9	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)
for Barber Walker & Co Ltd

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at EASTWOOD HALL, EASTWOOD.

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·02	—	·17	·21	—	·10	·20	·11	·17	·03	Trace	1
2	·04	—	—	—	·15	—	—	·04	·23	·10	·01	·04	2
3	—	—	—	·31	·01	—	—	—	—	—	—	·02	3
4	—	Trace	—	·14	—	—	—	—	—	—	·27	—	4
5	—	Trace	·17 ✓	·01	·04	—	—	—	·03	—	—	—	5
6	1·06	—	✓	·12	—	—	·03	—	·09	—	—	—	6
7	—	—	·25	·09	—	—	—	—	·08	·06	Trace	—	7
8	Trace	·02	—	·11	—	—	—	—	·23	·08	—	—	8
9	·13 ✓	·19	·03	·15 ✓	·17	—	—	—	—	—	—	—	9
10	✓	·02	—	✓	·01	—	—	—	—	·16	—	—	10
11	—	·03	·06	·06	·23	·26	·04	—	·33	·01	—	—	11
12	·27	—	—	·05	·05	—	·02	—	—	·39	·11	—	12
13	—	·11	—	·09	·03	—	1·23	·02	—	·05		·05	13
14	·04	·01	—	·11	—	—	·20	·34	·01	—	·10	·01	14
15	—	—	—	·10	·46	—	—	—	—	·05	—	·06	15
16	·30	—	—	·39		—	·03	—	—		—	—	16
17	—	—	—	—	—	—		—	—	·18	—	—	17
18	—	—	—	—	·07	—	—	—	·02	—	—	—	18
19	—	·01	—	·02	—	—	—	—	—	·21	—	—	19
20	—	—	—	·03	·93	—	Trace	·10	—	·58	·12	—	20
21	—	—	·45 ✓	·04	2·49	—	—	·54	—		—	·13	21
22	—	—	✓	·03		·02	·25	—	·30	·09	·30	·07	22
23	—	·01	·09	—	·40	—	—	—	·12		·18	·04	23
24	·02	—	—	—	—	—	1·11	—	—	—	·12	—	24
25	—	·06	—	—	Trace	·09	—	—	·09	·15	·01	—	25
26	—	·01	·71 ✓	·33	·38	—	·07	—	·02	·01	·15	—	26
27	—	—	✓	—	·54	·07	·12	—	—	—		—	27
28	—	—	✓	·33	·51	—	·13	·32	—	—	·01	·22	28
29	—	—	✓	·13		·20	·03	·05	·09	·47	·10		29
30	—	✕	·10	—	·03	·50	·05	·09	·15		·25	·15	30
31	—	✕	·02	✕	·02	✕	·50	—	✕	—	✕	·10	31
TOTAL	1·97	0·49	1·88	2·81	6·73	1·14	3·91	1·70	1·90	2·76	1·76	0·89	YEAR'S TOTAL 27·94
*Days with ·01 in. or more.	9	11	14	22	22	6	16	9	15	20	16	12	172 ✓
*Days with .04 in. or more.	8	3	10	18	17	5	11	8	11	15	12	10	128 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at EASTWOOD HALL, EASTWOOD.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 218 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·22	—	—	—	—	—	—	—	·02	·03	—	1
2	·25	—	·62	—	—	—	—	—	—	—	·07	—	2
3	·01	·13		—	·14	—	—	—	—	—	·03	—	3
4	—	—	—	—	·17	—	—	—	—	—	—	—	4
5	·32	·03	·16	—	·10	—	—	—	—	—	Trace	—	5
6	—	·14	·02	—	·58	—	—	—	—	—	—	·04	6
7	—	·25	Trace.	—		—	·04	—	—	·25	—	—	7
8	—	—	·06	—	·10	—	·59	—	—	—	—	·02	8
9	—	—	—	—	—	—		—	—	1·15	·02	—	9
10	·02	·21	—	—	—	·08	·14	—	—	2·11	Trace	—	10
11	—	—	—	—	—	—	·02	·05	—	·04	—	—	11
12	·07	—	—	—	—	·03	·12	—	—	—	—	·09	12
13	—	—	—	—	·24	·02	·22	—	·12	·03	·08	—	13
14	—	—	—	—		—	·06	·06	—	·10	·36	Trace	14
15	·91	—	·02	—	—	—	·68	·18	—		·40	·07	15
16	·29	—	·52	—	·06	·13		Trace	—	·06	·10	—	16
17	·06	·01	1·30	—	—	·90	—	—	·07	—	·12	—	17
18	—	·07		—	—		—	—	—	—	·07	—	18
19	—			Trace	—	—	—	—	·06	—		·03	19
20	—	·05	—	—	—	·04	—	·21	—	·04	·01	—	20
21	—	Trace	—	—	·08	·14	—	·04	·02	—	·01	—	21
22	—	—	—	—	—	·05	—	·21	—	·44	·01	—	22
23	—	—	—	·19	—	—	—	—	·45	Trace	—	—	23
24	—	2·23	—	·27	·03	·28	—	—		·02	·04	—	24
25	—		—	·31	—	—	—	—	—	—	·08	·08	25
26	—		—	·11	·05	·06	—	—	·03	·08			26
27	—	—	—	—	—	—	—	—	·29	—	—	·01	27
28	—	—	—	·21	—	—	·01	—	·01	·26	—	·04	28
29	·05	—	—	0·17	·04	—	·11	—	—		—	·01	29
30	·04	✕	—		—	—		—	—	·09	—	·03	30
31	·02	✕	·07	✕	—	✕	Trace	·01	✕	·15	✕	—	31
TOTAL	2·24	3·34	2·77	1·26	1·59	1·73	1·99	0·76	1·05	4·84	1·43	0·42	YEAR'S TOTAL 23·42
*Days with ·01 in. or more.	12	13	11	7	13	11	13	7	9	17	17	~~11~~ 10	140 ~~141~~
*Days with .04 in. or more.	9	10	9	~~7~~ (6)	~~12~~ (11)	9	~~11~~ (10)	6	6	~~14~~ (13)	10	~~6~~ 5	(104) ~~109~~

40-9999

*See Instruction 2 (*f*) on other side,

D

(Signed) Geo. T. Whitelock
for Barber Walker & Co Ltd.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at EASTWOOD HALL, EASTWOOD

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	—	—	—	—	—	·10		·13		·53		1
2		·03		—	—	—	—	·16	·49	·01	·05			2
3	·02	·06		—	—	—	—	·01		·04	·12	·01		3
4	·07		·15	·55	·05	—	—			·20		·45		4
5	·01		·08	·02	·50	—	—	·34		·01	·08	·07		5
6				Trace		·05	—			·20		·55		6
7	·08				·01	·02			·01			·30		7
8			·05		·09	·03	—	·05		·01	·35	·13		8
9			·27	·02	—		—	·02	Trace		·53			9
10	·01		·38	·20	—	—	—	·20		—	·21	Trace		10
11	·62	—		·33		—	—	·23		—		·34		11
12	—		·25	·02	—	—	·08			—		·04		12
13	·63	—	Trace	·03		—	·29	·05		—		·11		13
14		—	·26		·04	·07				·29	·18	·35		14
15	—	—	·06	—	·12		—	·01	·46	—	·29	·15		15
16	·33	—	·11	—	·14		—			·02	·10			16
17	·23	—	·07	—	·03	—	·04	·05	·20	·04	·01	·12		17
18	·06	—		·24	—	·05	Trace		·01	—		·04		18
19	—	—	·21	·08	·01	·10			·01			·12		19
20	—	—	·01	·03				Trace						20
21	—	—	—			·11		·01	·04	·02				21
22	—	—	—	—	—	—	—	·24	·32	·01				22
23			·04	·25	·06		·61			·01	Trace	·15		23
24	—	·15	·11	·01	—	·06			·25					24
25	·08		—	·02	Trace	—	—		Trace	·12		·55		25
26	·13		·04	·13		·01	·03		·04					26
27	—	·41	—	·17	—	Trace	·05		·04	·06		·11		27
28	—	—	—		—	·10	·05	·37				·59		28
29	—		—	—					·40	·05		·44		29
30	·03	×	—	—	—		·14			·14				30
31	·01	×	—	×	—	×			×	·06	×	·01		31
TOTAL	2·36	0·65	2·09	2·10	1·05	0·60	1·29	1·84	2·27	1·42	1·92	5·16	Year's Total. 22·75 ✓	
* Days with .01 in. or more.	16	5	17	15	11	10	9	15	13	19	10	23	(163)	
* Days with .04 in. or more.	11	3	14	8	8	7	6	11	10	11	9	20	(118)	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at EASTWOOD HALL, EASTWOOD
in the County of NOTTINGHAM

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	—	—	·06	—	—	Trace	—	·59	·70	·14	·40		1
2	—	·10	—	·03	—	·62	Trace	—	—		·21	·15		2
3	—		·10	—	—	·14	Trace	—	·06	·40		Trace		3
4	—	—	—	·08	—	·02	·01	—	·04	—	—	—		4
5	Trace	·30	·13	·08	—	1·03	—	—	·07	·04	·11	—		5
6	—	·60	—	—	—	·26	—	—	—	—	—	—		6
7	·01	—	—	·56	—	·06	—	—	—	·27	·41	·32		7
8	—	—	Trace	·17	—	—	—	·01	—	·02	·09			8
9	—	0·01	—	—	—	—	—	—	—	·66	·24	·04		9
10	—		Trace	·03	—	—	—	—	—	—		Trace		10
11	·21	·01	—	—	—	·32	—	·01	—	—	·13	·09		11
12	—	—	—	—	—	—	—	·02	·04	·01	—	—		12
13	·06	Trace	—	—	—	·14	—	—	·43	—	Trace	—		13
14	—	—	—	·13	·20	—	·40	—	—	—	·85	·39		14
15	Trace	·06	—	·55	—	—	—	—	·13	—	·24			15
16	—	·09	·17	·01	—	·40	·13	—	·31	·09	1·19	·02		16
17	—			·30	—	·26	·15	—	·20	·05		—		17
18	·02	—	—	—	—	·15	—	—	·22	·18	—	—		18
19	·01	—	—	—	·07	·29	—	—	·04	—	·30	Trace		19
20		·09	—	—	—	·10	·03	—	—	·07	·21	—		20
21	Trace	—	—	—	—	—	—	—	·85	·01	·12	—		21
22	—	·91	—	—	—	—	—	·16	—	—	—	Trace		22
23	·01	·23	·28	·89	—	—	—	·78	·25	·22	—	—		23
24	·07	·45		—	—	—	—	—	1·25	—	Trace	·92		24
25	·30	—	—	·01	—	·15	—	—	—	—	—			25
26	·17	·07	—	—	—	—	Trace	·83	·39	—	·04			26
27		·24	—	—	—	—	—	—	—	·20	·18	·92		27
28	·10	·09	—	—	·04	—	—	—	—	Trace	·02	·22		28
29	·01	×	·05	—	—	—	—	—	·39	·06	·05			29
30	·08	×	—	·11	—	·02	—	·07	·09	·37	·25	·06		30
31	Trace	×	—	×	—	×	—	—	×	·52	×	·15	d	31
TOTAL	1·16	3·25	0·73	3·01	0·31	3·96	0·72	1·88	5·35	3·87	4·78	3·68	Year's Total. 32·70	
* Days with .01 in. or more.	~~13~~	~~15~~	~~7~~ 6	14	3	15	5	7	17	18	~~21~~ 20	~~16~~ 17	~~151~~	150
* Days with .04 in. or more.	~~9~~ 8	~~13~~ 12	~~7~~ 6	10	3	13	3	4	17	15	~~20~~ 19	~~14~~ 16	~~128~~	126.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at EASTWOOD HALL, EASTWOOD

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 218 ft.

a/c

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·18	·15	·47	—	—	·16	·40	·01	—	·02	·03		1
2	·26		·11	·07	—	·11	·20		—	—	—	·01		2
3	Trace	·02	—	—	—	·69	—		·31	—	·10	Trace		3
4	·12	·08	·11	—	—	·17	·01		·35	Trace	·07	·14		4
5		·03	·18	—	Trace	—	—	·08	·44	—	—	·21		5
6	·01	—	—	—	—	·07	·26	·18		Trace	·10	—		6
7	·29	—	·06	—	—		·63	—		·01	·19	·01		7
8	·27	—	—	—	—	—	·07	—	—	·09		—		8
9	·23	—	·16	—	—	·03	·27	—	·06	·11	·10	Trace		9
10	·02	—	Trace	—	—	—	·51	·10	—	—	Trace	Trace		10
11	—	—	—	—	—	·03	·77	·02	—	—	·68	—		11
12	—	—	—	·33	·01	·48	—	—	—	—	·09	·29		12
13	—	—	—		—	·38	Trace	—	·49	·03	—	—		13
14	—	—	Trace		Trace		·10	—	—	·01	·48	·16		14
15	·08	—	—	Trace	—	·02	·05	—	·71	—		·15		15
16	·15	—	—	—	—	—	·10	—	—	—	·56	Trace		16
17	·02	·57	—	—	·04	—	·22	—	—	·19	·03	·11		17
18	—	·05	—	—	—	Trace		Trace	—		·01	·27		18
19	·30	·07	·05	·25	—	·18	Trace	·14	—	·09	—	—		19
20	·06	·10	·17	Trace	—	—	—	·01	—	·02	—	—		20
21	·06	—		·11	—	·38	·22	—	—	—	—	—		21
22	Trace	·40	—	—	·06	·25	·77	—	—	Trace	Trace	—		22
23	Trace		·03	·13	·06	—	—	—	—	·03	—	—		23
24	·30	·09	—	—		—	·17	—	—	·26	—	—		24
25	·05	—	·05	·48	—	·02		—	·13		—	—		25
26	—	·06	·42	—	—	—	—	—	·44	·21	·01	—		26
27	·16	—	·14	—	—	Trace	·01	—	—	·16	—	—		27
28	·31	·21	·27	—	—	—	—	—	·24	Trace	—	·10		28
29	·24	·25	—	—	Trace	·35	·11	—	—	·03	·29	·04		29
30	·21	✕	—	—	·16	·25	·03	—	—	·41	·01	·01		30
31	·08	✕	·01	✕	—	✕	—	—	✕	·06	✕	·18		31 d"
TOTAL	3·22	2·11	1·91	1·84	0·33	3·41	4·66	0·93	3·18	1·71	2·74	1·71	Year's Total 27·75	
* Days with .01 in. or more.	21	15	15	9	~~6~~ 5	17	21	~~9~~ 10	12	17	17	14	(173)	
* Days with .04 in. or more.	18	~~13~~ 12	13	~~9~~ 8	~~3~~ 4	12	18	7	11	11	12	10	(136)	(136)

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. W. Nuneley

for Messrs Barber Walker & Co Ld.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at EASTWOOD HALL, EASTWOOD

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. 0" in.

,, Ground ,, Sea Level 218' ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·05	—	—	—	—	—	—	·08	—	·04	·20		1
2	·04	·13	·02	·30	—	—	—	—	—	—	—	·89		2
3	—	·04	Trace	·17	·17	—	—	—	—	—	—	·16		3
4	·08	·27	·01		·04	—	—	·02	—	—	—	·68		4
5	·42	—	·03	—	—	—	·02	Trace	—	—	—	-		5
6	—	—	—	Trace	·13	—	—	—	—	—	·01	·03		6
7	—	·45	·01	·39	·10	—	—	—	·01	—	—	—		7
8	—	·26	—	—	·09	Trace	—	—	—	—	·12	·03		8
9	—	·08	—	·03		—	·51	·05	·01	·01	—	—		9
10	·04		·30	·08	—	·08	Trace	—	—	—	—	·13		10
11	—	·32	·60	—	·82	—	—	Trace	—	—	—	·30		11
12	·10		·06	—		·34	—	—	·15	—	—			12
13	—	·05	—	—	—		—	—	·04	—	—	·02		13
14	—		·13	—	—	—	—	·21	·01	—	—	·09		14
15	·17	·17	Trace	·40	—	—	2·03	—	·23	—	—	·02		15
16	·19	·19	·21	·26	Trace	—	—	·09	·43	—	—	Trace		16
17		·01	·20	·21	—	—	·01	—	·51	—	—	—		17
18	·82	·04	·08		—	—	—	—	—	—	·40	—		18
19	·04	·16	—	·07	—	·09	·06	Trace	—	—	·13	—		19
20	·18	·11	—	·22	·62		—	—	—	—	—	Trace		20
21	·01		—	Trace	—	—	·23	—	—	·01	—	·04		21
22	·01	·02	·01	—	·23	—	·23	—	—	·19	·22	Trace		22
23	·40	—	·01	—		—	·04	—	—	1·28	·29	—		23
24		·55	·06	—	·01	—	·01	—	·04		—	—		24
25	·02	·28	·22	—	·08	—	—	—	Trace	·29	—	-		25
26	—	·20	—	—	·33	—	—	—	—	—	—	·03		26
27	—	·55	—	·23	—	—	—	—	—	·58	—			27
28	·01		—	—	—	—	—	—	—	Trace	—	·02		28
29	·11	✕	—	—	—	·01	—	—	—	—	·08	·02		29
30	·90	✕	—	—	—	·04	—	—	—	·16	·09	·01		30
31		✕	—	✕	—	✕	—	—	✕		✕	·03		31 "d"
TOTAL	3·58	3·93	1·95	2·36	2·62	0·56	3·14	0·37	1·51	2·52	1·38	2·70	Year's Total 26·62	✓
* Days with .01 in. or more.	21	2~~5~~ 3	15	13	1~~4~~ 3	7	9	4	10	~~9~~ 8	9	~~21~~ 19	(15~~7~~ 1)	✓
* Days with .04 in. or more.	1~~7~~ 6	2~~1~~ 0	9	1~~2~~ 1	1~~3~~ 2	5	6	3	7	~~7~~ 6	8	~~10~~ 9	(11~~8~~ 2)	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) Robt Whitelock [P.T.O.

for Barber Walker & Co Ltd

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at EASTWOOD HALL, EASTWOOD,
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 218 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	·58	·50	—	—	—	—	·11		1
2	·01	—	—	·05	—	·09	·05	—	—	·14	Trace	·01		2
3	·02	—	—	·03	—	·03	·06	—	·11	·67	·02	·08		3
4	·05	—	—	—	—	—	·33	·05	—	·02	·05	·21		4
5	—	—	—	Trace	—	—	·25	·02	·01	—	—	·01		5
6	·04	·05	—	—	—	·03	·85	—	—	·08	—	·02		6
7	·12	—	—	—	—	—	·12	·10	·04	·01	—	·03		7
8	—	—	—	—	—	—	·08	—	—	·24	—	·02		8
9	·35	·20	—	—	—	—	·04	·35	·03	—	—	·28		9
10	—	·02	—	—	—	—	·14	—	—	—	·01	·03		10
11	·48	—	—	—	—	—	·05	1·13	—	·05	·04	·03		11
12	·29	·01	—	—	·12	—	—	—	—	·31	·15	—		12
13	—	—	—	—	—	—	—	—	—	—	·08	·49		13
14	·09	Trace	—	—	·06	—	·65	—	·08	—	·03	Trace		14
15	·16	—	—	—	—	—	·21	—	—	—	Trace	·35		15
16	·20	—	Trace	—	—	—	·15	—	—	·04	·03	·23		16
17	—	·03	—	—	·18	—	·06	—	} ·69	·16	—	—		17
18	·04	—	—	·01	·16	·06	—	·10		·02	·30	—		18
19	—	—	—	—	—	—	—	—	·06	—	·08	·11		19
20	·01	—	—	—	—	—	—	—	·07	—	·30	·19		20
21	—	—	—	—	—	—	—	·07	—	—	·01	·43		21
22	Trace	—	—	—	—	—	—	—	—	—	·41	·25		22
23	—	Trace	—	Trace	·01	·02	—	—	·02	—	·02	Trace		23
24	—	—	·03	—	Trace	Trace	·52	—	·27	—	·02	·21		24
25	·09	·23	·03	—	—	—	·02	—	—	·20	·59	·11		25
26	·09	·13	·05	—	·05	·10	·04	—	·24	·07	·03	·05		26
27	—	·08	—	—	·24	·08	·16	·14	·27	·01	·27	—		27
28	·14	·01	—	—	·32	·25	·16	·62	·39	—	Trace	·06		28
29	·24	×	—	·03	·70	—	·08	—	—	·02	·18	·10		29
30	·14	×	—	—	·01	·05	—	—	·22	—	·14	·15		30
31	·06	×	—	×	·26	×	·02	—	×	·15	×	·65		31
TOTAL	2·62	0·76	0·11	0·12	2·11	1·29	4·54	2·58	2·50	2·19	2·76	4·21	Year's Total 25·79	
* Days with .01 in. or more.	19	9	3	4	11	10	22	9	15	16	20	25	163	
* Days with .04 in. or more.	16	5	1	1	9	7	20	8	12	11	12	18	120	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. E. A. Whitelock
for Barber Walker & Co Ltd

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at EASTWOOD HALL,

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 218 ft.

aus ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	—	·06	·05	—	—	—	·01		·04	—	·01		1
2	·04	—	—	·10	—	—	Trace	·11	1·05	·07	·02	—		2
3	·34	—	—	·26	—	—	—	·25		—	·28	·20		3
4	·25	—	·30	·33	—	—	·04	·40	·06	·12	—	·12		4
5	—	—		·03	·28	—	·04	·50	—	·07	·21	·27		5
6	·59	—	·04	—	—	—	·32	—	—	—	·05	—		6
7	—	·10	—	—	—	—	·16	·03	—	·13	·14	·52		7
8	·05	·15	·18	—	—	—	·15	·14	—	—	·24	·36		8
9	·01	—	—	—	—	—	—	·26	—	·48	—	·28		9
10	·70	—	·03	—	—	—	—	·05	—	·08	—	—		10
11	·09	—	·16	—	Trace	·07	—	Trace	·04	—	—	Trace		11
12	·01	·07	·02	—	—	·12	—	—	—	—	—	—		12
13	—	—	—	·09	—	·14	·12	—	—	·37	—	Trace		13
14	·87	—	·01	·06	·27	·12	·42	—	—	·05	·10	—		14
15		—	·01	Trace	·32	·28	·30	—	·01		—	—		15
16	·09	—	·10	—	·31	·05		—	—	—	·17	—		16
17	·64	·04		—	·02	·25	Trace	—	—	·82	—	—		17
18		—	·07	·01	—	—	·03	—	Trace	—	·59	—		18
19	·22	—	—	—	—	·05	1·23	—	—	—	—	—		19
20	·03	—	—	—	—	·22	—	·11	—	—	—	—		20
21	·30	·22	·19	·02	·11	·08	·07	·11	·03	—	—	—		21
22	—	·30	·05	—	—	—	·18	—	—	Trace	·37	—		22
23	·01	·02	—	·17	—	·01		—	—	—	·42	—		23
24	·06	—	—	·01	—	—	·13	—	—	—	—	—		24
25	·91	·02	—	·40	—	Trace	·03	·30	—	—	·46	—		25
26	·05	—	·03		—	—	—	—	—	·01	·20	·03		26
27	Trace	·12	·34		—	·25	·02	—	—	·16	·03	—		27
28	·01	·25	·18		—	·03	·13	·05	—	—	·19	Trace		28
29		✕	—	·30	—	—	·34	—	—	·21	—	—		29
30	—	✕	—		—	·06	—	—	—	—	·12	—		30
31	—	✕	—	✕	—	✕	Trace	—	✕	·01	✕	—		31
TOTAL	5·46	1·29	1·77	1·83	1·31	1·73	3·71	2·32	1·19	2·62	3·59	1·79	Year's Total 28·61	
* Days with .01 in. or more.	23	10	~~18~~ 17	~~17~~ 16	6	14	19	13	5	15	16	8	~~164~~ 162	
* Days with .04 in. or more.	18	8	~~15~~ 10	~~13~~ 11	5	12	16	11	3	~~12~~ 11	14	6	~~135~~ 126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alex T. Whitelock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40

Kept at EASTWOOD HALL, EASTWOOD,

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 218 ft.

Acfs.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·20	–	·06	–	–	–	–	–	–	·32	–		1
2	–	–	–	–	–	–	Trace	–	–	–	·50	·07		2
3	–	·50	–	·25	–	–	Trace	–	–	·03	·27	–		3
4	–	·04	–	–	–	–	Trace	–	–	·18	·24	·13		4
5	–	–	–	–	·04	–	·03	–	–	·02	·35	·20		5
6	–	·25	–	–	–	–	·01	–	Trace	·70	·10	·03		6
7	·12	·29	–	·05	·05	–	–	–	–	Trace	–	–		7
8	–	Trace	–	Trace	–	–	–	–	Trace	·08	·05	·20		8
9	–	Trace	·03	Trace	–	·01	·05	·02	–	·04	·50	·05		9
10	–	–	·06	–	–	–	·80	·07	–	–	·06	} ·30		10
11	–	·02	·14	–	–	·01	·23	–	–	–	·90	–		11
12	–	·02	·06	–	–	–	·05	Trace	·10	–	·29	–		12
13	–	·04	·22	–	–	–	–	–	·10	–	–	–		13
14	–	–	·08	·06	·35	–	–	·01	·08	·01	–	·38		14
15	–	–	·02	·02	–	–	–	–	·01	·14	·08	Trace		15
16	·10	·48	·23	Trace	–	·02	1·01	–	·17	1·59	} 1·46	–		16
17	–	·13	·54	–	–	–	·01	–	Trace	–		–		17
18	·10	·30	·22	·61	–	–	–	·07	·10	·18	Trace	·03		18
19	–	·18	·09	·37	–	·05	·18	Trace	·06	·01	·22	·04		19
20	–	·01	–	·07	–	Trace	·16	·07	–	·09	} 1·29	–		20
21	·04	·01	–	–	–	·45	·02	–	–	·03		–		21
22	–	–	–	Trace	·27	·11	Trace	–	·08	–	–	–		22
23	–	·08	·13	–	·29	·06	–	Trace	–	·02	Trace	·03		23
24	·05	·01	–	·03	·02	–	–	–	–	·05	–	–		24
25	–	–	–	·01	Trace	·05	–	–	–	·04	–	–		25
26	1·03	·06	–	·02	·09	·04	·01	·01	–	–	Trace	–		26
27	1·00	–	–	·20	·01	–	·11	Trace	Trace	–	–	–		27
28	·30	·40	–	–	·18	–	–	–	–	–	–	–		28
29	–	·10	·20	·02	·01	·11	–	–	–	Trace	–	·15		29
30	·25	✕	–	·01	Trace	–	–	–	–	·32	·01	·03		30
31	·03	✕	·07	✕	–	✕	–	–	✕	1·05	✕	·03	Year's Total	31
TOTAL	3·02	3·12	2·09	1·78	1·31	0·91	2·67	0·25	0·70	4·58	6·64	1·67	28·74	^
* Days with .01 in. or more.	10	19	14	14	10	10	13	6	8	18	18	~~15~~ 14	~~155~~	154
* Days with .04 in. or more.	9	14	12	8	7	7	8	3	7	12	17	~~10~~ 9	~~114~~	113.

† Spare column, no entries required.

(*Signed*) G. H. Whitelock for Barber Walker & Co Ltd

[P.T.O.

* See Instruction 3 (f) on other side.

2599

Section A for the entry

AIR MINIST

FORM 1095.

REGI

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

2599

Notts. Moorgreen Reservoir

1931 —— 40

780410

Kept at Moorgr

in the County of No

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA … AY.

An observer who does not conform … e following

year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	Marc							t.	Nov.	Dec.	Date
	in.	in.	in.							.	in.	in.	
1	-	-	·01	[illegible]		[illegible]				[illegible]	-	-	1
2	-	·03	-	·47	·01	·08	-	·01	·32	·06	·01	·09	2
3	·	-	-	·09	-	·02	-	·	1·63	·02	·75	·18	3
4	·06	·09	·	·11	-	·	·53	·13	·78	-	·08	·01	4
5	-	·02	-	·07	·04	1·00	·03	·01	·12	·	·	·50	5
6	-	·19	-	·	-	·78	·18	-	·02	·11	·08	·	6
7	-	-	·01	-	-	·75	·45	·13	·	·03	·14	·04	7
8	·03	·11	·04	·03	-	·	·08	1·08	-	-	·21	·02	8
9	-	·25	·04	·10	-	·02	·01	·20	·	·	·31	·	9
10	·01	·08	·02	·	·04	·04	·03	·09	·02	-	·06	·	10
11	·03	·38	-	·	·02	·02	·04	·	·26	-	-	·	11
12	·08	·12	·	-	-	-	1·15	-	·28	·02	·09	-	12
13	·	-	-	·02	·01	-	·27	·06	·01	-	·07	-	13
14	·01	·08	-	·	·	·71	·84	1·18	·02	-	·48	·	14
15	·01	·11	-	·01	·04	-	·12	·12	·17	-	·06	·04	15
16	·09	·29	·	·13	·41	·70	·01	·21	·10	-	-	-	16
17	·07	·30	·	·33	·80	·02	·04	·01	·	·01	·07	·	17
18	·09	-	-	·41	-	·40	·22	·04	-	-	·58	·	18
19	·08	·02	-	·22	-	·54	·06	·13	·02	·02	·07	-	19
20	·	·04	-	·06	-	·	·04	·70	-	·01	·07	·02	20
21	·30	·01	·	·01	·38	·	-	·19	-	-	·26	·	21
22	·11	·	·	·01	·03	-	-	-	-	-	-	·	22
23	·16	-	·	·12	·27	·14	-	·	·01	-	·39	·07	23
24	·02	·01	-	·14	·65	-	·13	·	-	·05	-	·02	24
25	·23	·	·	·68	·02	·	·43	-	-	-	·03	·	25
26	·	-	-	·40	·	-	·18	-	-	-	·20	-	26
27	·17	·32	-	·	·02	·	·01	·	-	·11	·38	·15	27
28	·04	·29	·	·02	·16	-	·	-	-	-	-	·11	28
29	·13	·	·	·01	·06	-	·13	-		·20	·01	·04	29
30	·01	×	·	·02	·	·09	-	-	-	-	·07	·	30
31	·38	×	·	×	-	×	-	·	×	·06	×	·03	31
TOTAL	2·05	2·74	·12	3·48	2·96	4·58	4·98	4·29	3·18	·72	3·57	1·26	YEAR'S TOTAL 33·93
*Days with ·01 in. or more.	21	19	5	23	16	16	22	16	15	13	23	14	203
*Days with ·04 in. or more.	13	14	2	14	10	12	17	13	9	6	15	8	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. J. Swindells

[P.T.O.

2599

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Moorgreen Reservoir

in the County of Nottingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·01	·02	·	·27	·	-	·07	·02	-	-	1
2	-	·03	-	·47	·01	·08	-	·01	·32	·06	·01	·09	2
3	-	-	-	·09	-	·02	-	-	1·63	·02	·15	·18	3
4	·06	·09	-	·11	-	·	·53	·13	·18	-	·08	·01	4
5	-	·02	-	·07	·04	1·00	·03	·01	·12	-	·	·50	5
6	-	·19	-	-	-	·28	·18	-	·02	·11	·08	·	6
7	-	-	·01	-	-	·75	·45	·13	·	·03	·14	·04	7
8	·03	·11	·04	·03	-	·	·08	1·08	-	-	·21	·02	8
9	-	·25	·04	·10	-	·02	·01	·20	·	·	·31	·	9
10	·01	·08	·02	·	·04	·04	·03	·09	·02	-	·06	·	10
11	·03	·38	-	·	·02	·02	·04	-	·26	-	-	-	11
12	·08	·12	·	-	-	-	1·15	-	·23	·02	·09	-	12
13	-	-	-	·02	·01	-	·27	·06	·01	-	·01	-	13
14	·01	·08	-	-	-	·71	·84	1·18	·02	-	·48	·	14
15	·01	·11	-	·01	·04	-	·12	·12	·17	-	·06	·04	15
16	·09	·29	·	·13	·41	·70	·01	·21	·10	-	·	-	16
17	·01	·30	·	·33	·80	·02	·04	·01	·	·01	·01	·	17
18	·09	-	-	·41	-	·40	·22	·04	-	-	·58	·	18
19	·08	·02	-	·22	-	·54	·06	·13	·02	·02	·01	-	19
20	·	·04	-	·06	-	-	·04	·70	-	·01	·01	·02	20
21	·30	·01	·	·01	·38	·	-	·19	-	-	·26	·	21
22	·11	·	·	·01	·03	-	-	-	-	-	-	·	22
23	·16	-	·	·12	·27	·14	-	·	·01	-	·39	·01	23
24	·02	·01	-	·14	·65	-	·13	·	-	·05	-	·02	24
25	·23	·	-	·68	·02	·	·43	-	-	-	·03	·	25
26	·	-	-	·40	·	-	·18	-	-	-	·20	-	26
27	·17	·32	-	·	·02	·	·01	·	-	·11	·38	·15	27
28	·04	·29	·	·02	·16	-	·	-	-	-	-	·11	28
29	·13	·	·	·01	·06	-	·13	-		·20	·01	·04	29
30	·01	×	·	·02	·	·09	-	-	-	-	·01	-	30
31	·38	×	·	×	-	×	-	·	×	·06	×	·03	31
TOTAL	2·05	2·74	·12	3·48	2·96	4·58	4·98	4·29	3·18	·72	3·57	1·26	YEAR'S TOTAL 33·93
*Days with ·01 in. or more.	21	19	5	23	16	16	22	16	15	13	23	14	203
*Days with ·04 in. or more.	13	14	2	14	10	12	17	13	9	6	15	8	133

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. J. J. Swindells

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE,

Station No. 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Moorgreen

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·03	-	·15	·21	-	·07	·03	·12	·24	·03	·02	1
2	·05	-	-	-	·15	-	-	·01	·24	·18	-	·05	2
3	-	-	-	·28	·03	-	-	-	-	·03	-	·03	3
4	·04	-	-	·15	-	·01	-	-	-	-	·26	-	4
5	·22	·01	·05	-	·04	-	-	-	·03	-	-	-	5
6	·80	-	·15	·14	-	-	-	-	·09	-	-	-	6
7	·01	-	·24	·08	-	-	-	-	·08	·04	·01	-	7
8	·03	·02	-	·11	-	-	-	-	·22	·04	-	-	8
9	·03	·14	·03	·06	·15	-	-	-	-	-	-	·01	9
10	·09	·01	-	·07	·02	-	-	-	·19	·15	-	-	10
11	·02	·03	·05	·05	·21	·21	·04	-	·14	·01	·03	-	11
12	·28	-	-	·05	·02	-	·21	-	-	·39	·02	-	12
13	-	·10	-	·09	·04	-	1·32	·31	·01	·08	·07	·04	13
14	·04	-	-	·24	-	-	·22	-	-	-	·09	·02	14
15	-	-	-	·08	·33	-	-	-	-	·04	-	·07	15
16	·31	-	-	·39	·20	-	-	-	-	·01	-	-	16
17	-	-	-	-	-	-	·03	-	·03	·23	-	-	17
18	-	-	-	-	·05	-	-	-	-	-	-	-	18
19	-	·01	-	·02	-	-	-	-	-	·19	-	-	19
20	-	-	-	·02	·48	-	·01	·30	-	·26	·13	-	20
21	-	-	·18	·04	2·32	-	-	·36	-	·29	·02	·13	21
22	-	-	·28	·02	·49	·04	·31	-	·37	·03	·31	·05	22
23	-	·03	·01	-	·34	-	·02	-	·08	·07	·18	·03	23
24	·02	-	-	-	·02	-	·86	-	·12	·01	·19	·01	24
25	-	·04	-	-	-	·04	·01	-	·03	·14	·01	-	25
26	-	·02	-	·34	·32	·05	·08	-	·01	·01	·06	-	26
27	-	-	·33	·23	·54	·04	·12	-	-	-	·12	-	27
28	-	-	·18	·04	·20	-	·12	·30	-	·03	-	-	28
29	-	-	·15	·14	·35	·19	·03	·04	·12	·43	·11	·22	29
30	-	×	·08	-	-	·48	·05	-	·03	·04	·23	·15	30
31	-	×	·02	×	·02	×	·83	-	×	-	×	·08	31
TOTAL	2·08	·44	1·45	2·79	6·53	1·06	4·33	1·35	1·91	2·94	1·87	·91	YEAR'S TOTAL 27·96
*Days with ·01 in. or more.	14	11	13	22	22	8	17	7	17	23	17	14	185
*Days with .04 in. or more.	9	3	10	19	17	7	12	5	11	16	11	8	128

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Moorgreen

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·21	·06	-	-	-	-	-	-	·02	·03	-		1
2	·25	-	·31	-	-	-	-	-	-	-	·07	-		2
3	·02	·13	·18	-	·20	-	-	-	-	-	·03	-		3
4	·07	-	-	-	·10	-	-	-	-	-	·01	-		4
5	·20	·01	·14	-	·20	-	-	-	-	-	-	-		5
6	-	·12	·03	-	·52	-	-	-	-	-	-	·84		6
7	·01	·19	-	-	·06	-	·28	-	-	·28	-	·01		7
8	·01	-	·05	-	·03	-	·36	-	-	-	-	-		8
9	-	-	-	-	·01	-	·28	-	-	1·15	·04	-		9
10	-	·18	-	-	-	·07	·13	-	-	2·07	-	-		10
11	·01	-	-	-	-	-	·02	·03	-	·05	·01	-		11
12	·08	-	-	-	-	·03	·06	-	-	-	-	·07		12
13	·03	-	-	-	·20	·02	·29	-	·09	·02	·08	-		13
14	-	-	-	-	·01	-	·04	-	-	·01	·32	-		14
15	·95	-	·02	-	-	-	·96	·22	-	·12	·46	·09		15
16	·19	-	·47	-	·04	·13	·01	-	-	·05	·09	·01		16
17	·07	·01	1·06	-	-	·09	-	-	·07	-	·12	-		17
18	-	·02	·10	-	-	·75	-	-	-	-	·05	-		18
19	-	·01	·22	-	-	-	-	-	·04	-	-	·04		19
20	-	·02	-	-	-	·02	-	·15	-	·03	·01	-		20
21	-	-	-	-	·09	·11	-	·03	·02	·02	-	-		21
22	-	-	-	-	-	·12	-	·21	-	·53	·02	-		22
23	-	-	-	·17	·01	-	-	-	·26	·01	-	-		23
24	-	·03	-	·23	·05	·28	-	-	·30	·02	·03	-		24
25	-	·61	-	·31	-	-	-	-	-	-	·05	·06		25
26	-	·59	-	·10	·04	·02	-	-	·02	·08	·02	-		26
27	-	-	-	-	-	-	-	-	·21	·05	-	·01		27
28	-	-	-	·11	-	-	·01	-	-	·10	-	·03		28
29	·03	-	-	·23	·02	-	·02	-	-	·07	-	-		29
30	·04	×	-	·01	-	-	·04	-	-	·06	-	·03		30
31	·02	×	·05	×	-	×	-	·01	×	·09	×	-		31
													Year's Total	
TOTAL	2·20	2·13	2·69	1·16	1·58	1·64	2·50	·65	1.01	4·83	1·44	·39	22·22	
*Days with ·01 in. or more.	16	13	12	7	15	11	13	6	8	20	07	10	148	
*Days with .04 in. or more.	9	7	10	6	10	7	9	3	6	13	9	5	94	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) for G.F.THURSTON,

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Moorgreen.
in the County of Notts.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
,, Ground ,, Sea Level 301. ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following -

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05.	-	-	-	-	-	-	·08.	-	·11.	-	·34.		1
2	·01.	·03.	·02.	-	-	-	-	·16.	·45.	·01.	·10.	·17.		2
3	-	·05.	-	-	-	-	-	-	-	·05.	·07.	·01.		3
4	·06.	-	·13.	·58.	·01.	-	-	-	·01.	·19.	·01.	·43.		4
5	·01.	-	·07.	·02.	·16.	-	-	·32.	-	·01.	·10.	·11.		5
6	-	-	·03.	-	·42.	·05.	-	·10.	-	·15.	-	·50.		6
7	·07.	-	-	-	-	·01.	-	-	-	·02.	-	·30.		7
8	-	-	·05.	-	·11.	·03.	-	·06.	-	·01.	·33.	·01.		8
9	·01.	-	·22.	·05.	-	-	-	·02.	·01.	-	·57.	·12.		9
10	-	-	·29.	·16.	-	-	-	·17.	-	-	·23.	·01.		10
11	·63.	-	·05.	·34.	-	-	-	·06.	-	-	-	·31.		11
12	·01.	-	·28.	·02.	-	-	·07.	·08.	-	-	-	·04.		12
13	·47.	-	-	·02.	-	-	·34.	·04.	-	·05.	·01.	·12.		13
14	·06.	-	·25.	-	·02.	·06.	-	-	-	·23.	·34.	·32.		14
15	·05.	-	·06.	-	·13.	-	-	-	·06.	-	·13.	·04.		15
16	·24.	-	·11.	-	·17.	-	-	-	-	·01.	·08.	·06.		16
17	·22.	-	·04.	-	·03.	-	-	·06.	·19.	·03.	·02.	·11.		17
18	·04.	-	·05.	·20.	-	·01.	·04.	-	·03.	-	-	·04.		18
19	-	-	·19.	·14.	-	·14.	-	-	·01.	-	-	·03.		19
20	-	-	·01.	·03.	-	-	-	-	-	-	-	-		20
21	-	-	-	-	-	·09.	-	-	·03.	·02.	-	·01.		21
22	-	-	-	-	-	-	-	·27.	·34.	-	-	·01.		22
23	-	-	·03.	·22.	·04.	-	·73.	-	-	·01.	·01.	·09.		23
24	-	·17.	·12.	·09.	-	·06.	-	-	·24.	-	-	-		24
25	·07.	-	-	·02.	·01.	-	-	-	-	·13.	-	·45.		25
26	·13.	-	·03.	·15.	-	-	-	-	·03.	-	-	·02.		26
27	-	·38.	-	·18.	-	-	·05.	-	·03.	·07.	-	·11.		27
28	-	-	-	-	-	·09.	-	·34.	-	-	-	·52.		28
29	-	-	-	-	-	-	·04.	·05.	·44.	·07.	-	·16.		29
30	·03.	X	-	-	-	-	·28.	-	·01.	·11.	-	·30.		30
31	·01.	X	-	X	-	X	-	-	X	·06.	X	-		31
TOTAL	2·17.	·63.	2·03.	2·22.	1·10.	·54.	1·55	1·81.	1·88.	1·34.	2·00.	4·74.	Year's Total 22·01	
*Days with ·01 in. or more.	18.	4.	19.	15.	10.	9.	7.	14.	14.	19.	13.	28.	170	
*Days with ·04 in. or more.	12.	3.	14.	10.	6.	6.	7.	13.	6.	11.	9.	21.	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) for G. F. THURSTON,

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Moorgreen

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	-	·01	·06	-	·03	-	-	·62	·15	·13	·21		1
2	-	-	·01	-	-	·58	·02	-	-	·48	-	·11		2
3	-	·09	·10	·04	-	·06	-	·02	·12	·12	·20	-		3
4	-	-	-	·06	-	·06	-	-	·07	·21	-	-		4
5	-	·31	·11	·09	-	·38	-	-	·07	·02	·11	-		5
6	·01	·03	-	·10	-	·25	-	-	-	-	·01	-		6
7	·01	-	-	·46	-	·04	-	-	-	·26	·43	·16		7
8	-	-	-	·15	-	-	-	-	-	·02	·09	·25		8
9	-	-	-	·10	-	·20	-	-	-	·67	·73	·04		9
10	-	·01	-	·03	-	-	-	-	-	-	·03	·01		10
11	·20	-	-	-	-	·09	-	-	-	-	·14	·08		11
12	-	·01	-	-	-	·14	-	·02	·04	-	-	-		12
13	·07	-	-	·14	·09	-	-	-	·02	·01	·01	-		13
14	-	-	-	-	·08	-	·18	-	·50	-	·87	·12		14
15	-	·07	-	·62	·07	-	-	-	·10	-	·75	·29		15
16	-	·13	·14	·01	-	·36	·12	-	·30	·09	·68	-		16
17	-	-	-	·29	-	·21	·09	-	·04	·03	·51	-		17
18	·01	-	-	·45	·03	·13	·05	-	·37	·17	·01	-		18
19	-	-	-	·05	·03	·27	·03	-	·03	·10	·28	·02		19
20	-	·10	-	·36	-	·10	·01	-	-	-	·20	-		20
21	-	·87	-	·02	-	-	-	-	·79	·01	·13	-		21
22	-	·20	-	·04	-	-	-	-	·02	-	·01	·03		22
23	-	-	·23	-	-	-	-	1·00	·04	·20	-	-		23
24	·15	·41	·07	-	-	-	-	-	1·32	-	-	·28		24
25	·32	·08	-	-	-	·15	-	-	-	-	-	·06		25
26	·02	-	-	-	-	-	-	·80	·43	·09	·05	·38		26
27	-	·20	-	-	-	-	·01	-	·27	·14	·18	·93		27
28	·05	·08	-	-	·03	-	-	·02	·02	·01	·02	·14		28
29	-	×	·05	-	-	-	-	-	·08	·04	·01	·08		29
30	·08	×	-	·06	-	-	-	·08	·12	·38	·40	·04		30
31	-	×	-	×	-	×	-	-	×	·57	×	·15		31
TOTAL	1·05	2·59	·72	3·13	·33	3·05	·51	1·94	5·37	3·71	4·98	3·38	Year's Total: 30·76	
* Days with .01 in. or more.	11	14	8	19	6	16	8	6	21	21	24	19	173	
* Days with .04 in. or more.	7	11	6	16	3	15	4	3	17	15	17	16	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Moorgreen

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·09	·08	·51	-	.	·18	·21	.	-	·02	·04		1
2	·27	·06	·09	·10	-	·19	·13	·17	.	-	·12	·03		2
3	·02	·02	-	.	-	·67	.	·03	·36	-	-	·01		3
4	·05	·05	·08	.	.	·24	-	·03	·35	-	·07	·14		4
5	·05	·03	·16	.	·01	.	·01	·07	·02	.	.	·37		5
6	·02	-	-	.	-	·07	·26	·17	·27	.	·08	.		6
7	·29	-	·01	.	-	.	·42	·00	·21	·02	·03	.		7
8	·24	-	·04	.	.	.	·09		.	·10	·18	·02		8
9	·23	.	·06	.	.	·05	·33	.	·05	·11	·10	.		9
10	·02	.	.	-	-	.	·81	·14	.	.	.	.		10
11	.	.	.	·10	.	·02	·12	·06	·01	.	·67	.		11
12	.	.	.	·09	·02	·33	·66	-	·70	.	·12	·06		12
13	-	.	.	·05	.	·16	.	.	.	·03	-	·29		13
14	-	-	.	·09	.	·12	·11	-	·68	·01	·08	·15		14
15	·07	-	-	·01	.	·13	·09	.	.	.	·41	·16		15
16	·12	·08	.	.	.	.	·02	-	.	.	·52	·02		16
17	·02	·50	.	.	·02	.	·20	.	.	·06	·05	·10		17
18	-	·02	.	.	.	.	·23	-	.	·16	·01	·27		18
19	·46	·06	.	·26	.	·27	.	·14	.	·09	.	-		19
20	·07	·11	·02	.	.	.	.	·01	.	.	.	-		20
21	·26	-	·03	·10	.	·29	-	.	-	·02	.	-		21
22	.	·35	·12	-	·04	·37	·18	.	-	.	·02	-		22
23	-	.	·14	·11	·07	.	·70	.	-	·05	.	·01		23
24	·26	·10	-	.	·01	.	.	-	·12	·26	.	-		24
25	·05	.	·04	·42	.	·01	·16	.	·40	·03	.	-		25
26	.	·06	·41	·01	.	.	.	-	·05	·24	·02	-		26
27	·15	-	-	.	.	.	.	.	·29	·16	-	-		27
28	·26	·12	·11	.	.	.	·01	-	.	-	·04	·09		28
29	·29	·30	·14	.	.	·38	-	-	.	·04	·36	·06		29
30	·20	✕	.	.	·05	·43	·10	.	-	·43	·02	·02		30
31	·05	✕	·04	✕	.	✕	·05	.	✕	·04	✕	·16		31
TOTAL	3·25	1·05	1·54	1·85	·22	3·73	4·86	1·03	3·51	1·85	2·82	2·00	Year's Total 28·61	✓
* Days with .01 in. or more.	22	15	16	12	7	16	21	10	13	17	19	18	186	✓
* Days with .04 in. or more.	18	12	12	10	3	14	18	7	11	12	13	12	142	-

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. ~~2582~~ 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals ✓ JH.

Kept at Moorgreen
in the County of Notts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.05	-	-	-	-	-	-	.06	-	.05	.20		1
2	.06	.13	.03	.38	-	-	-	-	-	-	-	.90		2
3	-	.04	.01	.08	.13	-	.01	-	-	-	-	.14		3
4	.07	.26	.04	-	.03	-	-	.01	-	-	-	.83		4
5	.41	-	.04	-	-	-	-	.01	-	-	-	.02		5
6	-	-	.01	-	.21	-	-	-	-	-	.02	.04		6
7	-	.35	-	.41	.08	-	-	-	.02	-	-	-		7
8	-	.30	-	-	-	-	-	-	-	-	.10	.02		8
9	-	.06	-	.06	.08	-	.52	-	.01	-	-	.03		9
10	.04	.06	.23	.09	-	.10	.02	-	-	.01	-	.15		10
11	-	-	.68	-	.68	-	-	.01	-	.01	-	.04		11
12	.10	.25	.06	-	.24	.07	-	-	.18	-	-	.19		12
13	-	.05	-	-	-	.30	-	.01	.05	-	-	.08		13
14	-	-	.14	-	-	.02	-	.16	.02	-	-	.10		14
15	.16	.16	.01	.43	-	1.-	✓2.28	-	.22	-	-	.03		15
16	.02	.19	.21	.33	.03	-	-	.09	.48	-	-	-		16
17	.15	.02	.19	.19	-	-	-	-	.98	-	-	-		17
18	.79	.04	.07	.10	-	-	.01	-	-	-	.46	-		18
19	.05	.12	.09	.07	-	.06	.06	-	-	-	.12	-		19
20	.16	.07	-	.22	.65	-	-	-	.02	-	-	-		20
21	.01	.04	-	-	-	-	.26	-	-	.06	-	.04		21
22	.02	.02	.01	-	.05	-	.14	-	-	.24	.29	.01		22
23	.30	-	-	-	.18	-	.16	-	-	1.11	.30	-		23
24	.07	.49	.05	-	.01	-	-	-	.02	.23	-	-		24
25	.03	.27	.11	-	.02	-	-	-	-	.32	-	.01		25
26	-	.17	.10	-	.31	-	-	-	-	.58	-	.01		26
27	-	.37	-	.20	-	-	-	-	-	-	.02	.02		27
28	.01	.07	-	-	-	-	-	-	-	-	-	.02		28
29	.07	✕	-	-	-	-	-	-	-	-	.06	.03		29
30	.31	✕	-	-	-	.04	-	-	-	-	.10	-		30
31	.36	✕	-	✕	-	✕	-	-	✕	.20	✕	.03		31
													Year's Total	
TOTAL	3.25	3.58	2.08	2.56	2.70	.59	3.46	.29	2.06	2.76	1.52	2.94	27.79	✓ ✓
* Days with .01 in. or more.	21	23	18	12	14	6	9	6	11	9	10	22	161	✓ ✓
* Days with .04 in. or more.	16	21	13	12	10	5	6	2	6	7	8	11	117	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Moorgreen Reservoir

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	0·50	0·41	0·02	-	0·08	0·01	0·14		1
2	0·02	-	-	0·08	-	0·12	-	-	-	0·08	-	0·02		2
3	0·03	-	-	-	-	0·03	0·12	-	0·16	0·96	0·06	-		3
4	0·03	-	-	-	-	0·01	0·35	0·16	-	0·07	0·03	0·35		4
5	-	-	-	-	-	-	0·22	0·02	0·01	0·04	-	0·02		5
6	0·03	-	-	-	-	-	0·48	-	0·01	0·07	-	0·01		6
7	0·13	-	-	-	-	-	0·12	-	0·06	0·04	-	0·05		7
8	0·31	-	-	-	-	-	0·13	0·01	-	0·31	-	0·03		8
9	0·03	-	-	-	-	-	-	0·33	-	-	-	0·25		9
10	-	0·05	-	-	-	-	0·23	-	-	-	-	0·05		10
11	0·48	-	-	-	-	-	0·07	1·22	-	0·04	0·05	0·02		11
12	0·29	-	-	-	0·13	-	0·03	-	-	0·42	0·11	-		12
13	0·02	0·30	-	-	-	-	-	-	-	-	0·15	0·46		13
14	0·10	0·03	-	-	0·05	-	0·64	-	0·10	-	0·04	0·01		14
15	0·20	-	-	-	-	-	0·29	0·02	-	-	-	0·36		15
16	0·21	-	0·01	-	-	-	0·23	0·01	-	0·06	0·03	0·25		16
17	-	0·03	-	-	0·15	-	0·09	-	0·01	0·20	-	-		17
18	0·06	-	-	-	0·22	0·11	-	0·03	0·57	0·04	0·43	-		18
19	-	-	-	-	-	-	-	0·08	0·19	-	0·02	0·04		19
20	0·01	-	-	-	-	-	-	0·01	0·02	-	0·36	0·11		20
21	0·01	-	-	-	-	-	-	0·01	-	-	0·02	0·26		21
22	-	-	-	-	-	0·20	-	-	-	-	0·38	0·21		22
23	-	-	-	-	-	0·01	-	-	0·07	-	0·04	-		23
24	-	-	0·03	-	-	-	0·59	-	0·29	-	0·04	-		24
25	0·12	0·05	0·03	-	-	-	0·05	-	-	0·21	0·61	0·25		25
26	0·02	0·40	0·04	-	0·03	0·05	-	-	0·30	0·09	0·07	0·09		26
27	0·06	0·07	-	-	0·22	0·20	0·17	0·30	0·39	0·01	0·31	-		27
28	0·18	-	-	-	0·32	0·31	0·14	0·43	0·52	-	0·02	0·06		28
29	0·29	×	-	0·04	0·46	-	0·12	-	-	0·06	0·21	0·13		29
30	0·07	×	-	-	0·01	0·07	-	-	0·21	-	0·16	0·16		30
31	0·08	×	-	×	0·20	×	-	-	×	0·19	×	0·75		31
TOTAL	2·78	0·93	0·11	0·12	2·09	1·61	4·78	2·65	2·91	2·97	3·15	4·08	Year's Total 28·18	
* Days with .01 in. or more.	23	7	4	2	10	11	19	14	15	18	21	24	168	
* Days with .04 in. or more.	14	5	1	1	8	8	18	6	11	17	15	18	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

99

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. ~~2582~~ 2582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1939.

Kept at Moorgreen

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 301·0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	-	·06	·08	-	-	·02	·02	·01	·06	-	·01		1
2	·09	-	-	·10	-	-	·01	·12	1·28	·09	·02	-		2
3	·30	-	-	·28	-	-	·02	·23	-	-	·27	·23		3
4	·20	-	·31	·31	-	-	-	·43	·02	·09	-	·12		4
5	-	-	-	·02	·22	-	·08	·64	-	·04	·22	·32		5
6	·60	-	·05	-	-	-	·39	-	-	·02	·06	-		6
7	·04	·04	-	-	·01	-	·14	·02	-	-	·14	·45		7
8	-	·10	·20	-	-	-	·16	·01	-	·07	·26	·38		8
9	·01	·16	-	-	-	-	·07	·26	-	·58	-	·30		9
10	·63	-	·02	-	-	-	-	·12	-	·04	-	-		10
11	·05	-	·18	-	-	·04	-	·31	·09	·14	-	·01		11
12	·01	·09	-	-	-	·15	-	-	-	-	-	-		12
13	-	-	-	·08	·01	·13	·09	-	-	·23	-	-		13
14	·64	-	·01	·05	·27	·14	·53	-	-	·08	·12	-		14
15	·19	-	-	-	·32	·33	·25	-	·02	-	-	-		15
16	·10	-	·10	-	·31	·06	·05	-	-	-	·14	-		16
17	·47	·05	·01	·09	·01	·01	-	-	-	·78	-	-		17
18	·16	-	·08	-	-	·43	·08	-	·01	-	·61	-		18
19	·21	-	-	-	-	·09	2·47	-	-	-	-	·01		19
20	·03	-	-	-	-	·30	-	·16	-	-	-	-		20
21	·19	·34	·20	·04	·12	·09	·06	·10	·03	-	-	-		21
22	·11	·15	·06	-	-	-	·08	-	·01	-	·40	-		22
23	·01	·02	-	·16	-	·01	·08	-	-	-	·41	-		23
24	·04	-	-	·01	-	-	·08	-	-	-	-	-		24
25	✓·84	·01	·02	-	-	·02	·03	·36	-	-	·66	·02		25
26	·03	-	·02	·03	-	-	-	-	-	·02	·11	·04		26
27	-	·11	·36	·05	-	·03	·02	-	-	·17	·06	-		27
28	-	·24	·16	·37	-	·10	·20	·03	-	·02	·20	-		28
29	-	-	-	·29	-	-	·45	-	-	·21	-	-		29
30	-	✕	-	-	-	·07	-	-	-	-	·12	-		30
31	-	✕	-	✕	-	✕	-	·01	✕	·03	✕	-		31
TOTAL	5·12	1·31	1·84	1·96	1·27	2·00	5·39	2·85	1·47	2·43	3·80	1·89	Year's Total 31·63	✓
* Days with .01 in. or more.	23	11	16	15	8	16	22	15	8	17	16	11	178	✓
* Days with .04 in. or more.	18	9	11	12	5	12	14	10	2	13	15	7	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) S. J. Swindells

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Moorgreen

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0·15	-	0·06	-	-	-	-	-	-	0·34	-		1
2	-	0·01	-	0·14	-	-	-	-	-	-	0·50	0·06		2
3	-	0·25	-	0·12	-	-	-	-	-	0·06	0·21	0·07		3
4	-	0·11	-	0·01	-	-	-	-	-	0·16	0·31	0·06		4
5	-	0·06	-	-	0·04	-	0·03	-	-	0·09	0·30	0·20		5
6	0·10	0·25	-	0·04	-	-	0·01	-	-	0·67	0·13	0·05		6
7	0·04	0·24	-	0·02	0·05	-	-	-	0·01	-	-	0·01		7
8	-	-	-	-	-	0·02	-	-	-	0·07	-	0·18		8
9	-	-	0·19	-	-	-	0·08	0·02	0·06	0·05	0·41	0·06		9
10	-	-	0·01	-	-	-	0·80	0·07	-	-	0·18	0·28		10
11	-	0·01	0·03	-	-	0·01	0·48	-	-	-	0·75	-		11
12	-	0·01	0·12	-	-	-	0·06	-	0·11	-	0·44	-		12
13	-	0·02	0·23	-	-	-	-	-	0·11	-	-	-		13
14	-	-	-	0·08	0·36	-	-	-	0·05	0·01	-	0·34		14
15	-	-	0·01	0·01	-	0·01	-	-	-	0·16	0·07	0·01		15
16	0·07	0·03	0·24	0·01	-	0·01	1·11	-	0·20	1·55	0·77	0·01		16
17	-	-	0·47	-	-	-	0·03	-	-	-	0·83	-		17
18	0·06	0·33	0·21	0·61	-	-	-	0·09	0·01	0·06	-	0·05		18
19	-	0·20	0·09	0·38	-	0·02	0·17	-	0·14	0·13	0·19	0·03		19
20	-	-	-	0·06	-	0·04	0·05	0·04	-	0·01	0·14	-		20
21	0·02	0·01	0·01	-	-	0·38	0·11	-	-	0·05	1·20	-		21
22	-	-	0·01	-	0·24	0·17	-	-	0·12	-	-	-		22
23	-	0·08	0·12	0·02	0·40	0·09	-	-	0·01	0·02	-	0·03		23
24	0·05	-	-	0·03	0·01	-	-	-	-	0·06	-	-		24
25	-	-	-	-	-	0·07	-	-	-	0·05	-	-		25
26	1·12	0·06	-	0·02	0·11	0·05	0·20	0·01	-	-	0·01	-		26
27	0·50	0·10	-	1·63	0·01	-	0·16	0·04	-	0·01	0·05	-		27
28	0·37	0·38	-	-	0·21	-	-	-	-	-	-	-		28
29	-	-	0·19	0·04	0·01	0·12	-	-	-	-	-	0·14		29
30	0·11	×	-	-	-	-	-	-	-	0·32	0·01	0·05		30
31	0·13	×	0·06	×	-	×	-	-	×	1·05	×	0·07	Year's Total	31
TOTAL	2·57	2·30	1·99	3·25	1·44	0·99	3·29	0·27	0·82	4·58	6·84	1·70	30·04	
* Days with .01 in. or more.	11	18	15	14	10	12	13	6	10	19	19	18	168	
* Days with .04 in. or more.	10	12	10	9	7	7	10	4	7	15	14	13	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2600

Section **A** for the entry o
AIR MINISTR

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIS

Kept at Selston Wat

in the County of No

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

following

Jan. 1, following

2600

SELSTON, WATERW.

1931 – 32

780410

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·01	–	–	–	–	·04	·07	–	–	1
2	–	·02	–	·56	–	·10	–	·07	·29	·03	–	·12	2
3	–	–	–	·06	–	–	·03	–	1·89	–	·17	·21	3
4	–	·09	–	·08	–	–	·49	·46	·45	–	·08	–	4
5	–	·03	–	–	·05	·98	·02	·05	·16	–	–	·56	5
6	·07	·17	–	–	–	·13	·44	–	·07	·09	·03	–	6
7	·02	–	–	–	–	·24	·28	·43	–	–	·17	·07	7
8	·03	·07	·07	·02	–	–	·06	·92	–	–	·24	–	8
9	–	·20	–	·10	–	·17	–	·24	–	–	·35	·02	9
10	–	·04	·06	–	·07	·04	–	·08	·07	–	·04	–	10
11	·03	·37	–	–	·02	–	·04	–	·27	–	–	–	11
12	·07	·21	–	–	–	–	1·11	–	·13	·04	·04	–	12
13	–	–	–	·01	–	–	·03	·03	·01	–	–	–	13
14	–	·04	–	–	–	·56	·81	·99	–	–	·49	–	14
15	–	·14	–	–	·04	–	·23	·36	–	–	·05	·03	15
16	·09	·32	–	·12	·49	·68	–	·15	·13	–	–	–	16
17	–	·36	–	·38	·84	·07	·05	·07	·07	·07	–	–	17
18	·04	–	–	·52	–	·45	·18	·07	–	–	·56	–	18
19	·07	·07	–	·31	–	·34	·08	·15	·07	–	–	–	19
20	–	·03	–	·06	–	–	–	·66	–	–	–	·07	20
21	·23	–	–	–	·40	–	·07	·06	–	–	·24	–	21
22	·11	·07	–	–	·04	–	–	–	–	–	·07	–	22
23	·15	–	–	·24	·31	·14	–	–	·07	–	·38	·02	23
24	·03	·02	–	·14	·66	–	·19	–	–	·06	–	·07	24
25	·17	–	–	·62	·07	–	·11	–	–	–	·02	–	25
26	–	·07	–	·58	–	–	·14	–	–	–	·16	–	26
27	·14	·32	–	–	·07	–	–	–	–	·09	·35	·22	27
28	·06	·29	–	–	·15	–	–	–	–	–	–	·14	28
29	·15	~~×~~	–	·07	·07	–	·15	–	–	·19	–	·02	29
30	·07	×	–	·02	–	·04	–	–	–	–	–	–	30
31	·41	×	–	×	–	×	–	–	×	·07	×	·07	31
TOTAL	1.82	2.75	·15	3.84	3.10	3.88	4·45	4·61	3.42	·59	3.38	1.38	YEAR'S TOTAL 33.37
*Days with ·01 in. or more.	18	20	3	18	14	13	19	16	14	9	17	13	174
*Days with ·04 in. or more.	12	13	2	13	10	12	15	12	8	6	14	5	122

40-9999

(Signed)

P.T.O.

*See Instruction 2 (*f*) on other side.

2600

Section **A** for the entry o … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Selston Waterworks,

in the County of Notts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·01	–	–	–	–	·04	·01	–	–	1
2	–	·02	–	·56	–	·10	–	·01	·29	·03	–	·12	2
3	–	–	–	·06	–	–	·03	–	1·89	–	·17	·21	3
4	–	·09	–	·08	–	–	·49	·46	·45	–	·08	–	4
5	–	·03	–	–	·05	·98	·02	·05	·16	–	–	·56	5
6	·01	·17	–	–	–	·13	·44	–	·01	·09	·03	–	6
7	·02	–	–	–	–	·24	·28	·43	–	–	·17	·01	7
8	·03	·07	·07	·02	–	–	·06	·92	–	–	·24	–	8
9	–	·20	–	·10	–	·17	–	·24	–	–	·35	·02	9
10	–	·04	·06	–	·01	·04	–	·08	·01	–	·04	–	10
11	·03	·37	–	–	·02	–	·04	–	·27	–	–	–	11
12	·07	·21	–	–	–	–	1·11	–	·13	·04	·04	–	12
13	–	–	–	·01	–	–	·03	·03	·01	–	–	–	13
14	–	·04	–	–	–	·56	·81	·99	–	–	·49	–	14
15	–	·14	–	–	·04	–	·23	·36	–	–	·05	·03	15
16	·09	·32	–	·12	·49	·68	–	·15	·13	–	–	–	16
17	–	·36	–	·38	·84	·01	·05	·01	·01	·01	–	–	17
18	·04	–	–	·52	–	·45	·18	·01	–	–	·56	–	18
19	·07	·01	–	·31	–	·34	·08	·15	·01	–	–	–	19
20	–	·03	–	·06	–	–	–	·66	–	–	–	·01	20
21	·23	–	–	–	·40	–	·01	·06	–	–	·24	–	21
22	·11	·01	–	–	·04	–	–	–	–	–	·01	–	22
23	·15	–	–	·24	·31	·14	–	–	·01	–	·38	·02	23
24	·03	·02	–	·14	·66	–	·19	–	–	·06	–	·01	24
25	·17	–	–	·62	·01	–	·11	–	–	–	·02	–	25
26	–	·01	–	·58	–	–	·14	–	–	–	·16	–	26
27	·14	·32	–	–	·01	–	–	–	–	·09	·35	·22	27
28	·06	·29	–	–	·15	–	–	–	–	–	–	·14	28
29	·15	×	–	·01	·07	–	·15	–	–	·19	–	·02	29
30	·01	×	–	·02	–	·04	–	–	–	–	–	–	30
31	·41	×	–	×	–	×	–	–	×	·07	×	·01	31
TOTAL	1·82	2·75	·15	3·84	3·10	3·88	4·45	4·61	3·42	·59	3·38	1·38	YEAR'S TOTAL 33·37
*Days with ·01 in. or more.	18	20	3	18	14	13	19	16	14	9	17	13	174
*Days with ·04 in. or more.	12	13	2	13	10	12	15	12	8	6	14	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Septn. McGee

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Selston Waterworks

in the County of Nottingham.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02	–	·14	·34	–	·09	·05	·11	·25	–	–	1
2	·03	–	–	–	·24	–	–	–	·2	·12	–	·07	2
3	–	–	–	·45	·04	–	–	–	–	–	–	·04	3
4	·04	–	–	·09	–	–	–	–	–	–	·22	·01	4
5	·26	–	·04	·01	·04	–	–	–	·02	–	–	–	5
6	·61	–	·14	·12	–	–	–	–	·07	–	–	–	6
7	–	–	·18	·18	–	–	–	–	·06	·07	–	–	7
8	–	·01	–	·06	–	–	–	–	·24	·11	–	–	8
9	·02	·16	·02	·04	·1	–	–	–	–	–	–	–	9
10	·08	–	–	·07	–	–	–	–	·19	·15	–	–	10
11	·02	·04	·02	·08	·14	·21	–	–	–	–	·02	–	11
12	·25	–	–	·02	·01	–	·31	–	–	·35	·02	–	12
13	–	·1	–	·12	·07	–	2·20	–	–	·1	–	–	13
14	·02	–	–	·01	–	–	·36	·23	–	·01	·11	·04	14
15	–	–	–	·04	·24	–	–	–	–	·04	–	·02	15
16	·29	–	–	·41	·23	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	·01	–	–	–	17
18	–	–	–	–	·04	–	–	–	–	·02	–	–	18
19	–	–	–	–	–	–	–	–	–	·13	–	–	19
20	–	–	–	·05	·46	–	–	·33	–	·02	·1	–	20
21	–	–	·13	·02	2·62	–	–	·44	–	·33	–	–	21
22	–	–	·25	·01	·52	–	·4	–	·31	·01	–	·18	22
23	–	·02	–	–	·4	–	·02	–	–	·05	–	–	23
24	–	–	–	–	–	–	·51	–	·08	–	–	–	24
25	–	·06	–	–	–	·05	·01	–	–	–	·45	–	25
26	–	·01	·01	·3	·37	·05	·14	–	–	·24	·09	–	26
27	–	–	·36	·25	·65	·01	·03	–	–	·04	·12	–	27
28	–	–	·17	·03	·19	–	·15	·18	–	·03	–	–	28
29	–	–	·16	·13	·02	·18	·02	·41	·14	·42	·15	·18	29
30	–	×	·06	·02	–	·54	·5	–	·04	·02	·15	·16	30
31	–	×	·02	×	–	×	·1	–	×	–	×	·07	31
TOTAL	1·74	·42	1·56	2·65	6·72	1·04	~~2~~4·84	1·64	1·47	2·51	1·43	·77	YEAR'S TOTAL 26·79.
*Days with ·01 in. or more.	11	8	13	23	19	6	14	6	12	20	10	9	151.
*Days with ·04 in. or more.	7	4	9	16	17	5	10	6	10	14	8	7	113.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Stephen

P.T.O.

Section A for the entry o
AIR MINISTR

FORM 1090. **REGIS**

Kept at Kirkby-in-Ashfi
in the County of NOTTIN

Diameter of Funnel of Gauge
Height of top of Gauge above Grour
,, Ground ,, Sea I

2600/4

Kirkby-in-Ashfield High Sch.
1932

7804n

FOR OFFICIAL USE.
L ORGANIZATION.

2600/4
No 2
Notts /4

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

llowing

Jan. 1, following
OK print

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	·20	·03	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	·01	·01	1
2	·05	-	-	-	·22	-	-	-	·18	·13	-	·06	2
3	-	-	-	·46	·05	-	-	-	-	·01	·02	·08	3
4	·06	-	-	·09	-	·01	-	-	-	-	·21	·01	4
5	·37	·02	·05	·01	·03	-	-	-	·03	-	-	·01	5
6	·59	-	-	·10	-	-	-	-	·06	-	-	-	6
7	·01	-	·37	·15	-	-	-	-	·08	·18	·02	-	7
8	·07	-	-	·09	-	-	-	-	·22	·09	·01	-	8
9	·05	-	-	·06	·14		-	-	-	-	-	·01	9
10	·11	-	-	·07	-	-	-	-	·15	·15	-	·01	10
11	-	-	·05	·08	·14	·24	·04	-	-	-	·04	-	11
12	·28	·14	-	-	·02	-	·27	-	-	·31	·04	-	12
13	-	-	-	·16	-	-	2·20	-	·01	·11	·12	·04	13
14	·04	-	-	·04	-	-	·30	·22	·01	·01	·16	-	14
15	-	-	-	·06	·27	-	-	-	-	·05	·01	·05	15
16	·32	-	-	·42	·26	-	-	-	-	·01	-	-	16
17	-	-	-	-	-	-	·01	-	·02	·18	-	-	17
18	-	·01	-	-	·05	-	-	-	-	·01	-	·01	18
19	-	-	-	·01	·01	-	-	·01	-	·12	·01	·01	19
20	-	-	-	·05	1·17	-	·01	·44	-	·28	·11	·01	20
21	-	-	·13	·06	2·07	-	-	·13	-	·37	-	·12	21
22	-	·02	·27	·01	·53	-	·33	-	·34	·01	·30	·02	22
23	-	-	-	-	·44	-	·03	-	·05	·07	·33	·03	23
24	-	·08	-	-	·01	-	·46	-	·04	-	·09	-	24
25	-	·02	-	-	-	·14	·01	-	·02	·16	·02	·02	25
26	-	-	·01	·33	·44	-	·12	-	·05	·03	·11	-	26
27	-	-	·40	·27	·63	·01	·02	-	-	·01	·12	·01	27
28	-	-	·23	·02	·16	-	·15	·17	-	·03	-	·01	28
29	·03	-	·20	·15	·07	·16	·02	·41	·14	·42	·09	·19	29
30	·01	×	·10	·04	·02	-	·07	·01	·31	·03	·23	·16	30
31	-	×	·05	×	·02	×	·52	·01	×	-	×	·07	31
TOTAL	2·14	0·43	1·81	2·89	7·13	0·56	4·59	1·45	1·89	3·03	2·05	0·94	YEAR'S TOTAL 28·91
*Days with ·01 in. or more.	14	8	11	23	22	5	17	9	17	24	20	21	191
*Days with ·04 in. or more.	9	2	10	19	16	3	10	6	12	15	13	8	123

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Wm A. Sewell ESQ. X

[P.T.O.

Section **A** for the entry o
AIR MINISTR

L ORGANIZATION.

FOR OFFICIAL USE.

2600/4

No 2
Eng A
Notts/4

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept ~~at~~ Kirkby-in-Ashfield (Higher School) X
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 542 ft.

C 1932

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
OK print.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·03	-	·16	·38	-	·03	·05	·18	·26	·01	·01	1
2	·05	-	-	-	·22	-	-	-	·18	·13	-	·06	2
3	-	-	-	·46	·05	-	-	-	-	·01	·02	·08	3
4	·06	-	-	·09	-	·01	-	-	-	-	·21	·01	4
5	·37	·02	·05	·01	·03	-	-	-	·03	-	-	·01	5
6	·59	-	-	·10	-	-	-	-	·06	-	-	-	6
7	·01	-	·32	·15	-	-	-	-	·08	·18	·02	-	7
8	·02	-	-	·09	-	-	-	-	·22	·09	·01	-	8
9	·05	-	-	·06	·14		-	-	-	-	-	·01	9
10	·11	-	-	·07	-	-	-	-	·15	·15	-	·01	10
11	-	-	·05	·08	·14	·24	·04	-	-	-	·04	-	11
12	·28	·14	-	-	·02	-	·27	-	-	·31	·04	-	12
13	-	-	-	·16	-	-	2·20	-	·01	·11	·12	·04	13
14	·04	-	-	·04	-	-	·30	·22	·01	·01	·16	·	14
15	-	-	-	·06	·27	-	-	-	-	·05	·01	·05	15
16	·32	-	-	·42	·26	-	-	-	-	·01	-	-	16
17	-	-	-	-	-	-	·01	-	·02	·18	-	-	17
18	-	·01	-	-	·05	-	-	-	-	·01	-	·01	18
19	-	-	-	·01	·01	-	-	·01	-	·12	·01	·01	19
20	-	-	-	·05	1·17	-	·01	·44	-	·28	·11	·01	20
21	-	-	·13	·06	2·07	-	-	·13	-	·37	-	·12	21
22	-	·02	·27	·01	·53	-	·33	-	·34	·01	·30	·02	22
23	-	-	-	-	·44	-	·03	-	·05	·07	·33	·03	23
24	-	·08	-	-	·01	-	·46	-	·04	-	·09	-	24
25	-	·02	-	-	-	·14	·01	-	·02	·16	·02	·02	25
26	-	-	·01	·33	·44	-	·12	-	·05	·03	·11	-	26
27	-	-	·40	·27	·63	·01	·02	-	-	·01	·12	·01	27
28	-	-	·23	·02	·16	-	·15	·17	-	·03		·01	28
29	·03	-	·20	·15	·07	·16	·02	·41	·14	·42	·09	·19	29
30	·01	✕	·10	·04	·02	-	·07	·01	·31	·03	·23	·16	30
31	-	✕	·05	✕	·02	✕	·52	·01	✕	-	✕	·07	31
TOTAL	2·14	0·43	1·81	2·89	7·13	0·56	4·59	1·45	1·89	3·03	2·05	0·94	YEAR'S TOTAL 28·91
*Days with ·01 in. or more.	14	8	11	23	22	5	17	9	17	24	20	21	191
*Days with ·04 in. or more.	9	2	10	19	16	3	10	6	12	15	13	8	123

40-9999

N

*See Instruction 2 (*f*) on other side.

(*Signed*) X Wm A. Sewell ESQ. X

[P.T.O.

Section **A** for the entry
AIR MINIST

FORM 1090.

REGI

Kept at Attenborou
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

Please read

2601

132

FOR OFFICIAL USE.

ALL ORGANIZATION.

31 .

Y.

following

Jan. 1, following.

2601

NOTTS ATTENBOROUGH
1931 — 40

7104 11

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1			·05										1
2													2
3									1·17				3
4													4
5						1·16						·32	5
6			·05										6
7							1.26						7
8													8
9													9
10													10
11													11
12													12
13													13
14								1·40					14
15													15
16													16
17					·67								17
18											·38		18
19													19
20													20
21													21
22													22
23			·05										23
24													24
25				·56									25
26													26
27													27
28													28
29										·18			29
30		X											30
31	·21	X		X		X			X		X		31
TOTAL	1·13	2·49	0.28	3.32	2·98	4·14	5.18	4·14	2·56	0·55	2·56	0·90	YEAR'S TOTAL 30·23
Days with ·01 in. or more.	23	20	10	22	17	20	21	14	14	9	21	10	201
Days with ·04 in. or more.	10	15	4	16	9	11	14	12	9	5	13	4	122
40-9999	28·7	63·2	7·1	84·3	75·7	105·2	131.6	105·2	65·0	14·0	65·0	22·9	767·9

(Signed)

[P.T.O.

2601

Section **A** **for the entry** **FOR OFFICIAL USE.**

AIR MINIST ALL ORGANIZATION.

132

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Attenborough

in the County of Nottingham.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05										1
2													2
3									1·17				3
4													4
5						1·16						·32	5
6			·05										6
7							1.26						7
8													8
9													9
10													10
11													11
12													12
13													13
14								1·40					14
15													15
16													16
17					·67								17
18											·38		18
19													19
20													20
21													21
22													22
23			·05										23
24													24
25				·56									25
26													26
27													27
28													28
29										·18			29
30		✕											30
31	·21	✕		✕		✕			✕		✕		31
TOTAL	1.13	2.49	0.28	3.32	2·98	4·14	5.18	4·14	2.56	0.55	2·56	0·90	YEAR'S TOTAL 30·23
Days with ·01 in. or more.	23	20	10	22	17	20	21	14	14	9	21	10	201
Days with ·04 in. or more.	10	15	4	16	9	11	14	12	9	5	13	4	122
40-9999	28.7	63.2	7.1	84.3	75·7	105·2	131.6	105·2	65.0	14.0	65·0	22·9	767.9

(Signed) .... [P.T.O.

2601

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

132

Kept at Attenborough

in the County of Nottingham

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6	·38												6
7													7
8													8
9		·10											9
10													10
11													11
12										·38			12
13							1·05						13
14													14
15													15
16													16
17													17
18													18
19													19
20										·38			20
21					2·51			·70					21
22			·38						·47		·37		22
23													23
24													24
25													25
26				·28									26
27													27
28													28
29													29
30		×				·48						·17	30
31		×		×		×			×		×		31
TOTAL	1·74	0·36	1.35	2·41	6·65	·98	3·89	1·61	1·64	2·77	1·67	0·62	YEAR'S TOTAL 24·09
*Days with ·01 in. or more.	14	12	12	20	21	6	19	8	17	23	18	13	183
*Days with ·04 in. or more.	6	3	6	18	15	3	9	4	15	13	10	5	107
40-9999	29·0	9·1	34·3	61·2	168·9	24·9	98·8	40·9	41·7	70·4	142·4	15·7	

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 2601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

132.

Kept Attenborough

in the County of Nottingham

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 89 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8							·40						8
9													9
10										·91			10
11													11
12												·05	12
13													13
14													14
15	0·73										·36		15
16													16
17			·94										17
18													18
19													19
20						·66							20
21					·32								21
22								·31					22
23				·48									23
24													24
25		·59											25
26													26
27									1·06				27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·92 ✓	2·38 ✓	2·68 ✓	1·36 ✓	1·66 ✓	1·90 ✓	1·98 ✓	0·75 ✓	1·59 ✓	3·26 ✓	1·02 ✓	0·30 ✓	YEAR'S TOTAL 20·80 ✓
*Days with ·01 in. or more.	18	15	14	7	17	14	14	7	10	17	17	11	161 ✓
*Days with ·04 in. or more.	8	9	12	6	13	8	11	4	5	12	6	4	98 ✓
40-9999	48·8	60·5	68·1	34·5	42·2	48·3	50·3	19·1	40·4	82·8	25·9	7·6	528·8

*See Instruction 2 (*f*) on other side.

D

(Signed)..

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2601 ~~182~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Attenborough

in the County of Nottingham

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 89 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4				·57										4
5														5
6					·44							·43		6
7														7
8														8
9											·65			9
10														10
11	·46													11
12														12
13							·30							13
14			·27											14
15														15
16														16
17														17
18														18
19						·11								19
20														20
21														21
22														22
23														23
24									·48					24
25														25
26														26
27		·34												27
28								·34						28
29														29
30		✕												30
31		✕		✕		✕			✕	·22	✕			31
TOTAL	2·08	0·53	1·68	2·22	·95	·39	1·00	1·88	1·97	1·01	2·05	3·82	Year's Total 19·58	
*Days with ·01 in. or more.	17	3	19	15	9	7	10	17 ~~14~~	12	21	12	30	172	
*Days with .04 in. or more.	12	3	12	10	6	4	7	14	9	7	9	19	112	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Sect. **A** for the entry of Daily Observations. Station No. 5601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

132

Kept at Attenborough

in the County of Notts.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 89 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9										·3~~6~~7				9
10														10
11														11
12														12
13					0·08									13
14														14
15				0·54										15
16														16
17														17
18							0·10							18
19														19
20														20
21														21
22		0·39												22
23			0·19					1·02						23
24									1·36					24
25	0·32					0·75								25
26														26
27												·86		27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·01	2·18	0·59	2·81	0·30	3·76	0·29	1·92	4·45	3·69	3·95	3·01	Year's Total 27·36	
*Days with ·01 in. or more.	13	15	9	21	6	19	7	8	23	22	21	19	183	
*Days with ·04 in. or more.	7	9	5	16	4	12	3	3	11	18	16	13	117	

40-9999

*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

132

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ATTENBOROUGH

in the County of NOTTS

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 89 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								0·23						2
3						0·39								3
4														4
5												·26		5
6														6
7							0·54							7
8														8
9														9
10							0·64							10
11														11
12														12
13														13
14									2·25					14
15														15
16											·42			16
17		0·52												17
18														18
19														19
20														20
21														21
22					0·15									22
23														23
24														24
25				0·35										25
26			0·42											26
27														27
28														28
29	0·51													29
30		×								0·19				30
31		×		×		×			×		×			31
TOTAL	3·25	1·82	1·30	1·60	0·48	2·64	4·40	0·69	3·93	1·10	2·02	1·09	Year's Total. 24·32	
* Days with .01 in. or more.	21	16	17	18	7	18	25	10	15	17	21	16	201	
* Days with .04 in. or more.	15	11	11	10	4	12	18	5	10	10	11	5	122	

40-9999

† Spare column, no entries required.

51·3

(*Signed*) ....

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

132

Kept at Attenborough

in the County of Notts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 89 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2												·89		2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11			·87											11
12														12
13														13
14								·28						14
15							2·51							15
16														16
17									·25					17
18	·73													18
19						·23								19
20				·34	·63									20
21														21
22														22
23										·78	·27			23
24		·39												24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	3·53	3·41	2·20	2·05	2·32	·63	3·60	·60	1·11	2·70	1·59	2·38	Year's Total 26·12	
*Days with ·01 in. or more.	21	23	18	13	11	5	8	5	13	13	11	21	162	
*Days with ·04 in. or more.	17	17	12	10	6	3	6	3	7	7	6	11	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

~~132~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Attenborough

in the County of Notts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 89 ft.

Sept & Oct entries estimated from nearby stations by monthly weather Report section

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·43								1
2				·07										2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15							·42							15
16														16
17														17
18														18
19														19
20														20
21									Ceased Temporarily					21
22														22
23														23
24														24
25											·54			25
26		·21	·08											26
27														27
28								·70						28
29	·52				·57									29
30		✕												30
31		✕		✕		✕			✕		✕	·60		31 "d"
TOTAL	✓ 2·38	✓ ·55	✓ ·18	✓ ·08	✓ 2·01	✓ 1·20	✓ 2·85	✓ 2·47	(2·10)	(2·20)	✓ 2·19	✓ 3·76	Year's Total 21·97	
* Days with .01 in. or more.	21	11	3	2	12	11	18	14	(15)	(16)	17	25	(165)	
* Days with .04 in. or more.	13	3	2	1	9	6	13	10	(10)	(11)	11	18	(107)	

Print

Go 12/4/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2601 ~~152~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Attenborough

in the County of Notts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 89 ft.

June

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3												·30		3
4			·28	·32										4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15					·30									15
16														16
17														17
18											·65			18
19														19
20														20
21														21
22														22
23														23
24														24
25	·98													25
26														26
27														27
28		·32												28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·13	·96	1·65	1·68	·88	ceased.					3·55	1·38	Year's Total	n.p. imp
* Days with .01 in. or more.	21	11	15	18	6						19	9		WH
* Days with .04 in. or more.	17	7	10	8	4						14	6		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

132

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Attenborough

in the County of Notts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 89 ft.

March est'd from nearby stns

Dly. Max est.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							·72	·08						9
10												·32		10
11								·08						11
12														12
13									(·12)					13
14														14
15														15
16										1·45				16
17														17
18		·46		·39										18
19														19
20														20
21						·38					1·18			21
22														22
23														23
24														24
25														25
26	1·60													26
27														27
28														28
29					·86									29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	2·85	2·55	(1·97)	1·66	1·99	1·03	3·25	·42	·58	3·71	5·54	1·40	26·95	Print
* Days with .01 in. or more.	12	18	INCOMPLETE 17	23	10	14	22	18	12	19	22	20	207	WH
* Days with .04 in. or more.	10	13	(10)	9	5	6	13	4	5	11	14	10	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

D

(*Signed*) ....

[P.T.O.

2602.

Section **A** for the entry of

AIR MINISTRY

FORM 1090. **REGIST**

Kept at BEESTON

in the County of NOT

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

2602
BEESTON
1931 — 40

780411

OPY FOR OFFICIAL USE.

ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1			·06	[illegible]	[illegible]	[illegible]							1
2		·06		·58		·04			·38	·06		·02	2
3	·10			·06			·04		1·66	·01	·06	·11	3
4		·11		·14			·49	·11	·16		·08		4
5		·03		·03	·06	1·17		·01	·04			·36	5
6		·14	·08			·22	·08		·01	·16	·09		6
7			·02			·30	1·47	·50			·07		7
8	·06	·07	·10	·05		·06	·07	·50			·27		8
9		·12	·02	·09		·02	·01	·20			·25	·01	9
10		·09			·04	·02		·03			·04		10
11	·04	·47				·04	·02		·26				11
12	·05	·05					1·11		·17		·22		12
13								·22					13
14		·06	·08			·73	1·06	1·16	·02		·26		14
15	·03	·15			·06		·08	·27	·10		·02	·06	15
16	·06	·40		·13	·45	·58	·02	·16					16
17	·03	·19		·43	·58		·03						17
18	·05			·39		·15	·06	·06			·36		18
19	·04	·05		·16		·15	·06	·09	·03	·05	·01		19
20		·03		·03			·02	·37					20
21	·16				·48			·14			·27	·03	21
22	·08												22
23	·12		·07	·03	·35	·11			·01		·19		23
24				·12	·64		·12		·01				24
25	·15	·02		·65			·28				·01		25
26	·01			·38			·04				·18		26
27	·20	·38			·03					·09	·30	·10	27
28	·07	·31		·01	·20							·15	28
29	·12			·13	·04		·08			·17	·01		29
30		✗		·01		·22				—			30
31	·21	✗		✗		✗			✗		✗		31
TOTAL	1·58	2·73	·43	3·49	2·94	4·00	5·14	3·82	3·01	·55	2·69	·84	YEAR'S TOTAL 31·22
*Days with ·01 in. or more.	18	18	7	19	12	15	19	14	13	7	18	8	168
*Days with ·04 in. or more.	15	15	5	14	10	13	14	12	8	5	14	5	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ernest. A. Bush

[P.T.O.

2602

Section **A** for the entry of [redacted] OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BEESTON

in the County of NOTTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 120·53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06	·07	·01	·19			·16	·01			1
2		·06		·58		·04			·38	·06		·02	2
3	·10			·06			·04		1·66	·01	·06	·11	3
4		·11		·14			·49	·11	·16		·08		4
5		·03		·03	·06	1·17		·01	·04			·36	5
6		·14	·08			·22	·08		·01	·16	·09		6
7			·02			·30	1·47	·50			·07		7
8	·06	·07	·10	·05		·06	·07	·50			·27		8
9		·12	·02	·09		·02	·01	·20			·25	·01	9
10		·09			·04	·02		·03			·04		10
11	·04	·47				·04	·02		·26				11
12	·05	·05					1·11		·17		·22		12
13								·22					13
14		·06	·08			·73	1·06	1·16	·02		·26		14
15	·03	·15			·06		·08	·27	·10		·02	·06	15
16	·06	·40		·13	·45	·58	·02	·16					16
17	·03	·19		·43	·58		·03						17
18	·05			·39		·15	·06	·06			·36		18
19	·04	·05		·16		·15	·06	·09	·03	·05	·01		19
20		·03		·03			·02	·37					20
21	·16				·48			·14			·27	·03	21
22	·08												22
23	·12		·07	·03	·35	·11			·01		·19		23
24				·12	·64		·12		·01				24
25	·15	·02		·65			·28				·01		25
26	·01			·38			·04				·18		26
27	·20	·38			·03					·09	·30	·10	27
28	·07	·31		·01	·20							·15	28
29	·12			·13	·04		·08			·17	·01		29
30		✕		·01		·22							30
31	·21	✕		✕		✕			✕		✕		31
TOTAL	1·58	2·73	·43	3·49	2·94	4·00	5·14	3·82	3·01	·55	2·69	·84	YEAR'S TOTAL 31·22
*Days with ·01 in. or more.	18	18	7	19	12	15	19	14	13	7	18	8	168
*Days with ·04 in. or more.	15	15	5	14	10	13	14	12	8	5	14	5	130

40-9999

(Signed) Ernest. A. Bush [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 2602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BEESTON

in the County of NOTTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120·53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		·09	·33	·01	·03	·05	·09	·16	·02		1
2	·07				·14			·04	·10	·12			2
3				·30	·02							·03	3
4	·02			·18					·01		·23		4
5	·18		·05		·04			·01	·05				5
6	·53		·06	·21			·02		·08				6
7	·07		·25	·19					·06	·03			7
8		·01		·12					·08	·10			8
9	·02	·18		·08	·12					·01	·01	·01	9
10	·04	·02		·08					·27	·18			10
11	·04	·05	·03	·05	·21	·41	·13		·04	·03	·02		11
12	·11	·03			·07					·42	·01		12
13				·04			·93			·01	·10	·01	13
14	·08	·01		·08			·23	·28			·14	·06	14
15				·04	·32					·04			15
16	·19			·32	·26								16
17					·03				·01	·08			17
18		·01			·01								18
19										·20			19
20				·09	·66			·28		·34	·17		20
21			·19	·08	2·32			·36		·28		·13	21
22			·26	·04	·24		·94		·51		·36		22
23		·02			·66		·06		·11	·08	·16		23
24					·38		·29		·06		·11	·01	24
25		·05				·01	·02		·03	·19	·01	·01	25
26				·33	·44	·05	·02		·03		·03		26
27			·27	·18	·47	·01	·11				·12		27
28			·15	·10	·33		·12	·25		·02			28
29			·10	·10	·15	·13	·05	·04	·08	·22	·08	·09	29
30		×	·02			·38	·06	·01	·12	·18	·20	·20	30
31	·01	×	·04	×	·01	×	1·15		×		×	·08	31
TOTAL	1·48	·40	1·42	2·70	7·21	1·10	4·16	1·32	1·73	2·69	1·77	·63	YEAR'S TOTAL 26·61
*Days with ·01 in. or more.	13	10	11	20	21	7	15	9	17	19	16	10	168
*Days with ·04 in. or more.	10	3	9	20	17	4	11	7	13	14	10	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Ernest A. Bush

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BEESTON

in the County of NOTTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~#~~ 1 ft. in.

,, Ground ,, Sea Level 119·53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·24	·09								·04			1
2	·28		·32								·07			2
3		·15	·10		·14						·07			3
4	·09				·29									4
5	·08	·01	·08		·03									5
6		·09	·06		·36					·04		·04		6
7		·31	·01		·08		·17			·25				7
8			·06		·04		·42							8
9	·01				·02		·21			1·07	·03			9
10	·01	·09				·05	·15	·04		·93	·02			10
11	·02					·03	·07	·01		·01				11
12	·05					·01	·18		·03			·05		12
13	·02				·13	·03	·32			·01	·16			13
14	·01				·02		·22	·02		·08	·17			14
15	·59						·06	·21		·11	·35	·06		15
16	·21		·55		·03	·15	·16			·05	·02	·01		16
17	·03		1·02			·11			·03		·06			17
18		·06	·07			·38					·05			18
19			·16				·07		·08	·10		·03		19
20		·07			·01	·19	~~·07~~	·09		·01	·01			20
21					·34	·24		·02						21
22						·03		·29		·36	·01			22
23				·41	·05				·28	·01				23
24		·23		·19	·06	·33			·17	·03	·05			24
25		·71		·27								·06		25
26		·48		·14	·01	·07			·03	·06	·03	·01		26
27									·96	·03				27
28				·27	·12				·02	·10		·04		28
29	·02			·01	·03					·06				29
30	·04	X	·12				·03			·01		·03		30
31		X	·14	X		X		·02	X	·13	X			31
TOTAL	1·69	2·44	2·78	1·29	1·76	1·62	2·06	·70	1·60	3·45	1·14	·33	Year's Total 20·86	
*Days with ·01 in. or more.	15	11	13	6	17	12	12	8	8	19	15	9	145	
*Days with ·04 in. or more.	8	10	12	5	10	8	11	4	4	11	9	5	97	

† Spare column, no entries required.

(*Signed*) Ernest. A. Bush

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BEESTON

in the County of NOTTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 119·53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·35							·08		·03		·36		1
2	·03		·03					·20	·30	·02	·12	·23		2
3	·01	·05						·08		·01	·06	·01		3
4	·07	~~·05~~	·11	·65	·06				·04		·10	·40		4
5			·10	·03	·09			·28		·01	·07			5
6					·43	·05		·04		·20		·49		6
7	·10				·01			·01		·06	·10	·13		7
8			·06		·10	·01		·08			·30	·01		8
9			·21					·05			·66	·21		9
10	·01		·30	·03				·13			·12			10
11	·45		·07	·13				·07				·18		11
12	·01		·26	·31			·08	·18				·02		12
13	·49						1·11	·03		·02		·11		13
14	·07		·25			·06				·14	·40	·30		14
15	·06		·08		·13				·06		·13			15
16	·20		·08		·08					·03	·05	·06		16
17	·25		·01	·02	·01		·01	·02	·39	·04	·01	·06		17
18	·07		·01			·05	·02		·09					18
19			·08	·07		·08						·09		19
20			·01	·05										20
21						·09		·03	·03	·02				21
22								·26	·24	·01		·02		22
23			·03	·30	·08	·01	·41					·08		23
24		·15	·09	·02		·05	·02		·46	·01				24
25	·12			·02						·09		·31		25
26	·13		·01	·24		·03	·01		·03	·03				26
27		·37		·25		·01	·02			·10		·08		27
28				·02		·14		·34				·41		28
29							·11	·07	·36	·04		·20		29
30		×					·08			·13		·27		30
31		×		×		×	·03		×		×			31
													Year's Total	
TOTAL	2·42	·57	1·79	2·14	·99	·58	1·90	1·95	2·00	·99	2·12	4·03	21·48	
*Days with ·01 in. or more.	16	3	18	14	9	11	11	17	10	18	12	22	161	
*Days with .04 in. or more.	12	3	12	8	7	7	5	13	8	8	11	18	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ernest A. Bush

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FILE NUMBER 815743/28

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BEESTON

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 119·53 ft.

J. Notts

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19		~~·11~~	·11		·06			·49	·09	·13	·16		1
2		·02	·01			·76				·27		·18		2
3		·13	·06	·02		·24			·02	·08	·16			3
4			·01	·05		·04			·23	·23				4
5		·36	·06	·10					·05	·37	·14	·01		5
6	·01			·09		·15								6
7	·08			·50		·08				·18	·57	·16		7
8	·02			·13						·02	·08	·16		8
9			·01	·11		·20				·42	·11			9
10				·11							·08	·01		10
11	·12					·03		·03			·09	·07		11
12						·11		·02	·01					12
13	·06	·01		·10	·11				·03					13
14					·05				·24		·39	·11		14
15		·08		·54	·04				·12		·22	·29		15
16		·07	·10	·08		·48			·28	·14	·51	·02		16
17				·11		·24		·16	·02	·02	·48			17
18				·22	·01	·08	·10		·30	·10	·03			18
19	·01			·08	·02	·37			·03	·07	·24			19
20		·23		·23		·20	·17				·09			20
21	·09	·55		·01					·57	·02	·14			21
22		·30	·20	·05				·12						22
23	·04		·08					·94	·03	·23				23
24	·03	·24							1·11			·25		24
25	·29	·01		·05		·48								25
26	·02							·70	·40	·08		·40		26
27		·24					·02		·42	·10	·21	·97		27
28	·02	·03			·05				·02	·01	·03	·05		28
29			·09						·09	·06	·02	·04		29
30	·09	✕		·08				·20	·02	·41	·25	·09		30
31		✕		✕		✕			✕	2·90	✕	·11		31
TOTAL	1·07	2·27	·62	2·77	·28	3·52	·29	2·17	4·48	~~3·32~~	3·9~~8~~ 6	3·08	Year's Total 27·~~8~~	√41
* Days with .01 in. or more.	14	13	9	20	6	15	3	7	20	20	21	17	165	
* Days with .04 in. or more.	8	9	6	18	4	14	2	5	12	16	17	14	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest A. Bush [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BEESTON

in the County of NOTTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 119·53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·0	·10	·04	·26			·04	·32				·03		1
2	·29	·05	·15	·05		·39	·21	·05			·10	·01		2
3						·58	·05		·02					3
4	·03	·04	·10			·07		·03	·21	·02	·09	·21		4
5	·07	·02	·18				·02	·10	·25	·02		·07		5
6						·07	·31	·20	·05	·01	·05			6
7	·33						·73		·11		·01	·04		7
8	·14		·07				·07		·02	·06	·13	·01		8
9	·18		·01		·01	·02	·60		·01	·06	·06			9
10	·01						·55					·02		10
11				·13			·19		·07		·33			11
12				·07	·03	·38	·65		·31		·02	·01		12
13						·13				·03		·16		13
14				·09		·07	·21		·93		·06	·30		14
15	·15			·05		·16	·17				·26	·03		15
16	·15	·21					17 ~~·42~~				·45	·01		16
17	·01	·44					12 ~~·20~~			·10	·03	·04		17
18							·20			·08				18
19	·40	·04		·30		·12		·06		·13				19
20	·01	·08								·01				20
21	·12		·02	·08		·39		·05						21
22		·33	·10		·11		·20				·02	·02		22
23		·03	·09	·14	·10		·30			·03				23
24	·21	·07							·17	·13				24
25	·07			·36		·03	·03		·42	·04				25
26		·06	·41	·01					·09	·08				26
27	·18								·30	·11				27
28	·30	·13	·05			·01	·01		·06		·03	·06		28
29	·46	·22	·11			·26	·10			·03	·03	·02		29
30	·20	✕			·14	·16				·30				30
31	·05	✕	·02	✕		✕			✕	·07	✕	·22		31
TOTAL	3·36	1·82	1·35	1·54	·39	2·84	4·93	·81	3·02	1·31	1·67	1·26	Year's Total 24·30	✓ 24·30
* Days with .01 in. or more.	20	14	13	11	5	15	21	7	15	18	15	17	171	✓
* Days with .04 in. or more.	16	12	10	10	3	12	18	6	12	11	9	8	127	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest A. Bush [P.T.O.

COPY FOR OFFICIAL USE 815743/28

Section **A** for the entry of Daily Observations

Station No. 2602.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BEESTON

in the County of NOTTS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 119·53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·01	·11				·03		·08		·03	·25		1
2	·04	·12	·06	·30								·80		2
3		·02		·38	·26		·02					·11		3
4	·10	·07	·01		·03			·06				·71		4
5	·35		·08									·01		5
6			·02	·04	·07									6
7		·45		·15	·01					·05		·01		7
8		·22		·01							·25			8
9		·20		·04					·02					9
10			·84	·12		·18	·47					·07		10
11	·01		·09		·47							·14		11
12	·03	·26			·31	·10			·17			·12		12
13		·02				·03						·02		13
14			·07					·13	·02			·16		14
15	·12	·21		·33			ſ ✓ 2·10		·04					15
16	·03	·20	·27	·29				·11	·39			·01		16
17	·29	·02	·22	·35					·15					17
18	·65	·03	·06	·09			·04		·09		·50			18
19	·05	·10	·01	·08		·08				·02	·10			19
20	·19	·12		·30	·65		·04		·03					20
21	·01	·08	·02				·27					·01		21
22	·08	·02	·02	·03			·26	·01		·33	·30	·02		22
23	·31				·08		·02			·88	·28			23
24	·09	·43	·90						·01	·18				24
25	·14	·27	·16		·08				·02	·49		·01		25
26		·21	·08		·26					·49		·02		26
27		·09	·01	·28						·70		·02		27
28	·01									·02		·01		28
29										·04	·03	·01		29
30	·45	✕								·13		·01		30
31	·34	✕		✕		✕			✕		✕	·03		31
													Year's Total	
TOTAL	3·38	3·15	2·22	2·79	2·22	·39	3·25	·31	1·02	3·33	1·49	2·55	26·10	✓ ✓
* Days with .01 in. or more.	20	21	18	15	10	4	9	4	11	11	7	21	151	✓ ✓
* Days with .04 in. or more.	15	15	12	13	8	3	6	3	6	9	5	8	103	✓ ✓

† Spare column, no entries required.

(*Signed*) G. Hardy [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2602.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at BEESTON

in the County of NOTTS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 119.53 ft.

Days

W.J.H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·46	·76		✓	·07		·15		1
2	·03			·06		·09				·07		·07		2
3	·06					·04	·01		·08	·61	·09			3
4	·03					·01	·13	·21		·32		·32		4
5							·31	·04	·01			·03		5
6	·03	·03					·45		·13	·06				6
7	·17						·13	·03	·06			·04		7
8	·24						·04			·31		·02		8
9	·01	·23						·35				·50		9
10		✓					·32					·05		10
11	·48						·01	·19			·07			11
12	·12				·07		·03			·56	·08			12
13		·03									·16	·28		13
14	·09				·13		·47		·12					14
15	·13						·31	·03				·19		15
16	·16		·04				·12	·01		·01		·26		16
17		·03			·20		·05		·03	·19				17
18					·27	·20		·05	✓	·02	·31			18
19								·01	·04			✓		19
20											·27	✓		20
21	·02											·20		21
22						·09					·30	·24		22
23		·01				·02			·46			·04		23
24			·04		·04				·31		·01	·07		24
25	·09	·14	·06							·15	·58			25
26	·01	·20	·08							·09		·04		26
27	·09	·04			·11	·15	·17	·32		·02	·30			27
28	·20				·40		·19	·54	·53		✓	·06		28
29	·46				·55		·13		·43	·04	·11	·12		29
30	·06	✕				·30			·21		·07			30
31	·08	✕		✕	·18	✕			✕	·17	✕	·72		31
TOTAL	2·56	·41	·22	·06	1·95	1·36	3·03	1·78	2·41	2·69	2·35	3·40	Year's Total 22·52	
* Days with .01 in. or more.	20	~~8~~ 9	4	1	9	9	17	11	~~12~~ 15	15	13 ~~12~~	23 ~~19~~	~~127~~	146
* Days with .04 in. or more.	14	4	4	1	9	7	14	7	~~10~~ 11	12	11	~~17~~ 18	110	

? [illegible]

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hardy

Surveyor.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2621

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Beeston

in the County of Notts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 119·53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: None.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09		·03	·11								·01		1
2	·04			·04			·01	·19	·45	·09				2
3	·35			·36				·70			·21	·35		3
4	·17		·29	·31				·33	·04			·14		4
5				·04	·14		·02	·51		·08	·16	·15		5
6	·50						·12				·01	·05		6
7	·07	·06					·22				·20	·28		7
8		·08	·25				·28			·10	·30	·28		8
9		·09					·25	·24		·52		·31		9
10	·54		·01				·04	·20		·05		·01		10
11	·05		·21					·14	·07	·26				11
12		·09				·17					·01	·01		12
13						·08	·01			·12		·01		13
14	·46			·14	·20	·25	·28			·11	·13			14
15	·27				·32	·26	·19		·01	·05				15
16	·02	·02	·11	·01	·25	·13	·25				·18			16
17	·38	·03	·01	·02			·05			·70				17
18	·05		·10			·41	·11			·01	·74			18
19	·23					·05	·29		·03					19
20	·02					·02	·36	·22						20
21	·28	·18	·19			·02	·08	·50	·01					21
22	·07	·17	·08								·50			22
23	·03			·17			·38				·47			23
24	·04			·07			·25				·01			24
25	·72		·10	·02			·07	·33			·32			25
26	·02	·01		·02						·03	·30			26
27	·01	·22	·28	·01						·12	·02			27
28		·20	·18	·16		·23	·20			·02	·26			28
29				·32		·04	·30			·25				29
30		✕				·05					·13			30
31		✕		✕		✕			✕		✕			31
TOTAL	4·41	1·15	1·84	1·80	·91	1·71	3·76	3·36	·61	2·51	3·95	1·60	Year's Total 27·61	
* Days with .01 in. or more.	22	11	13	15	4	12	21	10	6	15	17	11	157	
* Days with .04 in. or more.	17	8	10	10	4	10	18	10	3	12	13	7	122	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Hardy

[P.T.O.

2602/6

Section **A** for the entry
AIR MINIST
FORM 1090.
REGI
LL ORGANIZATION.
2. Notts/5

Kept at BRAMCOTE RES
in the County of NOT
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, ,, Ground ,, Sea

THE MORNING MEAS Y.

An observer who does not conform
year in the space on the right of
following

Jan. 1, following
O.K. print.

2602/5
BRAMCOAT RESERVOIR
1932—40

7804 n

Date	Jan.	Feb.	March				July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.120	.020	-	.090	.300	Tr.	.010	.010	.090	.240	.030	Tr.	1
2	.060	-	-	-	.090	-	-	.050	.120	.090	.010	.020	2
3	-	Tr.	Tr.	-	.030	-	-	-	Tr.	Tr.	-	.010	3
4	.020	Tr.	-	.200	-	-	-	-	.010	Tr.	.230	Tr.	4
5	.200	Tr.	.030	Tr.	.010	-	-	.020	.050	-	-	Tr.	5
6	.470	-	.050	.190	Tr.	-	.020	-	.070	-	-	Tr.	6
7	.040	-	.220	.200	-	-	-	-	.070	.040	Tr.	-	7
8	.010	Tr.	-	.120	-	-	-	-	.110	.070	-	-	8
9	.030	.100	-	.070	.050	-	-	-	-	.110	-	.010	9
10	.050	Tr.	Tr.	.070	Tr.	-	-	-	.230	.160	Tr.	Tr.	10
11	.040	.040	.010	.040	.210	.110	.070	-	.080	.040	.020	-	11
12	.110	-	-	.020	.060	-	.010	-	-	.420	.020	-	12
13	Tr.	.040	-	.040	.010	-	.810	Tr.	Tr.	.010	.070	.010	13
14	.070	-	-	.120	-	-	.320	.320	-	.010	.140	Tr.	14
15	Tr.	-	-	.030	.210	-	-	-	-	.030	Tr.	.050	15
16	.180	-	-	.320	.200	-	-	-	-	Tr.	Tr.	Tr.	16
17	-	-	-	-	.010	-	.010	-	Tr.	.100	-	-	17
18	-	-	-	-	.010	-	-	-	.010	-	-	-	18
19	-	.010	-	.010	Tr.	-	-	-	-	.210	-	Tr.	19
20	-	-	-	.060	.420	-	Tr.	.260	-	.360	.170	.010	20
21	-	-	.130	.110	2.570	-	-	.440	-	.280	Tr.	.140	21
22	-	Tr.	.310	.040	.180	.020	-	-	.500	.010	.380	.010	22
23	-	.020	Tr.	-	.770	-	.060	-	.120	.060	.130	.020	23
24	-	-	-	Tr.	-	Tr.	.790	Tr.	.040	Tr.	.100	Tr.	24
25	-	.040	-	Tr.	-	-	.050	-	.020	.190	.010	.010	25
26	-	.010	-	.350	.310	.060	Tr.	-	.030	-	.030	Tr.	26
27	-	-	.250	.200	.580	.010	.150	-	-	-	.110	Tr.	27
28	-	Tr.	.240	.120	.340	-	.110	.230	-	.020	-	Tr.	28
29	-	-	.090	.100	.140	.125	.050	.020	.080	.275	.080	.070	29
30	Tr.	✕	.020	-	Tr.	.410	1.070	.020	.030	.060	.180	.170	30
31	Tr.	✕	.050	✕	.010	✕	.040	-	✕	Tr.	✕	.080	31
TOTAL	1.400	.280	1.400	2.500	6.510	.735	3.570	1.370	1.660	2.785	1.710	.610	YEAR'S TOTAL 24.530
*Days with ·01 in. or more.	13	8	11	21	21	6	15	9	17	21	16	13	171
*Days with ·04 in. or more.	10	4	8	18	15	4	11	5	12	16	10	5	118

40-9999

*See Instruction 2 (*f*) on other side

N

(*Signed*) F.W.DAVIES ESQ, C.E.
~~Engineer & General Manager.~~

[P.T.O.

Section **A** for the entry

2602/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Notts/5

Kept at BRAMCOTE RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 ~~11¾~~ in.

,, Ground ,, Sea Level 327. ~~37~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

O.K. print.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.120	.020	-	.090	.300	Tr.	.010	.010	.090	.240	.030	Tr.	1
2	.060	-	-	-	.090	-	-	.050	.120	.090	.010	.020	2
3	-	Tr.	Tr.	-	.030	-	-	-	Tr.	Tr.	-	.010	3
4	.020	Tr.	-	.200	-	-	-	-	.010	Tr.	.230	Tr.	4
5	.200	Tr.	.030	Tr.	.010	-	-	.020	.050	-	-	Tr.	5
6	.470	-	.050	.190	Tr.	-	.020	-	.070	-	-	Tr.	6
7	.040	-	.220	.200	-	-	-	-	.070	.040	Tr.	-	7
8	.010	Tr.	-	.120	-	-	-	-	.110	.070	-	-	8
9	.030	.100	-	.070	.050	-	-	-	-	.110	-	.010	9
10	.050	Tr.	Tr.	.070	Tr.	-	-	-	.230	.160	Tr.	Tr.	10
11	.040	.040	.010	.040	.210	.110	.070	-	.080	.040	.020	-	11
12	.110	-	-	.020	.060	-	.010	-	-	.420	.020	-	12
13	Tr.	.040	-	.040	.010	-	.810	Tr.	Tr.	.010	.070	.010	13
14	.070	-	-	.120	-	-	.320	.320	-	.010	.140	Tr.	14
15	Tr.	-	-	.030	.210	-	-	-	-	.030	Tr.	.050	15
16	.180	-	-	.320	.200	-	-	-	-	Tr.	Tr.	Tr.	16
17	-	-	-	-	.010	-	.010	-	Tr.	.100	-	-	17
18	-	-	-	-	.010	-	-	-	.010	-	-	-	18
19	-	.010	-	.010	Tr.	-	-	-	-	.210	-	Tr.	19
20	-	-	-	.060	.420	-	Tr.	.260	-	.360	.170	.010	20
21	-	-	.130	.110	2.570	-	-	.440	-	.280	Tr.	.140	21
22	-	Tr.	.310	.040	.180	.020	-	-	.500	.010	.380	.010	22
23	-	.020	Tr.	-	.770	-	.060	-	.120	.060	.130	.020	23
24	-	-	-	Tr.	-	Tr.	.790	Tr.	.040	Tr.	.100	Tr.	24
25	-	.040	-	Tr.	-	-	.050	-	.020	.190	.010	.010	25
26	-	.010	-	.350	.310	.060	Tr.	-	.030	-	.030	Tr.	26
27	-	-	.250	.200	.580	.010	.150	-	-	-	.110	Tr.	27
28	-	Tr.	.240	.120	.340	-	.110	.230	-	.020	-	Tr.	28
29	-	-	.090	.100	.140	.125	.050	.020	.080	.275	.080	.070	29
30	Tr.	×	.020	-	Tr.	.410	1.070	.020	.030	.060	.180	.170	30
31	Tr.	×	.050	×	.010	×	.040	-	×	Tr.	×	.080	31
TOTAL	1.400	.280	1.400	2.500	6.510	.735	3.570	1.370	1.660	2.785	1.710	.610	YEAR'S TOTAL 24.530
*Days with ·01 in. or more.	13	8	11	21	21	6	15	9	17	21	16	13	171
*Days with ·04 in. or more.	10	4	8	18	15	4	11	5	12	16	10	5	118

40-9999

*See Instruction 2 (*f*) on other side.

N (Signed) F.W.DAVIES ESQ., C.E. ~~Engineer & General Manager.~~

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BRAMCOTE RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 11¾ in.

" " Ground " Sea Level 327.37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.270	.250	.070	-	-	-	-	.010	-	-	.030	Tr.	1
2	.310	-	.330	-	Tr.	-	-	-	-	-	.060	-	2
3	.010	.160	.120	-	.140	-	-	-	-	-	.030	-	3
4	.020	Tr.	Tr.	-	.040	-	-	-	-	Tr.	-	-	4
5	.080	.020	.070	-	.250	-	-	-	-	Tr.	Tr.	-	5
6	Tr.	.070	.050	-	.460	-	-	-	-	.010	Tr.	.030	6
7	.010	.350	.010	-	.090	-	.160	-	-	.240	-	.010	7
8	.010	Tr.	.060	-	.050	-	.400	-	-	-	-	Tr.s	8
9	-	-	-	-	.020	-	.210	-	-	.950	.020	-	9
10	Tr.	.100	-	-	Tr.	.070	.080	.040	-	.990	.020	-	10
11	.010	-	-	-	-	-	.040	.010	-	Tr.	Tr.	-	11
12	.040	-	-	-	-	Tr.	.090	-	-	-	Tr.	.040	12
13	.050	-	-	-	.140	.020	.330	-	.030	.030	-	-	13
14	.010	-	Tr.	-	.080	-	.210	-	-	.050	.140	Tr.	14
15	s.720	-	Tr.	-	-	-	.070	.180	-	.100	.380	.060	15
16	s.150	-	.530	-	.020	.130	.090	-	-	.040	.040	.010	16
17	s.040	-	.950	-	-	.090	Tr.	-	.030	Tr.	.070	Tr.	17
18	Tr.	s.020	.070	-	-	.390	-	-	Tr.	-	.040	-	18
19	Tr.	s.Tr.	.230	Tr.	-	-	.060	-	.040	-	Tr.	.040	19
20	Tr.	s.040	-	-	-	.210	-	.120	.040	.010	.010	-	20
21	-	-	-	-	.220	.150	-	.010	.010	.010	Tr.	-	21
22	-	-	-	-	-	Tr.	-	.280	-	.400	.010	Tr.	22
23	-	-	-	.400	.040	-	-	-	.160	Tr.	-	Tr.	23
24	-	s.150	-	.200	.040	.350	-	-	.170	.020	.030	-	24
25	-	s.760	-	.290	-	-	-	-	Tr.	-	.010	.040	25
26	-	s.410	-	.120	.010	.060	-	-	.010	.050	.020	.020	26
27	-	.010	-	-	-	-	-	-	.950	.040	-	Tr.	27
28	Tr.	Tr.	-	.180	.110	-	.020	-	.020	.110	-	.030	28
29	.010	X	-	.130	.020	-	Tr.	-	Tr.	.050	-	.010	29
30	.050	X	.030	-	-	-	.040	-	-	.010	Tr.	.020	30
31	.010	X	.210	X	-	X	.010	.010	X	.110	X	Tr.	31
TOTAL	1.800	2.340	2.730	1.320	1.730	1.470	1.810	.660	1.460	3.220	.910	.310	YEAR'S TOTAL 19.760
*Days with ·01 in. or more.	17	12	13	6	16	9	14	8	10	18	15	11	149
*Days with .04 in. or more.	9	9	11	6	12	8	12	4	5	12	6	4	98

40-9999

*See Instruction 2 (*f*) on other side.

Davies (*Signed*) Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BRAMCOTE RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 11½ in.

" " Ground " Sea Level 327.37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.130	-	-	Tr.	-	-	-	.060	-	.100	.010	.340		1
2	.030	.010	.030	-	-	-	-	.270	.310	.040	.100	.260		2
3	.020	.040	-	-	-	-	-	.050	-	.020	.090	Tr.		3
4	.040	.010	.130	.540	Tr.	-	-	-	.040	.010	.060	.360		4
5	Tr.	.010	.110	.030	.160	-	-	.270	Tr.	.020	.090	.010		5
6	-	Tr.	-	Tr.	.430	.040	-	.050	-	.220	-	.490		6
7	.070	.010	Tr.	-	Tr.	-	-	.050	-	.070	-	.130		7
8	-	-	.060	-	.110	.040	-	.070	-	Tr.	.430	.010		8
9	.010	-	.180	.030	Tr.	-	-	.040	-	-	.670	.190		9
10	Tr.	-	.340	.130	-	-	-	.110	-	Tr.	.110	.020		10
11	.480	Tr.	.040	.350	-	-	-	.060	-	-	Tr.	.160		11
12	.030	Tr.	.210	Tr.	-	-	.070	.200	-	Tr.	-	.040		12
13	.440	.010	Tr.	.020	Tr.	-	1.190	.030	-	.020	Tr.	.120		13
14	.100	-	.230	-	.010	.050	-	-	-	.120	.390	.310		14
15	.060	Tr.	.080	-	.110	-	-	-	.055	.010	.150	.010		15
16	.210	Tr.	.080	-	.120	-	-	-	-	.020	.080	.070		16
17	.210	Tr.	.020	.030	.020	-	.010	.020	.280	.040	.010	.050		17
18	.090	-	.010	.110	-	.010	.030	-	.120	-	Tr.	.020		18
19	-	-	.080	.060	-	.100	-	-	Tr.	-	Tr.	.030		19
20	-	-	.010	.050	-	-	-	-	-	-	Tr.	Tr.		20
21	-	-	-	-	-	.080	-	.040	Tr.	.020	-	.010		21
22	Tr.	-	Tr.	-	-	Tr.	-	.240	.290	.020	-	.010		22
23	-	Tr.	.020	.300	.090	.010	.290	.020	-	Tr.	Tr.	.100		23
24	Tr.	.170	.120	Tr.	-	.030	.110	Tr.	.420	-	-	Tr.		24
25	.050	-	-	.020	Tr.	Tr.	-	-	Tr.	.080	-	.320		25
26	.210	-	.020	.220	Tr.	Tr.	Tr.	-	.060	.030	Tr.	Tr.		26
27	Tr.	s.320	Tr.	.210	-	.010	.030	-	.020	.110	-	.100		27
28	-	-	-	.020	-	.060	-	.350	Tr.	Tr.	-	.420		28
29	-	X	-	-	-	-	.110	.040	.370	-	-	.190		29
30	.030	X	-	-	-	-	.300	Tr.	.020	.010	-	.250		30
31	.010	X	-	X	-	X	.100	Tr.	X	.160	X	Tr.		31
TOTAL	2.220	.580	1.770	2.120	1.050	.430	2.240	1.970	1.985	1.120	2.190	4.020	Year's Total 21.695	
*Days with ·01 in. or more.	18	8	18	15	8	10	10	18	11	19	12	26	173	
*Days with ·04 in. or more.	12	3	12	9	6	6	7	15	9	9	10	18	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Engineer & General Manager.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations.

Station No. 2602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BRAMCOTE RESERVOIR,

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 11¾ in.

,, Ground ,, Sea Level 327·37 ft.

Rec'd Lap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·170	Tr.	Tr.	·070	Tr.	·580	Tr.	-	·450	·120	·180	·200		1
2	Tr.	-	·050	·010	-		Tr.	-	-	·280	·180	·210		2
3	-	·150		·010	-	·040	-	-	·020	·030		Tr.		3
4	-	Tr.	Tr.	·060	-	-	-	-	·180	·210	Tr.	-		4
5	-	·310	·060	·090	-	-	-	-	·050	·130	·120	·010		5
6	·010	Tr.	·010	·630	-	·150	-	-	-		Tr.	Tr.		6
7	·050	Tr.	-		-	·050	-	-	-	·130	·560	·310		7
8	Tr.	-	·010	·140	Tr.	-	-	Tr.	-	·070	·020			8
9	-	-	Tr.	·180	-	·180	-	-	-	·460	·180	Tr.		9
10	-	Tr.		·100	-	Tr.	-	-	-	-		Tr.		10
11	·110	-	Tr.	-	-	·060	·030	·010	-	Tr.	·100	·060		11
12	·070	Tr.	-	-	-	·120	-	·015	·040	-	Tr.	-		12
13		·020	-	·100	·080	-	-	-	·020	·010	·010	-		13
14	Tr.	-	-		·030	·020	-	-	·230	-	·420	·470		14
15	·010	·080	-	·520	·060	·430	-	-		-	·230			15
16	Tr.	·060	·110	·080	-		-	-	·250	·140	1·020	-		16
17	Tr.			·110	-	·200	-	-	·020	·040		·010		17
18	Tr.	Tr.	-	·220	·060	·120	·060	·050	·300	·120	·010	-		18
19	·010	-	-	·080		·410	·040	-	·020	·060	·250	·010		19
20		·230	-	·330	-	·190	·060	-	Tr.	-	·100	-		20
21	-	·460	-		-	-		-	·600	·030	·130	Tr.		21
22	-	·300	·020	·040	-	-	-	-		Tr.	·030	-		22
23	Tr.	·240	·260	-	-	-	-	1·020	·060	·220	-	·040		23
24	·060			-	-	-	-	-	1·560	Tr.	·010	·170		24
25	·220	·030	-	·040	-	·630	-	-	-	Tr.	Tr.	·020		25
26	·040	Tr.	-	-	-	-	-	·600	·410	·190	·010	·380		26
27		·230	-	-	-	-	-	-	·520		·220	·920		27
28	·040	·110	-	-	·050	-	·010	Tr.	·090	·020	·060	·100		28
29	Tr.	X	·080	-	-	-	-	-		·060	·010	·050		29
30	·100	X	-	·060	-	-	-	·210	·020	·370	·200	·030		30
31	Tr.	X	-	X	-	X	-	-	X	·420	X	·200		31
TOTAL	·890	2·220	·600	2·870	·280	3·180	·200	1·905	4·840	3·110	4·050	3·190	Year's Total. 27·335	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BRAMCOTE RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11¾ in.

" Ground " Sea Level 327·37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	·110	·070	·310	-	Tr.	·050	·170	·020	Tr.	·010	·020		1
2	·280		·090	·060	-	·360	·240	·230	-	-	·090	·010		2
3	Tr.	·060	Tr.	-	-	·670	·070	-	·140	Tr.	Tr.	·030		3
4	·020	·030	·100	Tr.	-	·060	Tr.	·060	·185	·040	·090	·200		4
5	·050	·020	·170	-	-	-	·020	·040	·320	·020	Tr.	·220		5
6	·020	-	·010	-	-	·060	·300	·170		Tr.	·050	-		6
7	·310	-	·070	-	-	-	·420	-	·190	Tr.	·020	Tr.		7
8	·150	-		-	-	-	·050	-	·030	·050	·120	·020		8
9	·180	-	·050	-	-	·020	·390	-	-	·080	·050	Tr.		9
10	·010	-	Tr.	Tr.	-	-	·500	Tr.	·030	·060	-	·010		10
11	-	-	-	·110	-	·010	·190	-	-	-	·350	-		11
12	-	-	-	·050	-	·400	·760	-	·300	-	·020	·030		12
13	-	-	-	·010	-	·200	-	-	-	·030	·010	·190		13
14	·010	Tr.	-	·070	-	·050	·160	-	·730	·010	·060	·390		14
15	s ·070	-	Tr.	·020	-	·170	·250	-	Tr.	-	·280	·040		15
16	s ·170	·150	-	·010	-	-	·020	-	-	-	·440	Tr.		16
17	s ·010	·450	-	-	Tr.	-	·090	-	-	·090	·040	·070		17
18	-	·010	-	-	-	·010	·200	Tr.	-	·070	·010	·020		18
19	·380	·060	Tr.	·270	-	·100	·010	·050	-	·110	Tr.	Tr.		19
20	·020	·060	Tr.	-	-	-	-	·050	-	·010	Tr.	-		20
21	·110	-	·115	·080	-	·320	-	-	-	Tr.	Tr.	-		21
22	-	·290		-	·110	·010	·150	-	Tr.	-	·020	·020		22
23	-	·030	·055	·130	·070	-	·420	-	-	·020	Tr.	Tr.		23
24	·200	·060	-	-	·030	-	-	-	·180	·140	Tr.	-		24
25	·070	Tr.	·020	·350	Tr.	·060	·230	Tr.	·410	Tr.	Tr.	-		25
26	-	·040	·510	Tr.	-	Tr.	-	-	·030	·150	Tr.	-		26
27	·060	Tr.	Tr.	-	-	-	-	Tr.	·250	·110	-	-		27
28	·400	·100	·040	-	-	·010	·010	-	·030	Tr.	·020	·070		28
29	·450	·180	·120	-	-	·360	-	-	Tr.	·030	·340	·040		29
30	·220	✕	-	-	·160	·260	·090	-	-	·280	·020	Tr.		30
31	·040	✕	·020	✕	·020	✕	·010	-	✕	·100	✕	·200		31
TOTAL	3·230	1·650	1·440	1·470	·390	3·130	4·630	·770	2·845	1·400	2·040	1·580	Year's Total 24·575	
* Days with .01 in. or more.	22	16	16	12	5	18	23	7	15	18	19	17	188	
* Days with .04 in. or more.	16	12	11	9	3	13	18	7	10	12	11	9	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Davies [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at BRAMCOTE RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11¾ in.

" Ground " Sea Level 327·37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·140	·020	Tr.	-	Tr.	-	-	-	·070	-	·030	·110		1
2	·050	·130	·050	·320	-	-	-	-	-	-	Tr.	·800		2
3	Tr.	·030	Tr.	·140	·210	-	·010	-	-	-	Tr.	·220		3
4	·080	·090	·010	-	·020	-	-	-	-	-	Tr.	S·730		4
5	·370	-	·090	-	-	-	-	·040	-	-	Tr.	·010		5
6	Tr.	-	Tr.	·010	·060	-	·010	-	-	-	-	·020		6
7	-	·300	·010	·170	·020	Tr.	-	-	Tr.	·050	Tr.	·010		7
8	Tr.	·310	-	·030	Tr.	-	-	-	Tr.	-	·260	·010		8
9	Tr.	·150	-	·020	·060	-	·500	·010	·020	·-	-	S·030		9
10	·050	·120	S·070	·120	-	·160	-	-	-	Tr.	-	·070		10
11	Tr.	-	·620	-	·510	-	-	-	-	-	-	·200		11
12	·040	·270	·110	-	·310	·110	-	-	·180	-	-	·110		12
13	-	·040	Tr.	-	Tr.	·040	-	Tr.	Tr.	-	-	·050		13
14	-	Tr.	·070	-	-	Tr.	-	·370	·010	-	Tr.	S·070		14
15	·090	·160	Tr.	·340	-	-	2·740	-	·050	-	Tr.	·010		15
16	·060	·260	·270	·240	-	-	-	·110	·220	-	Tr.	·010		16
17	·150	Tr.	·200	·280	-	-	-	-	·350	-	-	Tr.		17
18	·860	·050	·050	·050	-	-	·030	-	·030	·010	·450	-		18
19	·040	·090	·020	·070	-	·090	·050	-	Tr.	·010	·130	-		19
20	·180	·130	·020	·300	·650	Tr.	-	-	·050	Tr.	-	S·010		20
21	·020	·070		Tr.	-	-	·240	-	Tr.	-	·010	·010		21
22	·040	·020	·020	Tr.	·010	-	·160	-	Tr.	·280	·250	·010		22
23	·310	-	-	-	·270	-	·110	-	-	·840	·330	Tr.		23
24	·100	·440	·100	-	·010	-	·010	-	·020	·190	-	Tr.		24
25	·110	·260	·110	-	·050	-	-	-	·020	·410	Tr.	·020		25
26	-	·240	·050	-	·380	-	-	-	Tr.	-	Tr.	·020		26
27	-	·300	·020	·180	-	-	-	-	Tr.	·650	-	Tr.		27
28	Tr.	·080	Tr.	-	-	-	-	-	-	·010	-	·040		28
29	S·040	X	-	-	-	-	-	-	-	Tr.	·040	·020		29
30	·410	X	-	-	-	·030	-	Tr.	-	Tr.	·070	·020		30
31	·320	X	-	X	-	X	-	Tr.	X	·130	X	·010		31
													Year's Total	
TOTAL	3·460	3·560	1·890	2·270	2·560	·430	3·860	·530	1·020	2·580	1·570	2·620	26·350	✓
* Days with .01 in. or more.	20	22	18	14	13	5	10	4	11	10	9	25	161	✓
* Days with .04 in. or more.	19	19	12	11	9	4	6	3	6	7	7	10	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Davis

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2602/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at BRAMCOTE RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11¾ in.

,, Ground ,, Sea Level 327·37 ft.

aug Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	·490	·250	Tr.	·010	·060	Tr.	·170		1
2	·030	·010	Tr.	·050	·010	·080	–	–	–	·080	·020	·050		2
3	·050	Tr.	–	–	–	·040	·020	–	·060	·530	·040	–		3
4	·040	–	·010	Tr.	–	·010	·090	·200	–	·360	·050	·340		4
5	·010	–	–	Tr.	–	–	·330	·030	·020	·010	–	·040		5
6	·040	·040	–	–	–	Tr.	·500	–	·130	·060	Tr.	·010		6
7	·110	Tr.	Tr.	–	–	–	·170	·020	·080	·050	–	·040		7
8	·240	–	–	–	–	–	·060	·020	–	·300	–	·030		8
9	·020	·190	–	–	–	Tr.	Tr.	·290	–	–	–	·360		9
10	·010	·030	–	–	–	Tr.	·310	Tr.	–	–	–	·050		10
11	·430	Tr.	Tr.	–	–	–	·010	·850	Tr.	·050	·060	·020		11
12	·160	–	–	–	·065	–	·040	–	–	·470	·280	Tr.		12
13	Tr.	s·010	Tr.	–	–	–	–	–	–	Tr.		·330		13
14	·090	–	–	–	·060	–	·400	–	·110	–	·030	·010		14
15	·120	–	–	–		–	·420	·030	–	Tr.	Tr.	·190		15
16	·180	–	·040	–	–	–	·140	·010	–		·020	·260		16
17	–	·030	–	–	·040	–	·040	·010	·010	·170	·020	·010		17
18	Tr.	–	–	–	·300	–	–	·040	·040	·020	·230	–		18
19	–	Tr.	–	–	Tr.	·130	–	·100	·050	–	·250	s·040		19
20	–	–	–	–	–	–	–	–	Tr.	Tr.		s·080		20
21	·020	–	–	–	–	–	–	·010	–	Tr.	·010	s·170		21
22	Tr.	·010	–	–	–	·120	–	Tr.	–	·010	·270	·210		22
23	–	–	–	–	–	·020	–	–	·160		Tr.	·040		23
24	–	Tr.	·050	Tr.	–	–	–	Tr.	·290	Tr.	·010	·020		24
25	·100	·130	·060	–	·040	–	·020	·030	Tr.	·150	·570	s·160		25
26	·020	·180	·070	–	Tr.	–	–	–	·120	·080	–	·110		26
27	·050	·050	–	Tr.	·220	·120	·170	·210	·370	·020	·300	Tr.		27
28	·190	·010	–	–	–	·040	·110	·580	·690	Tr.	·030	·060		28
29	·560	X	–	Tr.	·950	–	·230	–	Tr.	·040	·080	·130		29
30			–	–	–	–	–	–	·220		·070	·080		30
31	·090		–		·160		–	–		·170		·750		31
TOTAL	2·560	·690	·230	·050	1·845	1·050	3·310	2·430	2·360	2·630	2·340	3·760	Year's Total 23·255	
* Days with .01 in. or more.	22	11	5	1	10	9	18	15	15	18	19	27	170	
* Days with .04 in. or more.	16	5	4	1	9	7	15	7	12	14	12	21	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) [illegible]

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 26215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BRAMCOTE RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11¾ in.

" Ground " Sea Level 327·37 ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·050	–	·030	·100	–	–	–	–	·030	–	–	·020		1
2	·040	–	–	·050	–	–	–	·190	1·950	·120	·030	·290		2
3	s ·250	–	–	·310	–	–	–	·370	–	–	·230			3
4	s ·180	Tr.	·260	·340	–	–	·030	·330	–	·080	·010	·120		4
5	–		–	·040	·150	–	·080	·560	Tr.	·110	·180	·200		5
6	sl ·510	Tr.	·010	–	–	–	·250	–	–	·020	·040	Tr.		6
7	·080	·070	–	–	–	–	·180	–	–	–	·170	·290		7
8	Tr.	·080	·230	–	–	–	·270	·080	–	·050	·210	·320		8
9	–	·090	Tr.	–	–	–	·090	·180	–	·620	Tr.	·330		9
10	s ·510	Tr.	·020	–	–	–	–	·230	·010	·060	Tr.	–		10
11	·060	·090	·160	–	–	·030	–	·080	·040	·180	Tr.	Tr.		11
12	Tr.			–	·010	·120	–	–	–	·010	Tr.	Tr.		12
13	–	–	Tr.	·010	Tr.	·070	·030	–	–	·170	Tr.	·020		13
14	·550	–	–	–	·180	·290	·320	–	–	·070	·140	–		14
15	·250	–	·010	–	·350	·240	·190	–	·030	·050	–	Tr.		15
16	·030	·010	·080	·020	·220	·140	·010	–	–	–	·180	–		16
17	·390	·040	Tr.	·020	Tr.	–	·080	–	–	·770	·010	–		17
18	·050	Tr.	·070	–	–	·380	·080	–	·010	·010	·770	–		18
19	·230	–		–	–	·030	·260	–	·010	–		Tr.		19
20	Tr.	Tr.	–	–	Tr.	·020	·030	·290	–	–	–	–		20
21	·390	·130	·190	·040	–	·020	·120	·500	Tr.	·010	–	–		21
22		·180	·050	–	–	–	·220	–	·020	–	·490	Tr.		22
23	·020	·020	Tr.	·130	–	Tr.	·140	–	–	Tr.	·500	–		23
24	s ·040	Tr.	Tr.	·090	–	–	·170	–	–	–	Tr.	–		24
25	s ·710	·020	·050	·020	–	–	·060	·320	–	–	·650	·020		25
26	·040			·020	–	–	–	Tr.	–	·010		·030		26
27	·010	·110	·250	·020	–	·030	·020	–	–	·120	·060	·010		27
28	Tr.	·250	·170	·140	–	·110	·210	·010	–	·020	·250	Tr.		28
29	–	X	–	·320	–	–	·290	–	–	·230	·010	–		29
30	–	X	–		–	·070	Tr.	Tr.	–	Tr.	·130	–		30
31	–	X	–	X	–	X	·040	·010	X	·010	X	–		31
TOTAL	4·390	1·090	1·580	1·670	·910	1·550	3·170	3·150	2·100	2·720	4·060	1·650	Year's Total 28·040	
* Days with .01 in. or more.	22	12	17	17	5	13	23	13	8	20	~~18~~ 20	12	182	
* Days with .04 in. or more.	19	9	10	11	4	8	18	11	2	13	16	6	127	

† Spare column, no entries required.

(*Signed*) Engineer & General Manager.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Acfs.

Kept at BRAMCOTE RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 11¾ in.

,, Ground ,, Sea Level 327·37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	s ·150	–	·060	Tr.	–	–	–	–	–	·230	–		1
2	–	·030	–	·240	–	–	·010	–	–	–	·740	·040		2
3	Tr.	·410	–	·100	–	–	–	–	–	·060		·090		3
4	–		–	·110	–	–	–	–	–	·100	·550	·060		4
5	–	·020	–	–	·030	–	·030	–	–	·550	·410	·100		5
6	·130	·210	–	–	–	–	–	–	–		·090	·020		6
7		·230	–	·060	·030	–	–	–	–	·010	·090	·210		7
8	Tr.	–	–	Tr.	–	·080	·080	–	–	·070	Tr.			8
9	–	–	·200	–	–		·040	·040	·030	–	·310	·060		9
10	–	–		–	–	–	·710	·110	–	–		·270		10
11	–	–	·030	·010	–	–	·130	–	Tr.	–	·470	·030		11
12	–	Tr.	·100	–	–	·030	·110	–	·080	–	·170	–		12
13	–	·040	s ·150	–	–	–	–	Tr.	·090	–	Tr.	Tr.		13
14	–	Tr.	·010	·070	·260	–	–	·030	·050	·010	–	·330		14
15	–	–	Tr.	·010	·050	·040	–	–	–	·010	·070			15
16	s ·010	s ·250	1·000	–	–		·650	–	·090	1·430	1·560	·010		16
17	–	·470		–	–	–	·010	–	Tr.	Tr.				17
18	s ·120		·080	·360	–	–	–	·040	Tr.	·080	·030	·030		18
19	–	·160	·090	·270	–	Tr.	·400	–	·130	·220	·130	·030		19
20	s ·030	·040	–	·080	–	·040	·280	·040	–		·060	–		20
21		·020	·010	–	–	·240		–	–	·050	1·110	Tr.		21
22	–	Tr.	·010	–	·230	·420	–	Tr.	·150	·010	–	Tr.		22
23	–	·090	·050	·020	·260		–	–	–	·030	·010	·030		23
24	·040	Tr.		·010	·030	–	Tr.	–	–	–		Tr.		24
25	–	–	–	Tr.	–	–	Tr.	–	–	Tr.	Tr.	–		25
26	s ·880	·040	–	·060	·030	·020	·160	Tr.	–	·030	·010	–		26
27	s 1·150	·070	–	·220	–	–	·220	·030	–	–	Tr.	–		27
28		·480	–		·150	–	–	Tr.	–	–	–	·220		28
29	–	Tr.	·160	·040	·520	–	–	–	–	–	–			29
30	s ·150	✕	–	·040	–	·100	–	–	–	·260	Tr.	·050		30
31	sl ·110	✕	·070	✕	–	✕	–	–	✕	1·000	✕	Tr.		31
TOTAL	2·620	2·710	1·960	1·760	1·590	·970	2·830	·290	·620	3·920	6·040	1·580	Year's Total 26·890	
* Days with .01 in. or more.	11	18	15	17	10	10	14	6	7	18	20	18	164	
* Days with .04 in. or more.	8	14	10	13	6	6	11	4	6	10	17	10	117	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

Engineer & General Manager.

[P.T.O.

2603

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

2603 — 117848

NOTTINGHAM — TRENT LANE P.S.
— SNEINTON P.S.

1931 — 1940

78 04 11

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1931.

Kept at Trent Lane P

in the County of Not

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·020	·100	·040	·005	·005	—	—	·135	·010	—	·022	1
2	—	·025	—	·540	—	·050	—	—	·325	·050	—	·142	2
3	·075	—	—	·080	—	—	·041	—	·780	—	·047	·015	3
4	—	·055	—	·117	—	—	·380	·090	·170	—	·030	—	4
5	—	·017	—	·035	·100	1·000	—	·010	·110	—	·005	·390	5
6	—	·130	·015	—	—	·315	·055	—	·010	·130	·030	—	6
7	—	—	·013	—	—	·250	·930	·380	—	—	·080	·012	7
8	·015	·055	·055	·025	—	·030	·050	·780	—	—	·240	—	8
9	—	·105	—	·090	—	·025	—	·300	·020	—	·195	—	9
10	·005	·055	·015	—	·060	·015	—	·070	·005	—	·030	—	10
11	·055	·520	—	—	·010	·045	·012	—	·255	—	·010	—	11
12	·045	·110	—	—	—	—	1·045	—	·155	·025	·085	—	12
13	—	—	—	·015	·005	·010	—	·160	·010	—	—	—	13
14	—	·050	·040	—	—	·095	·555	·820	·010	—	·110	—	14
15	—	·130	—	·010	·090	—	·120	·080	—	—	·012	·025	15
16	·050	·272	—	·100	·510	·560	·010	·280	·140	·007	—	—	16
17	·005	·235	—	·300	·620	—	·025	—	—	—	—	—	17
18	·022	—	—	·280	—	·110	·140	·055	—	—	·310	—	18
19	·037	·035	—	·200	—	·155	·130	·082	·075	·052	—	—	19
20	—	·020	—	·035	—	—	·010	·356	—	—	·005	·010	20
21	·120	—	—	—	·480	—	—	·130	—	—	·265	—	21
22	·045	—	—	·012	—	—	—	—	—	—	—	—	22
23	·150	—	·010	·017	·380	·070	—	—	·025	—	·175	·008	23
24	—	·012	—	·077	·565	—	·145	—	—	—	—	—	24
25	·190	—	—	·588	·010	—	·130	—	—	—	·010	—	25
26	—	·010	—	·320	·100	—	·080	—	·005	—	·175	—	26
27	·195	·355	—	—	·020	—	—	—	—	·080	·260	·180	27
28	·085	·310	—	·030	·110	—	—	—	—	—	·008	·083	28
29	·155		—	·090	·050	—	·105	—	—	·165	·010	·027	29
30	·105	×	—	·010	—	·110	—	—	—	—	·002	—	30
31	·133	×	—	×	—	×	—	—	×	·040	×	·005	31 26·58
TOTAL	1·~~487~~ 49	2·~~521~~ 52	·~~248~~ ·25	3·~~011~~ 01	3·~~115~~ ·11	2·~~845~~ 85	3·~~963~~ ·96	3·~~593~~ 59	2·~~230~~ 23	·~~559~~ ·56	2·~~094~~ ·09	·~~919~~ ·92	YEAR'S TOTAL ~~26·585~~
*Days with ·01 in. or more.	16	20	7	22	14	15	18	14	14	8	18	10	176
*Days with ·04 in. or more.	13	13	3	13	11	11	14	13	9	6	11	4	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) T. Wallis Gordon

[P.T.O.

2603

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Trent Lane Pumping Station

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 83 ft.

(days)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·020	·100	·040	·005	·005	–	–	·135	·010	–	·022	1
2	–	·025	–	·540	–	·050	–	–	·325	·050	–	·142	2
3	·075	–	–	·080	–	–	·041	–	·780	–	·047	·015	3
4	–	·055	–	·117	–	–	·380	·090	·170	–	·030	–	4
5	–	·017	–	·035	·100	1·000	–	·010	·110	–	·005	·390	5
6	–	·130	·015	–	–	·315	·055	–	·010	·130	·030	–	6
7	–	–	·013	–	–	·250	·930	·380	–	–	·080	·012	7
8	·015	·055	·055	·025	–	·030	·050	·780	–	–	·240	–	8
9	–	·105	–	·090	–	·025	–	·300	·020	–	·195	–	9
10	·005	·055	·015	–	·060	·015	–	·070	·005	–	·030	–	10
11	·055	·520	–	–	·010	·045	·012	–	·255	–	·010	–	11
12	·045	·110	–	–	–	–	1·045	–	·155	·025	·085	–	12
13	–	–	–	·015	·005	·010	–	·160	·010	–	–	–	13
14	–	·050	·040	–	–	·095	·555	·820	·010	–	·110	–	14
15	–	·130	–	·010	·090	–	·120	·080	–	–	·012	·025	15
16	·050	·272	–	·100	·510	·560	·010	·280	·140	·007	–	–	16
17	·005	·235	–	·300	·620	–	·025	–	–	–	–	–	17
18	·022	–	–	·280	–	·110	·140	·055	–	–	·310	–	18
19	·037	·035	–	·200	–	·155	·130	·082	·075	·052	–	–	19
20	–	·020	–	·035	–	–	·010	·356	–	–	·005	·010	20
21	·120	–	–	–	·480	–	–	·130	–	–	·265	–	21
22	·045	–	–	·012	–	–	–	–	–	–	–	–	22
23	·150	–	·010	·017	·380	·070	–	–	·025	–	·175	·008	23
24	–	·012	–	·077	·565	–	·145	–	–	–	–	–	24
25	·190	–	–	·588	·010	–	·130	–	–	–	·010	–	25
26	–	·010	–	·320	·100	–	·080	–	·005	–	·175	–	26
27	·195	·355	–	–	·020	–	–	–	–	·080	·260	·180	27
28	·085	·310	–	·030	·110	–	–	–	–	–	·008	·083	28
29	·155		–	·090	·050	–	·105	–	–	·165	·010	·027	29
30	·105	×	–	·010	–	·110	–	–	–	–	·002	–	30
31	·133	×	–	×	–	×	–	–	×	·040	×	·005	31 26·58
TOTAL	1·49 ~~1·487~~	2·52 ~~2·521~~	·25 ~~·248~~	3·01 ~~3·011~~	3·11 ~~3·115~~	2·85 ~~2·845~~	3·96 ~~3·963~~	3·59 ~~3·593~~	2·23 ~~2·230~~	·56 ~~·559~~	2·09 ~~2·094~~	·92 ~~·919~~	YEAR'S TOTAL ~~26·585~~
*Days with ·01 in. or more.	16	20	7	22	14	15	18	14	14	8	18	10	176
*Days with ·04 in. or more.	13	13	3	13	11	11	14	13	9	6	11	4	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) T. Wallis Gordon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pumping Station, Trent Lane, Sneinton

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·060	–	–	·090	·350	–	·003	·060	·120	·145	·010	·012	1
2	·027	–	–	–	·115	–	–	·030	·090	·140	·005	·030	2
3	–	–	–	·135	·030	–	–	–	–	·010	–	·020	3
4	·015	–	–	·118	–	–	–	–	–	–	·180	–	4
5	·160	–	·040	–	·020	·010	–	–	·048	–	–	–	5
6	·465	–	·045	·203	–	–	·090	–	·078	–	–	–	6
7	–	–	·185	·125	–	–	–	–	·050	·040	·020	–	7
8	–	–	–	·110	–	–	–	–	·050	·050	–	–	8
9	·015	·140	–	·030	·045	–	–	–	–	–	–	·010	9
10	·030	·010	–	·050	–	–	–	–	·270	·150	–	–	10
11	·015	·120	–	·075	·160	·060	·170	·015	·070	·090	·010	–	11
12	·090	–	–	·020	·060	–	–	–	–	·460	·008	–	12
13	–	·018	–	·025	·010	–	1·560	–	–	·023	·085	·010	13
14	·060	–	–	·038	–	–	·252	·355	–	–	·135	–	14
15	–	–	–	·020	·200	–	–	–	–	·040	–	·050	15
16	·120	–	–	·330	·250	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	·010	–	·022	·093	–	–	17
18	–	–	–	–	·023	–	–	–	–	–	–	–	18
19	–	–	–	·010	–	–	–	–	–	·180	–	–	19
20	–	–	–	·020	·735	–	·005	·245	–	·360	·185	–	20
21	–	–	·190	·085	1·930	–	–	·300	–	·280	·005	·115	21
22	–	–	·270	·038	·200	–	·565	–	·430	·018	·320	–	22
23	–	–	–	–	·700	–	·035	–	·100	·075	·170	·010	23
24	–	–	–	–	–	–	·625	–	·038	–	·130	–	24
25	–	·040	–	–	·010	·010	·125	–	·070	·135	·008	–	25
26	–	–	–	·325	·340	·045	·007	–	·020	–	·010	–	26
27	–	–	·260	·140	·460	–	·141	–	–	–	·085	–	27
28	–	–	·098	·180	·265	–	·120	1·000	–	·043	–	–	28
29	–	–	·090	·110	·065	·125	·048	·160	·056	·255	·075	·090	29
30	–	×	·042	·010	–	·300	·075	·025	·110	·100	·168	·150	30
31	–	×	·044	×	·020	×	·840	–	×	–	×	·080	31
TOTAL	1·057	·328	1·264	2·287	5·988	·550	4·671	2·190	1·622	2·687	1·609	·577	YEAR'S TOTAL 24·830
*Days with ·01 in. or more.	11	5	10	23	21	6	14	8	16	20	14	11	159
*Days with ·04 in. or more.	6	3	10	14	15	4	12	6	13	17	10	5	115

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) T. Wallis Gordon P.T.O.

City Engineer & Surveyor

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Trent Lane Pumping Station

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.185	.170	.170	–	–	–	–	–	–	–	.080	–		1
2	.275	–	.340	–	.010	–	–	–	–	–	.070	–		2
3	.020	.110	.200	–	.190	–	–	–	–	–	.090	–		3
4	.040	–	–	–	.250	–	–	–	–	–	–	–		4
5	.105	–	.050	–	.050	–	–	–	–	–	–	–		5
6	–	.080	.080	–	.300	–	–	–	–	.040	–	030		6
7	.005	.310	–	–	.100	–	.275	–	–	.180	–	–		7
8	.005	–	.060	–	.055	–	.360	–	–	–	–	–		8
9	–	–	–	–	.005	–	.215	–	–	.780	.025	–		9
10	–	.090	–	–	–	.065	.200	.030	–	.880	–	–		10
11	.040	–	–	–	–	.060	.105	.015	–	.020	.010	–		11
12	.070	–	–	–	–	.010	.165	–	–	–	–	.060		12
13	.038	–	–	–	.108	.030	.265	–	.080	.020	.115	–		13
14	–	–	–	–	.010	–	.180	.010	–	.050	.200	–		14
15	.660	–	–	–	–	–	.090	.280	–	.055	.360	.015		15
16	.135	–	.565	.010	.025	.125	.395	–	–	.030	.020	.010		16
17	.020	–	.950	–	–	.100	–	–	.025	–	.045	–		17
18	.010	.070	.070	–	–	.400	–	–	–	–	.045	–		18
19	–	.010	.140	.010	–	.010	.255	–	.070	–	–	–		19
20	–	.040	–	–	–	.410	–	.090	–	.010	.010	–		20
21	–	.010	–	–	.210	.090	–	.100	.010	–	–	–		21
22	–	–	–	–	–	.015	–	.265	–	.690	–	–		22
23	–	–	–	.420	.015	–	–	–	.355	.010	–	–		23
24	–	.210	–	.150	.043	.350	–	–	.140	.030	.030	–		24
25	–	.920	–	.240	–	–	–	–	–	–	–	.020		25
26	–	.530	–	.150	–	.040	–	–	.040	.060	.020	–		26
27	–	–	–	–	.020	–	–	–	.540	.070	–	–		27
28	–	–	–	.210	.050	–	.020	–	.010	.105	–	.025		28
29	.020		–	.030	–	–	.015	–	–	.110	–	005		29
30	.025	×	.020	–	–	–	.040	–	–	.010	–	.020		30
31	–	×	.125	×	–	×	–	.020	×	.070	×	–		31
TOTAL	1.653	2.550	2.770	1.220	1.441	1.705	2.580	.810	1.270	3.220	1.120	.185	Year's Total 20.524	
*Days with ·01 in. or more.	14	12	12	8	15	13	14	8	9	19	14	7	145	
*Days with .04 in. or more.	8	10	11	5	10	9	12	4	6	12	8	1	96	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~J. J. Freeman~~ T. Wallis Gordon

~~City Engineer & Surveyor~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pumping Station, Trent Lane, Sneinton

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·125	–	–	–	–	–	–	·070	–	·040	–	·310		1
2	·040	·010	·020	–	–	–	–	·152	·260	–	·095	·185		2
3	·010	·038	–	·010	–	–	–	–	–	·025	·050	·006		3
4	·065	·010	·085	·590	·025	–	–	–	·050	–	·120	·380		4
5	·005	–	·080	·035	·085	–	–	·280	–	·030	·065	·040		5
6	–	–	–	·010	·410	·020	–	·050	–	·150	–	·450		6
7	·055	·005	–	–	·010	–	–	·010	–	·050	–	·125		7
8	–	–	·075	–	·045	·020	–	·060	–	·010	·380	–		8
9	–	–	·230	·030	–	–	–	·030	–	–	·620	·130		9
10	–	–	·650	·115	–	–	–	·090	–	–	·170	–		10
11	·400	–	·105	·250	–	–	–	·100	–	–	–	·180		11
12	·010	–	·270	–	–	–	·070	·150	–	–	–	·020		12
13	·430	–	–	·020	–	–	·640	·025	–	·010	–	·135		13
14	·045	–	·210	–	·015	·060	–	–	–	·140	·400	·310		14
15	·025	–	·075	–	·110	–	–	–	·010	–	·105	·010		15
16	·205	–	·065	–	·160	–	–	–	–	·030	·045	·010		16
17	·210	–	–	–	·020	–	·040	·085	·205	·050	–	·040		17
18	·045	–	·010	·130	–	·055	·030	–	·085	–	–	·010		18
19	–	–	·060	·095	–	·140	–	–	·010	·010	–	·375		19
20	–	–	·030	·035	–	·100	–	–	–	–	–	–		20
21	–	–	–	–	–	–	–	·020	·025	·015	–	–		21
22	–	–	–	–	–	–	–	·270	·315	·015	–	·005		22
23	–	–	·020	·245	·095	–	·550	·010	–	–	–	·090		23
24	–	·155	·120	·015	–	·050	·010	–	·485	–	–	–		24
25	·075	–	–	·015	–	–	–	–	·008	·095	–	·295		25
26	·170	–	·015	·125	–	·020	·010	–	·035	·030	–	·035		26
27	–	·260	–	·275	–	–	·020	–	·010	·095	–	·050		27
28	–	–	–	·020	–	·080	·010	·330	–	–	–	·450		28
29	–		–	–	–	–	·110	·070	·305	·020	–	·120		29
30	·015	×	–	–	–	–	·050	–	·030	·080	–	·230		30
31	·010	×	–	×	–	×	·080	–	×	·160	×	–		31
TOTAL	1.940	·478	2·120	2.015	·975	·545	1.620	1.802	1.833	1.055	2·050	3.991	Year's Total 20·424 ~~19·674~~	
* Days with .01 in. or more.	17	5	17	17	10	9	12	17	13	19	10	23	169	
* Days with .04 in. or more.	12	2	12	8	6	6	7	12	7	9	10	18	109	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. J. Pressman for T. WALLIS GORDON.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pumping Station, Trent Lane

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 83 ft.

Duration

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.240	—	—	.040	—	.110	.010	—	.565	.060	.140	.150		1
2	—	—	.040	—	—	.230	.010	—	.010	.215	—	.120		2
3	—	.125	.050	.030	—	.260	—	—	.010	.170	.130	.015		3
4	—	—	.015	.030	—	.160	—	—	.170	.180	—	—		4
5	—	.340	.090	.080	—	—	—	—	.020	.060	.125	—		5
6	.020	.015	—	.087	—	.150	—	—	—	—	—	—		6
7	.068	.005	—	.465	—	.100	—	—	—	.195	.605	.145		7
8	.005	—	.020	.110	—	—	—	.030	—	.020	.090	.200		8
9	—	—	—	.100	—	.130	—	—	—	.430	.200	.025		9
10	—	.005	—	.120	—	—	—	—	—	.010	.055	.010		10
11	.110	—	—	—	—	.040	—	.050	—	.010	.080	.060		11
12	—	—	—	—	—	.165	—	.020	.015	—	—	—		12
13	.055	.010	—	.090	.110	—	—	—	.080	.010	—	—		13
14	—	—	—	—	.100	.010	.013	—	.255	—	.400	.115		14
15	—	.050	—	.570	.040	—	—	—	.350	—	.155	.320		15
16	—	.085	.090	.105	—	.425	—	—	.300	.130	.480	—		16
17	—	—	—	.270	—	.220	.110	1.020	.015	.020	.540	—		17
18	.005	—	—	.240	.045	.065	.015	—	.360	.100	.015	—		18
19	.010	—	—	.070	.035	.320	.010	—	.020	.050	.260	—		19
20	—	.275	—	.205	—	.155	.140	—	—	—	.085	—		20
21	—	.460	.010	.005	—	—	—	—	.600	.020	.150	—		21
22	—	.355	.005	.075	—	—	—	.010	—	—	.020	010		22
23	.010	.010	.160	—	—	—	—	.970	.025	.160	—	—		23
24	.020	.220	.108	—	—	—	—	—	1.600	—	.010	.140		24
25	.260	.027	—	.050	—	.240	—	—	—	—	—	.025		25
26	.050	—	—	—	—	—	—	.660	.360	.040	.005	.400		26
27	.010	.200	—	—	—	—	.015	—	.325	.075	.200	.990		27
28	.010	—	—	—	.030	—	—	.020	.015	.020	.030	.015		28
29	—		.085	—	—	—	—	—	.110	.060	.025	.040		29
30	.090	✕	—	.075	—	—	—	.160	.050	.350	.250	.080		30
31	—	✕	—	✕	—	✕	—	—	✕	.420	✕	.135		31
TOTAL	.963	2.182	.673	2.817	.360	2.780	.323	2.940	5.255	2.805	4.050	2.795	Year's Total 27.943	
* Days with .01 in. or more.	14	13	10	19	6	16	8	9	21	23	22	19	180	
* Days with .04 in. or more.	7	9	7	17	4	15	2	5	13	16	17	13	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. J. Pressman for [P.T.O.

R. M. Finch, Assoc. M. Inst. C.E.

M

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Corr. Annual total

T L

Kept at Pumping Station, Trent Lane

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.010	.070	.030	.320	—	—	.105	.320	.015	—	.025	.020		1
2	.270	.045	.110	.065	—	.240	.260	.025	—	—	.140	.040		2
3	.005	.018	—	—	—	.370	.030	.005	.135	—	—	.010		3
4	.035	.025	.090	—	—	.095	—	.020	.110	.015	.095	.180		4
5	.040	.018	.105	—	—	—	.030	.055	.215	.020	—	.255		5
6	—	—	.010	—	.010	.040	.260	.185	.160	—	.040	—		6
7	.330	—	—	—	—	—	1.620	—	.010	.010	—	.010		7
8	.140	—	.040	—	—	—	—	—	—	.060	.130	.040		8
9	.168	—	.010	—	.005	.030	.400	—	.060	.025	.035	—		9
10	—	—	—	—	—	—	.715	—	—	—	—	—		10
11	—	—	—	.150	—	.030	.115	.085	.020	—	.280	—		11
12	—	—	—	.085	.005	.230	.610	—	.420	—	.040	.030		12
13	—	—	—	.015	—	.095	—	—	—	.060	.010	.100		13
14	—	—	—	.105	—	.045	.210	—	.430	.005	.070	.290		14
15	.080	.065	.010	.045	—	.075	.035	—	—	—	.190	.025		15
16	.180	.155	—	.010	—	—	.020	—	—	—	.415	—		16
17	.015	.400	—	—	.165	—	.180	—	—	.030	.045	.050		17
18	—	.010	—	—	—	.025	.180	—	—	.100	.035	—		18
19	.350	.060	.010	.290	—	.340	.010	.050	—	.070	—	—		19
20	.010	.050	.040	.040	—	—	.025	.050	—	—	—	—		20
21	.050	—	—	.045	—	.365	—	—	—	—	.010	—		21
22	—	.400	.070	.010	.075	.025	.180	—	—	—	.010	.020		22
23	—	.010	.170	.135	.100	—	.310	—	—	.018	—	—		23
24	.175	.080	—	—	.010	—	—	—	.125	.150	—	—		24
25	.080	—	.080	.330	—	—	—	—	.400	.010	—	—		25
26	—	.040	.340	—	—	—	—	—	.090	.120	—	—		26
27	.120	—	—	.040	—	—	—	—	.115	.120	—	—		27
28	.300	.115	.060	—	—	.010	.035	—	.025	—	.025	.040		28
29	.565	.240	.070	—	—	.255	—	—	—	.020	.415	.050		29
30	.200	✕	—	—	.405	.380	.110	—	—	.235	—	—		30
31	.055	✕	.020	✕	—	✕	.015	—	✕	.110	✕	.160		31
	3.18	1.80	1.27	1.69	.77	2.65	5.45	.79	2.33	1.17	2.00	1.32	Year's Total	
TOTAL	~~3.178~~	~~1.801~~	~~1.265~~	~~1.685~~	~~0.775~~	~~2.650~~	~~5.455~~	~~0.795~~	~~2.330~~	~~1.168~~	~~2.000~~	~~1.320~~	~~25.428~~	29.42
* Days with .01 in. or more.	19	17	17	15	6	17	22	8	15	17	18	16	187	✓
* Days with .04 in. or more.	16	12	11	12	4	12	14	6	11	9	11	10	128	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

R. M. FINCH, Assoc. M. Inst. C. E.
CITY ENGINEER & SURVEYOR,
NOTTINGHAM.

(Signed) J. J. Pressman
for City Engineer

[P.T.O.

X Nottingham (Sneinton P.S.) X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sneinton Pumping Station

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 83 ft.

T. L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·02	·01	—	—	—	·01	—	·09	—	·04	·13		1
2	·10	·13	·03	·27	—	—	—	—	—	—	—	·76		2
3	—	·20	·01	·34	·06	—	·03	—	—	—	—	·27		3
4	·08	·08	·02	—	·02	—	—	·08	—	—	—	·55		4
5	·25	—	·05	—	—	—	—	—	—	—	—	·05		5
6	—	—	·01	·02	·19	—	—	—	—	—	—	·01		6
7	—	·37	·02	·15	·01	·02	—	—	—	—	—	·01		7
8	—	·27	—	·04	—	—	·02	—	—	—	·16	—		8
9	—	·11	—	·05	·11	—	·42	—	·02	—	—	·06		9
10	·02	·04	·08	·10	·01	·13	—	—	—	—	—	·06		10
11	—	—	·70	—	·58	—	—	—	—	—	—	·30		11
12	·02	·27	·08	—	·35	·07	—	—	·19	—	—	·12		12
13	—	·03	—	—	—	·14	—	—	—	—	—	·01		13
14	—	—	·08	—	—	—	—	·06	·02	—	—	·07		14
15	·08	·16	—	·27	—	—	1·70 ✓	—	·02	—	—	—		15
16	·04	·22	·27	·39	—	—	—	·07	·13	—	—	·01		16
17	·14	·02	·27	·27	—	—	—	—	·38	—	—	—		17
18	·63	·03	·06	·08	—	—	·04	—	·01	—	·40	—		18
19	·05	·20	·01	·05	—	·07	·04	—	—	·01	·10	—		19
20	·14	·04	—	·29	·70	—	—	—	·02	—	—	·01		20
21	·10	·06	·03	—	—	—	·28	·01	—	—	—	·01		21
22	·04	·02	—	—	·03	—	·26	—	—	·25	·16	·01		22
23	·30	—	—	—	·02	—	·03	—	—	1·24	·21	—		23
24	·12	·50	·08	—	—	—	—	—	·02	·12	—	—		24
25	·22	·39	·02	—	·06	—	—	—	·01	1·00	—	—		25
26	—	·20	·04	—	·33	—	—	—	—	—	—	·01		26
27	—	·40	—	·13	—	—	—	—	—	·74	—	·01		27
28	—	·14	·02	—	—	—	—	—	—	·01	—	·01		28
29	·06		—	—	—	·03	—	—	—	—	·04	—		29
30	·27	×	—	—	—	·01	—	—	—	·15	·04	—		30
31	·30	×	—	×	—	×	—	—	×	·14	×	·01		31
TOTAL	3.06	3.90	1.89	2.45	2.47	·47	2.83	·22	·91	3.66	1.15	2.48	Year's Total 25.49	✓
* Days with .01 in. or more.	20	23	20	14	13	7	10	4	11	9	8	21	160	✓
* Days with .04 in. or more.	18	18	10	13	8	4	6	3	4	7	8	10	109	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~J. J. Pressman~~ [P.T.O.

R. M. Finch
City Engineer & Surveyor

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pumping Station Trent Lane.

in the County of Nottingham.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 83 ft.

T.V.

Totals

w.j.f.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·42	–	–	·03	·03	–	·07		1
2	·03	–	–	·06	–	·10	–	–	–	·06	–	–		2
3	·05	–	–	–	–	·03	·03	–	·07	·54	·05	–		3
4	·02	–	–	·02	–	·03	·12	·43	–	·35	–	·30		4
5	–	–	–	–	–	–	·27	·01	·03	–	–	–		5
6	·03	·01	–	–	–	–	·33	–	·51	·05	–	–		6
7	·13	–	–	–	–	–	·13	·04	·04	·03	–	·03		7
8	·20	–	–	–	–	–	·09	–	–	·25	–	·02		8
9	·01	·13	–	–	–	–	·01	·38	–	–	–	·43		9
10	–	·02	–	–	–	·01	·24	·01	·01	–	·03	·01		10
11	·46	–	–	–	–	–	·04	·05	–	·03	–	–		11
12	·10	–	–	–	·07	–	·01	–	–	·44	·10	–		12
13	–	·06	–	–	–	–	–	–	–	–	·08	·20		13
14	·09	–	–	–	·04	–	·53	–	·12	–	·01	·01		14
15	·14	–	–	–	–	–	·23	·03	–	–	–	·17		15
16	·15	–	·03	–	–	–	·19	·01	–	·06	–	·29		16
17	–	·03	–	–	·44	–	·06	·01	·01	·16	–	–		17
18	–	–	–	–	·21	·23	–	·07	·05	·01	·29	–		18
19	–	–	–	–	–	–	–	·07	·01	–	–	·07		19
20	·01	–	–	–	–	–	–	–	–	–	·26	·06		20
21	·01	–	–	–	–	–	–	0·3	–	–	–	·15		21
22	–	·01	–	–	–	·12	–	0·1	–	–	·28	·25		22
23	–	–	–	–	–	·01	–	–	·02	–	–	·06		23
24	–	–	·02	–	–	–	–	–	·25	–	–	·02		24
25	·12	·19	·04	–	–	–	·02	0·3	–	·11	·53	·11		25
26	–	·18	·07	–	–	–	–	–	·25	·06	–	·11		26
27	·02	·01	–	–	·20	·12	·12	·25	·21	–	·27	–		27
28	·11	·01	–	–	·25	·02	·24	·80	·99	–	·02	·04		28
29	·37		–	–	·53	–	·02	–	–	·05	·07	·11		29
30	·02	✕	–	–	·01	·03	–	–	·14	–	·04	·06		30
31	·08	✕	–	✕	·16	✕	–	–	✕	·15	✕	·70		31
TOTAL	2·15	0,65	0·16	0·08	1·91	1·12	2,68	2,23	2,74	2·38	2·03	3·27	Year's Total 21·40	✓
* Days with .01 in. or more.	20	10	4	2	9	11	18	16	16	16	13	22	157	✓
* Days with .04 in. or more.	12	4	2	1	8	5	13	8	10	12	10	17	102	✓

† Spare column, no entries required.

(*Signed*) J. J. Pressman

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sneinton Pumping Station

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·02	·09	–	–	–	–	·03	–	–	·01		1
2	·03	–	–	·02	–	–	·01	·28	·37	·19	·03	–		2
3	·26	–	–	·30	–	–	–	·24	–	·01	·20	·33		3
4	·17	–	·22	·25	–	–	·03	·27	·01	·01	–	·11		4
5	–	–	–	·20	·08	–	·05	·22	–	·07	·19	·20		5
6	·50	–	–	–	–	–	·23	–	–	–	·02	–		6
7	·05	·06	–	–	·03	–	·25	–	–	–	·18	·25		7
8	–	·06	·19	–	–	–	·18	·05	–	·10	·27	·27		8
9	–	·06	–	–	–	–	·03	·24	–	·54	–	·25		9
10	·44	–	–	–	–	–	–	·13	–	·06	–	–		10
11	–	–	·23	–	·01	·09	–	·08	·06	·20	–	–		11
12	–	·12	–	–	–	·21	–	–	–	–	–	–		12
13	–	–	–	·01	·01	·13	·02	–	–	·13	–	–		13
14	·49	–	·07	·08	·18	·18	·30	–	–	·07	·12	–		14
15	·17	–	–	·01	·37	·27	·28	–	·01	·08	·07	–		15
16	–	·01	·06	–	·28	·14	·09	–	·01	–	·16	–		16
17	·31	–	·02	·14	–	–	·55	–	–	·70	–	–		17
18	·04	–	·06	–	–	·23	·12	–	–	·07	·74	–		18
19	·23	–	–	–	–	·18	·32	–	·02	–	–	–		19
20	·01	–	–	–	·01	·02	–	·05	–	–	–	–		20
21	·16	·13	·16	·05	–	·06	·06	·01	·03	–	–	–		21
22	·18	·15	·08	–	–	–	·35	–	–	–	·45	–		22
23	·01	·01	–	·23	–	·01	·14	–	–	–	·43	–		23
24	·63	–	–	·01	–	·01	·10	·01	–	–	–	–		24
25	·81	·01	·06	·01	–	–	·04	·55	–	–	·39	·01		25
26	·02	·02	·02	·06	–	–	–	·01	–	·03	·10	·02		26
27	·01	·09	·25	·01	–	·03	·05	–	–	·09	·04	–		27
28	·01	·14	·18	·15	–	·13	·11	·01	–	·01	·19	–		28
29	–		–	·35	–	–	·33	–	–	·23	–	–		29
30	–	✕	–	·01	–	·03	–	·02	–	–	·12	–		30
31	–	✕	–	✕	–	✕	–	·07	✕	–	✕	–		31
TOTAL	3.95 ✓	0.86 ✓	1.56 ✓	1.98 ✓	0.97 ✓	1.72 ✓	3.64 ✓	2.24 ✓	0.54 ✓	2.53 ✓	3.64 ✓	1.45 ✓	Year's Total 25.08	✓
* Days with .01 in. or more.	21 ✓	12 ✓	14 ✓	18 ✓	8 ✓	15	22 ✓	16 ✓	8 ✓	17 ✓	17 ✓	9 ✓	177	✓
* Days with .04 in. or more.	13 ✓	8 ✓	10 ✓	11 ✓	4 ✓	10	18 ✓	11 ✓	2 ✓	12 ✓	14 ✓	6 ✓	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R.M. Finch
City Engineer Surveyor

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Sneinton Pumping Station

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 83 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.13	–	.02	–	–	–	–	–	–	.26	–		1
2	–	.01	–	.29	–	–	.02	–	–	–	.54	.02		2
3	–	.21	–	.14	–	–	–	–	–	.03	.33	.02		3
4	–	.14	–	–	–	–	.02	–	–	.09	.46	.06		4
5	–	–	–	–	.05	–	.07	–	–	.06	.38	.10		5
6	.07	.20	–	–	–	–	.02	–	–	.50	.07	.01		6
7	.02	.17	–	.09	.06	–	–	–	.02	.01	–	–		7
8	–	–	–	–	–	–	.16	–	–	.08	.01	.15		8
9	–	–	.13	–	–	.03	.03	.06	.05	–	.13	.03		9
10	–	–	.05	–	–	–	.74	.12	–	–	.09	.31		10
11	–	–	.01	.01	–	–	.14	–	–	–	.53	.01		11
12	–	–	.09	–	–	.01	.12	–	.07	–	.23	–		12
13	–	.04	.13	–	–	–	–	.01	.11	–	–	–		13
14	–	–	.01	.05	.30	–	–	.01	.07	–	–	.27		14
15	–	–	–	.01	–	.17	–	–	.02	–	.03	–		15
16	.01	.09	.33	–	–	.07	1.05	–	.03	1.44	.80	.01		16
17	–	.05	.53	–	–	–	.04	–	–	–	.45	–		17
18	.07	.36	.13	.41	–	–	[illegible]	.06	.02	.09	.01	.03		18
19	–	.13	.04	.20	–	–	.31	.01	.09	–	.13	.01		19
20	–	.01	–	.11	–	.03	.09	.02	–	.09	.06	–		20
21	.09	–	.01	–	–	.37	.13	–	–	.07	1.10	–		21
22	–	–	.01	–	.27	.17	–	–	.08	.01	–	–		22
23	.01	.03	.04	.05	.24	.12	–	–	–	.04	–	.03		23
24	.01	–	–	.02	–	–	.01	–	–	.01	–	–		24
25	–	–	–	.01	–	–	–	~~.29~~	–	.04	–	–		25
26	.87	.04	–	.01	.08	.04	.08	.02	–	.01	.01	–		26
27	.60	.14	–	.85	–	–	.75	.02	–	–	.02	–		27
28	.15	.42	–	–	.20	–	–	–	–	–	–	–		28
29	.01	–	.16	.03	.25	.05	–	–	–	–	–	.15		29
30	–	✕	–	.01	–	–	–	–	–	.35	–	.02		30
31	.19	✕	.08	✕	–	✕	–	–	✕	.92	✕	–		31
TOTAL	2.10	2.17	1.75	2.31	1.45	1.06	3.78	.33	.56	3.84	5.64	1.23	Year's Total 26.22	
* Days with .01 in. or more.	12	16	15	17	8	10	17	9	10	17	20	16	167	
* Days with .04 in. or more.	7	13	11	9	8	7	12	3	6	12	15	6	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R.M. Finch

City Engineer & Surveyor

P.T.O.

2604

NOTTINGHAM CASTLE

1931 – 40

780411

Station No. 2604

OFFICE—AIR MINISTRY

AINFALL IN 19~~3~~31

ENTERED TO THE PREVIOUS DAY

An observer who does not conform … *the reading made on January 1st of the following year in the space on the right of this paragraph.*

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·04	·09	·04	·01	·01	—	—	·12	·01	—	—		1
2	·01	·04	—	·54	—	·04	—	—	·33	·05	—	·03		2
3	·07	—	—	·06	—	—	·03	—	1·53	—	·04	·12		3
4	—	·06	—	·12	—	—	·42	·11	·15	—	·04	·01		4
5	—	·03	—	·04	·05	1·00	—	—	·09	—	—	·35		5
6	—	·14	·01	—	—	·40	·05	—	—	·13	·03	—		6
7	—	—	·02	—	—	·27	1·25	·54	—	—	·10	·01		7
8	·02	·07	·08	·04	—	·02	·06	·50	—	—	·25	—		8
9	—	·11	·03	·08	—	·01	—	·29	·01	—	·24	·01		9
10	·01	·04	·01	—	·05	·01	—	·06	—	—	·05	—		10
11	·04	·50	—	—	—	·04	·02	—	·30	—	—	—		11
12	·04	·08	—	—	—	—	1·04	—	·11	—	·11	—		12
13	—	—	—	·02	—	—	—	·19	·01	—	—	—		13
14	—	·05	·04	—	·02	·10	·47	·91	·01	—	·17	—		14
15	—	·13	—	·01	·05	—	·19	·15	—	—	·01	·02		15
16	·08	·31	—	·12	·59	·54	·02	·27	·13	—	—	—		16
17	—	·27	—	·28	·64	—	·02	—	—	—	—	—		17
18	·03	—	—	·40	—	·12	·15	·05	—	—	·33	—		18
19	·03	·04	—	·15	—	·33	·09	·10	·01	·04	—	—		19
20	—	·02	—	·03	—	—	·01	·35	—	—	—	·02		20
21	·16	—	—	—	·43	—	—	·14	—	—	·26	—		21
22	·06	—	—	·01	—	—	—	—	·01	—	—	—		22
23	·11	—	—	·02	·38	·08	—	—	·02	—	·20	·01		23
24	—	·01	—	·10	·55	—	·20	—	—	—	—	—		24
25	·19	·01	—	·56	—	—	·15	—	—	—	·02	—		25
26	—	—	—	·31	—	—	·04	—	—	—	·16	—		26
27	·20	·34	—	—	·02	—	—	—	—	·08	·30	·16		27
28	·07	·34	—	·02	·11	—	—	—	—	—	·01	·09		28
29	·17	X	—	·13	·04	—	·10	—	—	·16	·01	·03		29
30	·07	X	—	·01	—	·10	—	—	—	—	—	—		30
31	·14	X	—	X	—	X	—	—	X	·02	X	·01		31
TOTAL 99	1·51	2·63	0·28	~~3·07~~	~~2·92~~	3·07	4·31	3·66	2·83	0·49	~~2·34~~	0·87	Year's total ~~27·98~~	
*Days with .01 in. or more.				309	294						233		2804	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Station No. 2604

FFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~31

Kept at Nottingham

in the County of Notts

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·04	·09	·04	·01	·01	—	—	·12	·01	—	—		1
2	·01	·04	—	·54	—	·04	—	—	·33	·05	—	·03		2
3	·07	—	—	·06	—	—	·03	—	1·53	—	·04	·12		3
4	—	·06	—	·12	—	—	·42	·11	·15	—	·04	·01		4
5	—	·03	—	·04	·05	1·00	—	—	·09	—	—	·35		5
6	—	·14	·01	—	—	·40	·05	—	—	·13	·03	—		6
7	—	—	·02	—	—	·27	1·25	·54	—	—	·10	·01		7
8	·02	·07	·08	·04	—	·02	·06	·50	—	—	·25	—		8
9	—	·11	·03	·08	—	·01	—	·29	·01	—	·24	·01		9
10	·01	·04	·01	—	·05	·01	—	·06	—	—	·05	—		10
11	·04	·50	—	—	—	·04	·02	—	·30	—	—	—		11
12	·04	·08	—	—	—	—	1·04	—	·11	—	·11	—		12
13	—	—	—	·02	—	—	—	·19	·01	—	—	—		13
14	—	·05	·04	—	·02	·10	·47	·91	·01	—	·17	—		14
15	—	·13	—	·01	·05	—	·19	·15	—	—	·01	·02		15
16	·08	·31	—	·12	·59	·54	·02	·27	·13	—	—	—		16
17	—	·27	—	·28	·64	—	·02	—	—	—	—	—		17
18	·03	—	—	·40	—	·12	·15	·05	—	—	·33	—		18
19	·03	·04	—	·15	—	·33	·09	·10	·01	·04	—	—		19
20	—	·02	—	·03	—	—	·01	·35	—	—	—	·02		20
21	·16	—	—	—	·43	—	—	·14	—	—	·26	—		21
22	·06	—	—	·01	—	—	—	—	·01	—	—	—		22
23	·11	—	—	·02	·38	·08	—	—	·02	—	·20	·01		23
24	—	·01	—	·10	·55	—	·20	—	—	—	—	—		24
25	·19	·01	—	·56	—	—	·15	—	—	—	·02	—		25
26	—	—	—	·31	—	—	·04	—	—	—	·16	—		26
27	·20	·34	—	—	·02	—	—	—	—	·08	·30	·16		27
28	·07	·34	—	·02	·11	—	—	—	—	—	·01	·09		28
29	·17	X	—	·13	·04	—	·10	—	—	·16	·01	·03		29
30	·07	X	—	·01	—	·10	—	—	—	—	—	—		30
31	·14	X	—	X	—	X	—	—	X	·02	X	·01		31
TOTAL 99	1·51	2·63	0·28	~~3·07~~	~~2·92~~	3·07	4·31	3·66	2·83	0·49	~~2·34~~	0·87	Year's total ~~27·98~~	
*Days with .01 in. or more.				309	294						233		2804	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ....

(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 2604

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~32.

Kept at Nottingham, The Castle

in the County of Notts.

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·02	—	·09	·32	—	·02	·04	·11	·14	·02	·01		1
2	·04	—	—	—	·15	—	—	·02	·08	·13	·01	·02		2
3	—	—	—	·17	·03	—	—	—	—	—	—	·02		3
4	·02	—	—	·15	—	—	—	—	·01	—	·21	—		4
5	·18	—	·05	—	—	—	—	—	·04	—	—	—		5
6	47	—	·05	·21	—	—	—	—	·07	—	—	—		6
7	—	—	·21	·13	—	—	—	—	·05	·03	·01	—		7
8	—	—	—	·11	—	—	—	—	·06	·05	—	—		8
9	·02	·11	—	·07	·04	—	—	—	—	—	—	—		9
10	·03	·08	—	·06	—	—	—	—	·26	·14	—	—		10
11	·02	·05	—	·07	·16	·05	·14	·01	·07	·14	·01	—		11
12	·11	—	—	·03	·06	—	—	—	—	·45	·01	—		12
13	—	·02	—	·04	—	—	1·20	—	—	·03	·08	·01		13
14	·07	·01	—	·03	·01	—	·30	·31	—	·01	·11	—		14
15	—	—	—	·04	·24	—	—	—	—	·05	·01	·05		15
16	·15	—	—	·32	·28	—	—	—	—	—	~~16~~	—		16
17	—	—	—	—	—	—	·01	—	·02	·08	—	—		17
18	—	—	—	—	·02	—	—	—	—	—	—	—		18
19	—	—	—	·01	—	—	—	—	—	·16	—	—		19
20	—	—	—	·04	·77	—	—	·24	—	·32	·16	—		20
21	—	—	·18	·09	2·08	—	—	·31	—	·27	—	·12		21
22	—	—	·26	·03	·16	·01	·71	—	·43	·01	·30	·01		22
23	—	·01	—	—	·64	—	·05	—	·10	·08	·19	·01		23
24	—	—	—	—	·01	—	·93	—	·05	—	·11	—		24
25	—	·06	—	—	·02	·02	·06	—	·05	·14	·01	·01		25
26	—	·01	—	·34	·37	·03	·02	—	·02	—	·01	—		26
27	—	—	·29	·17	·48	—	·10	—	—	—	·11	—		27
28	—	—	·14	·09	·26	—	·11	·58	—	·04	—	—		28
29	—	—	·11	·11	·03	·13	·05	·18	·07	·26	·08	·09		29
30	—	X	·04	—	—	·34	·09	·01	·12	·07	·18	·16		30
31	—	X	·04	X	·02	X	1·23	—	X	—	X	·07		31
TOTAL 99	1·16	0·37	1·37	2·40	6·15	0·58	5·02	1·70	1·61	2·60	1·62	0·58	Year's total 25·16	8
*Days with .01 in. or more.	118							170						
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 2604

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~33

Kept at Nottingham, The Castle

in the County of Notts

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·18	·16	—	—	—	—	—	—	—	·06	—		1
2	·26	—	·33	—	—	—	—	—	—	—	·06	—		2
3	·01	·11	·12	—	·16	—	—	—	—	—	·11	—		3
4	·03	—	—	—	·28	—	—	—	—	—	—	—		4
5	·09	·01	·07	—	·03	—	—	—	—	—	—	—		5
6	—	·11	·07	—	·32	—	—	—	—	·03	·01	·03		6
7	·01	·30	—	—	·10	—	·24	—	—	·25	—	—		7
8	—	—	·05	—	·06	—	·44	—	—	—	—	·01		8
9	—	—	—	—	—	—	·21	—	—	·98	·02	—		9
10	·01	·08	—	—	—	·01	·12	·04	—	·95	—	—		10
11	·03	—	—	—	—	·01	·06	·01	—	·02	—	—		11
12	·05	—	—	—	—	·01	·17	—	—	—	—	·04		12
13	·03	—	—	—	·10	·02	·24	—	·08	·02	·12	—		13
14	·01	—	—	—	·02	—	·16	·01	—	·05	·21	—		14
15	·71	—	—	—	—	—	·07	·19	—	·05	·37	·03		15
16	·14	—	·54	—	·03	·12	·16	—	—	·04	·02	·01		16
17	·03	—	1·07	—	—	·12	—	—	·04	—	·07	·01		17
18	—	·08	·07	—	—	·42	—	—	—	—	·05	—		18
19	—	·01	·17	—	—	—	·05	—	·03	—	—	·01		19
20	—	·04	—	—	—	·30	—	·06	—	·02	·01	—		20
21	—	·01	—	—	·35	·12	—	·07	·01	—	—	—		21
22	—	—	—	—		·07	—	·24	—	·54	·01	—		22
23	—	—	—	·36	·05	—	—	—	·29	·01	—	—		23
24	—	·16	—	·17	·04	·32	—	—	·16	·02	·04	—		24
25	—	·69	—	·23	—	—	—	—	—	—	—	·03		25
26	—	·46	—	·15	0·2	·04	—	—	·03	·06	·03	·01		26
27	—	—	—	—	·02	—	—	—	·58	·08	—	·01		27
28	—	—	—	·25	·07	—	·01	—	·01	·10	—	·02		28
29	·03	X	—	·04	—	—	—	—	—	·08	—	—		29
30	·03	X	·03	—	—	—	·02	—	—	·01	—	·02		30
31	—	X	·13	X	—	X	—	·02	X	·09	X	—		31
TOTAL 99	1·67	2·24	2·81	1·20	1·65	1·62	1·95	0·64	1·23	3·40	1·19	0·23	Year's total 19·83	
*Days with .01 in. or more.								4					3	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~134~~ 2604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Nottingham

in the County of Notts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	–	–	–	–	–	–	·08	–	·04	–	·37		1
2	·03	·02	·02	–	–	–	–	·14	·29	–	·12	·19		2
3	·01	·03	–	–	–	–	–	–	–	·01	·03	·01		3
4	·05	·01	·10	·65	·04	–	–	–	·05	–	·12	·38		4
5	·01	–	·10	·03	·14	–	–	·28	–	·02	·08	·01		5
6	–	–	–	·01	·45	·05	–	·05	–	·15	–	·46		6
7	·04	–	–	–	·01	–	–	·01	–	·04	–	·13		7
8	–	–	·08	–	·05	·01	–	·06	–	·01	·41	–		8
9	–	–	·23	·03	–	–	–	·02	–	–	·61	·13		9
10	–	–	·33	·12	–	–	–	·09	–	–	·16	·01		10
11	·46	–	·09	·28	–	–	–	·09	–	–	–	·18		11
12	·02	–	·29	–	–	–	·08	·16	–	–	–	·02		12
13	·46	–	–	·02	–	–	·56	·03	–	·01	–	·14		13
14	·05	–	·21	–	·02	·05	–	–	–	·12	·45	·28		14
15	·03	–	·06	–	·11	–	–	–	·01	–	·10	–		15
16	·19	–	·07	–	·13	–	–	–	–	·03	·05	·03		16
17	·21	–	·01	·02	·01	–	·04	·09	·23	·03	–	·05		17
18	·04	–	·01	·14	–	·05	·02	–	·05	–	–	·01		18
19	–	–	·06	·09	–	·14	–	–	–	·01	–	·24		19
20	–	–	·01	·04	–	–	–	–	–	–	–	–		20
21	–	–	–	–	–	·09	–	·03	·03	·01	–	–		21
22	–	–	–	–	–	–	–	·21	·34	–	–	·01		22
23	–	–	·03	·25	·09	–	·52	·01	–	–	–	·09		23
24	–	·15	·11	·01	–	·04	–	–	·46	–	–	–		24
25	·10	–	–	·03	–	–	–	–	–	·09	–	·29		25
26	·12	–	·01	·19	–	·02	·01	–	·03	·03	–	·01		26
27	–	·31	–	·23	–	·01	·02	–	·01	·10	–	·06		27
28	–	–	–	·01	–	·13	·01	·35	–	–	–	·44		28
29	–	×	–	–	–	–	·16	·05	·32	·02	·01	·15		29
30	·01	×	–	–	–	–	·05	–	·02	·15	–	·20		30
·31	·01	×	–	×	–	×	·02	–	×	·07	×	–		31
99 TOTAL	1·97	·52	1·82	2·15	1·05	0·59	1·49	1·75	1·84	·94	2·14	3·89	Year's Total 20·15	
*Days with ·01 in. or more.	18	6	18	17	10	10	11	17	12	18	11	25	173	
*Days with .04 in. or more.	11	3	12	8	7	7	6	12	7	8	9	17	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at NOTTINGHAM CASTLE

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ~~12~~ ft. 12 in.

,, Ground ,, Sea Level 192 ft.

TL

re Apr Nov

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	—	·01	·03	—	·08	·02	—	·46	·10	·13	·18		1
2	—	—	·05	—	—	·24	—	—	—	·22	—	·12		2
3	—	·12	·05	·04	—	·35	—	—	·01	·28	·15	—		3
4	—	—	·02	·03	—	·10	—	—	·10	·21	—	—		4
5	·01	·38	·07	·09	—	—	—	—	·02	·03	·13	—		5
6	·01	·01	—	·09	—	·16	—	—	—	—	—	—		6
7	·05	—	—	·44	—	·10	—	—	—	·17	62	·14		7
8	—	—	·01	·13	—	—	—	·02	—	·02	·08	·23		8
9	—	—	·01	·09	—	·13	—	—	—	·42	·15	·02		9
10	—	—	·01	·10	—	—	—	—	—	·02	·17	—		10
11	·10	—	—	—	—	·04	—	·05	—	·02	·09	·05		11
12	—	·01	—	—	—	·11	—	·02	·02	—	—	—		12
13	·05	·01	—	·10	·12	—	—	—	·07	—	—	—		13
14	—	—	—	—	·09	—	—	—	22	—	·46	·13		14
15	·01	·05	—	·53	·04	—	—	—	·15	—	·16	·32		15
16	—	·07	·09	·06	—	·40	·01	—	·24	·14	·50	—		16
17	—	—	—	·26	—	·25	·07	·63	·01	·02	·48	—		17
18	—	—	—	·22	·04	·11	·02	—	·33	·12	·02	—		18
19	·01	—	—	·07	·04	·33	·01	—	·02	·05	·26	—		19
20	·01	·22	—	·23	—	·15	·13	—	—	—	·08	—		20
21	—	·48	·01	·01	—	—	—	—	·82	·02	·13	·01		21
22	—	·25	—	·04	—	—	—	·02	—	—	·02	·02		22
23	·01	·01	16	—	—	—	—	·73	·02	·16	—	—		23
24	·02	·21	·11	—	—	—	—	—	1·49	—	—	·17		24
25	·22	·02	—	·04	—	·20	—	—	—	—	—	·14		25
26	·08	·01	—	—	—	—	—	·65	·35	·04	—	·36		26
27	·02	·18	—	—	—	—	·02	—	·32	·08	·18	·85		27
28	·01	·01	—	—	·05	—	—	—	·02	·02	·01	·03		28
29	—	X	·08	—	—	—	—	—	·11	·06	·02	·04		29
30	·08	✕	—	·08	—	—	—	·18	·01	·35	·24	·05		30
31	—	✕	—	✕	—	✕	—	—	✕	·47	✕	·17		31
99 TOTAL	0·94	2·04	0·68	2·68	0·38	2·75	0·28	2·30	4·79	3·02	4·08	3·03	Year's Total 26·97	
* Days with .01 in. or more.	16	16	13	20	6	15	7	8	20	22	21	18	182	
* Days with .04 in. or more.	7	9	7	17	6	15	2	5	12	15	17	14	126	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) R. M. FINCH. A.M.I.C.E., [P.T.O.

City Engineer & Sorveyor.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Nottingham Castle

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
'36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·08	·05	·29	–	–	·07	·28	·02	–	–	·02		1
2	·26	·02	·08	·06	–	·24	·20	·02	–	–	·13	·03		2
3	–	·02	–	–	–	·42	·06	·01	·11	–	–	·01		3
4	·03	·02	·10	–	–	·08	–	·01	·09	·02	·08	·19		4
5	·04	·02	·09	–	·01	–	·03	·05	·08	·02	–	·18		5
6	–	–	·01	–	·01	·05	·27	·16	·17	–	·04	–		6
7	·34	–	·01	–	–	–	·78	–	·01	·01	·01	·01		7
8	·13	–	·04	–	–	–	·04	–	–	·06	·13	·03		8
9	·18	–	·02	–	·01	·03	·49	–	·02	·06	·04	–		9
10	–	–	–	–	–	–	·70	–	–	–	–	·01		10
11	–	–	–	·14	–	·02	·12	·02	·06	–	·28	–		11
12	–	–	–	·08	·01	·24	·76	–	·36	–	·03	·04		12
13	–	–	–	·01	–	·12	–	–	–	·05	–	·12		13
14	–	–	–	·08	–	·05	·16	–	·90	·01	·07	·21		14
15	·09	·04	·01	·06	–	·07	·07	–	–	–	·18	·03		15
16	·16	·19	–	·01	–	–	·02	–	–	–	·39	–		16
17	·02	·33	–	–	·28	–	·11	–	–	·02	·06	·06		17
18	–	–	–	–	–	·02	·16	–	–	·14	·01	–		18
19	·33	·06	–	·27	–	·37	–	·04	–	·06	–	–		19
20	·01	·05	·01	·02	–	–	·01	·07	–	–	–	–		20
21	·05	–	·02	·04	–	·35	–	–	–	–	–	–		21
22	–	·30	·08	–	·09	·02	·18	–	–	–	–	·02		22
23	–	·02	·14	·13	·08	–	·32	–	–	·02	–	–		23
24	·18	·07	–	–	–	–	–	–	·18	·12	–	–		24
25	·05	–	·07	·34	–	·03	–	–	·38	·03	–	–		25
26	–	·05	·36	–	–	–	–	–	·20	·13	–	–		26
27	·15	–	–	–	–	–	–	–	·03	·13	–	–		27
28	·28	·08	·06	–	–	·01	·02	–	·03	–	·05	·05		28
29	·54	·25	·06	–	–	·24	–	–	–	·03	·41	·04		29
30	·20	✕	–	–	·40	·22	·10	–	–	·24	–	–		30
31	·05	✕	·01	✕	–	✕	·01	–	✕	·08	✕	·21		31
99 TOTAL	3·11	1·60	1·22	1·53	·89	2·58	4·68	·66	2·64	1·23	1·91	1·26	Year's Total 23·31	
* Days with .01 in. or more.	20	16	18	13	8	18	22	9	15	18	15	17	189	
* Days with .04 in. or more.	16	11	12	10	4	12	17	5	10	10	11	9	127	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H. M. FINCH, ASSOC. M. INST. C. E.
CITY ENGINEER & SURVEYOR,
NOTTINGHAM.

[P.T.O.

2604 134

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

TL White

Kept at Nottingham, (The Castle)
in the County of Notts.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
'37	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	~~mm.~~ in	
1	·09	·02	—	—	—	—	—	—	·08	—	·04	·18	1
2	·04	·13	·04	·29	—	—	—	—	—	—	—	·80	2
3	—	·03	—	·51	·09	—	·03	—	—	—	—	·21	3
4	·08	·09	—	—	·03	—	—	·11	—	—	—	·61	4
5	·28	—	·05	—	—	—	—	—	—	—	—	·01	5
6	—	—	·02	·01	·10	—	—	—	—	—	—	·01	6
7	—	·31	—	·14	·01	—	—	—	—	—	—	·03	7
8	—	·24	—	·01	—	—	·01	—	—	—	·17	—	8
9	—	·12	—	·07	·09	—	·43	·01	·02	—	—	·05	9
10	·01	·05	·10	·07	—	·11	·01	—	—	—	—	·06	10
11	—	—	·66	—	·47	—	—	—	—	—	—	·19	11
12	·04	·27	·09	—	·32	·07	—	—	·15	—	—	·12	12
13	—	·03	·01	—	—	·09	—	—	—	—	—	·02	13
14	—	—	·05	—	—	—	—	·19	·02	—	—	·07	14
15	·10	·20	—	·30	—	—	1·69	—	·03	—	—	—	15
16	·03	·17	·21	·33	—	—	—	·08	·26	—	—	·01	16
17	·14	·02	·22	·28	—	—	—	—	·41	—	—	—	17
18	·71	·04	·06	·07	—	—	·06	—	·02	—	·40	—	18
19	·04	·20	—	·07	—	·05	·05	—	—	—	·11	—	19
20	·16	·03	—	·29	·68	—	—	—	·01	—	—	·02	20
21	·01	·05	·02	—	—	—	·24	—	—	—	—	·02	21
22	·04	·01	—	—	·01	—	·25	—	·01	·23	·22	—	22
23	·29	—	—	—	·04	—	·04	—	—	1·21	·22	—	23
24	·10	0·43	·08	—	—	—	—	—	·02	·12	—	·01	24
25	·14	·29	·02	—	·06	—	—	—	·01	·92	—	·01	25
26	—	·21	·05	—	·23	—	—	—	—	—	—	·02	26
27	—	·27	—	·16	—	—	—	—	—	·60	—	·02	27
28	—	·10	·01	—	—	—	—	—	—	·02	—	·01	28
29	·05	×	—	—	—	—	—	—	—	—	·04	·01	29
30	·31	×	—	—	—	·01	—	—	—	—	·05	·01	30
31	·35	×	—	×	—	×	—	—	×	·12	×	·02	31
99 TOTAL	3·01	3·31	1·69	2·60	2·13	·33	2·81	·39	1·04	3·22	1·25	2·52	YEAR'S TOTAL 24·30 ✓
*Days with 0·2 mm. or more.	20	23	16	14	12	5	10	4	12	7	8	24	155 ✓
*Days with 1·0 mm. or more.	17	17	11	12	9	4	7	3	4	~~5~~ 6.	8	9	106 ✓

(144W)

40-9999

(Signed).. [P.T.O.

134

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 26034

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form

REGISTER OF RAINFALL IN 1938

Kept at Nottingham (The Castle)

in the County of Notts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 192 ft.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
'38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	·01	·43	·08	—	·02	·05	—	·09		1
2	·03	—	—	·07	—	·09	—	—	—	·06	·01	·02		2
3	·07	—	—	—	—	·03	·01	—	·06	·48	·05	—		3
4	·03	—	—	·02	—	·03	·25	·49	—	·30	·01	·26		4
5	—	—	—	—	—	—	·21	—	·02	—	—	·01		5
6	·03	·02	—	—	—	—	·37	—	·30	·04	—	—		6
7	·14	—	—	—	—	—	·13	·05	·05	·04	—	·03		7
8	·22	—	—	—	—	—	·05	—	—	·24	—	·02		8
9	·02	·16	—	—	—	—	·01	·34	—	—	—	·41		9
10	—	·02	—	—	—	—	·24	—	·01	—	—	·02		10
11	·45	—	—	—	—	—	·03	·08	—	·03	·05	·01		11
12	·10	—	—	—	·07	—	—	—	—	·45	·05	—		12
13	—	·03	—	—	—	—	—	—	—	—	·12	·20		13
14	·09	—	—	—	·05	—	·58	—	·11	—	·01	—		14
15	·13	—	—	—	—	—	·23	·03	—	—	·01	·15		15
16	·15	—	·02	—	·02	—	·18	—	—	—	·01	·28		16
17	—	·02	—	—	·34	—	·07	·01	·01	·18	·01	—		17
18	—	—	—	—	·16	·18	—	·06	·03	·01	·21	—		18
19	—	—	—	—	·01	—	—	·08	·02	—	—	·04		19
20	·01	—	—	—	—	—	—	—	—	—	·26	·06		20
21	·01	—	—	—	—	—	—	—	—	—	—	·20		21
22	—	·01	—	—	—	·07	—	—	—	—	·27	·24		22
23	—	—	—	—	·02	·01	—	—	·06	—	—	·05		23
24	—	—	·02	—	—	—	—	—	·26	·01	—	·02		24
25	·11	·18	·05	—	—	—	·02	·02	—	·13	·50	·07		25
26	·01	·18	·06	—	·03	—	—	—	·24	·08	—	·04		26
27	·03	·02	—	—	·23	·12	·12	·32	·23	·01	·25	—		27
28	·10	·01	—	—	·24	·03	·23	·62	·52	—	·03	·06		28
29	·35	×	—	—	·53	—	·03	—	—	·05	·06	·12		29
30	·03	×	—	—	—	·01	—	—	·15	—	·05	·06		30
31	·06	×	—	×	·15	×	—	—	×	·14	×	·72		31
99 Total	2·17	·64	·15	·09	1·86	1·00	2·84	2·10	2·09	2·30	1·96	3·18	Year's Total 20·38	
* Days with .01 in. or more.	21	10	4	2	~~8~~ 13	10	18	11	16	17	18	24	164	
* Days with .04 in. or more.	12	3	2	1	8	5	13	8	10	13	11	17	103	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~134~~ 2604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Nottingham (The Castle)

in the County of Notts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 192 ft.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	·03	·08	—	—	—	—	—	—	—	·02		1
2	·04	—	—	·02	—	—	—	·29	·43	·11	·02	—		2
3	·35	—	—	·26	—	—	—	·49	—	—	·20	·32		3
4	·17	—	·24	·26	—	—	·03	·32	·06	·01	—	·11		4
5	—	—	—	·03	·10	—	·11	·25	—	·06	·17	·17		5
6	·52	—	—	—	—	—	·21	—	—	—	·02	—		6
7	·04	·05	—	—	·08	—	·26	—	—	—	·17	·30		7
8	—	·06	·17	—	—	—	·15	·05	—	·09	·29	·28		8
9	—	·06	—	—	—	—	·02	·30	—	·51	—	·27		9
10	·53	—	—	—	—	—	—	·19	—	·06	—	—		10
11	·03	—	·23	—	·01	·08	—	·06	·08	·25	—	—		11
12	—	·10	·01	—	—	·18	—	—	—	—	—	—		12
13	—	—	—	·01	—	·11	·03	—	—	·12	—	—		13
14	·46	—	—	·08	·16	·23	·22	—	—	·08	·10	—		14
15	·22	—	—	—	35	·27	·20	—	·01	·07	·02	—		15
16	·01	—	·06	—	·26	·16	·03	—	—	—	·15	—		16
17	·34	—	·01	·11	—	—	·39	—	—	71	—	—		17
18	·04	—	·07	—	—	·28	·09	—	—	·02	77	—		18
19	·22	—	—	—	—	·13	·49	—	·02	—	—	—		19
20	·03	—	—	—	—	·03		·09	—	—	—	—		20
21	·15	·12	·15	·03	—	·05	·11	·05	·01	—	—	—		21
22	·18	·14	·07	·01	—	—	·35	—	—	—	·45	—		22
23	·01	—	—	·20	—	—	·10	—	—	—	·44	—		23
24	·04	—	—	·01	—	—	·07	—	—	—	—	—		24
25	·72	·01	·03	—	—	—	·04	·45	—	—	·35	·01		25
26	·02	—	·02	·01	—	—	—	·02	—	·02	·11	·02		26
27	·01	·10	26	—	—	·02	·02	—	—	·12	·03	·01		27
28	—	·15	·16	·13	—	·17	·12	—	—	·03	·22	—		28
29	—	×	—	·29	—	—	·36	—	—	·23	—	—		29
30	—	×	—	—	—	·07	—	·01	—	—	·12	—		30
31	—	×	—	×	—	×	—	·05	×	—	×	—		31
99 TOTAL	4·17	·79	1·51	1·53	·96	1·78	3·40	2·62	·61	2·49	3·63	1·51	Year's Total 25·00	
* Days with .01 in. or more.	22	9	14	15	6	13	21	14	6	16	17	10	163	
* Days with .04 in. or more.	16	8	9	8	5	11	16	12	3	12	13	6	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 134 2604 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Nottingham (The Castle)

in the County of Notts.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 192 ft.

JL

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
'40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.07	—	.03	—	—	—	—	—	—	.23	—		1
2	—	.03	—	.26	—	—	.02	—	—	—	.49	.04		2
3	—	.37	—	.14	—	—	—	—	—	.02	.40	.03		3
4	—	.17	—	—	—	—	.03	—	—	.09	.35	.08		4
5	—	.03	—	—	.04	—	.02	—	—	.05	.42	.10		5
6	.10	.24	—	—	—	—	—	—	—	.51	.08	.01		6
7	.04	.17	—	.08	.05	—	—	—	.02	.01	—	.01		7
8	—	.01	—	—	—	—	.22	—	—	.07	—	.16		8
9	—	—	.12	—	—	.06	.02	.04	.05	—	.16	.04		9
10	—	—	.04	—	—	—	.72	.18	—	—	.10	.35		10
11	—	.01	.03	—	—	—	.21	—	—	—	.53	—		11
12	—	.01	.10	—	—	.01	.12	—	.06	—	.22	—		12
13	—	.01	.14	—	—	—	—	.01	.09	—	—	—		13
14	—	—	.02	.05	.26	—	—	—	.05	.01	—	.29		14
15	—	—	—	—	—	.09	—	—	.03	—	.04	.01		15
16	.01	.33	.40	—	—	.06	1.09	—	.06	1.33	.95	—		16
17	—	—	.53	—	—	—	.03	—	—	—	.39	—		17
18	.07	.40	.10	.39	—	—	—	.05	.11	.09	.01	.03		18
19	—	.16	.05	.23	—	—	.36	—	—	—	.14	.02		19
20	—	.04	—	.09	—	.04	.06	.01	—	.11	.06	—		20
21	.07	.02	.01	—	—	.38	.11	—	—	.06	1.10	—		21
22	—	—	.01	—	.25	.15	—	—	.08	—	—	—		22
23	—	.05	.03	.03	.30	.10	—	—	—	.03	—	.03		23
24	.03	—	—	.02	—	—	.02	—	—	—	—	—		24
25	—	—	—	—	—	—	—	—	—	.03	—	—		25
26	.78	.05	—	—	.07	.02	.17	.01	—	—	—	—		26
27	.64	.28	—	.89	—	—	.23	.01	—	—	.02	—		27
28	.20	.30	—	—	.04	—	—	—	—	—	—	—		28
29	—	—	.15	.04	.22	.05	—	—	—	—	—	.15		29
30	.04	✕	—	.01	—	—	—	—	—	.30	—	.04		30
31	.04	✕	.07	✕	—	✕	—	—	✕	1.13	✕	—		31
99 TOTAL	2.02	2.75	1.80	2.17	1.23	.96	3.43	.31	.55	3.84	5.69	1.39	Year's Total 26.14	
* Days with .01 in. or more.	11	20	15	13	8	10	16	7	9	15	18	16	158	
* Days with .04 in. or more.	9	13	10	9	8	8	10	3	7	10	16	9	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

763914/27 2604

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Nottingham Castle
in the County of Nottingham

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ONE ft. — in.
,, Ground ,, Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·007	·040	·095	·042	·007	·010	—	—	·118	·013	—	—	1
2	·008	·040	—	·545	—	·044	—	—	·332	·045	—	·026	2
3	·065	—	—	·058	—	—	·035	—	1·529	—	·045	·119	3
4	—	·057	—	·119	—	—	·425	·108	·150	—	·041	·015	4
5	—	·028	—	·038	·050	·970	—	—	·094	—	—	·350	5
6	—	·140	·010	—	—	·403	·047	—	—	·128	·030	—	6
7	—	—	·020	—	—	·268	1·250	·543	—	—	·100	·011	7
8	·020	·074	·075	·036	—	·022	·058	·502	—	—	·250	—	8
9	—	·107	·030	·075	—	·016	—	·294	·006	—	·239	·005	9
10	·010	·043	·011	—	·050	·015	·002	·062	—	—	·049	—	10
11	·039	·504	—	—	—	·045	·021	—	·297	—	—	—	11
12	·040	·075	—	—	—	—	1·044	—	·113	—	·109	—	12
13	—	—	—	·016	—	—	—	·185	·015	—	—	—	13
14	—	·047	·042	—	·015	·105	·467	·906	·008	—	·167	—	14
15	—	·127	—	·011	·052	—	·187	·147	—	—	·015	·019	15
16	·084	·315	—	·116	·594	·537	·015	·275	·127	—	—	—	16
17	—	·268	—	·286	·637	—	·020	—	—	—	—	—	17
18	·026	—	—	·400	—	·118	·148	·045	—	—	·331	—	18
19	·030	·039	—	·145	—	·330	·092	·102	·013	·039	—	—	19
20	—	·022	—	·028	—	—	·010	·354	—	—	·005	·022	20
21	·160	—	—	—	·433	—	—	·136	—	—	·265	—	21
22	·058	—	—	·008	—	—	—	—	·009	—	—	—	22
23	·114	—	—	·018	·380	·077	—	—	·021	—	·201	·008	23
24	—	·010	—	·097	·545	—	·196	—	—	—	—	·005	24
25	·190	·006	—	·558	—	—	·147	—	—	—	·018	—	25
26	—	—	—	·313	—	—	·044	—	—	—	·163	—	26
27	·205	·343	—	—	·015	—	—	—	—	·079	·296	·161	27
28	·072	·345	—	·021	·105	—	—	—	—	—	·007	·090	28
29	·174	×	—	·130	·038	—	·105	—	—	·165	·008	·033	29
30	·065	×	—	·009	—	·099	—	—	—	—	—	—	30
31	·140	×	—	×	—	×	—	—	×	·023	×	·010	31
TOTAL	1·507	2·629	·283	3·069	2·921	3·059	4·313	3·659	2·832	·492	2·339	·874	YEAR'S TOTAL 27·977
*Days with ·01 in. or more.	17	19	7	20	12	15	18	13	11	7	16	11	166
*Days with ·04 in. or more.	12	15	3	12	10	11	13	13	8	4	13	4	118

40-9999 M

*See Instruction 2 (A) on other side.

(Signed) T. Wallis Gordon
City Engineer. [P.T.O.

2604

134

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Nottingham

in the County of Notts.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·095										1
2													2
3									1·53				3
4													4
5						·97						·35	5
6													6
7							1·25						7
8													8
9													9
10													10
11		·504											11
12													12
13													13
14								·91					14
15													15
16													16
17					·64								17
18											·33		18
19													19
20													20
21													21
22													22
23													23
24													24
25				·56									25
26													26
27	·205												27
28													28
29										·17			29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.507	2.639	0.283	3.07	2·92	3·06	4·31	3·66	2.83	0.49	2·34	0·87	YEAR'S TOTAL 27·97
Days with ·01 in. or more.	19	20	7	22	13	15	18	13	14	7	19	14	181
Days with ·04 in. or more.	13	16	3	15	10	11	13	13	8	5	13	4	124
40-9999	38·4	66·8	7·1	78·0	74·2	77·7	109·5	93·0	71·9	12·4	59·4	22·1	710·5

(Signed)..........

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at NOTTINGHAM CASTLE.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·071	·023	—	·094	·325	—	·020	·039	·108	·140	·015	·012	1
2	·035	—	—	—	·145	—	—	·023	·086	·135	·005	·022	2
3	—	—	—	·170	·028	—	—	—	—	—	—	·018	3
4	·020	—	—	·150	—	—	—	—	·005	—	·210	—	4
5	·178	—	·050	—	—	—	—	—	·043	—	—	—	5
6	·471	—	·054	·215	—	—	—	—	·075	—	—	—	6
7	—	—	·210	·125	—	—	—	—	·055	·030	·012	—	7
8	—	—	—	·113	—	—	—	—	·063	·045	—	—	8
9	·016	·110	—	·070	·038	—	—	—	—	—	—	~~·005~~	9
10	·030	·060	—	·066	—	—	—	—	·260	·140	—	—	10
11	·016	·052	—	·073	·165	·046	·137	·007	·070	·142	·015	—	11
12	·107	·006	—	·025	·060	—	—	—	—	·453	·009	—	12
13	—	·018	—	·038	—	—	1·203	—	—	·026	·078	·012	13
14	·071	·009	—	·030	·006	—	·300	·308	—	·006	·110	·005	14
15	—	—	—	·037	·236	—	—	—	—	·045	·005	·046	15
16	·145	—	—	·320	·285	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	·005	—	·017	·083	—	—	17
18	—	—	—	—	·018	—	—	—	—	—	—	—	18
19	—	—	—	·010	—	—	—	—	—	·162	—	—	19
20	—	—	—	·035	·770	—	—	·245	—	·325	·163	—	20
21	—	—	·185	·095	2·080	—	—	·309	—	·270	—	·122	21
22	—	·005	·259	·034	·156	·010	·715	—	·430	·010	·305	·006	22
23	—	·014	—	—	·640	—	·045	—	·100	·075	·195	·013	23
24	—	—	—	—	·010	—	·930	—	·045	—	·115	—	24
25	—	·057	—	—	·023	·020	·062	—	·055	·144	·006	·007	25
26	—	·006	—	·345	·373	·025	·018	—	·015	—	·008	—	26
27	—	—	·291	·168	·486	—	·105	—	—	—	·110	—	27
28	—	—	·135	·087	·260	—	·115	·577	—	·036	—	—	28
29	—	—	·105	·106	·026	·132	·045	·176	·070	·265	·080	·090	29
30	—	×	·037	—	—	·345	·085	·016	·120	·065	·180	·154	30
31	—	×	·042	×	·020	×	1·233	—	×	—	×	·068	31
TOTAL	1·160	·375	1·368	2·405	6·147	0·58 ~~·578~~	5·018	1·699	1·61 ~~1·611~~	2·597	1·62 ~~1·621~~	·59 ~~·585~~	YEAR'S TOTAL 25·164
*Days with ·01 in. or more.	11	7	10	22	20	6	14	8	16	19	13	10	156
*Days with .04 in. or more.	6	4	9	15	13	3	12	5	14	15	10	5	111

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Y. Wallis Gordon
City Engineer & Surveyor

P.T.O.

2604

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

134

Kept at Nottingham

in the County of Notts.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6	·47												6
7													7
8													8
9		·11											9
10													10
11													11
12										·45			12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21					2·08								21
22									·43		·31		22
23													23
24													24
25													25
26				·35									26
27			·29										27
28								·58					28
29													29
30		×				·35						·16	30
31		×		×		×	1·23		×		×		31
TOTAL	1·16	0·37	1·37	2·41	6·15	0·58	5·02	1·70	1·61	2·60	1·62	0·59	YEAR'S TOTAL 25·18
*Days with ·01 in. or more.	11	11	10	22	21	6	15	9	17	20	18	14	174
*Days with ·04 in. or more.	6	4	10	17	14	3	12	6	14	16	10	5	117
40-9999	29·5	9·4	34·8	61·2	156·2	14·7	127·5	43·2	40·9	66·0	41·1	15·0	

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

134

Form 1090.

REGISTER OF RAINFALL IN 1936.

T. L.

Kept at NOTTINGHAM

in the County of NOTTS.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0.28						1
2														2
3														3
4														4
5														5
6														6
7							0·78							7
8														8
9														9
10														10
11														11
12														12
13														13
14									0·90			·21		14
15														15
16														16
17		0·33												17
18														18
19														19
20														20
21						0·37								21
22														22
23														23
24														24
25				0·34										25
26			0·36											26
27														27
28														28
29	0·54										·41			29
30		✗			0·40					0·24				30
31		✗		✗		✗			✗		✗	·21		31
TOTAL	3·11 ✓	1·60 ✓	1·22 ✓	1·53 ✓	0·89 ✓	2·58 ✓	4·68 ✓	0·66 ✓	2·64 ✓	1·23 ✓	1·91	1·26	Year's Total. 23·31 ✓	
* Days with .01 in. or more.	20	16	18	13	8	18	22	9	15	18	15	17	189 ✓	
* Days with .04 in. or more.	16	11	11	10	4	12	17	5	10	10	12	9	127 ✓	
40-9999	79·0	40·6	31·0	38·9	22·6	65·5	118·9	16·8	67·1 ✓	31·2	48·5 ✓	32·0	592·1	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

~~W~~ 2485

9 MAY 1917

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19

Kept at

in the County of

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000, VIII. 16

NOTTINGHAM / CO

Section A for the
AIR M

Station No. 2604/5.
LL ORGANIZATION

FORM 1090

R

7.

Kept at COLWICK
in the County of NOT
Diameter of Funnel of Ga
Height of top of Gauge a
,, Ground ,,

/33

THE MORNING M

S DAY

An observer who does not
year in the space on the r

following

Jan. 1, following

2604/5 —

COLWICK

1937 – 1940

780411

Date	Jan.	Feb.	M	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	†	Date
	in.	in.										in.		
1	.02	.02										.3		1
2	.04	.12										.528		2
3		.02										.26		3
4	.10	.08										.64		4
5	.04	-												5
6	-	.42										.02		6
7	-											-		7
8	-	.25										Tr.		8
9	.02	.07										.05		9
10		.04	.01	.10	-	.11	-	-	-		-	.06		10
11	-	-	.80		.50	-		-	.165	-	-	.28		11
12	.02	.26	.08	-	.61	.30	-	-		-	-			12
13	-	.04	.12	Tr.	-		-	-	-	-	-	Tr.		13
14	-			-	-	-	-	.035	.02	-		.07		14
15	.08	.15	-	.25	-	-	1.35		.02	-	-	.01		15
16	.14	.28	.30	.40		-	-	.06	.10	-	-	.02		16
17		.05	.20	.35	-	-	.03	-	.60		-	-		17
18	.66	.025	.05		-	-		-	Tr.	Tr.	.37	-		18
19	.07	.14	.06	.04	-	.02	-	-		-	.075			19
20	.45	.12	.06	.27	.72		.03	-	.02	Tr.	Tr.	Tr.		20
21	.01			-	-	-	.26	-	-	-		.015		21
22	.05	.01	-	-	.04	-	.20		-	.24	.16	Tr.		22
23	.55	-	-	-		-	.075	-	-	1.26	.24	-		23
24		.48	.02	-	-	-	-	-	.02		-	.04		24
25	.28	.35			-	-		-	.01	.57	-			25
26	-	.2		-	.35	-	-	-		Tr.	Tr.			26
27	-	.28	.03	.15	-		-	-	-	.535	-			27
28	-			-	-	-	-	-	-	Tr.				28
29	-	-		-	-	-	-		-	-	.014	.015		29
30	.7	✕	-	-		.01	-	-	-	.19	.013	.01		30
31		✕	-	✕	-	✕	-	-	✕		✕	-		31
TOTAL	3.23	3.405	1.870	2.155	2.530	.44	2.425	.170	1.010	2.795	1.046	2.318	Year's Total 23.394	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

FNC/JG.

† Spare column, no entries required.

(*Signed*) J W Colton [P.T.O.

~~BRITISH SUGAR CORPN.~~

NOTTINGHAM/CO

Section A **for the** Station No. 2604/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at COLWICK

in the County of NOTTINGHAMSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level ~~50-100~~ 79' ft.

236561/33

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.02	.01	-	-	-	-	-	.055	-	.014	.3		1
2	.04	.12	.025	.29		-	-		-	-	-	.528		2
3		.02	.025	.10	.05	-	-		-	-	-	.26		3
4	.10	.08	.01		.01	-		.025	-	-	-	.64		4
5	.04	-	.05	-	-	-	-	.05		-	-			5
6	-	.42	.02	.005	.11		-	-	-	-	-	.02		6
7	-			.13	.05	Tr.	-	-	-	-		-		7
8	-	.25	-	.02	.09	-	-		-	-	.16	Tr.		8
9	.02	.07	-	.05		-	.48	-	Tr.	-	-	.05		9
10		.04	.01	.10	-	.11	-	-	-		-	.06		10
11	-	-	.80		.50	-		-	.165	-	-	.28		11
12	.02	.26	.08	-	.61	.30	-	-		-	-			12
13	-	.04	.12	Tr.	-		-	-	-	-	-	Tr.		13
14	-			-	-	-	-	.035	.02	-		.07		14
15	.08	.15	-	.25	-	-	1.35		.02	-	-	.01		15
16	.14	.28	.30	.40		-	-	.06	.10	-	-	.02		16
17		.05	.20	.35	-	-	.03	-	.60		-	-		17
18	.66	.025	.05		-	-		-	Tr.	Tr.	.37	-		18
19	.07	.14	.06	.04	-	.02	-	-		-	.075			19
20	.45	.12	.06	.27	.72		.03	-	.02	Tr.	Tr.	Tr.		20
21	.01			-	-	-	.26	-	-	-		.015		21
22	.05	.01	-	-	.04	-	.20		-	.24	.16	Tr.		22
23	.55	-	-	-		-	.075	-	-	1.26	.24	-		23
24		.48	.02	-	-	-	-	-	.02		-	.04		24
25	.28	.35			-	-		-	.01	.57	-			25
26	-	.2		-	.35	-	-	-		Tr.	Tr.			26
27	-	.28	.03	.15	-		-	-	-	.535	-			27
28	-			-	-	-	-	-	-	Tr.				28
29	-	-		-	-	-	-		-	-	.014	.015		29
30	.7	✕	-	-		.01	-	-	-	.19	.013	.01		30
31		✕	-	✕	-	✕	-	-	✕		✕	-		31
TOTAL	3.23	3.405	1.870	2.155	2.530	.44	2.425	.170	1.010	2.795	1.046	2.318	Year's Total 23.394	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Colton [P.T.O.

FNC/JG.

X BRITISH SUGAR CORPN. X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2604/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Jan. and Apl. W.D.

aus Dep

Kept at COLWICK

in the County of NOTTINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	.05	TR.	-	-	.45	-	-	.05	.09	-	.07		1
2	-	-	-	-	-	.60	.01	-	-	).48	-	TR.		2
3	.03	-	-	-	TR.	.02	).15	-	.07	)	.04	.28		3
4	.04	-	-	.02	-	}	)	.43	}.01	.34	TR.	)TR.		4
5	.02	-	-	.02	-	.02	.17	TR.	)	-	-	)		5
6	TR.	) TR.	-	-	-	)	.31	.02	.31	.04	-	TR.		6
7	.03	)	-	-	-	-	.13	-	.04	.02	-	.01		7
8	.12	TR.	-	-	-	-	.11	-	-	.22	-	TR.		8
9	) .20	-	-	-	-	-	.22	.34	-	) TR.	-	.37		9
10	)	.10	-	-	-	TR.	) TR.	.01	-	)	-	.04		10
11	TR.	TR.	-	-	-	=	))	.02	-	.03	.03	) TR.		11
12	.47	-	-	-	.05	-	TR.	-	-	.40	.18	)		12
13	.11)		-	-	-	-	-	-	-	TR.	) TR.	.18		13
14	TR.)	.07	-	-	.04	-	.41	-	.14	-	)	TR.		14
15	.08	.03	-	-	) TR.	-	.31	-	-	.09	TR.	.20		15
16	) .25	TR.	-	-	) -	-	.20	-	-	) .15	TR.	.29		16
17	)		.02	-	.51	-	-	.02	.02	)	TR.	-		17
18	TR.	.02	-	-	.28	.02	-	.04	) TR.	.01	.29	) .15		18
19	.02	TR.	-	-	TR.	-	-	.07	) -	-	.26	)		19
20	-	) -	-	-	-	-	-	.04	-	-	) TR.	.16		20
21	TR.	) -	-	-	-	-	-	-	-	-	)	.28		21
22	.01	-	-	-	-	.10	-	-	-	-	.25	.28		22
23	) -	TR.	-	-	-	.01	-	-	.01	-	-	}		23
24	)	-	-	-	TR.	-	) TR.	-	.25	-	TR.			24
25	-	-	.02	-	-	-	)	.01	) .12	.11	.49	.26		25
26	.10	.16	.04	-	-	) .09	-	-	)	.05	.28			26
27	TR.	) .16	) .07	-	.21	)	.12	1.18	.23	TR.	) .03	}		27
28	.02	)	)	-	.90	TR.	.11	-	.42	-	)	.05		28
29	.02		-	-	) .02	-	}	-	-	.03	.08	.12		29
30	) .34		-	TR.	)	TR.	.10	-	.09	) .15	.03	.02		30
31	) 05		-		.13		}	-		)		.68		31
TOTAL	1.~~87~~ 91	.5~~9~~ 4	.15	.04	2.14	1.31	2.35	2.18	1.76	2.21	1.96	3.44	Year's Total ~~20.00~~	19·99
* Days with .01 in. or more.	17	6	4	2	8	8	15	12	13	17	12	20	(~~134~~)	
* Days with .04 in. or more.	10	4	2	0	7	4	14	7	10	13	9	17	(97)	

Small "d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2604/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at COLWICK

in the County of NOTTINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 50 - 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		-	.02	.15	.03	-		-	.02	.18	-	Tr.		1
2	.05	-	-		-	-	Tr.	.25	.33		.04	.29		2
3	.36	-	-	.32	-	-	-	.14		.01	.22			3
4	.19	-	.14	.22	-		.01		.04	.01	.18	.10		4
5	-			.03	.05	-	.04	.63	-	.06		.23		5
6	.47	-	.01		.02	-	.21		-	.02	.05	-		6
7	.07	.05	-	-	-	-	.19		-	.06	.15	.24		7
8		.05	.15		-	-	.18	.05	-		.25	.26		8
9	Tr.	.04	-		-	-		.14	-	.59	-	.23		9
10	.52	Tr.	Tr.		-	-	-	.21		.03	.06			10
11	.01	.06	.28	-	Tr.		-	.07	.05	.12	-	.01		11
12	Tr.			-	.01	.26	-	-	-	.01		-		12
13	-	Tr.	-	-	.12	.04	-		-	.11	-	-		13
14	.59	-	Tr.	.05		.15	.36	-	-	.12	.10	-		14
15		-	-	Tr.	.39	.14	.65	-	-		Tr.	-		15
16	.01	-	.04		.30	.17		-	-	Tr.	.18	-		16
17	.27	-	.01	.13	.02	-	1.05	-		.72	Tr.			17
18	.01	-	.04	Tr.	-		.06	-	Tr.	.01	.72	-		18
19	.22			-	-	.19	.45	.13	.01	-		-		19
20	Tr.	-	-	-	-	.04	Tr.		-	-	Tr.	-		20
21	.35	.09	.10	Tr.		.08	.08	.06	.01	-	-	-		21
22		.14	.12	.15	-	Tr.	.41	-	Tr.		.41	-		22
23	.02	Tr.	-		-	.01		-	-	-	.46			23
24	.01	Tr.	.01	.06	-	-	.13	Tr.		-	-	.05		24
25	1.01	-	.12	.01	-		.06	.64	-	-	.42			25
26	.04			.01	-	-	-	Tr.	-	.02				26
27	Tr.	.07	.24	Tr.		Tr.	.02		-	.10	.02	-		27
28	Tr.	.19	.17	.15		.11	.09	-	Tr.	.22	.15	-		28
29			Tr.	.26		-	.26	-	-		Tr.	-		29
30	-		-			.03		.01	-	-	.12	-		30
31	-		-				-	.07		Tr.		-		31
TOTAL	4.20	.69	1.45	1.54	.94	1.22	4.25	2.40	.46	2.39	3.53	1.41	Year's Total 24.48	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold Wickenden

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2604/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at COLWICK

in the County of NOTTINGHAMSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

" Ground " Sea Level 50 - 100 ft.

Jan est'd for snow.
snow circ sent 30-4-41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.13	-	.01	-	-	-	-	-	-	.28			1
2	-	.22	Tr	.27	-		.01	-		-	.60	.01		2
3	-	.39	-	.12	-	-	-		-	.03		.03		3
4	-		-	Tr	Tr	-	-		-	.06	.55	.05		4
5	-	-	-	-		-	.06	-	-	.53	.36	.10		5
6	.14	.24	-	.06	Tr	-	.01	-	-		.08	.03		6
7	-	.15	-		.04	-		-	.01	-	-	.17		7
8	-	-	-	Tr	Tr	.01	.07	-		.08	-			8
9	-	-	.18	-	-		.02	.02	.02	-	.22	.04		9
10	-	-		-		-	.18	.07	-	-		.24		10
11	-		Tr	Tr		-	.10		-	-	.50	.06		11
12	-	.01	.08	-		-	.12	-	.06	-	.26	Tr		12
13	-	.03	.16	.04	.22	-	-	-	.05		-	Tr		13
14	-	-	.05			-		-	.06	-	-	.28		14
15		-	-	Tr	.01	.34	-	-		-	.03			15
16	.06	.12	.90	-	-		.80	-	.02	1.57	1.20	Tr		16
17	-	.41		-	-	-	.04	.05	-	-		-		17
18	.04		.10	.41	-	-	-		-	.03	-	.05		18
19	-	.16	.02	.02		-	.28	-	.07	.10	.22	.01		19
20	.10	.02	-	.01	-	.02	.12	.01	-		.01	Tr		20
21	-	-			-	.28		-	.05	.14	1.14	-		21
22		-	.02	-	.26	.38	-	-		Tr	.01			22
23	-	.02		.03	.16		-	-	-	.03	Tr	-		23
24	-	-	Tr	Tr	-	-	-	-	-	.01				24
25	-			Tr	.06	-	-	.01	-	.01	Tr	.01		25
26	.66	.05	-	Tr		-	-		-	-	Tr	Tr		26
27	~~3.00~~	.06	-	1.36		-	.21	.04	-		Tr	-		27
28	1.30	.54	-		Tr	-	-	-	-	-	-	.16		28
29	~~.10~~ 4	-	.10	.03	.45	.01	-	-		-	-	.02		29
30	-	✖	.08	-	-		-	-	-	.34	-			30
31	.25	✖		✖	-	✖	-	-	✖	.80	✖	Tr		31
TOTAL	(2.55) ~~4.35~~	2.53	1.69	2.36	1.20	1.04	2.02	.20	.34	3.73	5.46	1.26	Year's Total ~~26.18~~ 2438	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2605

Section **A** for the entry of

AIR MINISTRY

Form 1090.

REGIST

Kept at COLWICK HILL

in the County of NOTTI

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of thi

2605

Colwick Hill Reservoir

1931 — 40

7804 11

PY FOR OFFICIAL USE.

ORGANIZATION.

owing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·015	·025	s ·045								–	–	1
2	·015	·030	–	·550	Tr.	·045	–	–	·325	·040	–	·025	2
3	·065	Tr.	–	·095	–	·020	·040	–	·770	Tr.	·050	·150	3
4	·010	·065	–	·090	–	–	·370	·135	·070	Tr.	·030	·015	4
5	–	·020	·010	·045	·090	·955	·030	Tr.	·235	–	Tr.	·360	5
6	–	·165	Tr.	Tr.	–	·400	·025	–	Tr.	·120	·035	–	6
7	–	–	Tr.	–	–	·280	1·000	·040	–	–	·085	·010	7
8	·030	·070	s ·010	·035	·010	·020	·060	1·060	–	–	·250	–	8
9	–	·100	s ·010	·095	–	·035	Tr.	·350	–	·010	·210	Tr.	9
10	·010	·055	s ·010	–	·050	·015	Tr.	·115	Tr.	Tr.	·035	Tr.	10
11	·055	·515	–	–	Tr.	·040	·020	–	·150	Tr.	·010	–	11
12	·045	·060	–	–	–	–	1·015	–	·270	·020	·070	–	12
13	–	–	–	·015	Tr.	–	Tr.	·055	Tr.	–	Tr.	–	13
14	–	·060	·035	–	–	·090	·555	·990	·010	–	·125	–	14
15	–	·120	–	·020	·095	–	·165	·060	–	–	·015	·030	15
16	·055	·220	–	·100	·445	·540	·020	·240	·165	Tr.	Tr.	–	16
17	–	·215	–	·290	·640	–	·020	Tr.	–	–	–	–	17
18	·030	Tr.	–	·315	–	·110	·170	·055	–	·010	·325	–	18
19	·045	·030	–	·150	–	·135	·110	·085	·060	·030	·010	–	19
20	–	·040	–	·035	–	–	·020	·375	–	·035	·010	·010	20
21	·150	–	–	–	·390	–	–	·115	–	–	·250	–	21
22	·040	–	–	·020	·045	–	–	–	–	–	Tr.	–	22
23	·160	–	–	·025	·220	·060	–	–	·020	–	·195	·015	23
24	Tr.	·010	–	·085	·700	–	·135	–	Tr.	–	Tr.	·015	24
25	·190	–	–	·560	–	–	·165	–	–	–	·015	Tr.	25
26	–	–	–	·370	·060	–	·070	–	Tr.	–	·170	Tr.	26
27	·205	·145	–	–	·015	–	–	–	–	·075	·290	·205	27
28	·095	s ·220	–	·045	·115	–	–	–	–	Tr.	·020	·070	28
29	·120	X	–	·090	·055	–	·125	–	–	·185	·015	·030	29
30	·180	X	–	·010	–	·085	Tr.	–	–	–	–	–	30
31	·165	X	–	X	–	X	–	–	X	·040	X	·010	31
TOTAL	1·680	2·1~~6~~75	·120	3·080	2·930	2·830	4·1~~1~~25	3·670	2·1~~6~~75	·570	2·2~~1~~25	·940	YEAR'S TOTAL 26·500
*Days with ·01 in. or more.	20	19	6	22	14	15	19	13	11	11	21	13	184
*Days with ·04 in. or more.	14	14	1	15	12	11	13	13	9	5	11	4	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) CE

Engineer & General Manager.

P.T.O.

Section **A** for the entry of PY FOR OFFICIAL USE.

2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at COLWICK HILL RESERVOIR,
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 314·29 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·015	·025	S ·045	·045	Tr.	–	–	–	·090	·010	–	–	1
2	·015	·030	–	·550	Tr.	·045	–	–	·325	·040	–	·025	2
3	·065	Tr.	–	·095	–	·020	·040	–	·770	Tr.	·050	·150	3
4	·010	·065	–	·090	–	–	·370	·135	·070	Tr.	·030	·015	4
5	–	·020	·010	·045	·090	·955	·030	Tr.	·235	–	Tr.	·360	5
6	–	·165	Tr.	Tr.	–	·400	·025	–	Tr.	·120	·035	–	6
7	–	–	Tr.	–	–	·280	1·000	·040	–	–	·085	·010	7
8	·030	·070	S ·010	·035	·010	·020	·060	1·060	–	–	·250	–	8
9	–	·100	S ·010	·095	–	·035	Tr.	·350	–	·010	·210	Tr.	9
10	·010	·055	S ·010	–	·050	·015	Tr.	·115	Tr.	Tr.	·035	Tr.	10
11	·055	·515	–	–	Tr.	·040	·020	–	·150	Tr.	·010	–	11
12	·045	·060	–	–	–	–	1·015	–	·270	·020	·070	–	12
13	–	–	–	·015	Tr.	–	Tr.	·055	Tr.	–	Tr.	–	13
14	–	·060	·035	–	–	·090	·555	·990	·010	–	·125	–	14
15	–	·120	–	·020	·095	–	·165	·060	–	–	·015	·030	15
16	·055	·220	–	·100	·445	·540	·020	·240	·165	Tr.	Tr.	–	16
17	–	·215	–	·290	·640	–	·020	Tr.	–	–	–	–	17
18	·030	Tr.	–	·315	–	·110	·170	·055	–	·010	·325	–	18
19	·045	·030	–	·150	–	·135	·110	·085	·060	·030	·010	–	19
20	–	·040	–	·035	–	–	·020	·375	–	·035	·010	·010	20
21	·150	–	–	–	·390	–	–	·115	–	–	·250	–	21
22	·040	–	–	·020	·045	–	–	–	–	–	Tr.	–	22
23	·160	–	–	·025	·220	·060	–	–	·020	–	·195	·015	23
24	Tr.	·010	–	·085	·700	–	·135	–	Tr.	–	Tr.	·015	24
25	·190	–	–	·560	–	–	·165	–	–	–	·015	Tr.	25
26	–	–	–	·370	·060	–	·070	–	Tr.	–	·170	Tr.	26
27	·205	·145	–	–	·015	–	–	–	–	·075	·290	·205	27
28	·095	S ·220	–	·045	·115	–	–	–	–	Tr.	·020	·070	28
29	·120	X	–	·090	·055	–	·125	–	–	·185	·015	·030	29
30	·180	X	–	·010	–	·085	Tr.	–	–	–	–	–	30
31	·165	X	–	X	–	X	–	–	X	·040	X	·010	31
TOTAL	1·680	2·1~~65~~7	·120	3·080	2·930	2·830	4·1~~15~~2	3·670	2·1~~65~~7	·570	2·2~~15~~2	·945	YEAR'S TOTAL 26·500
*Days with ·01 in. or more.	20	19	6	22	14	15	19	13	11	11	21	13	184
*Days with ·04 in. or more.	14	14	1	15	12	11	13	13	9	5	11	4	122

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Davies CE
Engineer & General Manager.

P.T.O.

2605

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at COLWICK HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, ,, Ground ,, Sea Level 314.29 ft.

• THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.080	.010	-	.100	.335	Tr.	.010	.085	.140	.220	.010	.015	1
2	.025	-	-	-	.110	-	-	.010	.110	.155	Tr.	.040	2
3	Tr.	Tr.	-	.130	.050	-	-	-	-	Tr.	-	.025	3
4	.015	Tr.	-	.120	-	-	-	-	-	Tr.	.195	Tr.	4
5	.185	.010	.040	Tr.	.025	Tr.	-	Tr.	.045	-	-	-	5
6	.450	-	.050	.195	Tr.	-	.025	-	.080	-	-	-	6
7	-	-	.195	.145	-	-	-	-	.040	.030	.010	-	7
8	Tr.	.010	-	.120	-	-	-	-	.060	.050	-	-	8
9	.015	s.135	-	.070	.025	-	-	-	-	Tr.	-	-	9
10	.040	.010	Tr.	.070	Tr.	-	-	-	.270	.160	Tr.	-	10
11	.020	.120	Tr.	.075	.155	.055	.165	Tr.	.100	.140	.025	-	11
12	.120	-	-	.020	.045	-	Tr.	Tr.	-	.490	.020	-	12
13	Tr.	.025	-	.040	.025	-	1.685	-	Tr.	.020	.100	Tr.	13
14	.060	Tr.	-	.020	-	-	.255	.480	-	-	.150	.015	14
15	-	-	-	.025	.180	-	-	Tr.	-	.040	.010	.060	15
16	.135	-	-	.340	.240	-	-	-	-	Tr.	-	Tr.	16
17	Tr.	-	-	-	-	-	.015	-	Tr.	.080	-	-	17
18	-	-	-	-	.020	-	-	-	Tr.	-	Tr.	-	18
19	-	Tr.	-	Tr.	Tr.	-	-	-	-	.160	Tr.	Tr.	19
20	-	-	-	.045	.560	-	-	.240	-	.370	.190	.010	20
21	Tr.	-	.115	.085	2.180	-	-	.320	-	.285	Tr.	.130	21
22	Tr.	-	.355	.030	.155	-	.435	-	.460	.020	.305	.010	22
23	-	.010	-	-	.545	-	.030	-	.110	.070	.170	.015	23
24	-	-	-	-	Tr.	-	.595	Tr.	.045	-	.130	Tr.	24
25	Tr.	.050	-	Tr.	.010	-	.095	-	.065	.160	.010	.010	25
26	-	Tr.	Tr.	.335	.310	.045	.030	-	Tr.	Tr.	Tr.	.010	26
27	-	-	.270	.155	.535	-	.110	-	-	-	.090	Tr.	27
28	-	-	.110	.150	.265	-	.110	.905	-	.040	Tr.	-	28
29	-	-	.110	.100	.045	.075	.060	.250	.065	.310	.080	.100	29
30	Tr.	×	.045	Tr.	Tr.	.355	.035	.025	.045	.065	.180	.160	30
31	Tr.	×	.030	×	Tr.	×	.870	-	×	-	×	.090	31
TOTAL	1.145	.380	1.320	2.370	5.815	.530	4.525	2.315	1.635	2.865	1.675	.690	YEAR'S TOTAL 25.265
*Days with ·01 in. or more.	11	9	10	21	20	4	16	8	14	19	16	14	162
*Days with ·04 in. or more.	7	3	9	17	15	4	10	6	14	16	10	6	117

40-9999

*See Instruction 2 (*f*) on other side.

H. Davies (*Signed*)

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at COLWICK HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 314.29 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.270	.180	.165	-	Tr.	-	-	-	-	-	.090	-	1
2	.280	-	.320	-	Tr.	-	-	-	-	-	.060	-	2
3	.010	.115	.230	-	.190	-	-	-	-	-	.085	-	3
4	.035	Tr.	Tr.	-	.040	-	-	-	-	-	-	-	4
5	.110	Tr.	.060	-	.270	-	-	-	-	-	-	-	5
6	Tr.	.080	.070	-	.350	-	-	-	-	Tr.	-	.030	6
7	Tr.	.290	Tr.	-	.100	-	.220	-	-	.210	-	Tr.	7
8	.010	-	.070	-	.060	-	.355	-	-	-	-	-	8
9	-	-	-	-	Tr.	-	.210	-	-	.900	.030	-	9
10	-	.070	-	-	-	.060	.220	.030	-	.900	-	-	10
11	.040	-	-	-	-	Tr.	.050	Tr.	-	.010	-	-	11
12	.050	-	-	-	-	Tr.	.100	-	-	-	-	s.030	12
13	.065	-	-	-	.110	.030	.310	-	.070	.010	.120	-	13
14	Tr.	-	-	-	-	-	.160	-	-	.050	.200	-	14
15	s.500	-	-	-	-	-	.090	.190	-	.050	.415	.020	15
16	s.290	-	.500	Tr.	.030	.120	.070	-	-	.030	.020	.010	16
17	s.030	s Tr.	1.000	-	-	.125	-	-	.020	-	.055	-	17
18	.020	s.035	.075	-	-	.410	-	-	Tr.	-	.050	-	18
19	Tr.	-	.170	-	-	.030	.170	-	.040	-	Tr.	Tr.	19
20	-	s.045	-	-	-	.235	-	.060	.030	.020	.010	-	20
21	-	Tr.	-	-	.140	.115	-	.110	Tr.	-	-	-	21
22	-	-	-	-	-	.300	-	.260	-	.680	Tr.	-	22
23	-	-	-	.410	.010	-	-	-	.400	.020	-	-	23
24	-	s.060	-	.150	.050	.380	-	-	.150	.030	.030	.010	24
25	-	s.630	-	.250	-	-	-	-	-	-	Tr.	Tr.	25
26	-	s.500	-	.140	Tr.	.030	-	-	.030	.060	.030	Tr.	26
27	-	-	-	-	-	-	-	-	.500	.050	-	Tr.	27
28	-	-	-	.180	.070	-	.015	-	.010	.150	-	.020	28
29	.015	X	-	.145	-	-	-	-	Tr.	.150	-	Tr.	29
30	.035	X	Tr.	-	-	-	.040	-	-	.020	-	.015	30
31	Tr.	X	.120	X	-	X	-	.010	X	.060	X	-	31
TOTAL	1.760	2.005	2.780	1.275	1.420	1.835	2.010	.660	1.250	3.400	1.195	.135	YEAR'S TOTAL 19.7~~25~~3
*Days with .01 in. or more.	15	10	11	6	12	11	13	6	9	18	13	7	131
*Days with .04 in. or more.	8	9	11	6	10	8	12	4	5	11	8	-	92

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Engineer & General Manager.

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. Station No. 2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at COLWICK HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 314.29 ft.

Est Days oct, Nov, Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.130	-	-	-	-	-	-	.060	-	.050	Tr.	.530		1
2	.030	Tr.	.015	-	-	-	-	.145	.270	Tr.	.085			2
3	.010	.035	-	Tr.	-	-	-	-	-	.025	.190	.010		3
4	.040	.080	.090	.540	Tr.	-	-	-	-	Tr.		.390		4
5	Tr.	-	.080	.020	.110	-	-	.370	-	.020	.070	.060		5
6	-	-	-	.010	.415	.010	-	.015	-	.200	-	.490		6
7	.050	-	-	-	-	Tr.	-	Tr.	-		Tr.	.150		7
8	-	-	.080	-	-	.010	-	.070	-	-	.385	.145		8
9	-	-	.120	.040	-	-	-	.025	.060	-	.630			9
10	-	-	.625	.120	-	-	-	.100	-	-	.135	Tr.		10
11	.430	-	.140	.270	-	-	-	.110	-	-		.205		11
12	.010	-	.235	-	-	-	.060	.200	-	-	-	.035		12
13	.405	-	-	.020	-	-	.575	.040	-	.185	Tr.	.150		13
14	.040	-	.215	-	.015	.050	-	-	-		.400	.300		14
15	.030	-	.065	-	.120	-	-	-	.010	-	.120	.020		15
16	.180	-	.070	-	.145	-	-	-	-	.030	.060			16
17	.200	-	-	-	.015	-	.010	.105	.210	.060	Tr.	.035		17
18	.040	-	Tr.	.130	Tr.	Tr.	.050	Tr.	.085	-		.010		18
19	-	-	.080	.095	-	.190	-	-	Tr.	.010	-	.200		19
20	-	-	.040	.035	-	.040	-	-	-	.025	Tr.	-		20
21	-	-	-	-	-	.100	-	.020	Tr.		Tr.	Tr.		21
22	-	-	-	-	-	-	-	.255	.360	-	Tr.	.105		22
23	-	-	.010	.230	.095	Tr.	.545	-	-	-	Tr.			23
24	-	.165	.140	.060	-	.060	.220	-	.470	-	-			24
25	.060	-	-	.015	-	-	Tr.	-	Tr.	.110	Tr.	.330		25
26	.230	-	Tr.	.095	-	-	.010	-	.045	.025	-			26
27	-	s.140	-	.270	-	.020	.020	-	Tr.	.110	-	.075		27
28	.020	-	-	.015	-	.050	.025	.350	Tr.		-	.470		28
29	-	X	-	-	-	-	.175	.060	.310	.015	Tr.	.330		29
30	.020	X	-	-	-	-	.050	-	.030	.025	-			30
31	Tr.	X	-	X	-	X	.060	-	X	.190	X	Tr.		31
TOTAL	1.925	.420	2.005	1.965	.915	.530	1.800	1.925	1.850	1.080	2.075	4.040	Year's Total 20.530	
*Days with .01 in. or more.	17	4	15	16	7	9	12	15	10	15	9	24	153	
*Days with .04 in. or more.	11	3	13	10	5	6	8	12	8	7	9	17	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column; no entries required.

(*Signed*)

Engineer & General Manager.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. **Station No.** 2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at COLWICK HILL RESERVOIR

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 314·29 ft.

ack dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·240	-	-	·050	-	·305	·010	-	·560	·070	·200	·170		1
2	-	-	·150	-	-		-	-	-	·210	·150	·100		2
3	-	·130	-	·020	-	·225	-	-	Tr.	·120	-	Tr.		3
4	-	-	-	·035	-	·165	-	-	·080	·220	-	-		4
5	-	·310	·120	·045	-	-	-	-	·030	·030	·120	-		5
6	·015	Tr.	·Tr.	·540	-	·155	-	-	-	-	-	-		6
7	·055	Tr.	-		-	·100	-	-	-	·125	·580	·330		7
8	-	-	Tr.	·110	-	-	-	·010	-	·080	·040			8
9	-	-	-	·115	-	·090	-	-	-	·430	·300	Tr.		9
10	-	Tr.	-	·110	-	-	-	-	-	-		Tr.		10
11	-	Tr.	-	-	-	·035	-	·040	-	-	·080	·100		11
12	·060	Tr.	-	-	-	·140	-	·010	·010	-	-	Tr.		12
13		Tr.	-	·085	·100	-	-	-	Tr.	-	-	Tr.		13
14	-	Tr.	-	-	·070	Tr.	Tr.	-	·650	-	·410	·350		14
15	-	-	-	·585	·035	·420	-	-		-	·140			15
16	-	·060	·090	·105	-		Tr.	-	·250	·120	1·030	·090		16
17	-	-	-	·220	-	·190	Tr.	·080	Tr.	·020		-		17
18	Tr.	-	-	·245	·090	·140	·130		·340	·090	·010	-		18
19	Tr.	-	-	·055		·330	Tr.	-	·015	·030	·270	-		19
20	-	·260	-	·210	-	·150	·110	-	Tr.	-	·090	-		20
21	Tr.	·440	Tr.		-	-		-	·590	-	·160	-		21
22	-	·350	-	·085	-	-	-	-	-	-	·030	-		22
23	Tr.	·220	·270	-	-	-	-	·900	·030	·150	-	-		23
24	·040			-	-	-	-	-	1·410	-	Tr.	·050		24
25	·280	·030	-	·050	-	·200	-	-	-	-	-	·190		25
26	·030	-	-	-	-	-	-	·630	·380	·120	Tr.	·150		26
27	-	·180	-	-	-	-	-	-	·330		·210	1·190		27
28	·010	-	-	-	·030	-	-	Tr.	·120	Tr.	·030	·110		28
29	-	X	·080	-	-	-	-	-		·030	·030			29
30	·095	X	-	·080	-	-	-	·160	·020	·370	·170	·090		30
31	Tr.	X	-	X	-	X	-	-	X	·370	X	·220		31
TOTAL	·825	1·980	·710	2·745	·325	2·645	·250	1·830	4·815	2·585	4·050	3·140	Year's Total. 25·900	
* Days with .01 in. or more.	~~9~~	~~10~~	~~7~~	~~20~~	~~6~~	~~15~~	~~3~~	~~7~~	~~17~~	~~18~~	~~21~~	~~16~~	~~149~~	d
* Days with .04 in. or more.	6	8	7	18	5	15	2	5	11	14	17	16	123	

40-9999

† Spare column, no entries required.

(Signed) A. Davies

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at COLWICK HILL RESERVOIR

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, ,, Ground ,, Sea Level 314·29 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr.	·080	·070	·390	-	Tr.	·125	·320	·020	-	·040	·020		1
2	·270		·100	·065	-	·240	·230		-	-	·160	·080		2
3	Tr.	·050	Tr.	-	-	·380	·045	-	·170	-	Tr.	·020		3
4	·070	Tr.	·090	-	-	·120	-	·030	·150	·020	·110	·175		4
5		·050	·100	-	-	-	·025	·040	·270	·020	Tr.	·150		5
6	Tr.	-	Tr.	-	Tr.	·045	·265	·210		-	·050	-		6
7	·330	-	·040	-	-	-	2·145	-	·020	-	·170	Tr.		7
8	·240	-		-	-	-	-	-	-	·060		·060		8
9	·190	-	·010	-	-	·030	·495	-	·050	·030	·060	-		9
10	Tr.	-	-	-	Tr.	-	·790	-	-	-	-	-		10
11	-	-	-	·140	-	·020	·845	-	Tr.	-	·290	-		11
12	-	-	-	·090	Tr.	·195		-	·415	-	·060	·160		12
13	-	-	-	-	-	·185	-	-		·050	Tr.	-		13
14	-	-	-	·090	-		·155	-	·460	·020	·270	·270		14
15	-	·230	Tr.	·035	-	·090	·030	-	Tr.	-		·040		15
16	s ·130		-	Tr.	·230	Tr.	·015	-	Tr.	-	·420	-		16
17	s ·080	·400	-	-		-	·200	-	-	-	·070	·070		17
18	s ·350	·020	-	-	-	·015	-	-	-	·140	·040	Tr.		18
19		·060	-	·270	-	·290	·195	·060	-	·070	Tr.	-		19
20	·010	·050	·020	·025	-	-	·020	·050	-	Tr.	Tr.	-		20
21	·040	-	-	·040	-	·320	-	-	-	-	-	-		21
22	-	·320	·070	Tr.	·060	·060	·150	-	-	-	·030	·030		22
23	-		·210	·140	·115	Tr.	·330	-	-	·030	-	-		23
24	·190	·090	-	-		Tr.	-	-	·125	·140	-	-		24
25	·080	Tr.	·040	·315	-	-	-	-	·385		-	-		25
26		·050	·400		-	-	-	-	·230	·150	-	-		26
27	·060	-	·010	·010	-	-	-	-		·140	-	-		27
28	·370	·100	·130	-	-	·010	·035	-	·030	-	-	·050		28
29	·670	·150		-	-	·260	-	-	Tr.	·030	·490	·060		29
30	·200	×	-	-	·410	·510	·130	-	-	·210	-	Tr.		30
31	·020	×	·030	×		×	·015		×	·120	×	·130	d	31
Total	3·300	1·650	1·320	1·610	·815	2·770	6·240	·710	2·325	1·230	2·260	1·315	Year's Total 25·545 ✓ ✓	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Davies

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at COLWICK HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 314·29 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·015	^{s}·010	-	-	-	-	-	·090	-	·050	·170		1
2	-	·145	·030	·275	-	-	-	-	-	-	-	·740		2
3	·050	·025	·010	·220	·050	-	·020	-	-	-	Tr.	·300		3
4	·075	·090	·010		·020	-	-	·025	-	-	Tr.	·660		4
5	·255	-	·050	-	-	-	-	·060	-	-	Tr.			5
6	-	-	·040	·010	·180	-	-	-	-	-	-	·020		6
7	-	·335		·155	·040	·015	-	-	-	-	-	·020		7
8	-	·325	-	Tr.	-	-	-	-	-	-	·015	Tr.		8
9	-	·090	-	·030	·120	-	·480	-	Tr.	-	-	^{s}·050		9
10	·020	·035	^{s}·050	·135	Tr.	·125	Tr.	-	-	Tr.	-	·075		10
11	Tr.	-	·570		1·020	-		-	-	-	-	·300		11
12	·030	·260	·100	-		·275	-	-	·190	-	Tr.			12
13	-	·035	-	-	Tr.		-	-	·010	-	-	·030		13
14	-		·090	-	-	Tr.	-	·050	·020	-	Tr.	^{s}·065		14
15	·065	·165	Tr.	·270	-	-	1·700	-	·025	-	Tr.	-		15
16	·170	·200	·300	·375	-	-	-	·070	·095	-	-	·010		16
17		·010	·250	·350	-	-	-	-	·380	-	Tr.	-		17
18	·645	·040	·070		-	-	·040	-	-	-	·400	-		18
19	·055	·135	Tr.	·055	-	·065	·050	-	Tr.	Tr.	·100	Tr.		19
20	·160	·130	-	·300	·710		-	-	·015	-	-	^{s}·200		20
21	·015		·040	-	-	-	·270	-	Tr.	Tr.	Tr.	·010		21
22	·035	·015	Tr.	-	·050	-	·170	-	-	·270	·150	Tr.		22
23	·460	-	Tr.	-		-	·150	-	-	1·130	·220	Tr.		23
24		·525	·050	-	Tr.	-	-	-	·020		-	-		24
25	·220	·360	·020	-	·030	-	-	-	·015	·900	Tr.	Tr.		25
26	-	·200	·020	-	·380	-	-	-	-	-	Tr.			26
27	Tr.	·335	-	·120	-	-	-	-	-	·760	-	Tr.		27
28	-		-	-	-	-	-	-	-	·010	Tr.	·030		28
29	·020	X	-	-	-	Tr.	-	-	-	-	·060	Tr.		29
30	·605	X	-	-	-	·025	-	-	-	·185	·050	Tr.		30
31		X	-	X	-	X	-	-	X		X	·020		31
TOTAL	2·880	3·470	1·710	2·295	2·600	·505	2·880	·205	·860	3·255	1·045	2·700	Year's Total 24·405	24·41
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. [illegible]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938.

Kept at COLWICK HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 314·29 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	Tr.	Tr.	·440	-	-	·030	·110	-	·090		1
2	Tr.	-	-	-	Tr.	·080	-	-	-		Tr.	·010		2
3	·060	-	-	-	Tr.	·030	·020	-	·060	·520	·050	-		3
4	·025	-	Tr.	-	-	·030	·150	·380		·330	·030	·310		4
5	Tr.	·020	Tr.	-	-		·190	·010	·020	·010	-	-		5
6	·040			-	-	-	·340	·030	·350	·060	-	-		6
7	·120	Tr.	Tr.	-	-	-	·130		·050	·030	-	·040		7
8	·225	Tr.	-	-	-	-	·110	-	-	·260	-	·030		8
9		·140	Tr.	-	-	-	·225	·370	-		-	·400		9
10	Tr.	Tr.	Tr.	-	-	Tr.		·010	·010	Tr.	-	·040		10
11	·470	-	Tr.	Tr.	-	-	·030	·040		·030	·040			11
12	·120	s ·020	Tr.	Tr.	·070	-	·010	-	Tr.	·450	·190	-		12
13	-			Tr.	Tr.	-	-	-	-	Tr.		·200		13
14	·090	·020	Tr.	-	·040	-	·400	-	·130	-	·010	·020		14
15	·290	-	Tr.	-		-	·380	·040	-	-	·010	·180		15
16		-	·020	-	-	-	·260	Tr.	-	·050	·010	·320		16
17	Tr.	·020	Tr.	-	·400	-		·020	·050	·170	·020	-		17
18	Tr.	-	Tr.	-	·310	Tr.	-	·060		·020	·280	-		18
19	Tr.	-	Tr.	Tr.	Tr.		-	·090	·020	-	·280	s ·030		19
20	Tr.	-		Tr.	-	-	-	·020	Tr.	Tr.		-		20
21	·020	-	Tr.	Tr.	-	-	Tr.		-	Tr.	Tr.	s ·010		21
22	-	Tr.	Tr.	Tr.	-	·080	-	Tr.	-	Tr.	·270	·210		22
23	-	-	Tr.	-	-	·020	-	-	·030		Tr.	·060		23
24	Tr.	-	·020	Tr.	-	-	-	-	·260	Tr.	·010	s ·030		24
25	·120	·190	·040	Tr.	-	-	·030	·030		·120	·500			25
26	·020	·180	·070	Tr.	Tr.	-	-	-	·170	·070	·300	·280		26
27	·020			Tr.	·170	·130	·120	1·060	·210	Tr.		-		27
28	·100	Tr.	Tr.	-	·710	·030	·090		·810	-	·040	·060		28
29	·350	X	Tr.	Tr.		Tr.	·170	-	Tr.	·060	·090	·140		29
30		✕	Tr.	-	·010	·020	-	-	·140		·050	·050		30
31	·070	✕	Tr.	✕	·170	✕	-	-	✕	·170	✕	·700		31
TOTAL	2·140	·590	·150	-	1·880	·860	6 2·655	2·160	2·340	2·460	2·180	3·210	Year's Total 3 20·685	
* Days with .01 in. or more.	19	8	5	-	9	9	16	14	17	18	20	21	(156)	
* Days with .04 in. or more.	14	3	2	-	7	4	12	7	10	13	17	15	(98)	

Small d

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at COLWICK HILL RESERVOIR.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 314·29 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·050	-	·030	·125	-	-	-	-	·035	-	-	·010		1
2	·045	-	-		-	-	Tr.	·300	·350	·190	·030	·305		2
3	s ·200	-	-	·300	-	-	-	·260		·010	·215			3
4	s ·140	Tr.	·220	·275	-	-	·020	·280	-	·010	·185	·130		4
5	-		-	·030	·090	-	·040	·230	-	·050		·200		5
6	sl ·480	Tr.	·015	-	-	-	·220		-	·020	·025	-		6
7	·070	·060	-	-	·030	-	·170	-	-	·070	·195	·230		7
8	-	·070	·180	-	-	-	·230	·050	-		·290	·310		8
9	Tr.	·080	-	-	-	-		·170	-	·620	Tr.	·265		9
10	sl ·455	-	·010	-	-	-	-	·210	Tr.	·060	-			10
11	·025	·095	·230	-	-	·030	-	·090	·070	·160	-	Tr.		11
12	·010			-	-	·220	-	-	-	Tr.	Tr.	Tr.		12
13	-	-	-	Tr.	-	·090	Tr.	-	-	·125	Tr.	Tr.		13
14	·750	-	Tr.	·060	·190	·210	·340	-	-	·160	·100	-		14
15		-	-	-	·380	·250	·490	-	Tr.		Tr.	Tr.		15
16	·015	-	·060	-	·290	·180		-	-	-	·185	-		16
17	·320	Tr.	·020	·120	·010	·250	·800	-	Tr.	·720	·010	-		17
18	·045	-	·060	-	-		·130	-	·010	·010	·770	-		18
19	·235	-		-	-	·180	·520	-	·030	-		-		19
20	Tr.	-	-	-	-	·020	-	·080	-	-	-	-		20
21	·400	·115	·150	·040	-	·070	·100	·010	·015	-	-	-		21
22		·160	·070	·205	-	-	·400	-	-	Tr.	·450	Tr.		22
23	·010	·010	-		-	Tr.		-	-	-	·440	-		23
24	s ·030	-	Tr.	·055	-	-	·090	-	-	-	-	-		24
25	s ·600	·015	·055	·010	-	-	·060	·455	-	-	·485	·020		25
26	·035			·035	-	-	-	-	-	·030		·025		26
27	·010	·075	·270	-	-	·020	·025	-	-	·080	·045	-		27
28	-	·170	·180	·150	-	·130	·100	-	Tr.	·265	·205	-		28
29	-	X	-	·360	-	-	·340	-	-		Tr.	-		29
30	-	X	-		-	·035		·010	-	-	·130	-		30
31	-	X	-	X	-	X	-	·040	X	Tr.	X	-		31
TOTAL	3·925	·850	1·550	1·765	·990	1·685	4·075	2·185	·510	2·580	3·760	1·495	Year's Total 25·370	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 2605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at COLWICK HILL RESERVOIR.

in the County of NOTTINGHAM.

Adcs.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 314·29 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	s ·090	-	·020	·030	-	-	-	-	Tr.	·280	-		1
2	-	-	-	·290	-	-	·015	-	-	-	·740	·020		2
3	-	·600	-	·150	-	-	-	-	-	·030		·040		3
4	-		-	-	-	-	-	-	-	·090	·650	·050		4
5	-	-	-	-	·020	-	·080	-	-	·570	·420	·100		5
6	·130	·230	-	-	-	-	·010	-	Tr.		·180	·010		6
7		·170	-	·070	·050	-		-	Tr.	·010	Tr.	·160		7
8	·010	Tr.	-	-	-	-	·120	-		·080	-			8
9	-	-	·190	-	-	·025	·030	·030	·040	Tr.	·240	·030		9
10	-	-		-	-	-	·730	-	Tr.	-		·250		10
11	-	-	·020	-	-	-	·140	-	Tr.	-	·450	·020		11
12	-	-	·090	-	-	-	·120	-	·080	-	·350	-		12
13	-	·050	·070	·050	-	-	·015	-	·070	-	Tr.	-		13
14	-	-	·040		·270	-		-	·060	·010	Tr.	·310		14
15	-	-	·010	·010	·020	·260	·010	-	-	Tr.	·050	-		15
16	s ·030	s ·090	·900	-	-		1·280	-	·050	1·500	1·290	-		16
17	-	·370		-	-	-	·050	-	Tr.	Tr.		-		17
18	s ·100		·150	·380	-	-	Tr.	·050	Tr.	·040	·010	·030		18
19	-	·200	·060	·210	-	Tr.	·310	-	·100	·040	·140	·080		19
20	-	·025	-	·130	-	·040	·190	-	Tr.	·120	·070	-		20
21	s ·080	Tr.	·010	-	-	·230		-	-	·110	·790	-		21
22	Tr.	-	·010	-	·280	-	Tr.	-	·070	·010	-	-		22
23	-	·040	·050	·060	·180	·430	Tr.	-	Tr.	·030	-	·030		23
24	-	Tr.		·020	-	-	Tr.	-	Tr.	Tr.	Tr.	Tr.		24
25	Tr.		-	·010	-	Tr.	Tr.	-	Tr.	·010	·010	-		25
26	s ·730	·070	·010	·115	·090	·020	·030	-	Tr.	-	·020	-		26
27	·360	·080	-	1·160	-	-	·450	-	Tr.	-	-	-		27
28		·480	Tr.		·250	-		-	Tr.	-	·010	-		28
29	-	-	·150	·050	·260	·030	-	-		-	·010	·170		29
30	s ·060	✕	-	·030	-	-	-	-	Tr.	·330	·010	·030		30
31	s ·030	✕	·090	✕	-	✕	Tr.	-	✕	·980	✕	-		31
TOTAL	1·530	2·495	1·850	6 2·755	1·450	1·035	3·580	·080	·470	3·960	5·720	1·330	Year's Total 26·255	
* Days with .01 in. or more.	11	15	18	17	10	8	17	2	7	17	22	16	160	
* Days with .04 in. or more.	8	14	11	10	7	~~4~~5	11	1	7	11	16	9	~~106~~ 110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. P. Davies

Engineer & General Manager.

[P.T.O.

2606

Section **A** Station for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at 107 Burford R

in the County of Nottingh

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of thi

PY FOR OFFICIAL USE.
ORGANIZATION.

lowing

Jan. 1, following

2606

NOTTINGHAM, 107 BURFORD RD.

1931 — 35

780411

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.01	.02	.12								—	—	1
2	.01	.05	—	.57	tr	.04	tr	tr	.33	.06	tr	.02	2
3	.06	tr	—	.07	—	.02	.03	—	2.01	.01	.06	.12	3
4	—	.10	—	.12	tr	—	.51	.08	.09	tr	.09	.01	4
5	—	.05	tr	.04	.05	1.10	.03	tr	.16	—	.01	.42	5
6	—	.20	.02	tr	—	.30	.02	—	.01	.12	.04	—	6
7	.02	.01	.02	—	—	.33	.32	.03	—	.05	.09	.01	7
8	.02	.08	.03	.02	—	tr	.06	1.27	—	—	.30	—	8
9	tr	.12	.17	.12	—	.01	tr	.21	tr	—	.26	tr	9
10	.01	.07	.01	—	.04	.03	.28	.14	.01	—	.04	tr	10
11	.03	.53	—	—	tr	.03	.02	—	.14	—	tr	—	11
12	.05	.13	—	tr	—	tr	1.10	tr	.29	—	.10	—	12
13	tr	—	tr	.02	tr	tr	.05	.08	.02	tr	tr	—	13
14	tr	.06	.02	—	tr	.22	.39	1.16	.01	—	.24	—	14
15	.01	.10	—	.01	.08	tr	.18	.40	—	—	.02	.02	15
16	.06	.39	—	.12	1.40	.60	.01	.22	.17	—	—	—	16
17	.01	.24	—	.29	.65	.03	.01	tr	—	—	—	—	17
18	.03	tr	—	.45	tr	.20	.15	.04	—	.01	.41	—	18
19	.04	.02	—	.23	tr	.34	.13	.09	.02	.03	.01	—	19
20	tr	.04	tr	.04	—	—	.03	.43	—	.03	.01	.02	20
21	.21	.01	tr	—	.36	—	—	.14	tr	—	.23	—	21
22	.04	—	—	.02	.08	—	—	—	—	—	.01	—	22
23	.17	—	.02	.03	.25	.07	tr	—	.03	—	.23	.01	23
24	tr	tr	—	.12	.69	—	.21	—	tr	.01	tr	.01	24
25	.19	tr	—	.60	tr	—	.26	—	tr	—	.03	—	25
26	tr	.01	—	.34	tr	—	.05	—	tr	—	.17	—	26
27	.20	.41	—	tr	.02	—	tr	—	—	.04	.31	.21	27
28	.09	.33	—	.02	.12	—	—	—	—	.04	.01	.11	28
29	.13	×	—	.15	.05	—	.08	—	—	.17	.01	.03	29
30	.09	×	—	.01	tr	.08	tr	—	tr	—	tr	—	30
31	.19	×	—	×	—	×	—	—	×	.03	×	.01	31
TOTAL	1.67	2.97	0.41	3.45	3.79	3.41	3.92	4.29	3.41	0.61	2.68	1.00	YEAR'S TOTAL 31.61
*Days with ·01 in. or more.	22	21	8	22	12	16	21	13	14	13	22	13	197
*Days with ·04 in. or more.	13	16	2	15	11	10	14	12	8	6	14	4	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arnold B. Tinn

P.T.O.

Section **A** Station for the entry of PY FOR OFFICIAL USE.

2606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 107 Burford Rd. Nottingham
in the County of Nottinghamshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·12	·06	tr	·01	—	—	·12	·01	—	—	1
2	·01	·05	—	·57	tr	·04	tr	tr	·33	·06	tr	·02	2
3	·06	tr	—	·07	—	·02	·03	—	2·01	·01	·06	·12	3
4	—	·10	—	·12	tr	—	·51	·08	·09	tr	·09	·01	4
5	—	·05	tr	·04	·05	1·10	·03	tr	·16	—	·01	·42	5
6	—	·20	·02	tr	—	·30	·02	—	·01	·12	·04	—	6
7	·02	·01	·02	—	—	·33	·32	·03	—	·05	·09	·01	7
8	·02	·08	·03	·02	—	tr	·06	1·27	—	—	·30	—	8
9	tr	·12	·17	·12	—	·01	tr	·21	tr	—	·26	tr	9
10	·01	·07	·01	—	·04	·03	·28	·14	·01	—	·04	tr	10
11	·03	·53	—	—	tr	·03	·02	—	·14	—	tr	—	11
12	·05	·13	—	tr	—	tr	1·10	tr	·29	—	·10	—	12
13	tr	—	tr	·02	tr	tr	·05	·08	·02	tr	tr	—	13
14	tr	·06	·02	—	tr	·22	·39	1·16	·01	—	·24	—	14
15	·01	·10	—	·01	·08	tr	·18	·40	—	—	·02	·02	15
16	·06	·39	—	·12	1·40	·60	·01	·22	·17	—	—	—	16
17	·01	·24	—	·29	·65	·03	·01	tr	—	—	—	—	17
18	·03	tr	—	·45	tr	·20	·15	·04	—	·01	·41	—	18
19	·04	·02	—	·23	tr	·34	·13	·09	·02	·03	·01	—	19
20	tr	·04	tr	·04	—	—	·03	·43	—	·03	·01	·02	20
21	·21	·01	tr	—	·36	—	—	·14	tr	—	·23	—	21
22	·04	—	—	·02	·08	—	—	—	—	—	·01	—	22
23	·17	—	·02	·03	·25	·07	tr	—	·03	—	·23	·01	23
24	tr	tr	—	·12	·69	—	·21	—	tr	·01	tr	·01	24
25	·19	tr	—	·60	tr	—	·26	—	tr	—	·03	—	25
26	tr	·01	—	·34	tr	—	·05	—	tr	—	·17	—	26
27	·20	·41	—	tr	·02	—	tr	—	—	·04	·31	·21	27
28	·09	·33	—	·02	·12	—	—	—	—	·04	·01	·11	28
29	·13	×	—	·15	·05	—	·08	—	—	·17	·01	·03	29
30	·09	×	—	·01	tr	·08	tr	—	tr	—	tr	—	30
31	·19	×	—	×	—	×	—	—	×	·03	×	·01	31
TOTAL	1·67	2·97	0·41	3·45	3·79	3·41	3·92	4·29	3·41	0·61	2·68	1·00	YEAR'S TOTAL 31·61
*Days with ·01 in. or more.	22	21	8	22	12	16	21	13	14	13	22	13	197
*Days with ·04 in. or more.	13	16	2	15	11	10	14	12	8	6	14	4	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arnold B. Tinn

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 107 Burford Road, NOTTINGHAM

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02	—	·12	·34	tr	·06	·07	·12	·25	tr	tr	1
2	·04	—	—	—	·14	—	—	·04	·10	·15	tr	·04	2
3	—	tr	—	·24	·08	—	—	—	—	tr	—	·02	3
4	·02	—	—	·16	tr	tr	—	—	—	—	·23	—	4
5	·18	tr	·05	tr	·02	tr	tr	tr	·04	—	—	—	5
6	·47	—	·06	·26	tr	tr	·01	tr	·07	—	—	—	6
7	tr	—	·21	·14	—	—	—	—	·11	·03	·01	—	7
8	tr	·01	—	·11	—	—	—	—	·09	·07	—	·04	8
9	·02	·24	tr	·05	·03	—	—	—	—	—	—	tr	9
10	·04	·03	tr	·05	tr	—	—	—	·28	·15	tr	·01	10
11	·04	·06	·03	·08	·15	·14	·15	—	·06	·01	·02	—	11
12	·09	tr	—	·02	·05	tr	tr	tr	—	·46	·03	—	12
13	·01	·04	—	·04	·02	tr	1·38	—	tr	·03	·09	·02	13
14	·07	·01	—	·03	tr	—	·33	·48	—	tr	·15	tr	14
15	—	—	—	·05	·25	—	—	—	—	·04	tr	·05	15
16	·15	—	tr	·48	·25	—	—	—	—	tr	—	—	16
17	—	—	—	tr	tr	—	·01	—	·01	·08	tr	—	17
18	—	—	—	—	·02	—	—	—	tr	tr	tr	—	18
19	—	·01	—	·01	tr	tr	—	tr	—	·16	tr	—	19
20	—	—	—	·03	·46	—	tr	·27	—	·35	·15	tr	20
21	—	—	·12	·10	2·38	—	—	·35	—	·27	tr	·14	21
22	—	tr	·30	·02	·31	·01	·95	tr	·48	·01	·29	·01	22
23	tr	·01	—	tr	·90	—	·02	—	·09	·07	·18	·01	23
24	—	tr	—	tr	·01	—	·68	tr	·03	—	·15	tr	24
25	·01	·08	—	tr	·01	tr	·04	tr	·01	·14	tr	·01	25
26	—	·01	tr	·33	·32	·08	·09	—	·01	tr	·01	tr	26
27	—	—	·29	·23	·59	—	·15	—	—	—	·11	tr	27
28	—	tr	·21	·05	·25	—	·10	·39	—	·04	—	tr	28
29	tr	—	·11	·13	·05	·09	·05	·12	·10	·22	·09	·09	29
30	tr	×	·02	tr	—	·45	·02	·01	·01	·11	·19	·19	30
31	—	×	·05	×	·02	×	1·36	—	×	tr	×	·08	31
TOTAL	1·21	0·52	1·45	2·73	6·65	0·77	5·40	1·73	1·61	2·64	1·70	0·71	YEAR'S TOTAL 27·12
*Days with ·01 in. or more.	13	11	11	22	22	5	16	8	16	19	14	13	170
*Days with .04 in. or more.	9	4	9	17	15	4	12	7	11	15	10	7	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arnold B. Tinn.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 107 Burford Road, Nottingham

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·21	·16	—	tr	—	—	—	—	—	·06	—		1
2	·27	—	·34	—	tr	tr	—	—	—	tr	·07	—		2
3	trace	·11	·16	—	·24	—	—	—	—	—	·11	—		3
4	·03	tr	·02	—	·04	—	—	—	—	—	—	—		4
5	·12	·01	·06	—	·29	—	tr	—	—	—	tr	—		5
6	—	·12	·07	—	·31	—	tr	—	—	tr	tr	·04		6
7	tr	·30	·01	—	·11	—	·21	—	—	·25	—	tr		7
8	·01	tr	·06	—	·08	—	·45	—	—	tr	—	·02		8
9	—	tr	—	—	tr	—	·24	tr	—	·93	·02	—		9
10	tr	·13	—	—	tr	·07	·12	·03	—	·96	tr	tr		10
11	·03	—	—	—	tr	·01	·01	·01	—	·07	—	—		11
12	·06	—	—	—	tr	·01	·07	—	tr	—	—	·06		12
13	·04	—	—	—	·14	·02	·25	—	·09	·02	·12	—		13
14	·01	—	—	—	·01	—	·13	—	—	·04	·23	tr		14
15	·72	—	tr	—	—	tr	·08	·17	—	·07	·51	·03		15
16	·18	tr	·58	tr	·05	·12	·32	—	—	·04	·07	·02		16
17	·07	tr	1·03	—	—	·22	—	tr	·02	tr	·10	·01		17
18	tr	·08	·08	tr	—	·52	tr	—	tr	—	·06	—		18
19	tr	·01	·20	tr	—	tr	·10	—	·03	—	tr	tr		19
20	—	·05	—	tr	tr	·25	—	·24	·02	·02	·02	—		20
21	—	·01	—	tr	·85	·22	—	·08	·02	tr	·01	—		21
22	—	tr	—	—	—	·10	—	·28	—	·71	·02	—		22
23	—	—	—	·27	·06	—	—	—	·30	·01	—	—		23
24	—	·42	—	·17	·05	·36	—	—	·18	·03	·05	—		24
25	—	·95	—	·27	—	—	—	—	tr	tr	·03	·03		25
26	—	·45	—	·14	·02	·05	—	—	·02	·07	·03	·03		26
27	—	·01	—	—	·02	—	—	—	·54	·02	—	·01		27
28	—	tr	—	·11	·03	—	·01	—	·01	·21	tr	·04		28
29	·01	×	—	·18	tr	—	tr	tr	·01	·10	—	tr		29
30	·03	×	·01	—	—	—	·05	—	—	·03	—	·02		30
31	·01	×	·10	×	—	×	tr	·01	×	·09	×	—		31
TOTAL	1·82	2·86	2·88	1·14	2·30	1·95	2·04	0·82	1·24	3·67	1·51	0·31	Year's Total 22·54 ✓	
*Days with ·01 in. or more.	15	14	14	6	15	12	13	7	11	18	16	11	152	
*Days with ·04 in. or more.	8	10	11	6	11	9	11	4	4	12	10	3	99	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Arnold B. Tinn.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 107 Burford Road, Nottingham

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in	in.	in	in.	in.	in.	in.	in.	in.	in.		
1	·09	tr	—	—	—	—	—	·06	—	·10	tr	·40		1
2	·03	·01	·02	—	—	—	—	·14	·33	tr	·08	·20		2
3	tr	·05	—	tr	—	—	—	tr	—	·01	·09	·02		3
4	·06	·02	·11	·57	—	—	—	tr	·05	tr	·09	·40		4
5	tr	—	·04	·03	·15	—	—	·33	—	·03	·09	·05		5
6	—	—	·01	·01	·40	·08	—	·07	—	·17	—	·51		6
7	·05	—	—	—	—	tr	—	·01	—	·11	—	·16		7
8	—	—	·08	—	·06	·01	—	·06	—	tr	·42	tr		8
9	—	—	·25	·04	—	—	—	·02	·02	—	·74	·15		9
10	tr	—	·25	·16	—	—	—	·08	—	—	·18	tr		10
11	·44	—	·11	·29	—	—	—	·09	—	—	tr	·24		11
12	·01	—	·31	·01	—	—	·07	·21	—	—	—	·03		12
13	·44	—	—	·01	—	—	·79	·03	—	·01	tr	·16		13
14	·12	—	·25	tr	·01	·05	tr	—	—	·19	·57	·32		14
15	·03	—	·06	—	·07	tr	—	tr	·01	·01	·15	·01		15
16	·20	—	·07	—	·13	—	—	—	—	·02	·09	·04		16
17	·14	—	·02	·01	tr	—	tr	·19	·31	·03	·01	·06		17
18	·07	—	·01	·18	—	tr	·03	tr	·08	—	—	·02		18
19	tr	—	·09	·11	—	·22	—	—	tr	tr	—	·14		19
20	—	—	·02	·03	tr	tr	—	tr	tr	—	—	—		20
21	—	—	—	—	—	·12	tr	·02	tr	·01	—	—		21
22	—	—	—	—	tr	tr	—	·23	·37	tr	—	·01		22
23	—	—	·01	·25	·06	tr	·55	·01	—	—	—	·13		23
24	—	·16	·13	·01	—	·07	·26	—	·40	—	—	·01		24
25	·07	tr	—	·02	tr	tr	—	—	tr	·09	—	·36		25
26	·21	tr	·01	·13	—	tr	·04	—	·05	·06	—	·01		26
27	—	·37	—	·21	—	·01	·02	—	·01	·13	—	·07		27
28	—	—	—	tr	—	·12	·02	·33	—	·01	—	·51		28
29	—	×	—	—	—	—	·13	·08	·35	·03	tr	·12		29
30	·01	×	—	—	—	—	·07	—	·02	} ·19	—	·20		30
31	tr	×	—	×	—	×	·02	—	×	}	×	·01		31
TOTAL	2·00	0·61	1·85	2·07	0·88	0·68	2·00	1·96	2·00	1·20	2·57	4·34	Year's Total. 22.10	
* Days with .01 in. or more.	15	5	19	17	7	8	11	17	12	18	11	27	167	
* Days with .04 in. or more.	11	3	12	9	6	6	7	12	8	~~9~~?8	10	19	11~~2~~?	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Arnold G. Tinn.

P.T.O.

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

2606

Kept at Nottingham (Burford Rd)

in the County of

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25												1
2	-												2
3	-												3
4	-												4
5	-												5
6	·01												6
7	·04												7
8	-												8
9	-												9
10	-												10
11	·12												11
12	-												12
13	·05												13
14	-												14
15	-												15
16	-												16
17	tr.												17
18	·01												18
19	·01												19
20	·01												20
21	-												21
22	-												22
23	·02												23
24	·01												24
25	·26												25
26	·16												26
27	·01												27
28	·01												28
29	—												29
30	·09	X											30
31	tr.	X		X		X			X		X		31
TOTAL	(1·06)												YEAR'S TOTAL
*Days with ·01 in. or more.	15												
*Days with ·04 in. or more.	7												

moved to Nottingham (Woodthorpe) 2611/5

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. B. Tinn

P.T.O.

2607

Section A for the ent
AIR MIN

FOR OFFICIAL US
ORGANIZATION.

FORM 1090. REC

Kept at Nottingham C
in the County of Sewage

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING M

An observer who does not confo
year in the space on the right

lowing

Jan. 1, following

1L

2607 – 118168
NOTTINGHAM – STOKE BARDOLPH
1931 – 1940

780411

Date	Jan.	Feb.	Ma								Nov.	Dec.	*Date*
	in.	in.	i								in.	in.	
1	Tr	·030	·01										1
2	·020	·030										·020	2
3	·090	·020									·030	·170	3
4		Snow ·050									·020		4
5		Snow ·040	·0									·350	5
6		·160	·01								·040		6
7		·010	·08								·100	·010	7
8	·030	·060									·250		8
9		·130	·01								·160	·010	9
10	·060	·070	·010		·040	·020					·020		10
11		·530				·030	·010	·010	·180		·010		11
12	·040	Snow ·130				—	·960		·210	·020	·030		12
13	Trace Snow	·030		Tr	Tr	Tr		·100					13
14	Tr	·060	·010			·065	·180	·950			·080		14
15		·140		·020	·090	—	·040	·060			·020		15
16	·080	Snow ·220		·120	·450	·500	·020	·220	·170			·020	16
17	Tr	Snow ·210		·330	·870		Tr.						17
18	·030	Tr		·360	Tr	·080	·150	·060		·020	·240		18
19	·050	·030		·150	Tr	·100	·140	·060	·050	·025	·010		19
20	·010	·020	Tr	·030								·020	20
21	·130	Tr		Tr	·390			·470			·230		21
22	·030			·020	·030								22
23	·150		Tr	·020	·245	·045			·010	·035	·150	·020	23
24	Tr	·020		·090	·630		·100					Tr.	24
25	·190	Tr		·495	·010		·210				·020		25
26	·040	·010		·390	·110		·080			·110	·160		26
27	·170	Snow ·320		·020	·020						·250	·210	27
28	·130	Snow ·295		·110	·170						·010	·070	28
29	·230			·150	·080		·130			·150	·020	·040	29
30	Snow ·190	✕		·010		·040							30
31	·185	✕		✕		✕			✕	·020	✕	·010	31
TOTAL	1·855	2·615	·190	3·310	3·185	2·570	2·785	3·620	2·430	0·560	1·850	·950	YEAR'S TOTAL 25·920
*Days with ·01 in. or more.	19	23	7	22	14	14	16	14	12	12	20	12	185
*Days with ·04 in. or more.	14	14	2	15	11	10	13	11	10	3	10	5	118

49-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alfred Stope

R.T.O.

2607

Section A for the ent

AIR MIN

FOR OFFICIAL USE. ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Nottingham Corporation
in the County of Sewage Disposal Farm, Nottingham.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. --- in.
,, Ground ,, Sea Level 64.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr	·030	Snow ·060	·070	Tr	·010			·100	·010			1
2	·020	·030		·575	Tr	·045			·320	·030		·020	2
3	·090	·020		·110					1·140	·015	·030	·170	3
4		Snow ·050		·090		Tr	·435	·140	·060		·020		4
5		Snow ·040	·010	·045	·050	1·050	·060		·140			·350	5
6		·160	Snow ·010			·315	·010	·010	·040	·100	·040		6
7		·010	·080			·250	·210	·190		·025	·100	·010	7
8	·030	·060	Snow	·025		·020	·050	1·110			·250		8
9		·130	Snow ·010	·080		Tr	-	·210	·010		·160	·010	9
10	·060	·070	·010		·040	·020		·030			·020		10
11		·530				·030	·010	·010	·180		·010		11
12	·040	Snow ·130				—	·960		·210	·020	·030		12
13	Trace Snow	·030		Tr	Tr	Tr		·100					13
14	Tr	·060	·010			·065	·180	·950			·080		14
15		·140		·020	·090	—	·040	·060			·020		15
16	·080	Snow ·220		·120	·450	·500	·020	·220	·170			·020	16
17	Tr	Snow ·210		·330	·870		Tr.						17
18	·030	Tr		·360	Tr	·080	·150	·060		·020	·240		18
19	·050	·030		·150	Tr	·100	·140	·060	·050	·025	·010		19
20	·010	·020	Tr	·030								·020	20
21	·130	Tr		Tr	·390			·470			·230		21
22	·030			·020	·030								22
23	·150		Tr	·020	·245	·045			·010	·035	·150	·020	23
24	Tr	·020		·090	·630		·100					Tr.	24
25	·190	Tr		·495	·010		·210				·020		25
26	·040	·010		·390	·110		·080			·110	·160		26
27	·170	Snow ·320		·020	·020						·250	·210	27
28	·130	Snow ·295		·110	·170						·010	·070	28
29	·230	×		·150	·080		·130			·150	·020	·040	29
30	Snow ·190	×		·010		·040							30
31	·185	×		×		×			×	·020	×	·010	31
TOTAL	1·855	2·615	·190	3·310	3·185	2·570	2·785	3·620	2·430	0·560	1·850	·950	YEAR'S TOTAL 25·920
*Days with ·01 in. or more.	19	23	7	22	14	14	16	14	12	12	20	12	185
*Days with ·04 in. or more.	14	14	2	15	11	10	13	11	10	3	10	5	118

49-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2607

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Stoke Farm

In the County of Nottinghamshire

Rain Gauge
Diameter of Funnel............in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 66 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	·87				
FEB.	·54				
MAR.	1·15				
APRIL	2·18				
MAY	5·50				
JUNE	·49				
JULY	4·39				
AUG.	3·11				
SEPT.	1·43				
OCT.	2·40				
NOV.	1·46				
DEC.	·51				
Total	24·03				

Signature L. Wallis Gordon

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station............ Distance............ Direction from gauge............

Nearest Parish Church at............ Distance............ Direction from gauge............

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stoke Farm, Stoke Bardolph, Notts.

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 65·80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·175	·135	-	-	-	-	-	-	-	·010	·150	-		1
2	-	-	·500	-	-	-	-	-	-	-	·105	-		2
3	-	·090	-	-	·195	-	-	-	-	-	·060	-		3
4	-	-	·225	-	·315	-	-	-	-	-	-	-		4
5	·405	-	·035	-	·075	-	-	-	-	-	·015	-		5
6	-	·010	·045	-	·500	-	-	-	-	-	·010	·040		6
7	Tr.	·310	·010	-	·115	-	·235	-	-	·250	-	-		7
8	·010	-	-	-	·110	-	·325	-	-	·010	-	-		8
9	-	-	-	-	·020	-	·185	-	-	·695	·040	-		9
10	-	·030	-	-	-	·085	·150	·020	-	·690	-	·010		10
11	·025	-	-	-	-	·010	·075	·010	-	·010	-	-		11
12	-	-	-	-	-	·015	·165	-	-	-	·015	·020		12
13	·115	-	·030	-	·115	·015	·225	-	·030	·015	·035	-		13
14	-	-	·010	-	·010	-	·150	-	-	·045	·850	-		14
15	·530	-	-	-	-	·015	·035	-	-	·040	·035	-		15
16	·215	-	·570	·010	·045	·100	·550	·210	-	·010	·035	·040		16
17	·035	-	·855	-	-	·045	-	-	·065	-	·100	-		17
18	·010	·050	·075	-	-	·410	-	-	-	·010	·030	-		18
19	-	-	·135	-	-	·010	·680	-	·075	-	·010	-		19
20	-	-	-	-	-	·095	-	·055	-	·020	-	·010		20
21	-	-	-	-	·035	·280	-	·145	·020	-	-	-		21
22	-	-	-	-	-	·085	-	·285	·025	·560	·025	-		22
23	-	-	-	·375	-	-	-	-	·770	·015	-	-		23
24	-	·155	-	·120	·045	·385	-	-	·150	·020	-	·010		24
25	-	·860	-	·235	-	-	-	-	·010	-	·100	-		25
26	-	·585	-	·135	-	·010	-	-	·020	·100	·050	·035		26
27	-	-	-	-	·085	-	-	-	·305	·150	·010	·010		27
28	-	-	-	·245	·015	-	·035	-	·075	·195	-	-		28
29	-	-	-	·080	-	-	-	-	·015	·010	-	·030		29
30	·055	×	-	-	-	-	-	-	-	·060	-	·020		30
31	·010	×	-	×	-	×	-	·025	×	·015	×	-		31
TOTAL	1·585	2·225	2·490	1·200	1·680	1·560	2·810	0·750	1·560	2·930	1·675	0·225	Year's Total 20·690	
*Days with ·01 in. or more.	11	9	11	7	14	14	12	7	12	21	18	10	146	
*Days with .04 in. or more.	6	7	7	6	11	7	10	4	6	9	8	2	83	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at STOKE BARDOLPH

in the County of NOTTINGHAMSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 65·80 ft.

T. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·030		·	·	·	·	·	·110	·	·	·	·250		1
2	·040	·010	·	·	·	·	·	·	·240	·060	·090	·130		2
3	·020	·040	·	·010	·	·	·	·	·	·010	·200	·010		3
4	·040	·	·	·420	·010	·	·	·	·040	·070		·200		4
5	·	·010	·140	·035	·075	·	·	·	·	·040	·065	·090		5
6	·	·	·	·015	·340	·010	·	·	·	·	·	·290		6
7	·040	·015	·	·	·010	·	·	·390	·	·190	·	·155		7
8	·	·	·	·	·020	·010	·	·090	·	·050	·340	·280		8
9	·	·	·360	·045	·	·	·	·015	·010	·	·510	·		9
10	·	·	·275	·115	·	·	·	·020	·	·	·150	·		10
11	·420	·	·150	·310	·	·	·	·	·	·	·	·300		11
12	·025	·	·300	·	·	·	·170	·325	·	·	·	·030		12
13	·440	·	·010	·020	·	·	·620	·075	·	·	·	·200		13
14	·040	·	·210	·	·010	·050	·	·	·	·020	·550	·280		14
15	·010	·	·040	·	·	·	·	·	·	·130		·		15
16	·200	·	·060	·	·300	·	·	·	·010	·020	·	·015		16
17	·175	·	·050	·	·020	·	·150	·170	·180	·130	·060	·040		17
18	·020	·010	·010	·150	·	·010	·	·	·085	·	·	·		18
19	·	·	·110	·100	·	·230	·	·	·	·040	·	·040		19
20	·	·	·040	·040	·	·	·	·	·	·	·	·		20
21	·	·	·	·	·	·065	·	·015	·	·010	·	·		21
22	·	·	·010	·	·	·	·	·210	·300	·	·	·		22
23	·	·	·010	·230	·	·	·840	·030	·	·	·	·570		23
24	·	·170	·010	·100	·075	·050	·010	·	·240	·	·	·		24
25	·065	·	·	·	·	·	·	·	·150	·060	·	·		25
26	·	·	·010	·	·	·030	·010	·	·030	·	·	·		26
27	·325	·	·010	·420	·	·	·020	·	·	·165	·	·060		27
28	·	·010	·	·030	·	·	·	·440	·	·	·	·020		28
29	·210	×	·	·	·	·	·135	·050	·	·010	·			29
30	·020	×	·	·	·	·	·	·	·	·110	·	·450		30
31	·010	×	·	×	·	×	·	·	×	·115	×			31
TOTAL	2·130	0·265	1·805	2·040	0·860	0·455	1·955	1·940	1·285	1·230	1·965	3·410	Year's Total. 19·340	
* Days with .01 in. or more.	18	7	18	15	9	8	8	13	10	17	10	21	154	
* Days with .04 in. or more.	11	2	11	10	4	4	5	9	7	12	10	17	102.	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H Greastone

[P.T.O.

2607

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At ....Stoke Bardolph....

In the County of ....Nottinghamshire....

Rain Gauge
- Diameter of Funnel.......................in.
- *Height of Top above Ground*....1....*ft*....–........*in.*
- *Height of Ground above Sea Level*........67.......*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·11			9	
FEB.	1·96			12	
MAR.	·67			7	
APRIL	2·74			17	
MAY	·23			4	
JUNE	3·06			13	
JULY	·18			4	
AUG.	2·15			7	
SEPT.	4·56			15	
OCT.	2·74			20	
NOV.	3·51	1·11	16.	20	
DEC.	3·04			12	
TOTAL	25·95			140	

Signature ....A. Stone........

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter......................in Summer..............

Nearest Railway Station.......................... Distance.............. Direction from gauge............

Nearest Parish Church at.......................... Distance.............. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from statement sent in by Nottingham City Engineer & Surveyor.

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

- (a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
  9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  - (A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (c) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.
- (e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.
- (f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

T-L

Kept at Stoke Farm, Stoke Bardolph

in the County of Nottingham

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·295			·170	·305	·015		·140	·020		1
2	·280	·170	·240			·205	·340				·220	·110		2
3			·160		·295	·420	·010		·105					3
4						·010		·015			·060	·175		4
5	·070	·015	·090	·050			·035	·040						5
6	·030		·170				·300	·125			·050	·265		6
7	·330					·040	1·175					·020		7
8	·170									·020		·060		8
9	·200	·020	·035			·060	·410			·110				9
10			·010	·010			·455				·240	·020		10
11						·010				·020	·340			11
12						·070	·740				·040			12
13									1·060	·010		·120		13
14				·085		·295	·230		·410	·080		·380		14
15				·040		·050	·035				·280	·020		15
16		·200					·010				·470			16
17		·420		·025	·010		·030				·040	·040		17
18	·170	·055					·200			·020	·030			18
19	·145	·050	·015			·195		·050		·190				19
20	·015	·400	·020	·280				·050						20
21	·015			·020		·400								21
22			·060			·170	·040				·030			22
23		·390	·125	·130			·460			·020		·020		23
24		·090							·120					24
25			·050						·310	·110				25
26		·050	·230							·105				26
27	·410		·010						·250	·150				27
28	·320	·100			·160	·030	·020		·020			·040		28
29	·765					·270				·180	·420	·050		29
30	·175	×				·260	·120			·120				30
31	·070	×	·110	×		×	·015		×		×	·200	d	31
TOTAL	3·165	1·960	1·325	·935	·465	2·485	4·795	·585	2·290	1·135	2·360	1·540	Year's Total. 23·040	
* Days with .01 in. or more.	15	12	14	9	3	15	19	6	8	13	13	15	142	
* Days with .04 in. or more.	12	10	9	6	2	12	12	5	6	8	11	10	103	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alfred L. Stone

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at STOKE FARM, STOKE BARDOLPH

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 65.8 ft.

T-L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·100	·120	·070	·	·	·	·	·	·080	·	·	·500		1
2	·	·	·030	·	·	·	·	·	·	·	·050	·460		2
3	·040	·	·020	·	·	·	·	·	·	·	·	·310		3
4	·080	·020	·	·340	·	·	·	·	·	·	·	·		4
5	·200	·090	·	·	·	·	·	·	·	·	·	·910		5
6	·	·	·	·	·180	·	·	·	·	·	·	·		6
7	·	·120	·080	·	·020	·	·	·	·	·	·	·030		7
8	·	·550	·	·150	·	·	·	·	·	·	·140	·		8
9	·	·030	·	·	·160	·	·500	·	·	·	·	·020		9
10	·010	·030	·	·	·	·190	·	·	·	·	·	·100		10
11	·	·	·670	·200	·	·	·	·	·	·	·	·		11
12	·040	·300	·100	·	1·140	·	·	·	·260	·	·	·220	·	12
13	·	·	·	·	·	·060	·	·	·	·	·	·		13
14	·	·040	·070	·	·	·	·	·	·020	·	·	·090		14
15	·100	·070	·	·260	·	·	✓1·130	·040	·	·	·	·		15
16	·110	·370	·250	·370	·	·	·	·	·200	·	·	·		16
17	·540	·	·150	·330	·	·	·	·060	1·180	·	·	·		17
18	·060	·040	·060	·050	·	·	·	·	·	·	·380	·		18
19	·160	·140	·060	·040	·	·	·040	·	·020	·	·090	·		19
20	·010	·	·	·300	·680	·200	·020	·	·	·	·	·		20
21	·030	·130	·090	·	·	·	·300	·	·	·310	·030	·040		21
22	·	·	·	·	·	·	·210	·	·	·350	·140	·020		22
23	·	·	·	·	·020	·	·320	·	·	1·470	·210	·		23
24	·860	·350	·050	·	·	·	·	·	·	·720	·	·		24
25	·170	·280	·	·	·	·	·	·	·	·070	·	·		25
26	·	·240	·040	·	·400	·	·	·	·	·910	·	·		26
27	·	·	·	·130	·	·	·	·	·	·310	·	·		27
28	·	·530	·	·	·	·	·	·	·	·030	·	·		28
29		·	·	·	·	·	·	·	·	·	·070	·060		29
30	·	×	·	·	·	·	·	·	·	·	·050	·		30
31	·630	×	·	×	·	×	·	·	×	·220	×	·	"d"	31
TOTAL	3·140	3·450	1·740	2·170	2·600	·450	2·520	·100	1·760	4·390	1·160	2·760	Year's Total 26·240	✓
* Days with .01 in. or more.	16	18	14	10	7	3	7	2	6	9	9	12	~~115~~	✓
* Days with .04 in. or more.	13	15	12	10	5	3	6	2	4	8	8	9	~~95~~	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alfred R Stone [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Stoke Farm Stoke Bardolph.
in the County of Nottingham
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 65' 8" ft.

W.S.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·050				·140	·440		·110	-		·110		1
2	·050					·020				·270		·040		2
3	·060			·200			·050			·310	·050			3
4	·130			·030			·080			·360	·010	·320		4
5	·020						·090							5
6	·030	·040					·280			·050				6
7	·120											·030		7
8		·030				·400	·230			·230		·020		8
9	·190		·010									·340		9
10	·420						·280		·380	·050		·040		10
11	·360	·090					·030				·030			11
12	·050									·380				12
13	·030				·060						·170	·210		13
14	·040													14
15						·150	·690					·240		15
16	·350					·040	·270			·070	·010	·330		16
17						—				·130				17
18	·060					✓				·020	·260			18
19					·900	1·210			·240			·090		19
20					·260	—					·270			20
21								·170				·290		21
22											·240	·250		22
23												✓		23
24	·020								·240		·010	✓		24
25	·120				·150		·010			·120	·490	—		25
26							—	—	·210	·060		·490 ✓		26
27	·040	·400			·300	·080	·120 ✓	1·800 ✓	·250	·010	·300	—		27
28	·010				✓	·170	[illegible]	✓	·250		·050	✓		28
29					1·210 ✓	·120	·200		-	·030	·090	✓		29
30	·070	✕			✓	·020		·020	·100		·050	✓		30
31	·420	✕		✕	✓	✕		·100	✕	·140	✕	·630		31
TOTAL	2·590	·610	·010	·230	2·880	2·350	2·770	2·090	1·780	2·230	2·030	3·430	Year's Total 23·000	
* Days with .01 in. or more.	20	5	1	2	~~8~~ 9	13	13 ✓	~~6~~ 5	8	15	14	20 ~~15~~	~~125~~ ~~120~~	
* Days with .04 in. or more.	15	4	–	1	8 ✓	11	11 ✓	~~5~~ 4	8	13	10	17 ~~12~~	~~102~~ ~~98~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Guest Stone

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~~~40~~ 39 39

Kept at Stoke Farm Stoke Bardolph

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 65·8 ft.

Entries on Jan 14th & 15th amended by reference to nearby stns to agree with month's total. W.E.S.

T L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·040		·040	*					·040					1
2	·010			·180				·240	·490	·190	·050			2
3	·220			·330				·160		·020	·240	·300		3
4	·230		·180	·220				·410				·140		4
5				·030	·060			·470		·070	·210	·080		5
6	·540						·250							6
7	·040	·070					·230				·120	·410		7
8		·060	·230				·160			·080	·230	·250		8
9		·050					·040	·150		·620		·240		9
10	·550							·240		·040				10
11	·010		·300			·060		·070	·040	·030				11
12		·040				·160				·020				12
13					·180	·190				·120				13
14	0·57			·070		·170	·260				·150			14
15	0·09 ~~·570~~				·430	·220	·270			·220				15
16	·010		·080		·300	·200					·170			16
17	·270		*	·090			1·220			·780				17
18	·040		·210			·410	·070			·020	·800			18
19	·230					·210	·580							19
20	·020							·320						20
21	*	·110	·030			·180	·020	·030	·050					21
22	·360	·120					·150	·010			·450			22
23	·040		·070	·250		·020	·040				·420			23
24	·040			*			·080	·020						24
25	·750					·010	·150	·610			*			25
26	·030		·040				·030	·020		·090	·400			26
27	·010		·290				·100			·090	·030			27
28	·010	·070	·170	·230		·110	·230				·160			28
29		·200		·350						·280				29
30		✕				·010					·120			30
31		✕		✕		✕		·050	✕		✕			31
TOTAL	4·110 ✓	·720 ✓	1·640 ✓	1·750 ✓	·970 ✓	1·950 ✓	3·880 ✓	2·800 ✓	·620 ✓	2·670 ✓	3·550 ✓	1·420 ✓	Year's Total 26·080	✓
* Days with .01 in. or more.	23 ~~24~~	~~8~~	~~124~~	~~119~~	~~7~~	~~13~~	~~17~~	~~14~~	~~4~~	~~15~~	~~1574~~	~~6~~	~~138~~ ~~136~~	142 d
* Days with .04 in. or more.	16 ~~14~~	8	~~10~~ 11	108	4	10	15	10	4	11	14 ~~13~~	6	~~48~~ ~~113~~	119 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alfred L. Stone. P.T.O.

COPY FOR OFFICIAL USE — FILE No: 763914/27

Section **A** for the entry of Daily Observations — Station No. 2607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at STOKE FARM, STOKE BARDOLPH
in the County of NOTTINGHAM
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 65' 8" ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.250			1
2				.290							.630	.030		2
3				.150					.090	.050		.040		3
4							.050				.530	.100		4
5					.060		.060			.690	.260	.170	/	5
6		.240									.060	.040		6
7				.120	.040					.010		.150		7
8							.120			.110				8
9										.010	.250	.030		9
10			.190				.960 ✓	.120				.310		10
11			.010				.110		.110		.610			11
12			.080				.150		.060		.190			12
13														13
14					.250				.030			.300		14
15						.360			.030	.030	.030			15
16			1.150				.520			1.540	1.300			16
17							.080							17
18		.840 SNOW	.130	.460						.040		.050		18
19			.050	.210			.310			.080	.130	.030		19
20				.100			.180							20
21						.350				.140				21
22	1.860 SNOW				.220	.380			.150					22
23				.020	.260							.030		23
24											1.210			24
25						.050								25
26					.060	.050	.020			.070	.020			26
27		.190		1.090			.230							27
28		.540										.140		28
29			.170	.020	.120	.030								29
30		✕								.300	.020	.030		30
31		✕	.090	✕		✕			✕	.910	✕	.010		31
TOTAL	1.860	1.840	1.870	2.460	1.010	1.220	2.790	.120	.470	4.010	5.490	1.470	Year's Total 24.610	/
* Days with .01 in. or more.	8	6	9	9	7	7	12	1	6	14	20	18	"	
* Days with .04 in. or more.			8	7	7	6	11	1	4	11	15	12	"	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alfred R Stone

[P.T.O.

Section **A** **for the entry of**
AIR MINISTRY

FORM 1090.

REGIST

2608

2608

MAPPERLEY HOSPITAL
1931 — 40

780411

PY FOR OFFICIAL USE.
ORGANIZATION.

Kept at City Mental Hos
in the County of Nott

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of thi

lowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	·01	·08	·09									·03	1
2		·02		·60		·04			·31	·05		·01	2
3		·01	·38	·08		·02	·04		1·01	·03	·03	·13	3
4		·04		·11			·41	·11	·07		·07	·01	4
5		·07		·06	·06		·01	·06 ·03	·28			·41	5
6		·20				1·04		·00	·01	·12	·04		6
7		·01				·62	·27	·26	·01	·04	·10	·03	7
8		·07		·03		·32	·07	·79	·01		·30		8
9		·13	·02	·11		·02		·28			·32	·01	9
10	·11	·07	·02		·06	·02	·09	·05			·05		10
11	·11	·44	·01			·03	·03	·09	·14				11
12	·05						1·15		·25		·04		12
13		·14					·02	·16	·01				13
14		·10				·10	·42	1·00	·02		·15		14
15		·07	·03	·03	·06		·18	·54			·02	·03	15
16	·08	·30			·60	·61	·01	·28	·18				16
17	·02			·36	·71		·02						17
18	·04	·25		·33		·19	·26	·05	·05		·40		18
19	·08			·13		·24	·02	·10		·02	·01		19
20		·04		·03	·39			·43		·04	·01	·01	20
21	·20				·05			·12			·23	·03	21
22	·08			·03	·41						·01		22
23	·14			·02	·31	·07			·05		·23	·03	23
24		·02		·08	·61		·16					·01	24
25	·18			·70	·03		·20				·03		25
26		·02		·30	·14		·06	·01	·02		·18	·01	26
27	·20	34		·06	·02					·10	·30	·25	27
28	·08	·34			·13								28
29	·11	×			·08		·08			·19			29
30	·14	×		·06		·07							30
31	·18	×		×		×			×	·03	×		31
TOTAL	1·81	2·76	0·55	3·13	3·56	3·39	3·50	4·21	2·58	0·64	2·55	1·00	YEAR'S TOTAL 29·680
*Days with ·01 in. or more.	17	21	6	19	15	14	19	15	16	10	19	14	185
*Days with ·04 in. or more.	15	6	2	13	13	10	13	12	10	6	14	3	117

40-9999

(*Signed*) Geo. L. Brunton M.D.

*See Instruction 2 (*f*) on other side.

[P.T.O.

2608

Section **A** for the entry of PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ~~City Mental Hospital~~ Mapperley

in the County of Nottingham Hill

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	·09	·01					·11	·02		·03	1
2		·02		·60		·04			·31	·05		·01	2
3		·01	·38	·08		·02	·04		1·01	·03	·03	·13	3
4		·04		·11			·41	·11	·07		·07	·01	4
5		·07		·06	·06		·01	·06 ·03	·28			·41	5
6		·20				1·04		·00	·01	·12	·04		6
7		·01				·62	·27	·26	·01	·04	·10	·03	7
8		·07		·03		·32	·07	·79	·01		·30		8
9		·13	·02	·11		·02		·28			·32	·01	9
10	·11	·07	·02		·06	·02	·09	·05			·05		10
11	·11	·44	·01			·03	·03	·09	·14				11
12	·05						1·15		·25		·04		12
13		·14					·02	·16	·01				13
14		·10				·10	·42	1·00	·02		·15		14
15		·07	·03	·03	·06		·18	·54			·02	·03	15
16	·08	·30			·60	·61	·01	·28	·18				16
17	·02			·36	·71		·02						17
18	·04	·25		·33		·19	·26	·05	·05		·40		18
19	·08			·13		·24	·02	·10		·02	·01		19
20		·04		·03	·39			·43		·04	·01	·01	20
21	·20				·05			·12			·23	·03	21
22	·08			·03	·41						·01		22
23	·14			·02	·31	·07			·05		·23	·03	23
24		·02		·08	·61		·16					·01	24
25	·18			·70	·03		·20				·03		25
26		·02		·30	·14		·06	·01	·02		·18	·01	26
27	·20	34		·06	·02					·10	·30	·25	27
28	·08	·34			·13								28
29	·11	×			·08		·08			·19			29
30	·14	×		·06		·07							30
31	·18	×		×		×			×	·03	×		31
TOTAL	1·81	2·76	0·55	3·13	3·56	3·39	3·50	4·21	2·58	0·64	2·55	1·00	YEAR'S TOTAL 29·680
*Days with ·01 in. or more.	17	21	6	19	15	14	19	15	16	10	19	14	185
*Days with ·04 in. or more.	15	6	2	13	13	10	13	12	10	6	14	3	117

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Geo L. Brunton M.D.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION,

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Mapperley Hill (City Mental Hospital)
in the County of Nottingham

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	-	-	·12	·24		·07	·08	·13	·21		·02	1
2	·04	-	-	-	·13			·02	·09	·14		·04	2
3	-	-	-	·20	·07				-	·01		·01	3
4	·02	·04	-	·18	·01				-	-	·22		4
5	·19	-	-	-	·02				·04	-			5
6	·44	·01	·09	·25	·01				·07	-			6
7	·01	-	·16	·18	-				·08	·03	·02		7
8	-	·02		·05	-				·09	·06	·02		8
9	·03	·62	-	·10	·02				-	-			9
10	·02	-	-	·06	·02				·26	·14		·04	10
11	·02	-	-	·17	·15	·04	·16	·02	·07	·02	·02		11
12	·10	-	-	·03	·04		·03			·48	·03		12
13	-	·01	-	·04	·03		2·03			·02	·10		13
14	·06	-	-	·04	-		·30	·37		-	·14		14
15	-	-	-	·05	·17		-			·06		·07	15
16	·18	-	-	·40	·28		-			·01			16
17	-	-	-	-	-		·02		·02	·06			17
18	-	-	-	-	·04		-			-			18
19	-	-	-	·01	-		-	·01		-			19
20	-	-	-	·12	·50		-	·26		·36	·15		20
21	-	-	·12	·02	2·16		-	·35		·25		·14	21
22	-	-	·31	·03	·38		·46		·45	·01	·22	·01	22
23	-	·02	-	-	·61		·04		·08	·07	·14		23
24	-	·01	-	-	·02		·77		·03	-	·13		24
25	-	·06	-	-	·02		·08		·02	·07			25
26	-	-	·01	·34	·32	·09	·07			-	·05		26
27	-	-	·28	·21	·57		·15			·02	·07		27
28	-	-	·18	·23	·21		·12	·61		·04			28
29	·03	-	·12	·12	·04	·11	·05	·25	·09	·22	·07	·12	29
30	-	X	·03	-	·01	·40	·16	·03	·03	·07	·18	·17	30
31	-	X	·03	X	·02	X	·85		X	-	X	·08	31
TOTAL	1·32	0·43	1·33	2·95	6·09	0·64	5·36	2·00	1·53	2·35	1·56	0·70	YEAR'S TOTAL 26·26
*Days with ·01 in. or more.	13	8	10	22	26	4	16	10	15	21	15	10	26·26 170
*Days with .04 in. or more.	7	3	7	18	16	4	14	6	10	14	11	7	117

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Geo. L. Brunton M.D.

[P.T.O.

5/7-

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at City Mental Hospital

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

Total → Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·19	·18	-	-	-	·	·			·10			1
2	·27	·	·34	-	-						·			2
3	·	·12	·16	~~·18~~	·18						·			3
4	·06	·005	·02	~~·06~~	·06						·11			4
5	·13	·005	·08	~~·28~~	·28						·			5
6	·01	·10	·07	~~·37~~	·37					·30		·04		6
7	-	·30	·02	~~·09~~	·09		·21			·				7
8	·01	-	·05	~~·11~~	·11		·40			·				8
9	-	-	-	~~·02~~	·02		·23			·62	·04			9
10	-	·06	-	·			·19	·04		·97		·02		10
11	·01	·	-	·		·09	·02			·02				11
12	·10	-	-	-		·01	·09		·	·00				12
13	·04	-	-	~~·14~~	·14	·01	·25		·06	·03	·12			13
14	·01	-	-	·01	·01	·02	·06	·03		·04	·20	·08		14
15	·50	-	-		·	·	·06	·15	·	·02	·05	·02		15
16	·21	-	·50	·02	·04	·14	·70			·	·02	·02		16
17	·20	·05	·94		·	·07	-		·02	·	·10			17
18	-	·03	·09		·	·50	-			:	·05			18
19	-	·01	·19		·	·03	0·50		·04	:	·			19
20	-	-	-		·	·21		·16	·03	·02	·03			20
21	-	-	-		·09	·09		·04	·02	·01	·02			21
22	-	-	·		·	,		·28	·02	·70	·02			22
23	-	·	-	·24	·12	·29			·53	·02	·			23
24	·02	·15	-	·18	·06	·			·16	·04	·04			24
25	-	·29	-	·26	-	·03			·	·06	·			25
26	-	1·18	-	·15	·01	·			·02	-	·			26
27	-	·04	-	·18	·03				·41	·04	·06	·08		27
28	-	·	-	·11	·06		·01		·02	·14		·02		28
29			-		·				·	·20		·01		29
30		X	·02		·		·05		·	·06		·		30
31	-	X	·10	X	·	X	·	·02	X	·05	X	·02		31
TOTAL	17·6	2·53	2·76	1·14	1·67	1·65	2·77	·72	1·33	3·34	·96	·28	Year's Total 2091	
*Days with ·01 in. or more.	14	12	14	7	16	13	13	5	11	18	14	9	146	
*Days with .04 in. or more.	9	10	11	6	12	8	11	1	5	12	10	3	98	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Leo L. Brunton M.D.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at City Mental Hospital

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

Days

Alt

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in	in.	†	
1	-							·07	·02	·08		·35		1
2	·13	·02	·02					·10	·35		·09	·18		2
3	·02	·04						·04	-	·02	·04	·02		3
4	·06	·02	·09	·56				·	·06		·11	·40		4
5	·		·06	·04	·18			·30	-	·02		·08		5
6	·			·02	·43	03		·08		·14		·54		6
7	·04							·02		·08		·17		7
8	·		·08		·05	·02		·07			·34	·01		8
9	·		·21	·05				·03	·03		·71	·12		9
10	·		·30	·12				·08			·24	·01		10
11	·43		·12	·30				·11			·01	·25		11
12	·01		·29				·08	·23				·04		12
13	·46		·	·03			·68	·06		·02		·18		13
14	·05		·22		·03	·05		·		·23	·56	·32		14
15	·03		·04		·07			·	·02		·15	·02		15
16	·19		·07		·11			·		·04	·08	·03		16
17	·18		·03	·14	·03			·17	·21		·01	·06		17
18	·04		·025				·07	·01	·10	·06		·02		18
19	-		·06	·06		·26		·	·01	·01		·15		19
20	-		·04	·04		·01		·				·		20
21	-		·			·11		·03		·02		·		21
22	-		·					·23				·01		22
23	·		·03	·24	·06		·83	—	·37		·01	·13		23
24	·	·18	·15	·10		·09	·01	—	·40		·01	·		24
25	·10		·	·04				—	·01			·30		25
26	·19		·01	·14			·03	—	·06	·07		·02		26
27	·	·18		·14		·02	·02	—	·02	·14		·07		27
28	·	·30		·02		·12	·02	·38	·			·52		28
29	·	×					·08	·10	·295	·02		·16		29
30	·03	×						-	·025	·03		·16		30
31	·03	×		×		×	·02	-	×	·17	×	·01		31
TOTAL	1·99	0·76	1·845	2·04	0·96	0·71	1·84	2·11	1·98	1·66	2·36	4·33	Year's Total 22·585	22·59
*Days with ·01 in. or more.	16	6	18	16	8	9	10	18	15	16	13	28	143	
*Days with .04 in. or more.	11	4	13	13	6	5	4	14	8	9	8	19	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Geo L Brunton

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at City Mental Hospital, Mapperley, Nottingham.
in the County of Notts.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	–	–	·06	–	·11	·01	–	·55	·21	·13	·16		1
2	·01	–	·09	–	–	·33	·01	–	–	·25	·04	·05		2
3	–	·13	·09	·02	–	·26	–	·02	·01	–	·16	–		3
4	–	–	–	·04	–	·12	–	–	·12	·35	–	–		4
5	·01	·30	·14	·05	–	–	–	–	·04	·02	·14	–		5
6	–	–	·01	·15	–	·18	–	–	–	–	·01	–		6
7	·05	–	–	·49	–	·07	–	–	–	·21	·54	·13		7
8	–	–	–	·21	–	–	–	·02	–	·01	·10	·22		8
9	–	–	–	·10	–	·16	–	–	–	·64	·18	·01		9
10	·10	·01	·03	·08	–	·01	–	–	–	·01	·06	·02		10
11	–	–	–	–	–	·06	–	·04	–	·01	·08	·08		11
12	·10	·03	–	–	–	·12	–	·02	·05	–	–	–		12
13	–	·03	–	·08	·09	–	–	–	·04	·01	–	·01		13
14	·01	–	–	–	·12	–	·06	–	·21	–	·43	·12		14
15	–	·05	–	·54	·03	–	–	–	·15	–	·18	·21		15
16	·01	·10	–	·08	–	·28	·16	–	·23	·13	·62	–		16
17	–	–	·11	·15	–	·24	·06	·33	·08	·05	–	–		17
18	·02	–	–	·25	·08	·09	·17	–	–	·12	–	–		18
19	·02	–	–	·06	·05	·29	·04	–	·39	·05	–	–		19
20	–	·25	–	·20	–	·11	·06	–	–	–	·12	–		20
21	–	·53	–	·02	–	·01	–	–	·60	·02	·16	–		21
22	–	–	·01	·11	–	–	–	·03	·02	–	·02	–		22
23	·02	·22	·14	·03	–	–	–	·92	·03	·11	·01	–		23
24	·08	·20	·11	–	–	–	–	–	1·55	–	–	·23		24
25	·24	·02	–	·05	–	·27	–	–	–	–	–	–		25
26	–	–	–	–	–	–	–	·78	·35	·04	–	·65		26
27	·05	·14	–	–	–	–	–	–	·39	·09	·19	·81		27
28	·02	·01	–	–	·03	–	–	–	·03	·03	–	·01		28
29	–	×	·09	–	–	–	–	·02	·11	·09	·06	·05		29
30	·10	×	–	·07	–	–	–	·21	·02	·25	·29	·08		30
31	–	×	–	×	–	×	–	–	×	·45	×	·16		31
TOTAL	·98	2·02	0·82	2·84	0·40	2·71	0·57	2·39	4·97	3·15	3·49	3·00	Year's Total 27·34.	
* Days with .01 in. or more.	16	14	10	21	6	17	8	10	20	22	20	17	181	
* Days with .04 in. or more.	7	9	7	18	4	15	6	5	15	15	16	13	130.	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Dr. Duncan Macmillan

P.T.O.

Section A for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

2608

Kept at Mapperley Hospital
in the County of Nottinghamshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 400 ft.

ack 2/1/37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·05		·43			·10	·30	·02		·01	·01	1
2	·28	·05	·12 x	·07		·19	·15	·03			·16	·07	2
3	·02	·03	·01			·46	·01		·12				3
4	·03	x	·08			·12		·02	·07	·01	·08	·18	4
5	·13	·09 x					·03	·06	·05	·02		·05	5
6	·01					·05	·31	·18	·24		·04	·11	6
7	·35		·11				1·45		·02	·02	·01	·04	7
8	x		·05				·61 }		·01	·05	·11		8
9	·32 x		·02		·01	·05			·05	·10	·20		9
10	·01		·01				·82		·01	·01			10
11						·02	·97 }		·06		·36		11
12					·01	·25			·40		·04	·04	12
13				·10		·15	·01			·05	·01	·14	13
14			·01	·09		·12	·12		·62		·09	·24	14
15		·03	·01	·07		·13	·02				·23	·04	15
16	x	·18		·01			·02				·42		16
SNOW 17	·27	·38			·25		·23			·02	·05	·07	17
18	·03	·01				·02	·24			·13	·02	·01	18
19	·44	·06	·01	·26		·25		·15 }		·07			19
20	·02	·05	·03	·02			·01						20
21			·01	·06		·50							21
22	·03	·34	x		·07	·06	·22		·01		·01	·02	22
23		·03	·27 x	·15 }	·08		·41			·03			23
24		·10							·18	·11			24
25	·29	·01	·09	·31					·32	·02			25
26	·03	·06	·33				·01		·19	·17			26
27	·17	·01	·01	·02					·07	·13			27
28	·30	·13	·08			·02			·03		·03	·06	28
29	·55	·22	·07			·26	·01			·02	·41	·02	29
30	·20	✕			·08	·34	·11			·26		·01	30
31	·08	✕		✕		✕	·02		✕	·09	✕	·20	31
TOTAL	3·43	1·83	1·32	1·59	0·50	2·99	5·88	0·74	2·47	1·31	2·28	1·31	YEAR'S TOTAL 25·65
*Days with ·01 in. or more.	~~21~~ 23	19 ~~18~~	~~18~~ 20	12	6	17	~~23~~ 24	7	18	18	18	17	199
*Days with ·04 in. or more.	12 ~~11~~	13	~~9~~ 11	9	4	14	~~13~~ 15	~~3~~ 5	12	10	12	12	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Geo. L. Brunton M.D. ~~The Medical Superintendent~~ [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Mapperley Hospital

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·03	·08	/	/	/	·01	/	/		·05	·18		1
2	·03	·14	·03	·29	/	/	/	/	·09			1·0		2
3	/	·03	·02	·07	·06	/	·01	/	/			·18		3
4	·07	·12	·02	·01	·01	/	·02	·09	/			·34	Snow	4
5	·24	/	·09 Snow	/	/	/	/	·04	/			·10	〃	5
6	/	/	/	·02	·21	/	/	/	/		·01	·01	〃	6
7	/	·40	·01	·18	·02	/	/	/	/		-	·08	〃	7
8	/	·34	/	/	·07	/	/	/	/		·15	-	—	8
9	/	·05	/	·06	·07	/	·47	·01	/			·05	Snow	9
10	·02	·04	/	·11	/	·11	/	/	·01			·09	〃	10
11	/	/	·81 Snow	/	·73	/	/	/	/			·10	〃	11
12	·04	·30 Snow	·16	/	·37	·09	/	/	·20			·10	〃	12
13	/	·06	/	/	·01	·09	/	/	-			·03		13
14	/	/	·07	/	/	·01	/	·06	·03			·05	[illegible]	14
15	·06	·17	·01	·34	/	/	1·47	/	·06			·01		15
16	·04	·21	·25	·45	/	/	/	·07	·10			·01		16
17	·12	·01	·20	·25	/	/	·02	/	·30			/		17
18	·77	·03	·05	·10	/	/	·03	/	/		·40	/		18
19	·04	·12	·04	·06	/	·03	·05	/	/		·11	-		19
20	·14	·07	/	·27	·71	·03	/	/	·02		/	·02		20
21	·01	·03	·03	/	/	/	·22	/	/	·01	/	·03		21
22	·05	/	/	/	·01	/	·20	/	/	·25	·22	·02		22
23	·34	/	/	/	·04	/	·13	/	/	1·23	·31	/		23
24	·12	·49	·06	/	·02	/	/		·04	·12	/	/		24
25	·15	·42	·03 Snow	/	·05	/	/		·02	·96	/	/		25
26	/	·25	·06	/	·35	/	/		/	-	/	·02		26
27	/	·10 Snow	/	·13	/	/	/	/	/	·66	/	·01		27
28	/	·15	/	/	/	/	/	/	/	·01	/	·02		28
29	/	✕	/	/	/	/	/	/	/	-	·07	·01		29
30	·37	✕	/	/	/	·02	/	/	/	·02	·05	·01		30
31	·33	✕	/	✕	/	✕	/	/	✕	·18	✕	·02		31
TOTAL	3·05	3·56	2·02	2·34	2·73	·38	2·63	·27	·87	3·44	1·37	2·49	Year's Total 25·15	✓
* Days with .01 in. or more.	19	22	18	14	15	7	11	5	10	9	9	24	163	✓
* Days with .04 in. or more.	16	17	11	12	10	3	6	4	6	6	8	11	110	✓

† Spare column, no entries required.

(*Signed*) Geo. S. Brunton M.D.
Medical Superintendent.

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Mapperley Hospital

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	·46	·30	-	·02	·06	-	·11		1
2	·03	-	-	·03	-	·23	-	-	-	·07	-	-		2
3	·07	-	-	-	-	·03	·02	-	·14	·56	·04	-		3
4	·04	-	-	·02	·02	·03	·19	·25	-	·40	·01	·32		4
5	-	-	-	-	-	-	·06	·01	·02	-	-	-		5
6	·05	·03	-	-	-	-	·42	-	·09	·05	-	-		6
7	·13	·01	-	-	-	-	·12	·02	·07	·02	-	·04		7
8	·22	-	-	-	-	-	·10	-	-	·25	-	·03		8
9	·02	·11	-	-	-	-	-	·29	-	-	-	·41		9
10	-	·01	-	-	-	-	·24	·02	-	-	-	·03		10
11	·47	-	-	-	-	-	-	·08	-	·02	·04	·01		11
12	·15	-	-	-	·10	-	·02	-	-	·43	·07	-		12
13	-	·02	-	-	-	-	-	-	-	-	·16	·23		13
14	·09	·04	-	-	·05	-	·47	-	·13	-	-	-		14
15	·31	-	-	-	-	-	·32	·03	-	-	-	·19		15
16	-	-	·01	-	-	-	·20	·01	-	-	·02	·33		16
17	-	·02	-	-	·56	-	·06	·01	-	·16	·01	-		17
18	·09	-	-	-	·27	·22	-	·04	·01	·02	·23	-		18
19	-	-	-	-	-	-	-	·09	·04	-	·02	-		19
20	-	-	-	-	-	-	-	-	-	-	·24	·03		20
21	-	-	-	-	-	-	-	·04	-	-	-	·05		21
22	-	-	-	Trace -	-	·15	-	-	-	-	·25	·38		22
23	-	-	-	-	-	·03	-	-	·05	-	-	·07		23
24	-	-	·03	-	-	-	-	-	·25	-	·01	·03		24
25	·13	·24	·04	-	-	-	·02	·03	-	·11	·56	-		25
26	·02	·19	·07	-	-	-	-	-	·17	·06	·01	·28		26
27	·02	·01	-	-	·16	·10	·13	·32	·31	·01	·29	-		27
28	·11	·01	-	-	·30	·05	·12	·74	·30	-	·03	·05		28
29	·32		-	-	·60	-	·09	-	-	·05	·07	·09		29
30	·08	✕	-	-	·02	·02	-	-	·13	-	·06	·07		30
31	·07	✕	-	✕	·16	✕	-	-	✕	·14	✕	·82		31
TOTAL	2·37	·69	·15	·05	2·24	1·32	2·68	1·98	1·73	2·41	2·12	3·57	Year's Total 21·51	✓
* Days with .01 in. or more.	19	11	4	2	10	10	17	15	14	16	18	20	156	✓
* Days with .04 in. or more.	14	4	2	-	8	6	14	8	11	12	11	15	105	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

NOTTINGHAM (MAPPERLEY HILL)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Mapperley Hospital

in the County of Nottingham

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.06	—	.05	.10	—	—	.02	—	.06	—	—	.01		1
2	.03	—	—	.03	—	—	—	.17	.46	.10	.03	.14		2
3	—	—	—	.28	—	—	—	.72	—	tr	.21	.14		3
4	.09	—	.22	.29	—	—	.03	.31	—	.01	—	.15		4
5	tr	—	—	.03	.10	—	.10	.30	—	.04	.18	.18		5
6	.64	—	.06	—	—	—	.24	.04	—	.02	.04	—		6
7	.09	.05	—	—	.04	—	.23	—	—	—	.17	.34		7
8	tr	.09	.14	—	—	—	.10	.06	—	.09	.16	.35		8
9	—	.09	—	—	—	—	.10	.28	—	.62	—	.26		9
10	.49	—	.01	—	—	tr	—	.16	—	.06	—	—		10
11	.04	—	.23	—	tr	.03	—	.03	.07	.25	—	—		11
12	.01	.04	.01	—	—	.29	—	—	—	tr	—	—		12
13	—	—	—	tr	—	.07	.02	—	tr	.19	tr	—		13
14	.59	—	tr	.07	.20	.24	.28	—	—	.10	.07	—		14
15	.20	—	tr	—	.39	.30	.42	—	.01	.11	—	—		15
16	.03	—	.06	—	.26	.15	.42	—	—	—	.18	—		16
17	.42	tr	.01	.10	tr	.05	.10	—	—	.73	tr	—		17
18	.07	—	.06	—	—	.20	.11	—	.02	.01	.77	—		18
19	.22	—	—	—	—	.16	.79	—	.02	—	—	—		19
20	.01	—	—	—	—	.01	.02	.16	—	—	—	—		20
21	.20	.13	.14	.04	.01	.06	.78	.09	.03	—	—	—		21
22	.22	.14	.07	tr	—	—	.13	—	.01	tr	.41	—		22
23	.01	.01	—	.19	—	.01	.05	tr	—	.01	.42	—		23
24	.01	—	—	.03	—	tr	.04	.50	—	—	—	—		24
25	.84	tr	.03	tr	—	.02	.07	tr	—	—	.25	—		25
26	.09	—	.02	.01	—	—	—	tr	—	.02	.25	.06		26
27	tr	.08	.29	—	—	.02	.03	.02	—	.09	.03	—		27
28	—	.19	.18	.13	—	.19	.17	—	—	.04	.20	—		28
29	.01	X	—	.34	—	—	.16	tr	—	.20	tr	—		29
30	—	✕	—	—	—	.05	.15	.03	—	—	.13	—		30
31	—	✕	—	✕	—	✕	.09	tr	✕	—	✕	—		31
TOTAL	4.37	.82	1.58	1.64	1.0	1.85	4.65	2.86	.68	2.69	3.50	1.63	Year's Total 27.27	
* Days with .01 in. or more.	22	9	16	13	6	16	25	14	8	18	16	9	172	
* Days with .04 in. or more.	15	8	11	9	5	11	20	11	3	13	14	8	128	

The Medical Superintendent

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Medical Superintendent.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at City Mental Hospital

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	tr	—	.06	—	—	—	—	—	—	.24	tr		1
2	—	—	—	.27	—	—	tr	—	—	—	.49	.03		2
3	—	.40	—	.15	—	—	—	—	—	.06	.19	.05		3
4	—	.41	—	.01	—	—	tr	—	—	.08	.43	.07		4
5	—	(.02) ~~.42~~	—	—	.05	—	.02	—	—	.08	.36	.13		5
6	.10	(.22) ~~.22~~	—	.02	—	—	—	—	—	.12	.09	.02		6
7	.04	.19	—	.06	.03	—	—	—	—	.01	tr	.05		7
8	tr	.01	—	—	—	—	.06	—	.02	.12	tr	.07		8
9	—	—	.15	—	—	.03	.02	.03	.05	—	.22	.03		9
10	—	—	.02	—	—	—	.71	.12	—	—	.07	.28		10
11	—	—	tr	tr	—	—	.17	—	—	—	.60	.01		11
12	—	—	.11	—	—	tr	.13	—	.10	—	.35	tr		12
13	—	.03	.14	.03	—	—	—	—	.09	—	—	tr		13
14	—	.06	.07	.03	.29	—	—	tr	.06	.02	—	.33		14
15	—	—	—	—	.01	.12	—	—	—	—	.04	tr		15
16	—	—	.48	—	—	.06	.90	—	.07	1.60	.74	.02		16
17	—	.25	.49	—	—	—	.05	—	—	tr	.42	—		17
18	—	.25	.11	.37	—	—	—	.07	tr	.03	.02	.05		18
19	—	.30	.03	.25	—	tr	.38	—	.12	.07	.14	.03		19
20	—	.14	—	.12	—	.06	.07	tr	—	.05	.07	—		20
21	—	.01	tr	—	—	.26	.12	—	—	.10	1.23	—		21
22	—	tr	tr	—	.31	.18	—	tr	.14	tr	tr	—		22
23	—	.05	.03	.03	.27	.15	—	—	—	.02	—	.03		23
24	.09	—	.02	.02	—	—	.03	—	—	—	tr	tr		24
25	tr	—	—	tr	.05	.08	—	—	—	.03	tr	—		25
26	(.77) ~~.17~~	.06	—	.10	.06	.02	.01	.02	—	—	tr	—		26
27	~~.04~~ x (1.08)	.09	—	.92	—	—	.32	.03	—	.03	tr	—		27
28	~~.04~~ x	.50	—	tr	.06	—	—	—	—	—	—	—		28
29	x	—	.14	.04	.10	.05	—	—	—	tr	—	.15		29
30	.01	✕	.05	.02	—	—	—	—	—	.34	tr	.04		30
31	.05	✕	.02	✕	—	✕	—	—	✕	1.09	✕	.02		31
TOTAL	2.14 ~~.54~~	2.99 ~~3.39~~	1.86	2.50	1.23	1.01	2.99	.27	.65	4.44	5.70	1.41	Year's Total ~~26.49~~	27.19
* Days with .01 in. or more.	~~8~~ 9	17	14	17	10	10	14	5	8	17	17	18	~~155~~	156
* Days with .04 in. or more.	~~7~~ 8	14	9	10	8	8	10	2	7	11	16	10	~~112~~	113

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Geo L. Brunton M.D.
Med. Supt.

[P.T.O.

2609

Section **A** for the entry of D
AIR MINISTRY.-
FORM 1090.
REGIST

PY FOR OFFICIAL USE.
ORGANIZATION.

Kept at The City Isolatio
in the County of Notting
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASUR

An observer who does not conform to thi
year in the space on the right of this
Pl

wing

Jan. 1, following

2609

NOTTINGHAM, CITY ISOLATION HOSP.

1931 — 40

780411

Date	Jan.	Feb.	March	Ap						Nov.	Dec.	Date
	in.	in.	in.							in.	in.	
1	-	·01	·07	·0						-	-	1
2	-	·04	-	·54	-	·04	-	·01	·29	·06	-	·03	2
3	·05	·01	-	·06	-	·01	·03	-	2·35	·02	·07	·13	3
4	-	·08	-	·11	-	-	·05	·13	·07	-	·05	·01	4
5	-	·04	·01	·05	·06	·01	·01	·01	·16	-	-	·48	5
6	-	·16	·01	-	-	·19	-	-	-	·12	·03	-	6
7	·01	-	·01	-	-	·38	·22	·18	-	·02	·11	·02	7
8	·01	·09	·08	·03	-	·01	·06	1·01	-	-	·28	·01	8
9	-	·16	·11	·02	·01	·01	·01	·28	·01	-	·26	·01	9
10	-	·07	·02	-	·02	·05	·05	·07	-	-	·04	-	10
11	·05	·45	-	-	-	·03	·02	-	·22	-	-	-	11
12	·06	·16	-	-	-	-	1·14	-	·23	·01	·06	-	12
13	-	-	·01	·02	-	-	·05	·11	·01	-	-	-	13
14	-	·06	·01	-	·01	·24	·32	1·12	·01	-	·21	-	14
15	·01	·11	-	·03	·07	-	·18	·39	-	-	·02	·02	15
16	·07	·36	-	·13	·83	·65	·03	·12	·16	-	-	-	16
17	·01	·21	-	·29	·85	·01	·01	·01	-	-	-	-	17
18	·03	·01	-	·37	-	·28	·15	·04	-	-	·44	-	18
19	·05	·02	-	·19	-	·22	·12	·11	·03	·05	·01	-	19
20	-	·04	-	·03	-	-	·01	·46	-	-	·01	·03	20
21	·23	·01	-	-	·41	-	-	·13	-	-	·22	-	21
22	·07	-	-	·02	·03	-	-	-	-	-	·01	-	22
23	·17	-	·03	·03	·22	·11	-	-	·02	-	·23	·01	23
24	·01	-	-	·12	·59	-	·21	-	-	·01	-	·01	24
25	·19	·01	-	·64	·01	-	·27	-	-	-	·03	-	25
26	-	·01	-	·33	-	-	·06	-	-	-	·17	-	26
27	·18	·32	-	-	·02	-	-	-	-	·11	·32	·19	27
28	·07	·29	-	·05	·14	-	-	-	-	-	·01	·07	28
29	·16	×	-	·08	·06	-	·09	-	-	·19	-	·05	29
30	·06	×	-	·02	-	·07	-	-	·01	-	·01	-	30
31	·17	×	-	×	-	×	-	-	×	·04	×	·01	31
TOTAL	1·66	2·75	·36	3·22	3·33	2·32	3·09	4·18	3·68	·65	2·59	1·08	YEAR'S TOTAL 28·91
*Days with ·01 in. or more.	20	23	10	22	15	17	21	16	14	11	21	15	205
*Days with ·04 in. or more.	14	16	3	14	9	10	14	13	8	6	13	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Cyril Banks

[P.T.O.

2609

Section **A** for the entry of Da Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The City Isolation Hospital

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	·07	·06	-	·01	-	-	·11	·02	-	-	1
2	-	·04	-	·54	-	·04	-	·01	·29	·06	-	·03	2
3	·05	·01	-	·06	-	·01	·03	-	2·35	·02	·07	·13	3
4	-	·08	-	·11	-	-	·05	·13	·07	-	·05	·01	4
5	-	·04	·01	·05	·06	·01	·01	·01	·16	-	-	·48	5
6	-	·16	·01	-	-	·19	-	-	-	·12	·03	-	6
7	·01	-	·01	-	-	·38	·22	·18	-	·02	·11	·02	7
8	·01	·09	·08	·03	-	·01	·06	1·01	-	-	·28	·01	8
9	-	·16	·11	·02	·01	·01	·01	·28	·01	-	·26	·01	9
10	-	·07	·02	-	·02	·05	·05	·07	-	-	·04	-	10
11	·05	·45	-	-	-	·03	·02	-	·22	-	-	-	11
12	·06	·16	-	-	-	-	1·14	-	·23	·01	·06	-	12
13	-	-	·01	·02	-	-	·05	·11	·01	-	-	-	13
14	-	·06	·01	-	·01	·24	·32	1·12	·01	-	·21	-	14
15	·01	·11	-	·03	·07	-	·18	·39	-	-	·02	·02	15
16	·07	·36	-	·13	·83	·65	·03	·12	·16	-	-	-	16
17	·01	·21	-	·29	·85	·01	·01	·01	-	-	-	-	17
18	·03	·01	-	·37	-	·28	·15	·04	-	-	·44	-	18
19	·05	·02	-	·19	-	·22	·12	·11	·03	·05	·01	-	19
20	-	·04	-	·03	-	-	·01	·46	-	-	·01	·03	20
21	·23	·01	-	-	·41	-	-	·13	-	-	·22	-	21
22	·07	-	-	·02	·03	-	-	-	-	-	·01	-	22
23	·17	-	·03	·03	·22	·11	-	-	·02	-	·23	·01	23
24	·01	-	-	·12	·59	-	·21	-	-	·01	-	·01	24
25	·19	·01	-	·64	·01	-	·27	-	-	-	·03	-	25
26	-	·01	-	·33	-	-	·06	-	-	-	·17	-	26
27	·18	·32	-	-	·02	-	-	-	-	·11	·32	·19	27
28	·07	·29	-	·05	·14	-	-	-	-	-	·01	·07	28
29	·16	×	-	·08	·06	-	·09	-	-	·19	-	·05	29
30	·06	×	-	·02	-	·07	-	-	·01	-	·01	-	30
31	·17	×	-	×	-	×	-	-	×	·04	×	·01	31
TOTAL	1·66	2·75	·36	3·22	3·33	2·32	3·09	4·18	3·68	·65	2·59	1·08	YEAR'S TOTAL 28·91
*Days with ·01 in. or more.	20	23	10	22	15	17	21	16	14	11	21	15	205
*Days with ·04 in. or more.	14	16	3	14	9	10	14	13	8	6	13	5	122

40-9999

*See Instruction 2 (f) on other side.

(Signed) Cyril Banks

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The City Isolation Hospital

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft ... in.

" Ground " Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02	-	·16	·36	-	·09	·06	·13	·21	·02	·02	1
2	·03	-	-	-	·18	-	-	·01	·15	·16	·01	·04	2
3	-	-	-	·24	·05	-	-	-	-	-	-	·01	3
4	·01	-	-	·13	-	-	-	-	·01	·01	·26	-	4
5	·19	-	·05	-	·02	-	-	-	·03	-	-	·01	5
6	·47	-	·09	·21	-	-	-	-	·07	-	-	-	6
7	-	-	·21	·15	-	-	-	-	·06	·02	·01	-	7
8	·01	·02	-	·09	-	-	-	-	·09	·06	-	·02	8
9	·01	·17		·04	·01	-	-	-	-	-	-	-	9
10	·03	·02	-	·05	·01	-	-	-	·06	·14	-	-	10
11	·04	·03	-	·07	·16	·19	·15	-	·34	-	·02	-	11
12	·12	-	-	·02	·03	-	·03	·01	-	·48	·01	-	12
13	-	·05	-	·04	-	-	1·81	-	·01	·04	·11	·03	13
14	·06	·02	-	·02	-	-	·31	·36	-	-	·14	-	14
15	-	-	-	·05	·25	-	-	-	-	·05	·01	·06	15
16	·19	-	-	·39	·27	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	·02	-	·01	·11	-	-	17
18	-	-	-	-	·03	-	-	-	·01	-	-	-	18
19	-	·01	-	·01	-	-	-	-	-	·18	-	-	19
20	-	-	-	·01	·47	-	-	·29	-	·32	·18	-	20
21	-	-	·15	·11	2·28	-	-	·54	-	·27	·01	·16	21
22	-	-	·28	·03	·36	-	·45	-	·49	·02	·31	·02	22
23	-	·02	·01	-	·71	-	·03	-	·07	·07	·11	·01	23
24	-	-	-	-	·02	-	·77	-	·03	·01	·15	-	24
25	·01	·07	-	-	·01	·02	·06	-	·02	·15	-	·01	25
26	-	-	-	·33	·34	·11	·08	-	·01	·01	·03	-	26
27	-	-	·28	·24	·54	·01	·06	-	-	-	·11	·01	27
28	-	-	·27	·03	·19	-	·11	·34	-	·05	-	-	28
29	-	-	·11	·12	·02	·13	·04	·14	·11	·22	·12	·12	29
30	-	×	·04	·01	-	·37	·03	·01	·06	·07	·19	·23	30
31	-	×	·06	×	·01	×	1·15	-	×	-	×	·09	31
TOTAL	1·24	·43	1·55	2·55	6·32	·83	5·19	1·76	1·76	2·65	1·80	·84	YEAR'S TOTAL 26·92
*Days with ·01 in. or more.	13	10	11	23	22	6	16	9	19	21	18	15	183
*Days with .04 in. or more.	7	3	10	16	13	4	12	6	11	16	10	6	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Cyril Banks
MEDICAL OFFICER OF HEALTH.

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at The City Isolation Hospital. City of Nottingham.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.19	.16	-	-	-	-	-	-	-	.08	-		1
2	.25	-	.35	-	.01	-	-	-	.02	-	.07	-		2
3	-	.01	.16	-	.21	-	-	-	-	-	.01	-		3
4	.04	-	.01	-	.08	-	-	-	-	-	-	-		4
5	.14	.01	.08	-	.24	-	-	-	-	-	.01	-		5
6	-	.11	.05	-	.34	-	-	-	-	.02	.01	.05		6
7	.01	.28	-	-	.09	-	.21	-	-	.25	-	-		7
8	.01	-	.06	-	.13	-	.45	-	-	-	.30	.03		8
9	-	-	-	-	.02	-	.26	-	-	.87	.02	-		9
10	.02	.09	-	-	-	.09	.21	.04	-	1.13	.01	-		10
11	.03	-	-	-	-	.02	.03	.01	-	.03	-	-		11
12	.06	-	-	-	-	.02	.11	-	-	-	-	.08		12
13	.03	-	-	-	.16	.01	.18	-	.08	.02	.13	-		13
14	-	-	-	-	.11	-	.04	-	-	.03	.02	.01		14
15	.71	-	.01	-	-	-	.06	.16	-	.08	.56	.03		15
16	.18	-	.49	-	.04	.14	.69	-	-	.03	.07	.01		16
17	.05	-	1.07	-	-	.09	-	-	.02	-	.11	.01		17
18	-	.07	.09	-	-	.57	-	-	-	-	.04	-		18
19	-	-	.35	-	-	-	.08	-	.04	-	.01	-		19
20	-	.06	-	-	.01	.27	-	-	.01	.04	.02	-		20
21	-	.01	-	-	.45	.26	-	.05	.04	.01	-	-		21
22	-	-	-	-	-	.18	-	.02	.02	.77	.02	-		22
23	-	-	-	.25	.06	-	-	.28	.41	.02	-	-		23
24	-	.09	-	.16	.04	.34	-	-	.19	.03	.04	-		24
25	-	.91	-	.29	-	-	-	-	.01	-	.02	.04		25
26	-	.44	-	.14	.01	.04	-	-	.01	.08	.03	.01		26
27	-	-	-	-	.03	-	-	-	.42	.09	-	.01		27
28	-	-	-	.18	.05	-	.01	-	.01	.11	-	.02		28
29	.01	-	-	.11	-	-	.01	-	-	.13	-	.01		29
30	.03	×	.01	.01	-	-	.06	-	-	.06	-	.02		30
31	.01	×	.21	×	-	×	-	.02	×	.05	×	-		31
TOTAL	1.82	2.27	3.10	1.14	2.08	2.03	2.40	.58	1.28	3.85	1.58	.33	Year's Total 22.46	
*Days with ·01 in. or more.	16	12	14	7	18	12	14	7	13	20	20	13	166	
*Days with .04 in. or more.	8	9	11	6	13	9	11	4	6	12	9	3	101	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Cyril Banks

MEDICAL OFFICER OF HEALTH

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The City Isolation Hospital

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft - in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	-	-	-	-	-	-	.11	-	.16	.01	.34		1
2	.03	.02	.02	-	-	-	-	.13	.40	-	.09	.21		2
3	.01	.03	-	-	-	-	-	-	-	.03	.05	.02		3
4	.07	.01	.11	.17	.01	-	-	-	-	.01	.06	.41		4
5	-	-	.12	.03	.14	-	-	.33	-	.04	.15	.08		5
6	-	-	-	.01	.39	.08	-	.09	-	.17	-	.54		6
7	.05	-	-	-	.01	-	-	.02	-	.09	.10	.18		7
8	-	-	.09	-	.05	.01	-	.07	-	.01	.38	-		8
9	.01	-	.29	.06	-	-	-	.03	.03	-	.70	.14		9
10	.01	-	.24	.14	-	-	-	.08	-	-	.32	.01		10
11	.39	-	.09	.27	-	-	-	.09	-	-	-	.27		11
12	-	-	.29	-	-	-	.07	.19	-	-	-	.03		12
13	.48	-	-	.02	-	-	.47	.06	-	.04	.01	.16		13
14	.07	-	.26	-	.02	.05	-	-	-	.27	.45	.33		14
15	.03	-	.05	-	.07	-	-	.01	.02	.06	.14	.01		15
16	.22	-	.09	-	.12	-	-	-	-	.03	.07	.03		16
17	.21	-	.03	.03	.04	-	.01	.09	.03	.05	.01	.07		17
18	.03	-	.04	.24	-	.01	.04	.01	.06	-	-	.02		18
19	-	-	.09	.07	-	.15	-	-	.01	.01	-	.01		19
20	-	-	.01	.03	-	-	-	-	.01	-	-	-		20
21	-	-	-	-	-	.12	-	.02	.02	.03	-	.01		21
22	-	-	-	-	-	-	-	.21	.03	-	-	.01		22
23	-	-	.02	.23	.05	-	.82	-	-	-	.01	.15		23
24	-	.18	.13	.05	-	.07	.03	-	.35	-	-	-		24
25	.08	-	-	.03	-	.01	-	-	.01	.13	-	.39		25
26	.17	-	.20	.11	-	.01	.02	-	.04	.03	-	.01		26
27	.01	.43	-	.22	-	-	.03	-	.02	.12	-	.06		27
28	-	-	-	.01	-	.08	-	.34	-	.01	-	.54		28
29	-	×	-	-	-	-	.07	.03	.37	.05	-	.07		29
30	.03	×	-	-	-	-	.08	-	.07	.12	-	.28		30
31	-	×	-	×	-	×	.04	-	×	.16	×	.07		31
TOTAL	1.98	.67	2.17	1.72	.90	.59	1.68	1.91	1.47	1.62	2.55	4.45	Year's Total. 21.71	
* Days with .01 in. or more.	18	5	18	17	10	10	11	18	15	21	15	28	186	
* Days with .04 in. or more.	10	2	14	10	7	6	7	12	6	13	10	18	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Cyril Banks

MEDICAL OFFICER OF HEALTH

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

M07

WITH

RECEIVED 3 JAN 1936

21 TI

INITIALS IF ACKNOWLEDGED

Kept at The City Isolation Hospital.

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.26	-	-	.05	-	.06	.01	-	.64	.08	.14	.18		1
2	-	-	.03	-	-	.31	-	-	-	.31	-	.11		2
3	-	.13	.09	.02	-	.24	-	-	.02	.08	.15	.01		3
4	-	-	.01	.03	-	.07	-	-	.16	.33	-	-		4
5	.01	.35	.12	.08	-	.02	.01	-	.05	.02	.14	.01		5
6	.02	-	.01	.12	-	.19	-	-	-	-	.01	-		6
7	.03	-	.01	.56	-	.06	-	-	-	.22	.59	.18		7
8	-	-	.01	.26	-	-	-	-	-	.04	.07	.28		8
9	-	-	-	.18	-	.15	-	-	-	.63	.15	.01		9
10	-	-	.01	.08	-	.01	-	-	-	-	.19	.01		10
11	.19	-	-	-	-	.07	-	.03	-	-	.09	.09		11
12	-	.03	-	-	-	.12	-	.02	.06	-	-	-		12
13	.03	.02	-	.09	.13	-	-	-	.03	.01	.01	-		13
14	-	-	-	-	.06	-	.03	-	.06	-	.43	.11		14
15	.01	.05	-	.06	.07	-	-	-	.12	-	.53	.24		15
16	-	.09	.12	.04	-	.29	.09	-	.25	.14	.53	-		16
17	-	-	-	.19	-	.19	.06	.15	.04	.06	.57	-		17
18	.01	-	-	.06	.06	.08	.15	-	.36	-	.02	-		18
19	.01	-	-	.24	.05	.26	.08	-	.02	.08	.36	-		19
20	.01	.33	-	.24	-	.12	.08	-	-	-	.11	-		20
21	-	.64	-	.03	-	-	-	-	.66	.02	.14	-		21
22	-	.27	.03	.05	-	-	-	-	.01	-	.02	-		22
23	.01	-	.14	-	-	-	-	1.01	.03	.15	-	-		23
24	.11	.28	.01	-	-	-	-	-	1.56	-	.01	.31		24
25	.29	.06	-	.03	-	.46	-	-	-	-	-	.02		25
26	.18	-	-	-	-	-	-	.77	.36	.05	.03	.03		26
27	.01	.21	-	-	-	.01	.01	-	.02	.11	.19	.97		27
28	.02	.01	-	-	.03	-	-	.10	.02	.02	.02	.06		28
29	-	X	.07	-	-	-	-	-	.11	.13	.01	.03		29
30	.07	X	-	.09	-	-	-	.19	.09	.23	.37	.02		30
31	.01	X	-	X	-	X	-	-	X	.43	X	.13		31
													Year's Total	
TOTAL	1.28	2.47	0.66	2.50	0.40	2.71	0.52	2.27	4.67	3.14	4.88	2.80	28.30	
* Days with .01 in. or more.	18	13	23	20	6	18	9	7	21	20	25	19	189	
* Days with .04 in. or more.	6	10	5	16	5	15	5	5	14	16	17	11	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Cyril Banks [B.R.O.

Medical Officer of Health.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The City Isolation Hospital

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·010	0·070	0·090	0·410	—	0·020	—	0·180	0·020	—	0·020	0·020		1
2	0·240	0·060	0·080	0·060	—	0·240	0·090	0·160	—	—	0·170	0·060		2
3	—	0·030	0·010	—	—	0·430	0·020	—	0·080	—	—	—		3
4	0·050	0·040	0·090	—	—	0·030	0·010	—	0·070	0·010	0·080	0·170		4
5	0·030	0·050	—	—	—	—	0·030	0·050	0·050	0·020	—	0·330		5
6	0·010	—	0·020	—	—	0·070	0·320	0·220	0·230	—	0·030	0·030		6
7	0·350	—	—	—	—	—	0·850	—	0·030	0·010	0·030	0·020		7
8	0·170	—	0·060	—	—	—	0·040	—	—	0·050	0·140	—		8
9	0·150	—	0·010	—	0·010	0·060	0·520	—	0·010	0·130	0·220	0·030		9
10	0·020	—	—	—	—	—	0·890	—	—	—	—	0·010		10
11	—	—	—	0·170	—	0·020	0·170	—	—	—	0·390	—		11
12	—	—	—	0·120	—	0·230	0·780	—	0·450	—	0·040	0·040		12
13	—	—	—	0·050	—	0·180	0·010	—	—	0·050	0·020	0·150		13
14	—	—	—	0·080	—	0·060	0·080	—	0·570	0·020	0·090	0·310		14
15	—	0·010	0·020	0·090	—	0·260	0·050	—	—	—	0·280	0·050		15
16	0·180	0·130	—	0·020	—	—	0·020	—	—	—	0·420	—		16
17	0·020	0·360	—	0·010	0·240	—	0·130	—	—	0·030	0·060	0·080		17
18	—	0·010	—	—	—	0·020	0·230	—	—	0·140	0·010	0·030		18
19	0·430	0·060	0·020	0·260	—	0·310	0·040	0·070	—	0·080	—	—		19
20	0·020	0·050	0·010	0·010	—	—	0·020	0·110	—	0·010	—	—		20
21	0·040	—	0·030	0·070	—	0·370	—	—	—	—	0·010	—		21
22	—	0·360	0·080	0·010	0·060	0·110	0·220	—	—	—	0·020	0·020		22
23	—	0·010	0·210	0·140	0·080	—	0·450	—	—	0·030	—	—		23
24	0·280	0·110	—	—	0·030	—	—	—	0·160	0·150	—	—		24
25	0·070	0·010	0·070	0·320	—	—	0·270	—	0·340	0·020	0·010	—		25
26	0·010	0·050	0·410	—	—	—	0·010	—	0·090	0·190	—	—		26
27	0·090	—	—	—	—	—	—	—	0·160	0·160	—	—		27
28	0·350	0·090	0·040	0·010	—	0·030	0·010	—	0·040	—	0·040	0·070		28
29	0·530	0·280	0·130	—	—	0·290	—	—	—	0·030	0·470	0·040		29
30	0·190	✕	—	—	0·070	0·120	0·130	—	—	0·310	0·010	0·020		30
31	0·040	✕	0·020	✕	—	✕	0·020	—	✕	0·090	✕	0·210		31
TOTAL	3·280	1·780	1·400	1·830	0·490	2·850	5·410	0·790	2·300	1·530	2·560	1·660	Year's Total 25·880	✓
* Days with .01 in. or more.	22	18	18	16	6	18	26	6	14	19	21	18	202	✓
* Days with .04 in. or more.	15	13	10	11	4	13	17	6	11	10	12	11	133	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Cyril Banks [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at City Isolation Hospital

in the County of Nottinghamshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.090	0.060	0.010	–	–	–	–	–	0.080	–	0.050	0.130		1
2	0.030	0.140	0.030	0.330	–	–	–	–	–	–	–	1.070		2
3	0.010	0.040	0.020	0.010	0.080	–	0.030	–	–	–	–	0.220		3
4	0.080	0.130	0.010	0.010	0.030	–	–	–	–	–	–	0.560		4
5	0.270	–	0.090	–	0.010	–	–	0.020	–	–	–	0.030		5
6	–	–	0.010	0.020	0.240	–	–	–	–	–	0.020	0.020		6
7	–	0.390	–	0.180	0.050	–	–	–	–	–	–	0.020		7
8	–	0.360	–	–	–	–	–	–	–	–	0.190	0.010		8
9	–	0.080	–	0.020	0.090	–	0.520	0.020	0.010	–	–	0.050		9
10	0.030	0.050	0.140	0.110	–	0.130	0.010	–	–	–	–	0.090		10
11	–	–	0.710	–	0.730	–	–	–	–	0.010	–	0.160		11
12	0.050	0.270	0.090	–	0.360	0.040	–	–	0.170	–	–	0.150		12
13	–	0.040	–	–	0.010	0.090	–	–	0.010	–	–	0.030		13
14	–	–	0.090	–	–	0.010	–	0.080	0.030	–	–	0.060		14
15	0.090	0.140	0.010	0.370	–	–	✓ 1.240	–	0.090	–	–	0.020		15
16	0.050	0.290	0.220	0.350	–	–	–	0.090	0.160	–	0.010	0.020		16
17	0.130	0.010	0.160	0.250	–	–	–	–	0.350	–	–	–		17
18	0.920	0.040	0.060	0.060	–	–	0.050	–	–	0.010	0.410	–		18
19	0.040	0.130	0.040	0.060	0.010	0.050	0.030	–	–	0.010	0.140	–		19
20	0.140	0.090	–	0.240	0.680	–	–	–	0.020	–	–	0.040		20
21	0.010	0.040	0.020	–	–	–	0.230	–	–	–	–	0.020		21
22	0.030	0.030	–	0.010	0.020	–	0.150	–	–	0.290	0.220	0.030		22
23	0.090	–	–	–	0.060	–	0.160	–	–	1.280	0.350	–		23
24	0.350	0.550	0.060	–	0.020	–	0.030	–	0.050	0.150	–	–		24
25	0.070	0.280	0.040	–	0.030	–	–	–	0.020	0.860	–	0.020		25
26	–	0.290	0.060	–	0.320	–	–	–	–	–	0.010	0.010		26
27	–	0.420	–	0.160	–	–	–	–	–	0.770	–	0.020		27
28	0.010	0.210	0.020	–	–	–	–	–	–	0.010	–	0.030		28
29	0.060		–	–	–	–	–	–	–	–	0.040	0.040		29
30	0.390	✕	–	–	–	0.020	–	–	–	–	0.060	0.040		30
31	0.410	✕	–	✕	–	✕	–	–	✕	0.190	✕	0.030		31
													Year's Total	
TOTAL	3.350	4.080	1.890	2.180	2.740	0.340	2.450	0.210	0.990	3.580	1.500	2.920	26.23	✓✓
* Days with .01 in. or more.	22	23	20	15	16	6	10	4	11	10	11	26	174	✓✓
* Days with .04 in. or more.	16	21	12	10	9	4	6	2	6	6	8	12	112	✓✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Cyril Banks [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Nottingham City Isolation Hospital

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. - in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	0.02	0.45	0.18	0.02	0.03	0.11	0.01	0.15		1
2	0.04	0.01	-	0.05	-	0.21	-	-	-	0.09	-	0.02		2
3	0.05	-	-	-	-	0.05	0.02	-	0.13	0.68	0.04	-		3
4	0.04	-	-	0.02	-	0.02	0.15	0.32	-	0.15	0.02	0.31		4
5	-	-	-	-	-	-	0.08	0.02	0.02	0.01	-	0.01		5
6	0.05	0.04	-	-	-	0.01	0.56	-	0.09	0.06	-	-		6
7	0.14	-	-	-	+	-	0.17	0.02	0.11	0.03	-	0.04		7
8	0.28	-	-	-	-	-	0.07	-	-	0.28	-	0.03		8
9	0.01	0.13	-	-	-	-	-	0.28	-	-	-	0.37		9
10	-	0.02	-	-	-	-	0.23	0.02	0.01	-	-	0.03		10
11	0.47	-	-	-	-	0.01	0.01	0.14	0.01	0.04	0.04	0.01		11
12	0.16	-	-	-	0.11	-	0.04	-	-	0.45	0.06	-		12
13	-	0.05	-	-	-	-	-	-	-	0.01	0.15	0.31		13
14	0.09	-	-	-	-	-	0.41	-	0.14	-	0.01	0.01		14
15	0.18	-	-	-	-	-	0.35	0.02	-	-	0.02	0.18		15
16	0.21	-	0.01	-	-	-	0.17	0.02	-	0.02	0.02	0.35		16
17	-	0.03	-	-	0.49	-	0.07	0.01	0.01	0.19	0.01	-		17
18	0.08	-	-	-	0.09	0.21	-	0.02	0.03	0.03	0.20	-		18
19	-	-	-	-	0.01	-	-	0.08	0.09	-	-	0.03		19
20	0.01	-	-	-	-	-	-	-	-	-	0.31	0.09		20
21	-	-	-	-	-	-	-	0.09	0.01	-	0.01	0.31		21
22	0.01	-	-	0.01	-	0.11	-	0.01	-	-	0.33	0.28		22
23	-	-	-	-	-	0.02	0.01	-	0.09	-	0.01	0.01		23
24	-	-	-	-	0.01	-	-	-	0.28	-	0.02	0.01		24
25	0.13	0.27	0.04	-	0.01	-	0.02	0.03	-	0.16	0.65	0.16		25
26	0.03	0.18	0.05	-	0.01	0.01	-	-	0.18	-	0.03	0.08		26
27	0.02	0.03	0.06	-	0.16	0.13	0.13	0.32	0.26	0.02	0.31	-		27
28	0.12	0.01	-	-	0.27	0.12	0.09	0.69	0.29	-	0.03	0.06		28
29	0.31	X	-	0.01	0.66	-	0.12	-	-	0.06	0.09	0.13		29
30	0.04	X	-	-	0.02	0.04	-	-	0.16	-	0.09	0.09		30
31	0.11	X	-	X	0.18	X	-	-	X	0.16	X	0.84		31
TOTAL	2.58	0.77	0.16	0.09	2.24	1.39	2.88	2.11	1.94	2.55	2.46	3.91	Year's Total 23·08	
* Days with .01 in. or more.	22	10	4	4	13	13	19	17	18	18	22	25	185	
* Days with .04 in. or more.	17	5	3	1	7	8	15	7	11	12	11	16	113	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M.O.H.

P.T.O.

NOTTINGHAM (ISOLATION HOSPITAL)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Nottingham City Isolation Hospital

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.09	–	0.04	0.09	0.01	–	0.05	–	0.01	–	–	0.04		1
2	0.05	–	–	0.05	–	–	0.02	–	0.58	0.08	0.03	–		2
3	0.32	0.01	–	0.27	–	–	–	0.37	–	0.01	0.22	0.30		3
4	0.25	–	0.27	0.33	–	–	0.03	0.47	–	0.01	–	0.18		4
5	–	–	–	0.03	0.12	–	0.18	0.62	–	0.05	0.22	0.22		5
6	0.57	–	0.05	–	0.01	–	0.30	–	–	0.02	0.04	–		6
7	0.05	0.03	–	–	–	–	0.21	–	–	–	0.17	0.37		7
8	0.01	0.09	0.18	–	–	–	0.21	0.06	–	0.11	0.12	0.38		8
9	–	0.11	–	–	–	–	0.06	0.21	–	0.86	–	0.28		9
10	0.69	–	0.01	–	–	–	–	0.25	–	0.06	–	–		10
11	0.05	–	0.21	–	–	0.04	–	0.04	0.09	0.13	–	–		11
12	0.01	0.07	0.02	–	0.03	0.34	–	–	–	0.04	–	–		12
13	–	–	–	0.02	–	0.08	0.05	–	–	0.15	–	0.01		13
14	0.72	–	0.01	0.21	0.21	0.25	0.22	–	–	0.13	–	–		14
15	0.21	–	–	–	0.42	0.32	0.27	–	0.04	0.09	–	–		15
16	0.04	–	0.06	–	0.31	0.14	0.03	–	–	–	0.27	–		16
17	0.47	0.01	0.01	0.12	–	–	0.01	–	–	0.69	–	–		17
18	0.11	–	0.08	–	–	0.25	0.10	–	0.02	0.01	0.72	–		18
19	0.25	–	–	–	–	0.16	0.88	–	0.01	–	–	–		19
20	0.01	–	–	–	–	0.01	0.02	–	–	–	–	–		20
21	0.23	0.16	0.17	0.04	–	0.05	0.17	0.06	0.03	–	–	–		21
22	0.21	0.24	0.06	–	–	–	0.14	–	0.02	–	0.30	–		22
23	0.02	0.05	–	0.16	–	–	0.05	–	–	–	0.60	–		23
24	0.03	–	–	0.03	–	0.01	0.06	–	–	–	–	–		24
25	0.99	0.01	0.06	0.03	–	0.06	0.05	0.53	–	0.02	0.57	–		25
26	0.05	–	0.02	0.02	–	–	–	0.01	–	0.02	0.11	–		26
27	0.01	0.12	0.32	0.52	–	0.04	0.02	–	–	0.13	0.04	0.06		27
28	0.01	0.23	0.19	0.17	–	0.16	0.20	0.05	–	0.02	0.19	–		28
29	–	X	–	0.39	–	–	0.01	–	–	0.27	–	–		29
30	–	X	–	0.01	–	0.06	0.27	0.01	–	–	0.19	–		30
31	–	X	–	X	–	X	–	0.06	X	–	X	–		31
TOTAL	5.45	1.13	1.76	1.97	1.11	1.97	3.61	2.74	0.80	2.90	3.79	1.84	Year's Total 29.07	
* Days with .01 in. or more.	25	12	17	16	7	15	25	13	8	20	15	9	182	
* Days with .04 in. or more.	18	8	12	10	4	13	18	11	3	13	14	8	132	

Dr. Cyril Banks

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Cyril Banks

Medical Officer of Health

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193
40

Kept at Nottingham City Isolation Hospital

in the County of Nottinghamshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0.10	–	0.03	–	–	–	–	–	–	0.18	0.03		1
2	–	–	–	0.30	–	–	0.04	–	–	–	0.50	0.03		2
3	–	0.47	–	0.10	–	–	–	–	–	0.05	0.20	0.05		3
4	–	0.27	–	0.01	–	–	–	–	–	0.06	0.36	0.08		4
5	–	–	–	–	0.05	–	0.02	–	–	0.14	0.41	0.15		5
6	0.11	0.22	–	–	–	–	–	–	–	0.70	0.06	0.02		6
7	–	0.21	–	0.05	0.03	–	–	–	0.06	0.01	–	–		7
8	0.03	–	–	0.02	–	–	0.02	–	–	0.05	–	0.22		8
9	–	–	0.17	–	–	0.04	0.08	0.03	0.04	0.01	0.34	0.05		9
10	–	–	0.01	–	–	–	0.84	0.09	–	–	0.18	0.29		10
11	–	–	0.02	–	–	–	0.10	–	–	–	0.70	–		11
12	–	0.02	0.02	–	–	0.04	0.18	–	0.06	–	0.28	–		12
13	–	0.02	0.06	0.02	–	–	–	0.01	0.03	–	–	–		13
14	–	–	0.29	0.06	0.28	–	–	0.01	0.20	0.01	0.07	0.39		14
15	–	–	–	–	–	0.09	–	–	–	–	–	0.01		15
16	0.04	0.28	0.41	0.01	–	0.04	0.85	–	0.10	1.65	0.74	–		16
17	–	0.34	0.58	–	–	–	0.05	–	0.40	–	0.50	–		17
18	0.08	–	0.10	0.46	–	–	–	0.07	0.08	0.06	0.10	–		18
19	–	0.26	0.09	0.30	–	0.01	0.10	0.04	0.04	0.04	0.22	0.08		19
20	–	0.02	–	0.10	–	–	0.50	0.02	–	0.10	0.05	–		20
21	0.07	–	–	–	–	0.46	0.21	–	–	–	1.15	–		21
22	–	–	–	–	0.32	0.19	–	–	0.17	–	–	–		22
23	–	0.07	–	–	0.26	0.10	–	–	–	0.03	–	0.05		23
24	–	–	–	0.05	–	–	0.05	–	–	–	–	0.05		24
25	0.05	–	–	0.01	–	0.16	–	–	–	0.04	–	–		25
26	0.75	0.05	–	0.03	0.06	–	–	0.01	–	–	–	–		26
27	0.25	0.03	–	0.66	–	–	0.27	0.01	–	–	0.03	–		27
28	0.60	0.51	–	0.01	0.05	–	–	–	–	–	–	–		28
29	0.10	–	0.03	0.03	0.38	0.07	–	–	–	0.01	–	0.12		29
30	0.17	✕	–	0.01	–	–	–	–	–	0.46	–	0.05		30
31	0.10	✕	0.08	✕	–	✕	–	–	✕	1.00	✕	–		31
													Year's Total	
TOTAL	2.35	2.87	1.86	2.26	1.43	1.20	3.31	0.29	1.18	4.42	6.07	1.67	28.91	
* Days with .01 in. or more.	12	15	12	19	8	10	14	9	10	17	18	16	160	
* Days with .04 in. or more.	11	11	8	9	7	9	12	3	9	12	17	12	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Cyril Banks

Medical Officer of Health.

[P.T.O.

2610

Section **A** for
AI

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

31 .

Kept at BASF

in the County of

Diameter of Funnel

Height of top of Gaug

,, Ground

2610 – 117724

BASFORD W.W.

1931 – 1940

780411

THE MORN

AY.

An observer who does
year in the space on

he following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·015	s ·130	.070	-	·010	-	-	·115	·015	-	-	1
2	Tr.	·035	-	·550	-	·040	-	Tr.	·300	·050	-	·025	2
3	·050	·010	-	·060	-	-	·035	-	1·875	·015	·060	·120	3
4	-	.080	-	·110	-	-	·495	·100	·150	-	·050	Tr.	4
5	-	·045	-	·050	·055	1·025	-	-	·090	-	-	·450	5
6	-	·170	Tr.	-	-	·205	·010	-	Tr.	·115	·030	-	6
7	-	-	Tr.	-	-	·335	·215	·490	-	·015	·080	Tr.	7
8	·015	·075	s ·075	·020	Tr.	Tr.	·060	·710	-	-	·265	-	8
9	-	·120	s ·080	·100	-	·015	Tr.	·285	-	-	·245	-	9
10	-	·060	s ·020	-	·030	·050	·090	·070	-	-	·035	-	10
11	·035	·490	-	-	-	·030	·020	-	·290	-	-	-	11
12	·040	·125	-	-	-	-	1·095	-	·140	-	·050	-	12
13	Tr.	-	-	·020	-	-	·040	·205	·020	-	-	-	13
14	-	·050	·020	-	-	·190	·350	·995	·010	-	·175	-	14
15	-	·105	-	·015	·075	-	·155	·480	-	-	·015	·015	15
16	·070	·360	-	·115	·970	·595	·020	·180	·185	-	-	-	16
17	-	·265	-	·280	·670	-	·010	-	-	-	-	-	17
18	·030	-	-	·415	-	·270	·210	·035	-	-	·430	-	18
19	·040	·030	-	·235	-	·290	·100	·095	·025	·020	-	-	19
20	-	·025	-	·030	-	-	·010	·430	-	·010	-	·020	20
21	·220	-	-	-	·445	-	-	·150	-	-	·230	-	21
22	·050	-	-	·035	Tr.	-	-	-	-	-	-	-	22
23	·165	-	·015	·025	·355	·070	-	-	·020	-	·230	·010	23
24	·010	·010	-	·095	·545	-	·215	-	-	-	-	-	24
25	·180	-	-	·540	Tr.	-	·310	-	-	-	·025	Tr.	25
26	Tr.	·010	-	·290	-	-	·050	-	-	-	·175	-	26
27	·190	·330	-	-	·025	-	-	-	-	·100	·310	·225	27
28	·065	s ·290	-	·035	·120	-	-	-	-	-	-	·100	28
29	·110	✕	-	·080	·050	-	·065	-	-	·180	-	·030	29
30	·150	✕	-	·010	-	·070	-	-	-	-	-	-	30
31	·195	✕	-	✕	-	✕	-	-	✕	·030	✕	-	31
TOTAL	1·610	2·700	·340	3·180	3·340	20 3·~~195~~	3·555	3 4·2~~2~~5	3·220	·550	2·405	·995	YEAR'S TOTAL 29·320
*Days with ·01 in. or more.	17	21	6	22	11	14	20	13	12	10	16	9	171
*Days with ·04 in. or more.	13	14	3	14	9	11	14	12	8	4	12	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. Davies

Engineer & General Manager.

[P.T.O.

2610

Section **A** for [redacted] COPY FOR OFFICIAL USE.
AI LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BASFORD WATERWORKS,
in the County of NOTTINGHAM.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0¾ in.
,, Ground ,, Sea Level 167·51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·015	s ·130	·070	-	·010	-	-	·115	·015	-	-	1
2	Tr.	·035	-	·550	-	·040	-	Tr.	·300	·050	-	·025	2
3	·050	·010	-	·060	-	-	·035	-	1·875	·015	·060	·120	3
4	-	·080	-	·110	-	-	·495	·100	·150	-	·050	Tr.	4
5	-	·045	-	·050	·055	1·025	-	-	·090	-	-	·450	5
6	-	·170	Tr.	-	-	·205	·010	-	Tr.	·115	·030	-	6
7	-	-	Tr.	-	-	·335	·215	·490	-	·015	·080	Tr.	7
8	·015	·075	s ·075	·020	Tr.	Tr.	·060	·710	-	-	·265	-	8
9	-	·120	s ·080	·100	-	·015	Tr.	·285	-	-	·245	-	9
10	-	·060	s ·020	-	·030	·050	·090	·070	-	-	·035	-	10
11	·035	·490	-	-	-	·030	·020	-	·290	-	-	-	11
12	·040	·125	-	-	-	-	1·095	-	·140	-	·050	-	12
13	Tr.	-	-	·020	-	-	·040	·205	·020	-	-	-	13
14	-	·050	·020	-	-	·190	·350	·995	·010	-	·175	-	14
15	-	·105	-	·015	·075	-	·155	·480	-	-	·015	·015	15
16	·070	·360	-	·115	·970	·595	·020	·180	·185	-	-	-	16
17	-	·265	-	·280	·670	-	·010	-	-	-	-	-	17
18	·030	-	-	·415	-	·270	·210	·035	-	-	·430	-	18
19	·040	·030	-	·235	-	·290	·100	·095	·025	·020	-	-	19
20	-	·025	-	·030	-	-	·010	·430	-	·010	-	·020	20
21	·220	-	-	-	·445	-	-	·150	-	-	·230	-	21
22	·050	-	-	·035	Tr.	-	-	-	-	-	-	-	22
23	·165	-	·015	·025	·355	·070	-	-	·020	-	·230	·010	23
24	·010	·010	-	·095	·545	-	·215	-	-	-	-	-	24
25	·180	-	-	·540	Tr.	-	·310	-	-	-	·025	Tr.	25
26	Tr.	·010	-	·290	-	-	·050	-	-	-	·175	-	26
27	·190	·330	-	-	·025	-	-	-	-	·100	·310	·225	27
28	·065	s ·290	-	·035	·120	-	-	-	-	-	-	·100	28
29	·110	×	-	·080	·050	-	·065	-	-	·180	-	·030	29
30	·150	×	-	·010	-	·070	-	-	-	-	-	-	30
31	·195	×	-	×	-	×	-	-	×	·030	×	-	31
TOTAL	1·61~~5~~	2·700	·340	3·180	3·340	3·~~19~~205	3·55~~5~~	4·2~~25~~3	3·220	·550	2·4~~05~~1	·99~~5~~	YEAR'S TOTAL 29·320
*Days with ·01 in. or more.	17	21	6	22	11	14	20	13	12	10	16	9	171
*Days with ·04 in. or more.	13	14	3	14	9	11	14	12	8	4	12	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Engineer & General Manager.

[P.T.O.

2610

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BASFORD WATERWORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. $\frac{3}{4}$ in.

,, Ground ,, Sea Level 167.51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.065	.015	-	.150	.350	-	.110	.090	.120	.190	.010	.010	1
2	.030	-	-	-	.200	-	-	.015	.120	.125	-	.040	2
3	-	-	-	.240	.030	-	-	-	-	-	-	.010	3
4	.010	-	-	.165	-	-	-	-	Tr.	-	.235	-	4
5	.195	-	.035	-	.010	-	-	-	.030	-	-	-	5
6	.455	-	.065	.150	Tr.	-	Tr.	-	.060	-	-	-	6
7	-	-	.205	.155	-	-	-	-	.075	.020	.010	-	7
8	-	.015	-	.105	-	-	-	-	.080	.055	-	.045	8
9	-	S.170	-	.060	.015	-	-	-	-	-	-	-	9
10	.030	S.025	-	.035	Tr.	-	-	-	.295	.145	-	-	10
11	.030	S.045	S.020	.070	.160	.095	.140	-	.045	-	.020	-	11
12	.115	Tr.	-	.030	.035	-	.020	-	-	.455	.015	-	12
13	-	.030	-	.030	Tr.	-	1.780	-	-	.020	.080	.015	13
14	.055	.015	-	.050	-	-	.330	.340	-	Tr.	.145	-	14
15	-	-	-	.040	.265	-	Tr.	-	-	.035	-	.050	15
16	.175	-	-	.440	.240	-	-	-	-	Tr.	-	-	16
17	-	-	-	-	-	-	.015	-	.020	.065	-	-	17
18	-	-	-	-	.025	-	-	-	-	-	-	-	18
19	-	Tr.	-	.010	-	-	-	Tr.	-	.165	-	-	19
20	-	-	-	.035	.760	-	Tr.	.290	-	.305	.160	-	20
21	-	-	.125	.100	1.990	-	-	.410	-	.260	-	.145	21
22	-	-	.290	.020	.355	Tr.	.505	-	.460	-	.295	.010	22
23	-	.010	-	-	.680	-	.035	-	.070	.075	.160	.015	23
24	-	-	-	-	.015	-	.680	-	.025	Tr.	.130	-	24
25	Tr.	.065	-	-	Tr.	.010	.050	-	.010	.140	-	-	25
26	-	Tr.	-	.335	.400	.070	.080	-	.015	-	.040	-	26
27	-	-	.275	.225	.465	-	.090	-	-	-	.105	-	27
28	-	Tr.	.215	.040	.220	-	.115	.350	-	.050	-	-	28
29	-	-	.105	.115	.020	.160	.030	.160	.105	.175	.090	.100	29
30	-	×	.035	-	-	.360	.030	.015	.070	.070	.190	.190	30
31	-	×	.065	×	.015	×	1.290	-	×	-	×	.075	31
TOTAL	1.160	.390	1.435	2.600	6.250	.695	5.300	1.670	1.600	2.350	1.685	.705	YEAR'S TOTAL 25.840
*Days with ·01 in. or more.	10	9	11	22	20	5	16	8	16	17	15	12	161
*Days with ·04 in. or more.	6	3	8	16	12	4	11	6	11	14	11	7	109

40-9999

*See Instruction 2 (*f*) on other side.

Davies (Signed) Engineer & General Manager.

P.T.O.

2610

Section A **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BASFORD WATERWORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3/8 in.

" " Ground " Sea Level 167·53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.215	.200	.140	-	-	-	-	-	-	-	.065	-	1
2	.265	-	.305	-	Tr.	-	-	-	-	Tr.	.070	-	2
3	-	.105	.150	-	.220	-	-	-	-	-	.105	-	3
4	.035	-	.015	-	.235	-	-	-	-	-	-	-	4
5	.120	-	.070	-	.085	-	-	-	-	-	Tr.	-	5
6	-	.100	.060	-	.305	-	-	-	-	.020	Tr.	.040	6
7	-	.290	-	-	.085	-	.215	-	-	.200	-	Tr.	7
8	Tr.	-	.050	-	.080	-	.470	-	-	-	-	s.040	8
9	-	-	-	-	Tr.	-	.235	-	-	.960	.025	-	9
10	-	.090	-	-	-	.080	.130	.035	-	1.020	-	-	10
11	.030	-	-	-	-	.010	.010	Tr.	-	.025	-	-	11
12	.035	-	-	-	-	.015	.130	-	-	-	-	s.070	12
13	.065	-	-	-	.140	Tr.	.170	-	.085	.015	.110	-	13
14	-	-	-	-	Tr.	-	.045	.025	-	.030	.170	Tr.	14
15	s.700	-	Tr.	-	-	-	.075	.200	-	.070	.480	.030	15
16	s.180	-	.535	-	.045	.120	.525	-	-	.025	.065	.010	16
17	s.070	s Tr.	.950	-	-	.065	-	-	.025	-	.110	.010	17
18	Tr.	s.070	.080	-	-	.435	-	-	-	-	.050	-	18
19	-	s.015	.240	Tr.	-	-	.080	-	.045	-	-	Tr.	19
20	-	s.050	-	-	-	.230	-	.090	-	.020	.015	-	20
21	-	s Tr.	-	-	.430	.205	-	.025	.025	-	Tr.	-	21
22	-	-	-	-	-	.130	-	.280	Tr.	.770	.015	-	22
23	-	-	-	.255	.060	-	-	Tr.	.335	.010	-	-	23
24	-	s.380	-	.170	.045	.350	-	-	.190	.025	.050	-	24
25	-	s.900	-	.250	-	-	-	-	-	-	.030	.045	25
26	-	s.350	-	.130	.015	.040	-	-	.015	.060	.030	.010	26
27	-	Tr.	-	-	.030	-	-	-	.430	s.110	Tr.	.010	27
28	-	-	-	.205	.020	-	-	-	Tr.	.120	-	.030	28
29	.010	×	-	.060	-	-	-	-	-	.105	-	-	29
30	.030	×	.010	-	-	-	.045	-	-	.075	-	.015	30
31	-	×	.095	×	-	×	-	.015	×	.045	×	-	31
TOTAL	1.755	2.550	2.700	1.070	1.795	1.680	2.130	.670	1.150	3.705	1.390	.310	YEAR'S TOTAL 20.905
*Days with ·01 in. or more.	12	11	13	6	14	11	12	7	8	19	15	11	139
*Days with ·04 in. or more.	7	10	11	6	11	9	11	3	5	11	10	4	98

40-9999

*See Instruction 2 (*f*) on other side.

Signed Engineer & General Manager.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BASFORD WATERWORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

" Ground " Sea Level 167.57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.095	-	-	-	-	-	-	.105	-	.125	Tr.	.350		1
2	.030	.015	.020	-	-	-	-	.080	.350	-	.090	.220		2
3	Tr.	.035	-	-	-	-	-	Tr.	-	.015	.050	.010		3
4	.050	.010	.055	.650s	.035	-	-	-	.045	-	.075	.405		4
5	-	-	.065	.030	.130	-	-	.325	-	.020	.100	.075		5
6	-	-	-	.010	.465	.075	-	.085	-	.160	-	.530		6
7	.055	-	-	-	.010	-	-	.010	-	.150	-	.165		7
8	-	-	.070	-	.040	.010	-	.060	-	-	.375	-		8
9	-	-	.240s	.050	-	-	-	.030	.030	-	.730	.150		9
10	Tr.	-	.230	.140	-	-	-	.085	-	-	.200	-		10
11	.450	-	.100	.285	-	-	-	.100	-	-	-	.205		11
12	Tr.	-	.295	-	-	-	.060	.270	-	-	-	.035		12
13	.510	-	-	.010	-	-	.650	.055	-	.020	-	.150		13
14	.085	-	.225	-	.025	.050	-	-	-	.200	.555	.320		14
15	.040	-	.040	-	.065	-	-	Tr.	.010	-	.140	.010		15
16	.230	-	.075	-	.115	-	-	-	-	.020	.085	.030		16
17	.200	-	.025	Tr.	.035	-	.020	.155	.310	.030	.010	.055		17
18	.040	-	.025	.205	-	Tr.	.020	-	.075	-	-	.010		18
19	-	-	.070	.090	-	.270	-	-	-	Tr.	-	.140		19
20	-	-	.015	.030	-	-	-	-	-	-	-	-		20
21	-	-	-	-	-	.120	-	.020	.025	.010	-	-		21
22	-	-	-	-	-	-	-	.210	.340	-	-	-		22
23	-	-	.020	.240	.050	-	.760	-	-	-	-	.115		23
24	-	.170	.130	.035	-	.075	Tr.	-	.340	-	-	Tr.		24
25	.070	-	-	.025	-	-	-	-	Tr.	.085	-	.360		25
26	.225	-	.015	.110	-	-	.030	-	.025	.045	-	-		26
27	.010	.370s	-	.205	-	-	.030	-	.015	.140	-	.050		27
28	-	-	-	.020	-	.080	Tr.	.330	-	Tr.	-	.480		28
29	-	×	-	-	-	-	.080	.040	.330	.030	-	.080		29
30	.020	×	-	-	-	-	.060	-	.020	.070	-	.230		30
31	Tr.	×	-	×	-	×	.025	-	×	.135	×	Tr.		31
TOTAL	2.110	.600	1.715	2.135	.970	.680	1.735	1.960	1.915	1.255	2.410	4.175	Year's Total 21.660	
*Days with ·01 in. or more.	15	5	18	16	10	7	10	16	13	16	11	23	160	
*Days with ·04 in. or more.	12	2	12	9	6	6	5	13	7	9	10	18	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Davies

Engineer & General Manager.

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BASFORD WATERWORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 167.57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.245	-	-	.055	-	.075	.010	-	.540	.060	.125	.140		1
2	-	-	.030	-	-	.265	-	-	-	.270	-	.120		2
3	-	.115	.110	.020	-	.350	-	Tr.	.015	.110	.150	Tr.		3
4	-	-	.010	s.030	-	.095	-	-	.220	.295	-	-		4
5	-	s.370	.120	s.060	-	-	.015	-	.035	Tr.	.120	-		5
6	s.010	Tr.	Tr.	.115	-	.190	-	-	-	-	-	-		6
7	s.030	Tr.	-	.470	-	.035	-	-	-	.190	.540	·125		7
8	-	-	s.010	.200	-	-	-	Tr.	-	.035	.065	·205		8
9	-	-	Tr.	.195	-	.145	-	-	-	.600	.140	-		9
10	-	-	s.020	.080	-	-	-	-	-	Tr.	.160	-		10
11	s.175	-	-	-	-	.060	-	.030	-	Tr.	.085	·090		11
12	-	.025	-	-	-	.120	-	.025	.050	-	-	-		12
13	.045	.025	-	.080	.110	-	-	-	.080	.010	-	-		13
14	-	-	-	-	.070s	-	.010	-	.060	-	.370	·105	S.	14
15	-	.040	-	.560	.060	-	-	-	.120	-	.180	·220	S.	15
16	-	.110	.110	.045	-	.265	.155	-	.230	.130	.580	-		16
17	-	-	-	.165	-	.205	.110	.320	.075	.035	.560	-		17
18	.010	-	-	.240	.045	.080	.150	-	.350	.150	.020	-		18
19	-	-	-	.060	.045	.275	.030	-	.030	.075	.265	-		19
20	Tr.	.265	-	.255	-	.115	.080	-	-	-	.120	-		20
21	-	.605	-	.025	-	-	-	-	.580	.015	.140	-		21
22	-	s.285	.040	.050	-	-	-	.010	-	-	.010	-		22
23	Tr.	-	.145	-	-	-	-	1.000	.025	.150	-	-		23
24	.080	.180	.105	-	-	-	-	-	1.500	-	-	·220	S.	24
25	s.225	.065	-	.045	-	.380	-	-	-	-	-	·020		25
26	s.150	-	-	-	-	-	-	.680	.330	.045	.015	·360		26
27	s.015	s.205	-	-	-	Tr.	-	-	.460	.080	.180	·910		27
28	s.010	.015	-	-	.030	-	-	-	.020	.015	.030	·075		28
29	-	×	.070	-	-	-	-	Tr.	.100	.060	-	·050		29
30	.070	×	-	.075	-	-	-	.220	.045	.200	.330	·020		30
31	-	×	-	×	-	×	-	-	×	.410	×	·165		31
TOTAL	1·065	2·305	·770	2·825	·360	2·655	·560	2·285	4·865	2·935	4·185	2·825	Year's Total. 27·635	
* Days with .01 in. or more.	12	13	11	20	6	15	8	7	20	20	21	15	168	
* Days with .04 in. or more.	7	10	7	17	5	14	4	4	15	15	17	13	128	

40-9999

† Spare column, no entries required.

(Signed) A. Davies

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BASFORD WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 167·57 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	·060	·070	·355	–	·050	·040	·290	·015	–	Tr.	·015		1
2	·240	·035	·070	·080	–	·220	·115	·050	–	–	·150	·050		2
3	–	·020	–	–	–	·480	Tr.	–	·095	–	–	–		3
4	·040	·040	·080	Tr.	–	·050	–	·025	·070	Tr.	·080	·170		4
5	·020	·035	·100	–	–	–	·030	·040	·075	·015	–	·275		5
6	·010	–	·010	–	Tr.	·055	·290	·210	·200	–	·035	–		6
7	·350	–	Tr.	–	–	–	·790	–	·020	·010	·015	·010		7
8	·145	–	·050	–	–	–	·025	–	–	·060	·105	·030		8
9	·160	–	·015	–	–	·040	·460	–	Tr.	·135	·195	Tr.		9
10	·015	–	·010	–	–	–	·880	–	–	·010	–	–		10
11	–	–	–	·145	–	Tr.	·135	–	·050	–	·270	–		11
12	–	–	–	·120	·015	·270	·765	–	·350	–	·035	·045		12
13	–	–	–	·025	–	·130	·010	–	–	·045	·010	·085		13
14	–	–	–	·065	–	·080	·085	–	·560	–	·090	·350		14
15	s ·075	·015	·010	·080	–	·190	·030	–	–	–	·235	·025		15
16	s ·190	·125	–	·010	–	–	·010	–	–	–	·380	–		16
17	s ·010	·295	–	–	·325	–	·125	–	–	·025	·050	·050		17
18	–	–	–	–	–	·010	·220	–	–	·120	·015	·020		18
19	sl. ·415	·050	·010	·270	–	·330	·020	·060	–	·080	–	–		19
20	·015	·040	–	·010	–	–	·010	·070	–	–	–	–		20
21	·045	–	·030	·050	–	·440	–	–	–	–	–	–		21
22	Tr.	·370	·070	·010	·050	·070	·200	–	–	–	·010	·015		22
23	–	–	·170	·170	·065	–	·390	–	–	·020	–	–		23
24	·240	·100	–	–	·010	–	–	–	·175	·125	–	–		24
25	·075	·010	·060	·310	–	Tr.	·160	Tr.	·350	·015	–	–		25
26	–	·045	·425	–	–	–	·030	–	·090	·185	–	–		26
27	·040	–	–	Tr.	–	–	–	–	·150	·115	–	–		27
28	·430	·110	·035	–	–	Tr.	·010	–	·025	–	·030	·060		28
29	·575	·260	·120	–	–	·290	–	–	–	·020	·450	·030		29
30	·195	✕	–	–	·125	·130	·110	–	–	·300	–	·010		30
31	·030	✕	·010	✕	–	✕	·010	–	✕	·100	✕	·160		31
TOTAL.	3·315	1·610	1·345	1·700	·590	2·835	4·950	·745	2·225	1·380	2·155	1·400	Year's Total 24·250 ✓ ✓	
* Days with .01 in. or more.	21	16	18	14	6	16	25	7	14	17	17	17	188 ✓	
* Days with .04 in. or more.	15	11	10	10	4	15	15	6	11	10	10	9	126 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Davies [P.T.O.

Engineer ~~& General~~ Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2610.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at BASFORD WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 167·57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·110	·040	s ·015	-	-	-	Tr.	-	·075	-	·040	·140		1
2	·030	·140	·025	·320	-	-	-	-	-	-	-	1·050		2
3	-	·030	·015	·105	·080	-	·030	-	-	-	-	·230		3
4	·065	·110	·015	·010	·020	-	-	·030	-	-	-	s ·580		4
5	·250	-	·095	-	-	-	-	-	-	-	-	·035		5
6	-	-	·010	·015	·200	-	-	-	-	Tr.	-	·015		6
7	-	·380	·010	·190	·040	-	-	-	-	-	-	·030		7
8	-	·330	-	Tr.	-	-	-	-	-	-	·140	-		8
9	-	·075	-	·020	·090	-	·400	·020	·015	-	-	s ·050		9
10	·030	·045	s ·200	·130	-	·130	Tr.	-	-	Tr.	-	·080		10
11	-	-	·820	-	·680	-	-	Tr.	-	-	-	·125		11
12	·040	S1 ·295	·100	-	·350	·060	-	-	·160	-	-	·120		12
13	-	·040	-	-	Tr.	·120	-	-	Tr.	-	-	·030		13
14	-	-	·080	-	-	-	-	·080	·025	-	-	s ·055		14
15	·070	·150	-	·325	-	-	1·325 ✓	-	·065	-	-	-		15
16	·040	·260	·180	·300	-	-	-	·085	·250	-	-	·015		16
17	·130	·010	·170	·260	-	-	-	-	·230	-	-	-		17
18	·810	·030	·045	·050	-	-	·050	-	-	-	·390	-		18
19	·030	·110	·030	·055	Tr.	-	·035	-	-	-	·110	-		19
20	·140	·080	-	·270	·680	·040	-	-	·020	-	-	s ·025		20
21	·010	·040	·020	-	-	-	·230	-	-	-	-	·010		21
22	·040	·020	-	-	·020	-	·245	-	-	·265	·220	·020		22
23	·330	-	-	-	·050	-	·050	-	-	1·240	·350	-		23
24	·090	·420	·050	-	·010	-	-	-	·035	·095	-	-		24
25	·085	·240	·030	-	·055	-	-	-	·020	·880	-	-		25
26	-	·275	·070	-	·250	-	-	-	-	-	-	·015		26
27	-	·370	-	·165	-	-	-	-	-	·750	-	-		27
28	-	·120	·010	-	-	-	-	-	-	·010	-	·035		28
29	s ·100	✕	-	-	-	-	-	-	-	-	·050	·020		29
30	·380	✕	-	-	-	·015	-	-	-	-	·040	·020		30
31	·385	✕	-	✕	-	✕	-	-	✕	·180	✕	·020	3	31
TOTAL	7 3·165	3·610	1·990	2·215	3 2·525	7 ·365	7 2·365	·215	·895	3·420	1·340	2·720	Year's Total 24·825 ✓	
* Days with .01 in. or more.	20	23	20	14	13	5	8	4	10	7	8	22	154 ✓	
* Days with .04 in. or more.	16	19	10	11	10	4	6	2	5	6	[illegible]	9	106 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Davies M.I.C.E.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations | Station No. 2610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at BASFORD WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 167·57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	Tr.	·405	·250	Tr.	Tr.	·070	-	·115		1
2	·030	-	-	·045	-	·090	-	-	-	·080	-	·010		2
3	·040	-	-	-	-	·035	·050	-	·140	·600	·040	-		3
4	·040	-	-	·010	-	·020	·155	·460	-	·400	·020	·330		4
5	-	-	-	-	-	-	·080	·015	·015	-	-	-		5
6	·045	·040	-	-	-	-	·505	-	·080	·055	-	·010		6
7	·145	Tr.	-	-	-	-	·105	·015	·170	·030	-	·035		7
8	·245	-	-	-	-	-	·050	Tr.	-	·270	-	·030		8
9	·010	·110	-	-	-	-	-	·420	-	-	-	·370		9
10	-	·010	-	-	-	-	·225	·020	·010	-	-	·020		10
11	·460	-	-	-	-	-	·020	·100	Tr.	·030	·040	·010		11
12	·125	-	-	-	·105	-	Tr.	-	-	·440	·060	-		12
13	-	s ·030	-	-	-	-	-	-	-	Tr.	·175	·300		13
14	·080	-	-	-	·055	-	·530	-	·120	-	-	Tr.		14
15	·150	-	-	-	-	-	·230	·030	-	-	-	·165		15
16	·175	-	·010	-	-	-	·220	·010	-	Tr.	·020	·285		16
17	-	·035	-	-	·500	-	·065	Tr.	Tr.	·190	·010	-		17
18	·090	-	-	-	·220	·210	-	·035	·025	·020	·250	-		18
19	-	-	-	-	Tr.	-	-	·070	·035	-	-	s ·045		19
20	-	-	-	-	-	-	-	-	-	-	·290	s ·095		20
21	-	-	-	-	-	-	-	·035	-	-	-	s ·300		21
22	-	Tr.	-	-	-	·090	-	-	-	-	·285	sl ·245		22
23	-	-	-	-	-	·015	-	-	·090	-	-	sl ·050		23
24	-	-	·030	-	Tr.	-	-	-	·270	-	·020	sl ·030		24
25	·140	·250	·050	-	-	-	Tr.	·015	-	·135	·600	s ·170		25
26	·020	·175	·050	-	-	-	-	-	·175	·055	·015	·070		26
27	·025	·010	-	-	·205	·120	·125	·350	·340	·010	·290	-		27
28	·115	·010	-	-	·235	·080	·200	·665	·330	-	·030	·050		28
29	·350	✕	-	Tr.	·520	-	·025	-	-	·060	·070	·130		29
30	·030	✕	-	-	·015	·055	-	-	·140	-	·080	·090		30
31	·070	✕	-	✕	·165	✕	-	Tr.	✕	·160	✕	·830		31
TOTAL	9 2·385	·670	·140	·055	2·020	1·120	2·835	2·240	1·940	1 2·605	2·295	9 3·785	Year's Total 22·090	
* Days with .01 in. or more.	20	9	4	2	9	10	16	14	14	16	17	24	155	
* Days with .04 in. or more.	15	4	2	1	8	7	14	6	10	12	11	17	107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Engineer & General Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BASFORD WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 167·57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·075	-	·050	·090	-	-	·030	-	·015	·010	-	·030		1
2	·050	-	-	·035	-	-	Tr.	·150	·450	·090	·025	-		2
3	s ·360	-	-	·270	-	-	-	·425	-	·010	·220	·290		3
4	sl ·280	-	·260	·325	-	-	·030	·400	-	·010	-	·160		4
5	-	-	-	·040	·110	-	·165	·620	-	·050	·210	·230		5
6	sl ·560	-	·060	-	-	-	·265	-	-	·015	·050	-		6
7	·070	·050	-	-	·020	-	·225	-	-	-	·135	·340		7
8	-	·100	·170	-	-	-	·180	·050	-	·120	·165	·360		8
9	-	·085	-	-	-	-	·050	·285	-	·480	-	·250		9
10	sl ·640	-	Tr.	-	-	-	-	·140	-	·060	-	-		10
11	·045	-	·205	-	·020	·045	-	·045	·095	·140	-	-		11
12	·015	·060	·020	-	-	·295	-	-	-	-	Tr.	Tr.		12
13	-	-	-	·020	Tr.	·080	·055	-	-	·190	-	·020		13
14	·490	-	Tr.	·185	·200	·290	·170	-	-	·110	·080	-		14
15	·180	-	-	-	·400	·315	·250	-	·025	·100	-	-		15
16	·030	-	·065	-	·310	·120	·025	-	-	-	·180	-		16
17	·385	Tr.	·010	·115	-	-	·035	-	-	·695	-	-		17
18	·085	-	·080	-	-	·230	·105	-	·025	-	·690	-		18
19	·235	-	-	-	-	·145	·840	-	·010	-	-	Tr.		19
20	·010	-	-	-	-	·015	·045	·100	-	-	-	-		20
21	·195	·150	·160	·045	·020	·055	·920	·210	·015	-	-	-		21
22	·205	·140	·050	Tr.	-	-	·140	-	·020	-	·390	-		22
23	·015	·025	-	·225	-	·010	·065	-	-	Tr.	·435	·020		23
24	s ·045	Tr.	-	·055	-	Tr.	·070	·015	-	-	-	-		24
25	s ·970	-	·050	·020	-	·030	·055	·540	-	-	·465	-		25
26	·045	-	·020	·020	-	-	-	·010	-	·030	·110	·040		26
27	·010	·080	·290	-	-	·025	·020	·010	-	·095	·055	-		27
28	-	·230	·175	·135	-	·230	·185	·025	-	·020	·190	-		28
29	-	X	-	·385	-	-	·300	-	-	·265	·010	-		29
30	-	X	-	Tr.	-	·080	-	·010	-	-	·120	-		30
31	-	X	-	X	-	X	·055	·030	X	-	X	-		31
TOTAL	4·995	·920	1·665	1·965	1·080	1·965	4·280	3·065	·655	2·490	3·530	1·740	Year's Total 28·350	
* Days with .01 in. or more.	23	9	15	15	7	15	24	17	8	18	17	10	178	
* Days with .04 in. or more.	18	8	12	11	4	11	19	11	2	12	15	7	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at BASFORD WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 167·57 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	s ·130	–	·110	–	–	–	–	–	–	·250	–		1
2	–	s ·020	–	·220	–	–	·010	–	–	–	·520	·040		2
3	–	·280	–	·165	–	–	Tr.	–	–	·060	·330	·040		3
4	–	·175	–	–	–	–	Tr.	–	–	·080	·340	·070		4
5	–	·030	–	–	·050	–	·030	–	–	·090	·480	·160		5
6	·110	·150	–	–	–	–	–	–	–	·650	·080	·030		6
7	·030	·195	–	·100	·050	–	–	–	–	·020	–	–		7
8	–	Tr.	–	–	–	–	·090	–	Tr.	·100	·010	·160		8
9	–	–	·160	Tr.	–	·020	·030	·025	·050	–	·240	·050		9
10	–	–	·020	–	–	–	·740	·160	–	–	·100	·330		10
11	–	s ·010	·010	Tr.	–	–	·190	–	–	–	·750	–		11
12	–	s ·010	·110	–	–	–	·120	–	·100	–	·340	–		12
13	–	s ·065	s ·230	·020	–	–	–	–	·105	–	–	Tr.		13
14	–	–	·010	·055	·300	–	–	–	·060	·020	–	·340		14
15	–	–	–	–	Tr.	·100	–	–	–	Tr.	·050	Tr.		15
16	s ·050	s ·260	·360	–	–	·070	1·010	–	·060	1·650	·930	·010		16
17	–	s ·260	·530	–	–	–	·040	–	–	–	·410	–		17
18	s ·095	sl ·200	·125	·400	–	–	–	·065	·060	·090	–	·040		18
19	–	·165	·045	·280	–	·020	·440	·040	·070	·010	·165	·050		19
20	–	·030	–	·100	–	·050	·130	·030	–	·110	·080	–		20
21	s ·080	·010	–	–	–	·380	·150	–	–	·060	1·150	–		21
22	–	–	·010	–	·300	·150	–	Tr.	·160	–	–	–		22
23	–	·055	·080	·040	·260	·110	–	–	–	·050	–	·040		23
24	·035	–	–	·020	–	–	·090	–	Tr.	–	–	–		24
25	–	–	–	Tr.	–	·095	–	–	–	·030	–	–		25
26	s ·820	·045	–	·020	·070	·020	·070	·010	–	–	·010	–		26
27	s ·900	·080	–	·790	–	–	·220	·020	–	–	·020	–		27
28	s ·180	·420	–	Tr.	·030	–	–	–	–	–	–	–		28
29	–	X	·150	·030	·380	·070	–	–	–	Tr.	–	·160		29
30	s ·115	X	–	·010	–	–	–	–	–	·320	–	·030		30
31	s ·165	X	·080	X	–	X	–	–	X	·920	X	·020		31
TOTAL	2·580	2·590	1·920	2·360	1·440	1·085	3·360	·350	7 ·665	4·260	6·255	1·570	Year's Total 28·435	✓
* Days with .01 in. or more.	11	20	14	15	8	11	15	7	8	16	19	16	160	✓
* Days with .04 in. or more.	9	14	10	10	7	8	12	3	8	12	16	12	121	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. W. Davies

Engineer & General Manager.

[P.T.O.

2611

2611 —

BURTON JOYCE W.W.

1931 – 1940

78 04 11

Section **A** for th
AIR

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

R 1931.

Kept at BURTON

in the County of

Diameter of Funnel of

Height of top of Gauge above Gr

Ground ,, Sea Level 64·14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.040	s .040	.070	-	-	-	-	.100	-	-	-	1
2	-	.020	-	.570	-	.070	-	-	.350	.090	-	.060	2
3	.020	-	-	.090	-	-	.050	-	.860	-	.060	.160	3
4	-	.050	-	.080	-	-	.450	.100	.110	-	.030	-	4
5	-	.060	-	-	.080	1.080	-	-	.110	-	-	.410	5
6	-	.130	-	-	-	.660	-	-	.020	.110	.050	-	6
7	-	-	-	-	-	.270	.060	.340	-	.020	.120	-	7
8	.060	.080	s .010	-	-	-	.040	.790	-	-	.260	-	8
9	-	.140	-	.100	-	.020	-	.220	-	-	.130	-	9
10	.020	.060	-	-	.020	-	.040	.050	-	-	.030	-	10
11	.060	.500	-	-	-	.060	-	-	.240	-	-	-	11
12	.040	.110	-	-	-	-	.830	-	.120	.030	.040	-	12
13	-	-	.060	-	-	-	-	.130	-	-	-	-	13
14	-	.060	-	-	-	.120	.220	.990	-	-	.110	-	14
15	-	.110	-	.020	.080	-	.020	.060	-	-	.020	-	15
16	.060	.130	-	.140	.620	.550	-	.220	.160	-	-	-	16
17	-	.220	-	.320	.980	-	-	-	-	-	-	-	17
18	.020	-	-	.300	-	.150	.200	.040	-	-	.300	-	18
19	.050	-	-	.140	-	.130	.250	.070	.060	.040	-	-	19
20	-	.040	-	.020	-	-	-	.430	-	-	-	.020	20
21	.150	-	-	-	.420	-	-	.090	-	-	.240	-	21
22	.040	-	-	-	-	-	-	-	-	-	-	-	22
23	.180	-	-	.020	.380	.090	-	-	-	-	.190	-	23
24	-	-	-	.100	.460	-	.050	-	-	-	-	-	24
25	.150	-	-	.400	-	-	.300	-	-	-	.020	-	25
26	-	-	-	.450	.130	-	.080	-	-	-	.180	-	26
27	.170~~0~~	.260	-	-	-	-	-	-	-	.120	.310	-	27
28	.150	s .370	-	.020	.210	-	-	-	-	-	-	.120	28
29	.220	X	-	.050	.060	-	.130	-	-	.140	-	.040	29
30	.180	✕	-	-	-	.050	-	-	-	-	-	-	30
31	.150	✕	-	✕	-	✕	-	-	✕	.020	✕	.020	31
TOTAL	1.720	2.380	.110	2.890	3.440	3.250	2.720	3.530	2.130	.570	2.090	.830	YEAR'S TOTAL 25.660
*Days with ·01 in. or more.	~~17~~	~~17~~	~~3~~	~~17~~	~~11~~	~~12~~	~~14~~	~~13~~	~~10~~	~~8~~	~~16~~	~~7~~	~~145~~
*Days with ·04 in. or more.	14	16	2	13	10	11	13	13	9	5	12	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

Engineer & General Manager.

2611

Section **A** for th[redacted] COPY FOR OFFICIAL USE.
AIR [redacted]AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BURTON JOYCE WATERWORKS,
in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 64·14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.040	s .040	.070	-	-	-	-	.100	-	-	-	1
2	-	.020	-	.570	-	.070	-	-	.350	.090	-	.060	2
3	.020	-	-	.090	-	-	.050	-	.860	-	.060	.160	3
4	-	.050	-	.080	-	-	.450	.100	.110	-	.030	-	4
5	-	.060	-	-	.080	1.080	-	-	.110	-	-	.410	5
6	-	.130	-	-	-	.660	-	-	.020	.110	.050	-	6
7	-	-	-	-	-	.270	.060	.340	-	.020	.120	-	7
8	.060	.080	s .010	-	-	-	.040	.790	-	-	.260	-	8
9	-	.140	-	.100	-	.020	-	.220	-	-	.130	-	9
10	.020	.060	-	-	.020	-	.040	.050	-	-	.030	-	10
11	.060	.500	-	-	-	.060	-	-	.240	-	-	-	11
12	.040	.110	-	-	-	-	.830	-	.120	.030	.040	-	12
13	-	-	.060	-	-	-	-	.130	-	-	-	-	13
14	-	.060	-	-	-	.120	.220	.990	-	-	.110	-	14
15	-	.110	-	.020	.080	-	.020	.060	-	-	.020	-	15
16	.060	.130	-	.140	.620	.550	-	.220	.160	-	-	-	16
17	-	.220	-	.320	.980	-	-	-	-	-	-	-	17
18	.020	-	-	.300	-	.150	.200	.040	-	-	.300	-	18
19	.050	-	-	.140	-	.130	.250	.070	.060	.040	-	-	19
20	-	.040	-	.020	-	-	-	.430	-	-	-	.020	20
21	.150	-	-	-	.420	-	-	.090	-	-	.240	-	21
22	.040	-	-	-	-	-	-	-	-	-	-	-	22
23	.180	-	-	.020	.380	.090	-	-	-	-	.190	-	23
24	-	-	-	.100	.460	-	.050	-	-	-	-	-	24
25	.150	-	-	.400	-	-	.300	-	-	-	.020	-	25
26	-	-	-	.450	.130	-	.080	-	-	-	.180	-	26
27	.1700	.260	-	-	-	-	-	-	-	.120	.310	-	27
28	.150	s .370	-	.020	.210	-	-	-	-	-	-	.120	28
29	.220	X	-	.050	.060	-	.130	-	-	.140	-	.040	29
30	.180	X	-	-	-	.050	-	-	-	-	-	-	30
31	.150	X	-	X	-	X	-	-	X	.020	X	.020	31d,
TOTAL	1.720	2.380	.110	2.890	3.440	3.250	2.720	3.530	2.130	.570	2.090	.830	YEAR'S TOTAL 25.660
*Days with ·01 in. or more.	~~17~~	~~17~~	~~3~~	~~17~~	~~11~~	~~12~~	~~14~~	~~13~~	~~10~~	~~8~~	~~16~~	~~7~~	~~145~~
*Days with ·04 in. or more.	14	16	2	13	10	11	13	13	9	5	12	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.
Engineer & General Manager.

2611

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BURTON JOYCE WATERWORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 64.14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.050	.070	-	.140	.360	-	.020	-	.160	.160	-	-	1
2	-	-	-	-	.140	-	-	-	.090	.140	-	.060	2
3	.030	-	-	.100	.050	-	-	-	-	-	-	.025	3
4	-	-	-	.090	-	-	-	-	-	-	.240	-	4
5	.210	-	.040	-	-	-	-	-	.050	-	-	-	5
6	.480	-	.130	.240	-	-	-	-	.080	-	-	-	6
7	-	-	.140	.150	-	-	-	-	.050	.030	-	-	7
8	-	-	-	.090	-	-	-	-	.050	.020	.020	-	8
9	-	.100	-	.030	-	-	-	-	-	-	-	.040	9
10	.020	.040	-	.070	.040	-	-	-	.330	.140	-	-	10
11	-	.080	-	.070	.140	-	.760	-	.080	-	.020	-	11
12	.140	.040	-	.020	.040	-	-	-	-	.510	.020	-	12
13	-	.050	-	.040	-	-	2.610	.310	-	.030	.100	-	13
14	.060	-	-	-	-	-	.280	-	-	-	.110	-	14
15	-	-	-	.020	.110	-	-	-	-	.050	-	.050	15
16	.150	-	-	.350	.270	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	-	-	-	.130	-	-	17
18	-	-	-	-	.020	-	-	-	-	-	-	-	18
19	-	-	-	-	-	-	-	-	-	.180	-	-	19
20	-	-	-	-	.500	-	-	.240	-	.340	.200	-	20
21	-	-	.130	.160	1.680	-	-	.130	-	.270	-	.140	21
22	-	-	.340	-	.500	.030	.340	-	.420	.020	.270	-	22
23	-	-	-	-	.590	-	.020	-	.090	.070	.240	-	23
24	-	-	-	-	-	-	.450	-	.030	-	.170	-	24
25	-	.060	-	-	.020	-	.100	-	.060	.150	-	-	25
26	-	-	-	.320	.370	.060	.070	-	.040	.020	.020	-	26
27	-	-	.200	.150	.460	-	.110	-	-	-	.080	-	27
28	-	-	.120	.050	.220	-	.140	.900	-	.060	.020	-	28
29	-	-	.100	.090	.090	.140	.020	.890	.050	.250	.110	.100	29
30	-	X	.080	.020	-	.300	.100	.050	.100	.150	.190	.140	30
31	-	X	.020	X	-	X	.870	-	X	-	X	.070	31
TOTAL	1.140	.440	1.300	2.200	5.600	.530	5.890	2.520	1.680	2.720	1.810	.625	YEAR'S TOTAL 26.455
*Days with ·01 in. or more.	8	7	10	19	18	4	14	6	15	19	15	8	143
*Days with ·04 in. or more.	6	7	9	15	16	3	11	6	14	14	10	7	118

40-9999

*See Instruction 2 (*f*) on other side.

A. Davies (Signed) [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BURTON JOYCE WATERWORKS
in the County of NOTTINGHAM
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft - in.
" " Ground " Sea Level 64.14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.190	.180	.220	-	-	-	-	-	-	-	.120	-	1
2	.260	-	.310	-	-	-	-	-	-	-	.080	-	2
3	-	.110	.280	-	.170	-	-	-	-	-	.080	-	3
4	.040	-	-	-	.050	-	-	-	-	-	-	-	4
5	.130	-	.070	-	.340	-	-	-	-	-	-	-	5
6	-	.090	.060	-	.560	-	-	-	-	-	-	.040	6
7	.020	.220	-	-	.140	-	.150	-	-	.200	-	-	7
8	-	-	.080	-	.080	-	.350	-	-	-	-	.020s	8
9	-	-	-	-	.020	-	.230	-	-	.890	.050	-	9
10	-	-	-	-	-	.070	.180	.050	-	.960	.020	-	10
11	-	-	-	-	-	.020	.080	.010	-	-	-	-	11
12	.090	-	-	-	-	-	.130	-	-	-	-	.080s	12
13	-	-	-	-	.100	-	.200	-	-	-	.140	-	13
14	-	-	-	-	-	-	.100	-	-	.050	.230	-	14
15	s.610	-	-	-	-	-	.020	.190	-	.060	.580	-	15
16	s.220	-	.540	-	.020	.180	.240	-	-	-	.020	.020	16
17	s.020	-	.970	-	-	.070	-	-	.040	-	.090	-	17
18	-	s.040	.080	-	-	.630	-	-	-	-	.020	-	18
19	-	s.050	.130	-	-	.090	.680	-	.080	-	-	-	19
20	-	s.020	-	-	-	.130	-	.070	-	.020	-	-	20
21	-	-	-	-	.030	.230	-	.180	.020	-	-	-	21
22	-	-	-	-	-	.110	-	.280	-	.520	-	-	22
23	-	-	-	.290	-	-	-	-	.920	.020	-	-	23
24	-	s.070	-	.160	.080	.320	-	-	.160	-	.050	-	24
25	-	s.570	-	.280	-	-	-	-	-	-	-	.040	25
26	-	s.490	-	.160	-	-	-	-	.020	.120	-	.020	26
27	-	-	-	-	.040	-	-	-	.340	.200s	-	.010	27
28	-	-	-	.160	-	-	-	-	-	.250	-	.010	28
29	-	X	-	.160	-	-	-	-	-	.100	-	-	29
30	.020	X	-	-	-	-	.070	-	-	.030	-	.030	30
31	-	X	.090	X	-	X	-	.030	X	.030	X	-	31
TOTAL	1.600	1.840	2.830	1.210	1.630	1.850	2.430	.810	1.580	3.450	1.480	.270	YEAR'S TOTAL 20.980
*Days with ·01 in. or more.	10	10	11	6	12	10	12	7	7	14	12	9	120
*Days with ·04 in. or more.	7	9	11	6	9	9	11	5	5	10	9	3	94

40-9999

*See Instruction 2 (*f*) on other side.

Signed Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BURTON JOYCE WATERWORKS

in the County of NOTTINGHAM

*Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 64.14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.090	-	-	-	-	-	-	.110	-	.070	-	.240		1
2	.030	-	-	-	-	-	-	.080	.270	-	.110	.160		2
3	-	.030	-	-	-	-	-	-	-	.110	.050	-		3
4	.020	-	.080	.460	.020	-	-	-	.040	.010	.130	.220		4
5	-	-	.060	.030	.120	-	-	.240	-	-	.090	.040		5
6	-	-	.020	-	.390	.040	-	.020	-	.190	-	.560		6
7	.030	-	-	-	-	-	-	-	.010	.040	-	.220		7
8	-	-	.090	-	.030	-	-	Tr.	-	-	.380	-		8
9	-	-	.210	.040	-	-	-	.020	.010	-	.630	.140		9
10	-	-	.515	.115	-	-	-	.110	-	-	.120	-		10
11	.460	-	.120	.270	-	-	-	.180	-	-	-	.360		11
12	-	-	.315	-	-	-	.300	.120	-	-	-	.050		12
13	.470	-	-	-	-	-	.750	.050	-	-	.020	.190		13
14	.050	-	.175	-	-	.050	-	-	-	.160	.510	.280		14
15	-	-	.025	-	.090	-	-	-	-	-	.110	-		15
16	.180	-	.080	-	.210	-	-	-	-	.020	.080	-		16
17	.200	-	-	-	-	-	.110	.020	.180	.080	-	.060		17
18	.020	-	.020	.225	-	-	.065	-	.110	-	-	-		18
19	-	-	.070	.120	-	.250	-	-	-	.060	-	-		19
20	-	-	.050	.025	-	-	-	-	-	-	-	-		20
21	-	-	-	-	-	.100	-	.020	-	.020	-	-		21
22	-	-	-	-	-	-	-	.220	.410	-	-	.030		22
23	-	-	-	.210	-	-	.700	-	-	-	.020	.150		23
24	-	.020	.130	.200	-	.070	.050	-	.400	-	-	-		24
25	.100	-	-	-	-	-	-	-	-	.070	-	.360		25
26	.240	-	-	.070	-	-	-	-	.060	.080	-	.090		26
27	-	.130	-	.230	-	-	.020	-	-	.170	-	.080		27
28	-	-	-	.020	-	.020	-	.450	-	-	-	.470		28
29	-	X	-	-	-	-	.070	.070	.270	-	-	.100		29
30	.020	X	-	-	-	-	.030	-	.040	.020	-	.190		30
31	-	X	-	X	-	X	.090	-	X	.270	X	.020		31
TOTAL	1.910	.180	1.960	2.015	.860	.530	2.185	1.710	1.800	1.370	2.250	4.010	Year's Total 20.780	
*Days with ·01 in. or more.	13	3	15	13	6	6	10	14	11	15	12	21	139	
*Days with ·04 in. or more.	8	1	12	10	4	5	8	10	9	11	10	19	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Engineer & General Manager.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BURTON JOYCE WATERWORKS

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" ,, Ground ,, Sea Level 64.14 ft. amend pp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.250	-	-	.030	-	.090	-	-	.330	-	.190	·290		1
2	-	-	-	-	-	.340	-	-	-	.380	-	·020		2
3	-	.140	.270	.020	-	.230	-	-	-	.060	.180	-		3
4	-	-	-	-	-	.220	-	-	.260	.320	-	-		4
5	-	.270	.130	.110	-	.020	-	-	-	.050	-	-		5
6	.060	-	-	.100	-	.150	-	-	-	-	-	-		6
7	.050	-	-	.450	-	.040	-	-	-	.200	.650	·150		7
8	-	-	-	.160	-	-	-	-	-	-	.070	·300		8
9	-	.020	.020	.100	-	.250	-	-	-	.600	.190	-		9
10	-	.070	-	.100	-	-	-	-	-	-	.040	·020		10
11	.180	-	-	-	-	.060	-	-	-	-	.090	·080		11
12	.030	.030	-	-	-	.140	-	.030	.010	-	-	-		12
13	.070	.020	-	.100	.120	-	-	-	.020	-	-	-		13
14	-	-	-	-	.110	-	-	-	.360	-	.360	·120		14
15	-	-	-	.650	-	-	-	-	.370	-	.130	·300		15
16	-	.060	.100	.080	-	.300	-	-	.260	.110	.530	-		16
17	-	-	-	.180	-	.160	.090	.440	.055	.020	.560	-		17
18	.020	-	-	.260	.140	.140	.170	-	.330	-	.060	-		18
19	-	-	-	.060	-	.260	-	-	.040	.170	.340	-		19
20	-	.320	-	.260	-	.110	.130	-	-	-	.050	-		20
21	-	.560	-	-	-	-	-	-	.470	.020	.160	-		21
22	-	.240	-	.110	-	-	-	-	-	-	-	-		22
23	-	.070	.130	-	-	-	-	.900	.020	.100	-	-		23
24	.150	.230	.020	-	-	-	-	-	1.590	-	-	·020		24
25	.360	.040	-	.060	-	.070	-	-	-	-	-	·060		25
26	.070	-	-	-	-	-	-	.750	.310	.010	-	·330		26
27	-	.190	-	-	-	-	-	-	.340	.120	.220	1·250		27
28	-	-	-	-	-	-	-	-	.010	.020	.030	·020		28
29	-	X	.080	-	-	-	-	-	.130	.070	.020	·060		29
30	.090	X	-	.050	-	-	-	.140	.050	.200	.360	.060		30
31	-	X	-	X	-	X	-	-	X	.430	X	·200		31
TOTAL	1·330	2·260	·750	2·880	·370	2·580	·390	2·260	4·955	2·880	4·230	3·280	Year's Total. 28·165	"d"
* Days with .01 in. or more.	11	14	7	18	3	16	3	5	18	17	19	16	147	
* Days with .04 in. or more.	9	11	5	16	3	15	3	4	14	13	17	12	122	

40-9999

† Spare column, no entries required.

(*Signed*) A. Davies

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BURTON JOYCE WATERWORKS

in the County of NOTTINGHAM

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 64•14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	•100	•050	•410	-	-	•150	•370	•150	-	•020	•040		1
2	•280	•040	•200	•070	-	•260	•320	•070	-	-	•370	•160		2
3	-	-	-	-	-	•480	-	-	•110	-	-	•010		3
4	•030	•050	•110	-	-	•050	-	-	•140	•030	•100	•280		4
5	•070	•020	•200	-	-	-	-	•060	•030	-	-	•400		5
6	-	-	-	-	-	•050	•290	•190	•210	-	•060	-		6
7	•360	-	-	-	-	-	1•040	-	•120	•045	•020	•040		7
8	•150	-	•050	-	-	-	-	-	•040	•100	•130	-		8
9	•170	-	•020	-	-	•080	•420	-	•020	•080	•240	-		9
10	-	-	-	-	-	-	•550	-	-	•040	-	-		10
11	-	-	-	•130	-	•020	•180	-	-	-	•440	-		11
12	-	-	-	•150	-	•170	•810	-	•760	-	•110	-		12
13	-	-	-	•020	-	•160	-	-	-	•120	-	•030		13
14	-	-	-	•120	-	•060	•190	-	•800	•030	•100	•670		14
15	s •050	-	-	•070	-	•230	•075	-	-	-	•350	•050		15
16	s •320	•200	-	•050	-	-	•010	-	-	-	•580	-		16
17	-	•410	-	-	•060	-	•040	-	-	•030	•070	•065		17
18	-	•040	-	-	-	-	•210	-	-	•130	•030	-		18
19	sl •520	-	•040	•280	-	•360	•010	•080	-	•180	-	-		19
20	-	•010	-	-	-	-	-	•100	-	-	-	-		20
21	-	-	-	•050	•020	•490	-	-	-	-	-	-		21
22	-	•530	•070	-	•070	•140	•200	-	-	-	-	•030		22
23	-	•010	•100	•180	•125	-	•480	-	-	•060	-	•030		23
24	•290	•120	-	-	•020	-	-	-	•150	•160	-	-		24
25	•100	-	•080	•310	-	•020	-	-	•400	-	-	-		25
26	-	•090	•230	•020	-	-	-	-	•120	•210	-	-		26
27	•190	-	•030	-	-	-	-	-	•270	•220	-	-		27
28	•280	•140	•020	-	-	•040	•020	-	•060	-	•060	•060		28
29	•930	•320	•100	-	•030	•320	•010	-	-	•045	•490	•090		29
30	•190	✕	-	-	•090	•210	•180	-	-	•370	-	-		30
31	•040	✕	-	✕	-	✕	•010	-	✕	•120	✕	•220		31
TOTAL	3•970	2•080	1•300	1•860	•415	3•140	5•195	•870	3•380	1•970	3•170	2•175	Year's Total 29•525	29.53
* Days with .01 in. or more.	16	14	14	13	7	17	20	6	15	17	16	15	170	
* Days with .04 in. or more.	15	11	11	11	4	15	15	6	13	14	13	11	139	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) Davies [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations | Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at BURTON JOYCE WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 64.14 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·180	·050	s ·010	–	–	–	–	–	·080	–	·070	·170		1
2	·040	·170	·040	·260	–	–	–	–	–	–	–	·820		2
3	–	·020	–	·040	·070	–	–	–	–	–	·010	·320		3
4	·090	·130	·020	–	–	–	–	–	–	–	–	s ·560		4
5	·270	–	·120	–	–	–	–	·010	–	–	–	·090		5
6	–	–	·020	·020	·110	–	–	–	–	–	·020	·020		6
7	–	·450	–	·210	·050	–	–	–	–	–	–	–		7
8	–	·430	–	–	–	–	–	–	–	–	·120	·020		8
9	·030	·070	–	·040	·220	–	·540	·010	–	–	–	s ·050		9
10	·040	·050	s ·260	·240	–	·200	–	–	–	–	·010	·090		10
11	–	–	·950	–	1·360	–	–	·030	–	–	–	·090		11
12	·060	·400	·180	–	·570	·010	–	–	·220	–	–	·130		12
13	–	·085	–	–	·030	·060	–	–	·010	–	–	·030		13
14	–	–	·120	–	–	–	–	·110	·030	–	–	s ·090		14
15	·140	·230	·020	·400	–	–	1·150	–	·050	–	–	·040		15
16	·060	·320	·280	·490	–	–	–	·070	·140	–	–	·020		16
17	·160	·020	·270	·390	–	–	–	–	·450	–	–	–		17
18	·860	·040	·090	·080	–	–	·040	–	·020	–	·390	–		18
19	·070	·150	·120	·090	–	·180	·040	–	–	–	·120	–		19
20	·220	·090	–	·390	·790	·025	–	–	·020	–	–	–		20
21	·020	·050	·110	–	–	–	·260	–	–	·010	–	–		21
22	·060	–	·020	–	·040	–	·240	–	–	·280	·140	·020		22
23	·640	–	·020	–	–	–	·040	–	–	1·070	·370	·070		23
24	·440	·630	–	–	–	–	·070	–	·050	·120	–	–		24
25	·360	·380	·050	–	·080	–	–	–	·030	·570	–	–		25
26	–	·270	·040	–	·340	–	–	–	–	–	–	–		26
27	–	·660	–	·170	–	–	–	–	–	·940	–	·010		27
28	–	·110	·020	–	–	–	–	–	–	·010	–	·030		28
29	s ·100	X	–	–	–	–	–	–	–	–	·080	·010		29
30	·420	X	–	–	–	·020	–	–	–	·030	–	·010		30
31	·360	X	–	X	–	X	–	–	X	·280	X	–		31
TOTAL	4·620	4·805	2·760	2·820	3·660	·495	2·380	·230	1·100	3·310	1·330	2·690	Year's Total 30·200	
* Days with .01 in. or more.	21	22	20	13	11	6	8	5	11	9	10	21	157	
* Days with .04 in. or more.	19	20	13	12	10	3	8	2	6	8	7	12	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at BURTON JOYCE WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 64·14 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	·520	·260	-	·090	·030	-	·160		1
2	·040	-	-	·020	-	·170	·030	-	-	·090	-	·030		2
3	·070	-	-	-	-	·050	·040	-	·200	·570	·040	-		3
4	·030	-	-	-	-	·040	·160	·040	-	·650	·030	·360		4
5	-	-	-	-	-	-	·040	-	·020	·030	-	-		5
6	·050	·040	-	-	-	-	·320	-	·260	·070	-	-		6
7	·120	-	-	-	-	-	·120	·040	·040	·030	-	·040		7
8	·200	-	-	-	-	-	·150	-	-	·250	-	·020		8
9	·010	·080	-	-	-	-	-	·280	-	-	-	·350		9
10	-	·010	-	-	-	-	·300	·030	-	-	-	·030		10
11	·460	-	-	-	-	-	-	-	-	·080	·030	·020		11
12	·140	-	-	-	·090	-	·050	-	-	·400	·120	-		12
13	-	S ·050	-	-	-	-	-	-	-	-	·180	·240		13
14	·120	·090	-	-	·050	-	·460	-	·150	-	-	-		14
15	·150	-	-	-	-	-	·250	·040	-	-	-	·230		15
16	·200	-	-	-	-	-	·190	-	-	·040	·010	·330		16
17	-	·020	-	-	·630	-	·100	-	-	·140	·030	·010		17
18	·090	-	-	-	·200	·300	-	·050	-	·030	·290	-		18
19	-	-	-	-	·010	-	-	·110	·100	-	-	S ·190		19
20	-	-	-	-	-	-	·030	-	-	-	·290	S ·090		20
21	-	-	-	-	-	-	-	-	-	-	-	S ·240		21
22	-	-	-	-	-	·170	-	-	-	-	·290	·240		22
23	-	-	-	-	-	·030	-	-	·020	-	·010	·070		23
24	-	-	·030	-	-	-	-	·060	·260	-	·020	·030		24
25	·110	·190	·060	-	-	-	-	·050	-	·130	·500	S ·050		25
26	·030	·290	-	-	-	-	-	-	·160	·070	·040	·250		26
27	·020	·010	-	-	·260	·130	·130	·310	·290	·020	·320	-		27
28	·160	-	-	-	·400	·060	·180	·960	·250	-	·050	·050		28
29	·250	X	-	-	·660	-	·020	-	-	·040	·090	·130		29
30	·050	X	-	-	·050	·060	-	-	·110	-	·060	·040		30
31	·090	X	-	X	·160	X	-	-	X	·170	X	·760		31
TOTAL	2·390	·780	·090	·020	2·510	1·530	2·830	1·970	1·950	2·840	2·400	3·960	Year's Total 23·270	✓
* Days with .01 in. or more.	20	9	2	1	10	10	18	11	13	18	18	24	154	✓
* Days with .04 in. or more.	16	6	1	-	9	9	15	10	11	13	12	18	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Engineer & General Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BURTON JOYCE WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 64·14 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·030	-	·070	·110	-	-	·020	-	·020	-	-	-		1
2	·060	-	-	·060	-	-	·020	·190	·520	·230	·060	-		2
3	^{s}·400	-	-	·300	-	-	-	·170	-	·020	·250	·260		3
4	^{s}·190	-	·200	·270	-	-	·010	·390	-	-	·020	·180		4
5	-	-	-	·040	·080	-	·050	·410	-	·090	·190	·220		5
6	^{sl}·600	-	·060	-	-	-	·270	-	-	·010	·040	-		6
7	·070	·060	-	-	-	-	·210	-	-	-	·160	·310		7
8	-	·090	·170	-	-	-	·160	·020	-	·180	·290	·300		8
9	-	·070	-	-	-	-	·040	·220	-	·650	-	·250		9
10	^{sl}·500	-	-	-	-	·050	-	·180	-	·030	-	-		10
11	·030	-	·270	-	-	·110	-	·090	·050	·080	-	-		11
12	·020	·050	·020	-	-	·280	-	-	-	-	-	-		12
13	-	-	-	·010	-	·140	·030	-	-	·230	-	-		13
14	·495	-	-	·080	·240	·190	·170	-	-	·120	·110	-		14
15	·210	-	-	-	·410	·290	·220	-	-	·110	·020	-		15
16	·030	-	·090	-	·310	·240	·030	-	·010	-	·190	-		16
17	·330	-	·030	·140	-	-	1·390	-	-	·790	-	-		17
18	·050	-	·080	-	-	·290	·090	-	-	·020	·870	-		18
19	·240	-	·010	-	-	·200	·370	-	·030	-	-	-		19
20	·010	-	-	-	-	·020	-	·250	-	-	-	-		20
21	·170	·110	·170	·020	-	·100	-	·100	·020	-	-	-		21
22	·230	·130	·110	-	-	-	·140	-	-	-	·400	-		22
23	·050	-	-	·200	-	·030	·070	-	-	·070	·430	-		23
24	^{s}·060	·020	-	·040	-	·010	·080	-	-	-	-	-		24
25	^{s}·720	-	·080	·010	-	·020	·210	1·020	-	-	·410	-		25
26	·040	-	·030	·030	-	-	-	-	-	·090	·110	·030		26
27	·020	·060	·250	-	-	·030	·030	-	-	·120	·040	-		27
28	-	·210	·170	·190	-	·160	·090	·060	-	·020	·160	-		28
29	-	X	-	·360	-	-	·320	-	-	·280	-	-		29
30	-	✕	-	·010	-	·080	-	·020	-	-	·140	-		30
31	-	✕	-	✕	-	✕	·030	·070	✕	-	✕	-		31
TOTAL	4·555	·800	1·810	1·870	1·040	3·240	4·050	3·190	·650	3·140	3·890	1·550	Year's Total 28·785	
* Days with .01 in. or more.	23	9	16	16	4	17	23	14	6	18	18	7	171	
* Days with .04 in. or more.	17	8	12	11	4	12	16	12	2	13	16	6	129	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ....

Engineer & General Manager.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at BURTON JOYCE WATERWORKS.

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 64·14 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	s ·120	-	·030	-	-	-	-	-	-	·270	-		1
2	-	s ·050	-	·250	-	-	-	-	-	-	·520	·030		2
3	-	·220	-	·160	-	-	-	-	-	·060	·305	·030		3
4	-	·210	-	-	-	-	-	-	-	·080	·420	·095		4
5	-	·020	-	-	·100	-	·060	-	-	·090	·240	·200		5
6	·110	·240	-	-	-	-	·030	-	-	·670	·180	·020		6
7	-	·190	-	·090	·040	-	-	-	·020	-	-	-		7
8	-	-	-	-	-	-	·040	-	-	·100	·010	·180		8
9	--	-	·190	-	-	-	·050	·050	·050	-	·180	·040		9
10	-	-	·020	-	-	-	·780	·100	-	-	·090	·230		10
11	-	-	-	-	-	-	·120	-	-	-	·680	-		11
12	-	s ·040	·130	-	-	-	·140	-	·100	-	·160	-		12
13	-	s ·060	·180	-	-	-	-	-	·080	-	-	-		13
14	-	-	·050	·070	·280	-	-	-	·050	·010	-	·310		14
15	-	-	-	-	-	·200	·010	-	-	·020	·035	-		15
16	s ·090	s ·100	·320	-	-	·110	·500	-	·050	1·360	·830	-		16
17	-	-	·580	-	-	-	·110	-	·010	-	·380	-		17
18	s ·060	·370	·140	·450	-	-	-	·110	-	·060	-	·035		18
19	-	·210	·050	·230	-	-	·300	·020	·120	·040	·170	·020		19
20	-	·030	-	·120	-	·040	·030	·020	-	·080	·080	-		20
21	s ·100	-	-	-	-	·350	·120	-	-	·090	1·190	-		21
22	-	-	-	-	·250	·190	-	-	·070	-	-	-		22
23	-	·060	·040	·020	·440	·150	-	-	-	·030	-	·030		23
24	·030	-	-	·030	-	-	-	-	-	·015	-	-		24
25	-	-	-	-	-	·140	-	-	-	·045	-	-		25
26	s ·980	·080	-	-	·080	·070	-	·040	-	-	·015	-		26
27	s 1·030	·070	-	·340	-	-	·150	-	-	-	-	-		27
28	s ·420	·460	-	-	-	-	-	--	-	-	-	-		28
29	-	-	·180	-	·050	-	-	-	-	-	-	·160		29
30	s ·320	X	-	-	-	-	-	-	-	·330	-	·040		30
31	sl ·170	X	·090	X	-	X	-	-	X	1·020	X	-		31
TOTAL	3·310	2·530	1·970	1·790	1·240	1·250	2·440	·340	·550	4·100	5·755	1·420	Year's Total 26·695	
* Days with .01 in. or more.	10	17	12	11	7	8	14	6	9	17	18	14	143	
* Days with .04 in. or more.	9	15	11	8	7	8	11	4	7	14	15	8	117	

† Spare column, no entries required.

(*Signed*) ....

Engineer & General Manager.

[P.T.O.

* See Instruction 3 (f) on other side.

X Nottingham

Section **A** for the entry
AIR MINIS

Station No 2611/5
ALL ORGANIZATION.

FORM 1090.

REG

35.

2611/5

NOTTS. WOODTHORPE
1935—40

780411

Kept at ~~6 CALSTOCK ROAD, W~~

in the County of NOTT

Diameter of Funnel of Gauge...

Height of top of Gauge above

,, Ground ,,

THE MORNING MEAS

An observer who does not confor
year in the space on the right of

e following

new 20 yds shed.
ford Rd)
NE 7/2/35
to be little if any different

Jan. 1, following
/

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	–	·06	–	·09	·01	–	·57	·15	·15	·14		1
2	–	–	·03	tr	–	·35	·01	–	tr	·27	tr	·06		2
3	–	·13	·13	·02	–	·33	–	·02	·01	·09	·16	tr		3
4	–	–	–	·03	–	·11	tr	–	·05	·32	tr	–		4
5	–	·34	·12	·06	–	tr	tr	–	·04	·01	·13	tr		5
6	·01	·01	·01	·11	–	·19	–	–	–	tr	–	–		6
7	·04	(tr)	tr	·50	–	·05	–	–	–	·20	·60	·13		7
8	–	–	·02	·24	tr	–	–	tr	–	·05	·08	·22		8
9	–	–	tr	·19	–	·16	–	–	–	·66	·19	·01		9
10	–	tr	·01	·09	–	tr	–	–	–	tr	·07	·01		10
11	·12	tr	–	–	–	·06	tr	·03	–	–	·08	·09		11
12	–	·03	–	–	–	·12	–	·02	·04	–	·01	tr		12
13	·05	·03	–	·08	·11	–	–	–	·08	tr	tr	tr		13
14	–	–	–	tr	·08	–	·03	–	·05	–	·39	·11		14
15	–	·04	–	·61	·04	–	–	–	·12	–	·19	·23		15
16	–	·11	·11	·04	tr	·28	·09	–	·24	·12	·51	–		16
17	tr	–	–	·16	–	·22	·12	·15	·05	·05	·59	–		17
18	·01	–	–	·26	·07	·07	·11	–	·38	·13	·02	–		18
19	·01	–	–	·05	·04	·26	·03	tr	·02	·07	·35	tr		19
20	·01	·33	–	·22	–	·12	·07	–	–	–	·10	–		20
21	–	·58	–	·01	–	tr	–	–	·69	·02	·15	tr		21
22	–	·30	·05	·11	–	–	–	tr	·01	–	·01	·02		22
23	·02	·01	·14	·01	–	–	–	·95	·02	·15	–	tr		23
24	·01	·21	·10	–	–	–	–	–	1·45	tr	–	·25		24
25	·26	·05	–	·04	–	·30	–	–	–	–	–	·22		25
26	·16	tr	–	–	–	–	–	·74	·36	·04	·01	·30		26
27	·01	·22	–	–	tr	·01	tr	–	·45	·11	·19	·98		27
28	·01	·01	–	–	·04	–	–	–	·02	·02	·03	·03		28
29	–	✕	·09	–	–	–	–	tr	·11	·11	·02	·05		29
30	·09	✕	–	·08	–	tr	–	·22	·08	·25	·35	·05		30
31	tr	✕	–	✕	–	✕	–	–	✕	·43	✕	·16		31
TOTAL	(1·06	2·40)	0·81	2·97	0·38	2·72	0·47	2·13	4·84	3·25	4·38	3·06	Year's Total 28.47	✓
* Days with .01 in. or more.	15	15	11	21	6	16	8	7	21	20	23	18	(181)	✓
* Days with .04 in. or more.	7	10	7	17	6	15	4	4	16	17	17	14	(134)	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Arnold B. Tinn. [P.T.O.

N

footnote gauge moved from
T use average formerly used for Burford Rd.

X Nottingham

Section **A** for the entry of Daily Observations. Station No 2611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~CALSTOCK ROAD, WOODTHORPE, ARNOLD,~~

in the County of NOTTINGHAMSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 225 ft.

January transferred to new 10 yrs sheet as Nottingham (Burford Rd)
Gauge moved 2 metres NE 7/2/35
January estimated to be little if any different at new site

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	—	—	·06	—	·09	·01	—	·57	·15	·15	·14		1
2	—	—	·03	tr	—	·35	·01	—	tr	·27	tr	·06		2
3	—	·13	·13	·02	—	·33	—	·02	·01	·09	·16	tr		3
4	—	—	—	·03	—	·11	tr	—	·05	·32	tr	—		4
5	—	·34	·12	·06	—	tr	tr	—	·04	·01	·13	tr		5
6	·01	·01	·01	·11	—	·19	—	—	—	tr	—	—		6
7	·04	(tr)	tr	·50	—	·05	—	—	—	·20	·60	·13		7
8	—	—	·02	·24	tr	—	—	tr	—	·05	·08	·22		8
9	—	—	tr	·19	—	·16	—	—	—	·66	·19	·01		9
10	—	tr	·01	·09	—	tr	—	—	—	tr	·07	·01		10
11	·12	tr	—	—	—	·06	tr	·03	—	—	·08	·09		11
12	—	·03	—	—	—	·12	—	·02	·04	—	·01	tr		12
13	·05	·03	—	·08	·11	—	—	—	·08	tr	tr	tr		13
14	—	—	—	tr	·08	—	·03	—	·05	—	·39	·11		14
15	—	·04	—	·61	·04	—	—	—	·12	—	·19	·23		15
16	—	·11	·11	·04	tr	·28	·09	—	·24	·12	·51	—		16
17	tr	—	—	·16	—	·22	·12	·15	·05	·05	·59	—		17
18	·01	—	—	·26	·07	·07	·11	—	·38	·13	·02	—		18
19	·01	—	—	·05	·04	·26	·03	tr	·02	·07	·35	tr		19
20	·01	·33	—	·22	—	·12	·07	—	—	—	·10	—		20
21	—	·58	—	·01	—	tr	—	—	·69	·02	·15	tr		21
22	—	·30	·05	·11	—	—	—	tr	·01	—	·01	·02		22
23	·02	·01	·14	·01	—	—	—	·95	·02	·15	—	tr		23
24	·01	·21	·10	—	—	—	—	—	1·45	tr	—	·25		24
25	·26	·05	—	·04	—	·30	—	—	—	—	—	·22		25
26	·16	tr	—	—	—	—	—	·74	·36	·04	·01	·30		26
27	·01	·22	—	—	tr	·01	tr	—	·45	·11	·19	·98		27
28	·01	·01	—	—	·04	—	—	—	·02	·02	·03	·03		28
29	—	✕	·09	—	—	—	—	tr	·11	·11	·02	·05		29
30	·09	✕	—	·08	—	tr	—	·22	·08	·25	·35	·05		30
31	tr	✕	—	✕	—	✕	—	—	✕	·43	✕	·16		31
TOTAL	(1·06)	(2·40)	0·81	2·97	0·38	2·72	0·47	2·13	4·84	3·25	4·38	3·06	Year's Total (28,47)	✓
* Days with .01 in. or more.	15	15	11	21	6	16	8	7	21	20	23	18	(181)	✓
* Days with .04 in. or more.	7	10	7	17	6	15	4	4	16	17	17	14	(134)	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Arnold B. Tinn. [P.T.O.

N

footnote of gauge moved from

T use average formerly used for Burford Rd.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at 6 Calstock Road, Woodthorpe

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·06	·08	·44	—	·08	·06	·30	·02	—	·02	·03		1
2	·24	·06	·09	·07	—	·21	·13	·04	tr	—	·18	·07		2
3	·02	·02	—	—	—	·49	·01	—	·13	—	·01	tr		3
4	·01	·05	·09	tr	tr	·10	tr	·02	·07	·01	·07	·16		4
5	·02	·04	·15	tr	tr	—	·03	·05	·04	·02	—	·34		5
6	·01	—	·01	—	tr	·05	·32	·22	·25	tr	·04	—		6
7	·36	—	·01	—	tr	—	1·16	—	·03	·02	·02	·01		7
8	·15	—	·05	—	tr	—	—	—	·01	·05	·13	·03		8
9	·18	—	·02	—	·01	·06	·66	—	·03	·15	·23	·01		9
10	·01	—	·01	tr	—	tr	·81	—	tr	·01	—	·01		10
11	—	—	tr	·13	—	·01	·15	tr	·02	—	·41	tr		11
12	—	—	—	·12	·01	·28	·78	—	·40	—	·04	·03		12
13	—	—	—	·04	—	·15	·01	—	tr	·06	·01	·15		13
14	—	—	—	·08	—	·09	·11	—	·42	·01	·07	·48		14
15	·10	·01	·01	·09	—	·20	·03	—	—	—	·28	·04		15
16	·20	·16	—	·01	tr	—	·02	—	—	—	·44	tr		16
17	·03	·37	—	—	·32	—	·24	—	—	·02	·05	·09		17
18	—	·01	—	—	—	·02	·24	—	—	·12	·01	·03		18
19	·41	·07	·01	·28	—	·28	·02	·08	—	·09	—	—		19
20	·03	·06	·01	·01	—	—	·01	·08	—	tr	—	—		20
21	·03	—	·01	·07	tr	·42	—	—	—	tr	tr	—		21
22	tr	·38	·08	tr	·06	·10	·21	—	—	—	·02	·02		22
23	—	tr	·20	·14	·07	—	·43	—	—	·03	tr	—		23
24	·22	·11	—	tr	·01	—	·01	—	·17	·15	tr	—		24
25	·11	·01	·08	·31	—	—	·10	—	·33	·01	tr	—		25
26	·01	·06	·35	tr	—	—	·03	—	·15	·20	tr	tr		26
27	·16	—	tr	·01	—	—	—	tr	·11	·15	—	—		27
28	·31	·12	·03	tr	—	·02	·01	—	·03	—	·03	·06		28
29	·55	·26	·15	—	tr	·27	tr	—	—	·03	·46	·03		29
30	·20	✕	—	—	·06	·28	·12	—	—	·30	tr	·01		30
31	·05	✕	·01	✕	tr	✕	·01	—	✕	·09	✕	·20		31
TOTAL	3·43	1·85	1·45	1·80	0·54	3·11	5·71	0·79	2·21	1·52	2·52	1·79	Year's Total 26·72	✓
* Days with .01 in. or more.	24	17	20	14	7	18	26	7	16	19	19	19	206	✓
* Days with .04 in. or more.	14	13	10	11	4	15	15	6	10	10	12	9	129	✓

✓ 3·10 3·60 2/15

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arnold B. Tinn [P.T.O.

F.R. Met. Soc.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 6 Calstock Road, Woodthorpe, Arnold

in the County of Nottinghamshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·05	·01	tr	tr	—	·01	—	·09	—	·05	·18		1
2	·04	·14	·03	·31	—	—	tr	—	—	—	tr	1·12		2
3	·01	·04	·02	·05	·08	tr	·03	tr	—	—	tr	·19		3
4	·08	·13	·02	·01	·02	—	—	·03	—	—	tr	·58		4
5	·27	tr	·10	tr	·02	—	—	·01	—	—	tr	·07		5
6	tr	—	·01	·01	·24	—	tr	—	—	tr	·02	·02		6
7	—	·43	·01	·20	·02	tr	—	—	—	—	tr	·04		7
8	—	·35	—	tr	tr	—	tr	—	tr	tr	·13	tr		8
9	—	·07	—	·04	·12	—	·46	·05	·01	—	—	·04		9
10	·02	·04	·17	·12	tr	·12	tr	—	—	·01	tr	·10		10
11	tr	—	·74	tr	·73	—	tr	·04	—	—	—	·09		11
12	·05	·31	·09	tr	·38	·04	—	—	·20	—	—	·14		12
13	—	·05	tr	tr	·01	·13	—	tr	tr	—	—	·03		13
14	—	tr	·09	tr	tr	·01	—	·07	·03	—	—	·06		14
15	·07	·18	·01	·37	tr	—	✓1·19	—	·08	—	—	tr		15
16	·04	·28	·23	·36	tr	—	—	·08	·22	—	—	·01		16
17	·13	·01	·21	·24	—	—	—	—	·21	—	tr	tr		17
18	·92	·03	·05	·08	—	tr	·05	tr	tr	tr	·42	—		18
19	·04	·15	·06	·06	—	·05	·04	tr	—	·01	·10	—		19
20	·14	·07	—	·36	·70	tr	—	—	·02	tr	tr	·03		20
21	·01	·04	·03	·01	—	—	·25	·01	—	tr	tr	·03		21
22	·05	tr	tr	tr	·02	—	·24	—	—	·25	·23	·02		22
23	·35	—	tr	—	·05	tr	·07	—	—	1·22	·34	—		23
24	·10	·52	·04	—	·01	—	·04	—	·05	·13	tr	tr		24
25	·09	·37	·02	—	·05	—	—	—	·02	1·04	tr	·01		25
26	—	·30	·07	—	·35	—	—	—	—	—	tr	·02		26
27	—	·42	tr	·14	—	—	—	—	—	·74	—	·02		27
28	·01	·19	·01	—	—	tr	—	—	—	·01	—	·03		28
29	·08	×	—	—	—	tr	—	tr	—	tr	·04	·02		29
30	·32	▨	—	—	—	·02	—	—	—	·01	·04	·01		30
31	·38	▨	—	▨	—	▨	tr	—	▨	·20	▨	·03		31
TOTAL	3·30	4·17	2·02	2·36	2·80	0·37	2·38	0·29	0·93	3·62	1·37	2·89	Year's Total 26·50	✓
* Days with .01 in. or more.	22	22	21	15	15	6	10	7	10	10	9	24	171	✓
* Days with .04 in. or more.	18	20	11	12	9	4	8	4	6	6	8	11	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Arnold B. Tinn [P.T.O.

F.R.Met.Soc.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at 6 CALSTOCK ROAD, WOODTHORPE, NOTTINGHAM

in the County of NOTTINGHAMSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	tr	·51	·24	·01	·01	·09	tr	·12		1
2	·04	tr	–	·04	–	·28	–	–	–	·08	tr	·01		2
3	·06	–	–	tr	tr	·04	·06	–	·12	·69	·05	tr		3
4	·04	–	tr	·02	–	·03	·17	·18	–	·27	·01	·37		4
5	tr	–	–	tr	–	tr	·07	·01	·02	tr	–	tr		5
6	·05	·04	–	–	–	·01	·51	tr	·06	·07	–	tr		6
7	·13	·01	tr	–	–	tr	·14	·01	·17	·03	–	·04		7
8	·26	–	–	–	–	–	·10	tr	–	·28	–	·03		8
9	·01	·11	–	–	–	tr	tr	·27	–	–	–	·39		9
10	tr	·01	–	–	–	tr	·24	·02	·01	tr	–	·03		10
11	·50	–	–	–	–	tr	·03	·15	·01	·05	·04	·02		11
12	·16	tr	–	–	·11	–	tr	tr	–	·44	·06	–		12
13	tr	·05	–	–	–	–	–	–	–	tr	·22	·30		13
14	·09	tr	–	–	·06	–	·57	–	·12	–	tr	·01		14
15	·18	tr	–	–	tr	–	·22	·04	–	–	·01	·19		15
16	·23	–	tr	–	–	–	·20	·01	–	·02	·02	·35		16
17	–	·03	–	–	·68	–	·08	·01	·01	·18	·01	·01		17
18	·09	tr	–	–	·22	·19	–	·05	·05	·02	·26	tr		18
19	–	tr	–	–	tr	–	–	·06	·07	–	tr	·05		19
20	tr	–	–	–	–	–	tr	tr	tr	–	·32	·11		20
21	tr	–	–	–	–	–	–	·07	tr	–	tr	·30		21
22	–	tr	tr	tr	–	·09	–	tr	–	–	·32	·28		22
23	tr	tr	–	tr	·01	·02	·02	–	·04	tr	·01	·06		23
24	–	–	·03	–	tr	–	–	–	·27	tr	·02	·03		24
25	·14	·27	·04	tr	tr	–	·01	·02	tr	·13	·64	·16		25
26	·01	·19	·06	–	·01	tr	–	–	·18	·07	·03	·14		26
27	·03	·02	–	–	·19	·13	·14	·33	·27	·01	·31	–		27
28	·13	·02	–	tr	·28	·09	·20	·71	·23	tr	·04	·06		28
29	·34	×	tr	tr	·66	tr	·02	–	tr	·05	·09	·14		29
30	·04	×	–	–	·03	·05	–	–	·14	–	·09	·09		30
31	·11	×	–	×	·18	×	tr	tr	×	·17	×	·89		31
TOTAL	2·64	0·75	0·13	0·06	2·43	1·44	3·02	1·95	1·78	2·65	2·55	4·18	Year's Total 23·58	✓
* Days with .01 in. or more.	20	10	3	2	11	11	18	16	17	17	19	25	169	✓
* Days with .04 in. or more.	17	5	2	1	8	8	14	9	12	13	12	18	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arnold B. Tinn
F.R. Met. S.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CALSTOCK ROAD, WOODTHORPE, NOTTINGHAM.

in the County of NOTTINGHAMSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	–	·07	·11	tr	–	·02	tr	·04	·01	–	·03		1
2	·05	–	tr	·04	tr	–	·01	·18	·49	·10	·03	–		2
3	·39	–	–	·30	–	–	–	·52	–	tr	·22	·32		3
4	·26	–	·27	·30	–	–	·04	·39	–	·01	tr	·17		4
5	–	–	–	·03	·11	–	·14	·61	–	·05	·20	·24		5
6	·61	–	·06	–	–	–	·29	–	–	tr	·07	–		6
7	·07	·05	–	–	·01	–	·24	–	–	–	·16	·36		7
8	tr	·11	·18	–	–	–	·24	·05	–	·17	·16	·39		8
9	–	·10	–	–	–	–	·05	·31	–	·64	–	·27		9
10	·51	–	·01	–	–	tr	–	·15	tr	·06	–	–		10
11	·04	tr	·25	–	·01	·03	–	·04	·07	·10	–	tr		11
12	·02	·06	·01	–	–	·25	–	–	–	·01	tr	tr		12
13	–	–	–	·02	·01	·08	·04	–	tr	·20	–	·01		13
14	·68	tr	·01	·16	·21	·34	·25	–	tr	·10	·09	tr		14
15	·18	–	tr	tr	·38	·34	·46	–	·04	·11	·02	tr		15
16	·03	–	·06	tr	·34	·13	·26	–	–	–	·16	–		16
17	·46	·01	·01	·11	tr	tr	·02	–	–	·71	–	–		17
18	·09	tr	·07	–	–	·26	·14	tr	·03	·01	·77	–		18
19	·24	–	tr	–	–	·20	·68	tr	·01	–	–	tr		19
20	·03	–	–	–	tr	·01	·12	·21	–	–	–	–		20
21	·22	·18	·18	·04	·01	·06	·77	·04	·02	·01	–	–		21
22	·22	·17	·06	tr	–	tr	·15	[illegible]	·02	tr	·45	–		22
23	·02	·03	tr	·18	–	·01	·05	·01	–	·01	·43	·01		23
24	·06	tr	tr	·02	tr	tr	·05	·01	–	tr	tr	tr		24
25	·88	·01	·03	·02	–	·02	·08	·52	–	–	·59	·01		25
26	·03	–	·02	·01	tr	tr	–	tr	–	·02	·10	·03		26
27	·02	·10	·30	tr	tr	·04	·03	–	–	·10	·03	tr		27
28	·01	·21	·17	·15	–	·24	·18	·04	–	·03	·20	tr		28
29	–	×	–	·38	–	–	·32	–	–	·23	tr	–		29
30	–	×	–	tr	tr	·08	·01	·01	–	tr	·13	–		30
31	–	×	–	×	–	×	·01	·08	×	tr	×	–		31
TOTAL	5·18	1·03	1·76	1·87	1·08	2·09	4·65	3·17	0·72	2·68	3·81	1·84	Year's Total 29·88	✓
* Days with .01 in. or more.	24	11	17	15	8	15	26	16	8	20	17	11	188	✓
* Days with .04 in. or more.	17	8	11	10	4	11	20	13	4	12	14	6	130	✓

† Spare column, no entries required

(*Signed*) Arnold B. Tinn

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 26 11/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at 6 Calstock Road, Woodthorpe, Nottingham
in the County of Notts.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 225 ft.

? Snow – see note on back

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
Measured at 10a.m. Clock Time on Jan. 1.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.12	tr	.10	–	–	–	–	–	tr	.24	tr		1
2	–	.02	–	.26	–	–	tr	–	–	–	.54	.03		2
3	.01	.43	tr	.15	–	–	tr	–	–	.06	.21	.04		3
4	–	.16	–	.01	–	–	.02	–	–	.07	.46	.09		4
5	–	.03	–	–	.06	–	.02	–	–	.08	.42	.17		5
6	.10	.52	–	–	tr	–	tr	–	–	.76	.10	.02		6
7	.04	.20	–	.07	.03	–	–	–	.02	.01	tr	.01		7
8	tr	–	–	tr	–	tr	.04	tr	tr	.13	tr	.18		8
9	–	–	.17	tr	–	.02	.03	.04	.04	.01	.30	.03		9
10	–	–	.02	–	–	–	.78	.11	–	–	.09	.30		10
11	–	.01	.02	.01	–	–	.19	–	tr	–	.73	.01		11
12	–	.01	.12	–	–	tr	.14	–	.10	–	.39	–		12
13	–	.03	.22	.01	–	–	–	tr	.11	–	tr	–		13
14	–	tr	.02	.07	.29	–	–	–	.06	.02	–	.87		14
15	–	tr	tr	tr	.02	.13	tr	–	tr	tr	.05	.01		15
16	.03	.25	.38	tr	–	.07	.90	–	.08	1.53	.76	.01		16
17	–	tr	.60	–	–	–	.07	–	tr	tr	.75	tr		17
18	.10	.46	.13	.42	–	–	–	.07	tr	.03	.01	.05		18
19	–	.17	.06	.29	–	.01	.46	tr	.12	.09	.18	.03		19
20	–	.01	–	.11	–	.05	.11	.01	–	.05	.08	–		20
21	.13	.01	tr	tr	–	.28	.05	–	–	.11	1.21	–		21
22	tr	tr	.01	tr	.29	.25	–	tr	.14	.01	tr	tr		22
23	–	.05	.08	.03	.24	.09	–	–	tr	.04	tr	.03		23
24	.06	tr	–	.02	L	–	.08	–	–	.01	tr	.01		24
25	–	tr	–	.01	tr	.16	tr	–	–	.02	tr	–		25
26	.90	.06	–	.04	.14	.04	.01	.01	–	tr	.01	–		26
27	x 1.13	.10	–	.69	–	–	.38	.03	–	–	.01	–		27
28	x .01	.49	–	.01	.06	–	–	–	–	tr	–	tr		28
29	x –	–	.20	.04	.07	.07	–	–	tr	tr	–	.16		29
30	.13	✕	tr	.01	–	–	–	–	–	.33	tr	.04		30
31	.06	✕	.08	✕	–	✕	–	–	✕	1.02	✕	.02		31
TOTAL	2.70	3.13	2.11	2.35	1.20	1.17	3.28	.27	.67	4.38	6.54	1.61	Year's Total 29.41	
* Days with .01 in. or more.	13 ~~12~~	19	14	19	9	11	15	6	8	19	19	20	172	
* Days with .04 in. or more.	11 ~~9~~	12	10	11	7	9	11	3	7	12	16	9	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arnold [illegible] Tinn

P.T.O.

2612.

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIST

Kept at Bulco

in the County of Not

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

THE MORNING MEAS

An observer who does not conform to

year in the space on the right of th

2612

NOTTS. BULCOTE

1931 —— 37

78 04 11

FOR OFFICIAL USE.

L ORGANIZATION.

l.

ollowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	-	·060	·185	·085									1
2	·020	·025		·540		·060			·320	·070	·045	·060	2
3	·085	·030		·095			·050		1·060	·015		·150	3
4	·010	·050		·085	·015		·440	·125	·070		·025		4
5		·055			·045	1·050		·015	·140		·025	·375	5
6		·115		·015		·730			·025	·110	·060		6
7	·055	·020	·040			·265	·060	·270		·015	·115	·025	7
8		·060	·020	·035		·010	·040	1·055			·255		8
9		·115	·035	·115		·035		·080	·015		·190	·020	9
10	·010	·040	·015		·025	·040	·100	·195			·035		10
11	·055	·470	·020			·025	·010		·250		·020		11
12	·045	·130					·855		·135		·045		12
13				·025		·015	·025	·150					13
14		·025				·080	·175	·990	·010		·115		14
15		·045	·010	·160	·105	·015	·020	·070			·025	·020	15
16	·035	·310			·655	·520	·025	·260	·165				16
17	·010	·220		·320	1·035		·020				·015		17
18	·020	·015		·310		·120	·185	·050			·300		18
19	·055	·025		·215		·110	·230	·080	·055	·015	·015	·015	19
20		·030		·040			·010	·420		·025		·035	20
21	·150	·015			·475			·090			·240		21
22	·060		·025	·025	·025						·020		22
23	·155			·040	·345	·090					·180	·020	23
24		·020		·065	·460					·030		·035	24
25	·145	·015		·580	·010		·040				·025		25
26	·020			·385	·130		·355				·065		26
27	·180	·310		·035	·025		·060			·095	·320	·130	27
28	·155	·140		·015	·200		·015				·015	·015	28
29	·320	✗		·040						·145	·020	·050	29
30	·170	✗		·010		·045	·140						30
31	·175	✗		✗		✗			✗	·035	✗	·015	31
TOTAL	1·930	2·340	·350	3·235	3·550	3·210 3·260	6 2·8~~5~~5	3·850	2·355	6 ·5~~5~~5	2·170	7 ·9~~8~~5	YEAR'S TOTAL 7 27·3~~6~~5
*Days with ·01 in. or more.	21	24	8	22	14	16	20	14	12	18	23	14	198
*Days with ·04 in. or more.	14	14	2	15	9	11	13	13	9	14	12	5	12

40-9999

(Signed) H. Gladstone [P.T.O.

*See Instruction 2 (*f*) on other side.

2612

Section **A** for the entry o

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BULCOTE

in the County of NOTTINGHAM.

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 65·07 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·060	·185	·085					·110				1
2	·020	·025		·540		·060			·320	·070	·045	·060	2
3	·085	·030		·095			·050		1·060	·015		·150	3
4	·010	·050		·085	·015		·440	·125	·070		·025		4
5		·055			·045	1·050		·015	·140		·025	·375	5
6		·115		·015		·730			·025	·110	·060		6
7	·055	·020	·040			·265	·060	·270		·015	·115	·025	7
8		·060	·020	·035		·010	·040	1·055			·255		8
9		·115	·035	·115		·035		·080	·015		·190	·020	9
10	·010	·040	·015		·025	·040	·100	·195			·035		10
11	·055	·470	·020			·025	·010		·250		·020		11
12	·045	·130					·855		·135		·045		12
13				·025		·015	·025	·150					13
14		·025				·080	·175	·990	·010		·115		14
15		·045	·010	·160	·105	·015	·020	·070			·025	·020	15
16	·035	·310			·655	·520	·025	·260	·165				16
17	·010	·220		·320	1·035		·020				·015		17
18	·020	·015		·310		·120	·185	·050			·300		18
19	·055	·025		·215		·110	·230	·080	·055	·015	·015	·015	19
20		·030		·040			·010	·420		·025		·035	20
21	·150	·015			·475			·090			·240		21
22	·060		·025	·025	·025						·020		22
23	·155			·040	·345	·090					·180	·020	23
24		·020		·065	·460					·030		·035	24
25	·145	·015		·580	·010		·040				·025		25
26	·020			·385	·130		·355				·065		26
27	·180	·310		·035	·025		·060			·095	·320	·130	27
28	·155	·140		·015	·200		·015				·015	·015	28
29	·320	~~×~~		·040						·145	·020	·050	29
30	·170	×		·010		·045	·140						30
31	·175	×		×		×			×	·035	×	·015	31
TOTAL	1·930	2·340	·350	3·235	3·550	3·210 3·2~~6~~0	6 2·8~~5~~5	3·850	2·355	6 ·5~~5~~5	2·170	7 ·9~~6~~5	YEAR'S TOTAL 7 27·3~~6~~5
*Days with ·01 in. or more.	21	24	8	22	14	16	20	14	12	10	23	14	198
*Days with ·04 in. or more.	14	14	2	15	9	11	13	13	9	4	12	5	12

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

2612

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Bulcote Farm

In the County of Nottinghamshire

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground 1 *ft.* 3 *in.*
Height of Ground above Sea Level 65 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·10				
FEB.	·54				
MAR.	1·33				
APRIL	2·22				
MAY	5·66				
JUNE	·52				
JULY	5·96				
AUG.	2·51				
SEPT.	1·66				
OCT.	2·83				
NOV.	1·91				
DEC.	·69				
Total	26·93				

Signature T. Wallis Gordon

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bulcote Farm

in the County of Nottingham

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 65·07 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·195	/	·235	/	/	/	/	/	/	/	·200	/		1
2	·250	/	·345	/	/	/	/	/	/	/	·030	/		2
3	/	·100	·200	/	·200	/	/	/	/	/	·075	/		3
4	·050	/	·020	/	/	/	/	/	/	/	/	/		4
5	·135	/	·085	/	·220	/	/	/	/	/	/	/		5
6	/	·080	·020	/	·650	/	/	/	/	/	/	/		6
7	·015	·210	/	/	/	/	·190	/	/	·250	/	/		7
8	/	/	·090	/	/	/	·320	/	/	/	·025	/		8
9	/	/	/	/	·024	/	·295	/	/	·870	/	/		9
10	·035	·050	/	/	·200	·060	·035	·045	/	·840	·030	/		10
11	·020	/	/	/	/	/	·090	/	/	·020	/	/		11
12	/	/	/	/	/	·010	·080	/	/	/	/	/		12
13	/	/	/	/	·115	·030	·235	/	·045	/	·155	/		13
14	·095	/	/	/	·015	/	/	/	/	·060	·370	/		14
15	·400	/	·010	/	/	·020	·020	·210	/	·065	·605	/		15
16	·355	/	·585	·010	·035	·035	·405	/	/	/	·045	·025		16
17	·020	/	·935	/	/	·045	/	/	·050	/	·075	/		17
18	·040	·055	·080	/	/	·615	/	/	/	/	·030	/		18
19	/	·040	·130	/	/	·120	·835	/	·060	/	/	/		19
20	/	·010	/	/	/	·205	/	·010	/	·020	·025	/		20
21	/	·010	/	/	·025	·220	/	·095	/	/	·020	/		21
22	/	/	/	/	/	·275	/	·340	/	·500	/	·095		22
23	/	/	/	·150	/	·015	/	/	·750	·020	/	/		23
24	/	·045	/	·305	·050	·300	/	/	·675	·030	·025	·045		24
25	/	·860	/	·280	·025	/	/	/	·020	·020	·040	/		25
26	/	·540	/	·145	/	/	/	/	·390	·100	/	·015		26
27	/	/	/	/	/	/	/	/	/	·230	/	/		27
28	/	/	/	·230	/	/	·005	/	/	·225	/	/		28
29	/	X	·025	·055	/	/	/	/	/	·090	/	·025		29
30	·195	X	·030	/	/	/	/	/	/	·040	/	·035		30
31	·030	X	·055	X	/	X	/	/	X	·025	X	/		31
TOTAL	1·835	2·000	2·845	1·175	6 1·55~~9~~	1·950	2·510	·700	1·990	3·405	1·750	·240	Year's Total 6 21·959	
*Days with ·01 in. or more.	14	11	15	7	11	13	10	5	7	17	15	6	131	
*Days with .04 in. or more.	9	9	10	6	6	8	8	4	6	11	8	2	87	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) H Greastone

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BULCOTE FARM

in the County of NOTTINGHAMSHIRE

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 63·82 ft.

3410

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·120	·	·	·	·	·	·	240	·		0·025	0·265		1
2	·020	·	·	·	·	·	·	·	·270	·025	·180	·140		2
3	·020	·050	·	·030	·	·	·	·	·	·075	·	·020		3
4	·	·	·100	·500	·020	·	·	·	·	·060	·	·220		4
5	·	·	·060	·045	·125	·	·	·145	·	·	·	·100		5
6	·	·	·	·	·440	·	·	·140	·	·035	·	·295		6
7	·055	·	·	·	·	·	·	·	·025	·135	·085	·170		7
8	·	·	·040	·055	·	·	·	·065	·	·060	·605	·070		8
9	·	·	·320	·	·	·	·4	·025	·	·	·640	·		9
10	·	·	·560	·115	·	·	·	·055	·	·	·070	·		10
11	·400	·	·170	·235	·	·	·	·060	·	·	·	·380		11
12	·015	·	·355	·	·	·	·400	·250	·	·	·	·295		12
13	·520	·	·010	·025	·	·	·700	·045	·	·035	·	·175		13
14	·065	·	·210	·	·020	·050	·	·	·	·150	·680	·265		14
15	·020	·	·040	·	·075	·	·	·	·020	·	·190	·		15
16	·200	·	·060	·	·235	·	·085	·	·	·045	·035	·015		16
17	·210	·	·015	·	·010	·	·040	·020	·160	·055	·	·025		17
18	·055	·	·025	·200	·020	·015	·	·	·060	·015	·	·		18
19	·	·	·110	·135	·015	·220	·	·	·	·045	·	·040		19
20	·	·	·040	·040	·	·	·	·015	·	·	·	·		20
21	·	·	·		·	·075	·	·025	·	·	·	·		21
22	·	·	·	·		·	·	·200	·370	·	·	·		22
23	·	·	·030	·225	·	·	·780	·	·	·	·	·585		23
24	·	·	·125	·190	·	·050	·040	·	·400	·	·	·		24
25	·175	235	·	·095	·	·	·	·	·020	·035	·	·260		25
26	·200	·	·	·030	·	·	·	·	·040	·070	·	·100		26
27	·	·120	·	·315	·	·	·	·	·015	·175	·	·180		27
28	·	·	·	·020	·	·020	·025	·445	·	·110	·	·075		28
29	·	×	·	·	·	·	·115	·065	·300	·	·	·110		29
30	·030	×	·	·	–	·	·	·	·045	·	·	·115		30
31	·	×	·	×	·	×	·	·	×	·015	×	·075		31
TOTAL	2·105	0·405	2·270	2·255	0·960	0·430	2·185	1·795	1·725	1·100	2·500	3·975	Year's Total. 21·705	
* Days with .01 in. or more.	15	3	17	16	9	6	8	15	12	17	9	23	150	
* Days with .04 in. or more.	10	3	13	12	4	4	7	11	8	11	7	20	110	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H Greatstone

[P.T.O.

2612.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At ....Bulcote Farm....

In the County of ....Nottinghamshire

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground*.....1.....*ft*.....3.....*in.*
- *Height of Ground above Sea Level*.....65.....*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·56			13	
FEB.	2·35			14	
MAR.	·83			12	
APRIL	3·15			23	
MAY	·59			7	
JUNE	1·82			14	
JULY	·19			5	
AUG.	1·39			6	
SEPT.	5·36	1·75	24	17	
OCT.	2·75			20	
NOV.	3·97			21	
DEC.	3·10			17	
TOTAL	27·06			169	

~~Signature~~ ....A. Stone....

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.....................in Summer.....................

Nearest Railway Station.............................. Distance.................. Direction from gauge...........

Nearest Parish Church at.............................. Distance.................. Direction from gauge...........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Statement sent in by Nottingham City Engineer & Surveyor.

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bulcote Farm

in the County of Nottingham.

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 65.07 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·025	·135	·015	·290			·185	·300	·025			·025		1
2	·270	·025	·235			·245	·460	·060			·450			2
3		·060	·020			·470	·040	·020	·100			·040		3
4		·015	·075			·020		·035			·075	·350		4
5	·160		·165	·045		·015	·060					·045		5
6	·015		·020	·660			·310	·020						6
7	·250					·050	1·155							7
8	·135						·020							8
9	·155						·425		1·090		·410			9
10	·025			·015		·035	·605							10
11				·265			·085				·390			11
12						·025	·785					·245		12
13						·245						·035		13
14				·070		·130	·185		·415	·300	·075	·605		14
15	·025	·170	·020	·035		·040	·035				·185	·050		15
16	·350	·030					·020				·500	·025		16
17	·035	·405		·015	·045						·130			17
18							·200				·045	·030		18
19	·460	·025		·295		·480		·040						19
20		·090			·015			·045						20
21	·080			·015		·530								21
22		·480			·030	·140	·195							22
23			·050	·175	·125		·355							23
24	·055	·095			·020				·055					24
25	·270		·395	·270					·390	·130				25
26	·020	·060	·055				·020			·155				26
27	·150								·310	·095				27
28	·415	·115				·020	·025				·035	·030		28
29	·755	·235	·025			·300	·015			·035	·550	·070		29
30	·200	✕	·210		·075		·140			·350	·020	·055		30
31	·035	✕		✕	·025	✕	·020		✕	·065	✕	·095	2	31
TOTAL	3·885	1·940	1·285	2·150	·335	2·745	5·340	·520	2·385	1·130	2·865	1·700	Year's Total 26·280	✓ ✓
* Days with .01 in. or more.	21	14	12	12	7	15	22	7	7	7	12	14	~~150~~	✓
* Days with .04 in. or more.	~~14~~	~~10~~	~~7~~	~~8~~	~~3~~	~~10~~	~~5~~	~~4~~	~~6~~	~~6~~	~~10~~	~~9~~	~~92~~	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Alfred R Stone [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bulcote Farm

in the County of Nottingham

Diameter of Funnel of Gauge ~~10~~ 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 65·07 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	JULY	~~July~~ JUNE	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·210	·245	·025	/	/	/	/	/	·060	/	·170	·490		1
2	·025	·040	/	·145	/	/	/	/	·050	/	/	·455		2
3	·035	/	·020	·050	/	/	/	/	/	/	/	·240		3
4	·050	/	·030	·025	/	/	/	/	/	/	/	·550		4
5	·215	/	·020	·020	·015	/	/	/	/	/	/	·370		5
6	/	·050	/	·040	·035	/	/	/	/	/	/	/		6
7	/	·325	·015	·130	·120	/	/	/	/	/	·020	·045		7
8	/	·045	/	·065	/	/	/	/	/	/	·140	·015		8
9	/	·115	/	·120	·050	·510	/	/	·055	/	/	·025		9
10	·015	/	·090	·035	·135	/	·165	/	·015	/	/	·115		10
11	/	·370	·955	/	1·200	/	/	/	/	/	/	·020		11
12	·055	·035	·145	·015	·455	/	·015	/	·030	/	/	·235		12
13	/	·015	·025	/	·020	/	·075	/	/	/	/	/		13
14	/	/	/	/	/	/	/	·110	·025	/	/	·095		14
15	·105	·180	·040	·295	/	1·105	/	·010	/	/	/	/		15
16	·125	·265	·030	·225	/	·035	/	/	·055	/	/	/		16
17	·500	·035	·140	·195	/	·070	/	·075	·945	/	/	/		17
18	·065	·045	·085	·110	/	·045	/	/	·025	/	·460	·035		18
19	·155	·060	·025	·165	/	·050	·045	/	·015	/	·100	/		19
20	·015	·085	/	·230	·700	·025	·020	/	/	/	/	/		20
21	·025	·020	·030	/	/	·040	/	/	/	/	/	·045		21
22	/	/	·020	/	·035	·185	/	/	/	·400	·145	/		22
23	/	/	/	/	/	·335	/	/	/	1·040	·205	/		23
24	·845	·545	/	/	·025	·035	/	/	/	·125	/	/		24
25	·155	·325	/	/	·020	/	/	/	/	·695	/	/		25
26	/	·235	/	/	·320	/	/	/	/	/	/	·025		26
27	/	·355	/	·175	/	/	/	/	/	·885	/	/		27
28	/	·080	/	/	/	/	/	/	/	·015	/	·045		28
29	/	X	/	/	/	/	/	/	/	/	·105	·030		29
30	/	✕	/	/	/	/	/	/	/	·195	·065	·015		30
31	·640	✕	/	✕	/	✕	/	/	✕	/	✕	/		31
TOTAL	3·235	3·470	1·695	2·040	3·130	2·435	·320	·195	1·275	3·355	1·410	2·850	Year's Total 25·410	
* Days with .01 in. or more.	17	21	16	17	13	11	5	3	10	7	9	18	~~147~~	
* Days with .04 in. or more.	12	17	6	13	7	8	3	2	5	6	8	11	~~98~~	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.